UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Amlashi, H. H. (2023). IMPROVED WATERSHED SEGMENTATION ALGORITHM FOR TREE CROWNS EXTRACTION FROM MULTI-SPECTRAL UAV-BASED AERIAL IMAGES. ISPRS Annals of the Photogrammetry, Remote Sensing and Spatial Information Sciences, 10(4/W1-2022), 249–254. https://doi.org/10.5194/isprs-annals-X-4-W1-2022-249-2023

Avery, T. E., & Burkhart, H. E. (2002). *Forest measurements* (5th ed.). McGraw-Hill.

Ball, J. G. C., Hickman, S. H. M., Jackson, T. D., Koay, X. J., Hirst, J., Jay, W., Archer, M., Aubry-Kientz, M., Vincent, G., & Coomes, D. A. (2023). Accurate delineation of individual tree crowns in tropical forests from aerial RGB imagery using Mask R-CNN. Remote Sensing in Ecology and Conservation, 9(5), 641–655. https://doi.org/10.1002/rse2.332

Baskerville, G. L. (1972). Use of logarithmic regression in the estimation of plant biomass. Canadian Journal of Forest Research, 2(1), 49–53. https://doi.org/10.1139/x72-009

Braga, J. R. G., Peripato, V., Dalagnol, R., Ferreira, M. P., Tarabalka, Y., Aragão, L. E. O. C., de Campos Velho, H. F., Shiguemori, E. H., & Wagner, F. H. (2020). Tree crown delineation algorithm based on a convolutional neural network. Remote Sensing, 12(8). https://doi.org/10.3390/RS12081288

Breidenbach, J., Næsset, E., Lien, V., Gobakken, T., & Solberg, S. (2010). Prediction of species specific forest inventory attributes using a nonparametric semi-individual tree crown approach based on fused airborne laser scanning and multispectral data. Remote Sensing of Environment, 114(4), 911–924. https://doi.org/10.1016/j.rse.2009.12.004

Breiman, L. (2001). Random Forests. Machine Learning, 45(1), 5–32.

Badan Standardisasi Nasional. (2019). SNI 7724:2019 Pengukuran dan penghitungan cadangan karbon hutan. Jakarta: BSN.

Carion, N., Gustafson, L., Hu, Y.-T., Debnath, S., Hu, R., Suris, D., Ryali, C., Vasudev Alwala, K., Khedr, H., Huang, A., Lei, J., Ma, T., Guo, B., Kalla, A., Marks, M., Greer, J., Wang, M., Sun, P., Rädle, R., Afouras, T., Mavroudi, E., Xu, K., Wu, T.-H., Zhou, Y., Momeni, L., Hazra, R., Ding, S., Vaze, S., Porcher, F., Li, F., Li, S., Kamath, A., Cheng, H. K., Dollár, P., Ravi, N., Saenko, K., Zhang, P., & Feichtenhofer, C. (2026). SAM 3: Segment Anything with Concepts. In International Conference on Learning Representations (ICLR 2026).

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chave, J., Réjou-Méchain, M., Búrquez, A., et al. (2014). Improved allometric models to estimate the aboveground biomass of tropical trees. Global Change Biology, 20(10), 3177–3190. https://doi.org/10.1111/gcb.12629

Chen, T., & Guestrin, C. (2016). XGBoost: A scalable tree boosting system. Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, 785–794. https://doi.org/10.1145/2939672.2939785

Cheng, B., Girshick, R., Dollár, P., Berg, A. C., & Kirillov, A. (2021). Boundary IoU: Improving Object-Centric Image Segmentation Evaluation. Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition, 15334–15342. https://doi.org/10.1109/CVPR46437.2021.01508

Dandois, J. P., Olano, M., & Ellis, E. C. (2015). Optimal altitude, overlap, and weather conditions for computer vision uav estimates of forest structure. Remote Sensing, 7(10), 13895–13920. https://doi.org/10.3390/rs71013895

Dersch, S., Schöttl, A., Krzystek, P., & Heurich, M. (2023). Towards complete tree crown delineation by instance segmentation with Mask R-CNN and DETR using UAV-based multispectral imagery and lidar data. ISPRS Open Journal of Photogrammetry and Remote Sensing, 8, 100037.

de León, G. C., Alfaro-Trujillo, I., & Bañuelos-Jiménez, M. (2016). Error predictions for average end diameter sectional formula in tree stem volume measurement | Predicciones de error para la fórmula seccional del promedio de diámetros extremos en la medición del volumen de tronco de árbol. *Bosque*, *37*(1), 211–215. https://doi.org/10.4067/S0717-92002016000100020

FAO. (2001). Global Forest Resources Assessment 2000: Main Report. Food and Agriculture Organization of the United Nations, Rome. FAO Forestry Paper No. 140.

Feng, B., Nie, S., Wang, C., Xi, X., Wang, J., Zhou, G., & Wang, H. (2022). Exploring the Potential of UAV LiDAR Data for Trunk Point Extraction and Direct DBH Measurement. Remote Sensing, 14(12). https://doi.org/10.3390/rs14122753

Ferraz, A., Saatchi, S., Mallet, C., & Meyer, V. (2016). Lidar detection of individual tree size in tropical forests. Remote Sensing of Environment, 183, 318–333. https://doi.org/10.1016/j.rse.2016.05.028

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Friedman, J. H. (2001). Greedy function approximation: A gradient boosting machine. The Annals of Statistics, 29(5), 1189–1232. https://doi.org/10.1214/aos/1013203451

Freund, Y., & Schapire, R. E. (1997). A decision-theoretic generalization of on-line learning and an application to boosting. Journal of Computer and System Sciences, 55(1), 119–139. https://doi.org/10.1006/jcss.1997.1504

Fu, H., Zhao, H., Jiang, J., Zhang, Y., Liu, G., Xiao, W., Du, S., Guo, W., & Liu, X. (2024). Automatic detection tree crown and height using Mask R-CNN based on unmanned aerial vehicles images for biomass mapping. Forest Ecology and Management, 555. https://doi.org/10.1016/j.foreco.2024.121712

Geurts, P., Ernst, D., & Wehenkel, L. (2006). Extremely randomized trees. Machine Learning, 63(1), 3–42. https://doi.org/10.1007/s10994-006-6226-1

Gong, M., Kou, W., Lu, N., Chen, Y., Sun, Y., Lai, H., Chen, B., Wang, J., & Li, C. (2023). Individual Tree AGB Estimation of Malania oleifera Based on UAV-RGB Imagery and Mask R-CNN. Forests, 14(7). https://doi.org/10.3390/f14071493

Gonzalez, R.C., & Woods, R.E. (2018). Digital Image Processing (4th ed.). Pearson.

Goodman, R. C., Phillips, O. L., & Baker, T. R. (2014). The importance of crown dimensions to improve tropical tree biomass estimates. Ecological Applications, 24(4), 680–698. https://doi.org/10.1890/13-0070.1

Hao, Z., Post, C. J., Mikhailova, E. A., Lin, L., Liu, J., & Yu, K. (2022). How does sample labeling and distribution affect the accuracy and efficiency of a deep learning model for individual tree-crown detection and delineation. Remote sensing, 14(7), 1561.

Haq, A. I. (2022). Potensi biomassa tegakan gamal (Gliricidia sepium) dan mahoni (Swietenia macrophylla) di KHDTK Wanagama [Skripsi, Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/penelitian/detail/218209

He, K., Gkioxari, G., Dollár, P., & Girshick, R. (2017). Mask R-CNN. Proceedings of the IEEE International Conference on Computer Vision, 2961–2969.

Hu, Y., Mei, A., Xu, Q., & Hou, Z. (2024). Using spatial distribution patterns and sample plot design to improve the accuracy of forest resource sampling

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

survey | **利用空**间分布模式与样地设计提升森林资源抽样调查精度. *Beijing Linye Daxue Xuebao Journal of Beijing Forestry University*, *46*(2), 155–165. https://doi.org/10.12171/j.1000-1522.20230061

Huang, R., Yao, W., Xu, Z., Cao, L., & Shen, X. (2022). Information fusion approach for biomass estimation in a plateau mountainous forest using a synergistic system comprising UAS-based digital camera and LiDAR. Computers and Electronics in Agriculture, 202, 107420. https://doi.org/10.1016/j.compag.2022.107420

Intergovernmental Panel on Climate Change. (2006). 2006 IPCC guidelines for national greenhouse gas inventories: Volume 4. Agriculture, forestry and other land use. Institute for Global Environmental Strategies.

Jucker, T., Caspersen, J., Chave, J., Antin, C., Barbier, N., Bongers, F., Dalponte, M., van Ewijk, K. Y., Forrester, D. I., Haeni, M., Higgins, S. I., Holdaway, R. J., Iida, Y., Lorimer, C., Marshall, P. L., Momo, S., Moncrieff, G. R., Ploton, P., Poorter, L., … Coomes, D. A. (2017). Allometric equations for integrating remote sensing imagery into forest monitoring programmes. Global Change Biology, 23(1), 177–190. https://doi.org/10.1111/gcb.13388

Kandare, K., Dalponte, M., Ørka, H. O., Frizzera, L., & Næsset, E. (2017). Prediction of species-specific volume using different inventory approaches by fusing airborne laser scanning and hyperspectral data. Remote Sensing, 9(5). https://doi.org/10.3390/rs9050400

Ke, G., Meng, Q., Finley, T., Wang, T., Chen, W., Ma, W., Ye, Q., & Liu, T.-Y. (2017). LightGBM: A highly efficient gradient boosting decision tree. Advances in Neural Information Processing Systems 30 (NeurIPS 2017), 3146–3154.

Ke, Y., & Quackenbush, L. J. (2011). A review of methods for automatic individual tree-crown detection and delineation from passive remote sensing. International Journal of Remote Sensing, 32(17), 4725–4747.

Kementerian Lingkungan Hidup dan Kehutanan Republik Indonesia. (2023). FOLU NET SINK: Indonesia's Climate Actions Towards 2030

Ketterings, Q. M., Coe, R., van Noordwijk, M., Ambagau, Y., & Palm, C. A. (2001). Reducing uncertainty in the use of allometric biomass equations for predicting above-ground tree biomass in mixed secondary forests. Forest Ecology and Management, 146, 199–209. https://doi.org/10.1016/S0378-1127(00)00460-6

UNIVERSITAS GADJAH MADA
Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kirillov, A., Mintun, E., Ravi, N., Mao, H., Rolland, C., Gustafson, L., Xiao, T., Whitehead, S., Berg, A. C., Lo, W.-Y., Dollár, P., & Girshick, R. (2023). Segment Anything. Proceedings of the IEEE International Conference on Computer Vision, 3992–4003. https://doi.org/10.1109/ICCV51070.2023.00371

Köhl, M., & Marchetti, M. (2016). Objectives and planning of forest inventories. In Tropical Forestry Handbook Second Edition (Vol. 1). https://doi.org/10.1007/978-3-642-54601-3_70

Krause, S., Sanders, T. G. M., Mund, J.-P., & Greve, K. (2019). UAV-Based Photogrammetric Tree Height Measurement for Intensive Forest Monitoring. Remote Sensing, 11(7), 758. https://doi.org/10.3390/rs11070758

Krisnawati, H., Kallio, M., & Kanninen, M. (2011). Swietenia macrophylla King: Ekologi, silvikultur dan produktivitas. CIFOR. https://doi.org/10.17528/cifor/003483

Laboratorium SISPH (2023) Laporan Riset Aksi Partisipatoris Pengembangan Wanagama Eco Edu Forest tahun 2020-2025. Fakultas Kehutanan. Universitas Gadjah Mada.

Lakmali, W. A. S., & Subasinghe, S. M. C. U. P. (2012). Change of crown diameter with dbh of Swietenia macrophylla (mahogany). Proceedings of International Forestry and Environment Symposium. https://doi.org/10.31357/fesympo.v14i0.373

Latifah, S., Gandaseca, S., Afifi, M., Prasetyo, A. R., Purnama, M. I., Kertalam, L. R. A., & Pratama, R. P. (2025). Three Decades of Forest Biomass Estimation in Southeast Asia: A Systematic Review of Field, Remote Sensing, and Machine Learning Approaches (1995– 2025). In Jurnal Sylva Lestari (Vol. 13, Issue 3, pp. 728–746). University of Lampung Faculty of Agriculture. https://doi.org/10.23960/jsl.v13i3.1162

Laurin, G. V., Ding, J., Disney, M., Bartholomeus, H., Herold, M., Papale, D., & Valentini, R. (2019). Tree height in tropical forest as measured by different ground, proximal, and remote sensing instruments, and impacts on above ground biomass estimates. International Journal of Applied Earth Observation and Geoinformation, 82, 101899.

Lin, D. M., Lai, J. S., Mi, X. C., Ren, H. B., & Ma, K. P. (2013). Spatial variation in community structure of a subtropical evergreen broad-leaved forest: Implications for sampling design. *Chinese Science Bulletin*, *58*(10), 1181–1186. https://doi.org/10.1007/s11434-012-5586-0

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Y., Lei, P., You, Q., Tang, X., Lai, X., Chen, J., & You, H. (2023). Individual Tree Aboveground Biomass Estimation Based on UAV Stereo Images in a Eucalyptus Plantation. Forests, 14(9). https://doi.org/10.3390/f14091748

Lockhart, B. R., Weih, R. C., & Smith, K. M. (2005). Crown radius and diameter at breast height relationships for six bottomland hardwood species. Journal of the Arkansas Academy of Science, 59, 110–115.

Meyer, G.E., & Neto, J.C. (2008). Verification of color vegetation indices for automated crop imaging applications. Computers and Electronics in Agriculture, 63(2), 282–293. https://doi.org/10.1016/j.compag.2008.03.009

Minaee, S., Boykov, Y., Porikli, F., Plaza, A., Kehtarnavaz, N., & Terzopoulos, D. (2022). Image Segmentation Using Deep Learning: A Survey. IEEE Transactions on Pattern Analysis and Machine Intelligence, 44(7), 3523–3542.

Miraki, M., Sohrabi, H., Fatehi, P., & Kneubuehler, M. (2021). Individual tree crown delineation from high-resolution UAV images in broadleaf forest. Ecological Informatics, 61, 101207.

Mohan, M., Silva, C. A., Klauberg, C., Jat, P., Catts, G., Cardil, A., Hudak, A. T., & Dia, M. (2017). Individual tree detection from unmanned aerial vehicle (UAV) derived canopy height model in an open canopy mixed conifer forest. Forests, 8(9). https://doi.org/10.3390/f8090340

Mohren, G. M. J., Hasenauer, H., Köhl, M., & Nabuurs, G.-J. (2012). Forest inventories for carbon change assessments. Current Opinion in Environmental Sustainability, 4(6), 686–695. https://doi.org/10.1016/j.cosust.2012.10.002

Mora, F., & Arriagada, O. (2016). A classification proposal for coefficients of variation in eucalyptus experiments involving survival, growth and wood quality variables. *Bragantia*, *75*(3), 263–267. https://doi.org/10.1590/1678-4499.458

Næsset, E. (2002). Predicting forest stand characteristics with airborne scanning laser using a practical two-stage procedure and field data. Remote Sensing of Environment, 80(1), 88–99. https://doi.org/10.1016/S0034-4257(01)00290-5

Nguyen, T. D., & Katabuchi, M. (2025). Saturating allometric relationships reveal how wood density shapes global tree architecture. Journal of Forestry Research, 36(1). https://doi.org/10.1007/s11676-025-01898-9

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Osco, L. P., Wu, Q., de Lemos, E. L., Gonçalves, W. N., Ramos, A. P. M., Li, J., & Marcato, J. (2023). The Segment Anything Model (SAM) for remote sensing applications: From zero to one shot. International Journal of Applied Earth Observation and Geoinformation, 124. https://doi.org/10.1016/j.jag.2023.103540

Pradana, Y. (2023). Kandungan dan akumulasi C-organik tanah pada beberapa jenis tegakan di KHDTK Wanagama I, Kabupaten Gunungkidul [Skripsi, Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/penelitian/detail/226002

Prokhorenkova, L., Gusev, G., Vorobev, A., Dorogush, A. V., & Gulin, A. (2018). CatBoost: Unbiased boosting with categorical features. Advances in Neural Information Processing Systems 31 (NeurIPS 2018), 6638–6648.

Qin, H., Zhou, W., Yao, Y., & Wang, W. (2021). Estimating aboveground carbon stock at the scale of individual trees in subtropical forests using uav lidar and hyperspectral data. Remote Sensing, 13(24). https://doi.org/10.3390/rs13244969

Rezatofighi, H., Tsoi, N., Gwak, J., Sadeghian, A., Reid, I., & Savarese, S. (n.d.). Generalized Intersection over Union: A Metric and A Loss for Bounding Box Regression.

Riana, D., Rahayu, S., Hasan, M., & Anton (2021). Comparison of segmentation and identification of Swietenia mahagoni wood defects with augmentation images. Heliyon, 7, e07417.

Robruu, R & Buanoi, K. (2024). Classification of Trees from Aerial Photographs with Unmanned Aerial Vehicles Using Segment Anything Model Geospatial (Samgeo). Journal of Cooperative & Poungnoiy, Saisunee.. 1. 1 - 11.

Saputro, R. W., Izzati, M., & Yusuf, M. (2024). Tree carbon stock analysis in education forest KHDTK Wanadipa UNDIP, Semarang. Journal of Bioresources and Environmental Sciences, 3(1), 27–36. https://doi.org/10.61435/jbes.2024.19912

Shi, J., Li, H., Jing, L., Xiao, Z., Zhou, H., Zhang, Z., & Xu, S. (2025). ITC-YOLO: An improved YOLOv8 model for individual tree crown segmentation in complex forest environments. Ecological Indicators, 180, 114355. https://doi.org/10.1016/j.ecolind.2025.114355

Shi, E., Shi, Z., Su, F., Li, L., Liu, R., Wan, F., & Zhou, K. (2026). CrownViM: Context clustering meets vision Mamba for precise tree crown segmentation

UNIVERSITAS
GADJAH MADA
Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

in aerial RGB imagery. Remote Sensing, 18(6), 860. https://doi.org/10.3390/rs18060860

Smith, J. E., Heath, L. S., & Woodbury, P. B. (2004). How to estimate forest carbon for large areas from inventory data. Journal of Forestry, 102(5), 25–31. https://doi.org/10.1093/jof/102.5.25

Son, Y. G., Woo, S. O., Kim, S. G., Kim, H. Y., Lee, M. S., & Choi, H. M. (2026). Detecting black locust (Robinia pseudoacacia) flowering areas using UAV imagery and vegetation indices. Journal of Apiculture, 41(2), 185–194. https://doi.org/10.17519/apiculture.2026.06.41.2.185

Song, X., Li, J., & Zeng, X. (2024). Parameterization of height–diameter and crown radius–diameter relationships across the globe. Journal of Plant Ecology, 17(2). https://doi.org/10.1093/jpe/rtae005

Soraya, E., Umarhadi, D. A., Wardhana, W., Senawi, & Ardiansyah, F. (2025). Aerial imagery and UAV-LiDAR data fusion for quantifying aboveground carbon stock of teak plantation. Ecological Engineering and Environmental Technology, 26(2), 178–192. https://doi.org/10.12912/27197050/197151

Sultan, R. I., Li, C., Zhu, H., Khanduri, P., Brocanelli, M., & Zhu, D. (2025). GeoSAM: Fine-Tuning SAM with Multi-Modal Prompts for Mobility Infrastructure Segmentation. Frontiers in Artificial Intelligence and Applications, 413, 501–508. https://doi.org/10.3233/FAIA250844

Swayze, N. C., Tinkham, W. T., Creasy, M. B., Vogeler, J. C., Hoffman, C. M., & Hudak, A. T. (2022). Influence of UAS Flight Altitude and Speed on Aboveground Biomass Prediction. Remote Sensing, 14(9). https://doi.org/10.3390/rs14091989

Teng, M., Ouaknine, A., Laliberté, E., Bengio, Y., Rolnick, D., & Larochelle, H. (2025). Assessing SAM for Tree Crown Instance Segmentation from Drone Imagery. http://arxiv.org/abs/2503.20199

Tong, F., & Zhang, Y. (2025). Individual tree crown delineation in high resolution aerial RGB imagery using StarDist-based model. Remote Sensing of Environment, 319, 114618. https://doi.org/10.1016/j.rse.2025.114618

Tsai, J.-I., Chang, K.-L., & Feng, F.-L. (2012). Building allometric models to estimate above-ground and below-ground biomass of mahogany sapling. Taiwan Journal of Forest Science, 27(3), 229–238.

Watt, M. S., & Jayathunga, S. (2026). Local Calibration Enhances the Transferability of UAV-LiDAR Models for Tree-Level Carbon Estimation in Radiata Pine Plantations. Remote Sensing, 18(13), 2161. https://doi.org/10.3390/rs18132161

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wirabuana, P. Y. A. P., Mulyana, B., Meinata, A., Idris, F., & Sadono, R. (2021). Allometric equations for estimating merchantable wood and aboveground biomass of community forest tree species in Jepara District. Forestry Ideas, 27(2), 496–515. https://ir.lib.ugm.ac.id/id/eprint/5786

Woebbecke, D.M., Meyer, G.E., Von Bargen, K., & Mortensen, D.A. (1995). Color indices for weed identification under various soil, residue, and lighting conditions. Transactions of the ASAE, 38(1), 259–269. https://doi.org/10.13031/2013.27838

World Meteorological Organization. (2024). WMO report documents spiralling weather and climate impacts. World Meteorological Organization.

Wu, Q. (2026a). GeoAI: A Python package for integrating artificial intelligence with geospatial data analysis and visualization. Journal of Open Source Software, 11(118), 9605. https://doi.org/10.21105/joss.09605

Wu, Q. (2026b). GeoAI with Python: A Practical Guide to Open-Source Geospatial AI. Independently published. ISBN 979-8993859729 (PDF); 979-8253507414 (print). https://book.opengeoai.org

Yang, Q., Su, Y., Jin, S., Kelly, M., Hu, T., Ma, Q., Li, Y., Song, S., Zhang, J., Xu, G., Wei, J., & Guo, Q. (2019). The influence of vegetation characteristics on individual tree segmentation methods with airborne LiDAR data. *Remote Sensing*, *11*(23). https://doi.org/10.3390/rs11232880

Yin, D., & Wang, L. (2016). How to assess the accuracy of the individual tree-based forest inventory derived from remotely sensed data: a review. International Journal of Remote Sensing, 37(19), 4521–4553.

Yu, K., Hao, Z., Post, C. J., Mikhailova, E. A., Lin, L., Zhao, G., Tian, S., & Liu, J. (2022a). Comparison of Classical Methods and Mask R-CNN for Automatic Tree Detection and Mapping Using UAV Imagery. Remote Sensing, 14(2). https://doi.org/10.3390/rs14020295

Yu, T., Ni, W., Zhang, Z., Liu, Q., & Sun, G. (2022). Regional sampling of forest canopy covers using UAV visible stereoscopic imagery for assessment of satellite-based products in Northeast China. Journal of Remote Sensing, 2022, 9806802. https://doi.org/10.34133/2022/9806802

Yuan, J., Zhang, C., Liang, L., Zhang, H., & Ma, Q. (2026). Individual tree crown delineation and species classification in urban landscapes from multi-source remote sensing by integrating SAM and watershed segmentation. The International Archives of the Photogrammetry, Remote Sensing and Spatial

UNIVERSITAS
GADJAH MADA
**Estimasi Stok Krbon Mahoni Berbasis Machine Learning Menggunakan Segmentasi Tajuk Terbaik Citra UAV
Di Wanagama I Gunung Kidul: Perbandingan Mask R-CNN dan GeoSAM**
Muhammad Najwan Akbar, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc.; Ir. Budi Mulyana, S.Hut., M.Si., Ph.D., IPM
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Information Sciences, XLIX-M-1-2026, 85–91. https://doi.org/10.5194/isprs-archives-XLIX-M-1-2026-85-2026

Zanne, A. E., Lopez-Gonzalez, G., Coomes, D. A., Ilic, J., Jansen, S., Lewis, S. L., Miller, R. B., Swenson, N. G., Wiemann, M. C., & Chave, J. (2009). Global wood density database. Dryad Digital Repository. https://doi.org/10.5061/dryad.234

Zheng, J., Yuan, S., Li, W., Fu, H., Yu, L., & Huang, J. (2024). A review of individual tree crown detection and delineation from optical remote sensing images: Current progress and future. IEEE Geoscience and Remote Sensing Magazine, 13(1), 209-236.

Zielewska-Büttner, K., Adler, P., Ehmann, M., & Braunisch, V. (2016). Automated detection of forest gaps in spruce dominated stands using canopy height models derived from stereo aerial imagery. Remote Sensing, 8(3), 175. https://doi.org/10.3390/rs8030175