

DAFTAR PUSTAKA

- Abdel-Aal, Mansori dan Zahouani, 2016, A Comparative Study of Frictional response of Shed-snack skin and Human Skin, *Elsevier Ltd.*, **376-377**, hal. 282.
- Aiache, 1993, *Farmasetika 2: Biofarmasi*, terjemahan Widji Soeratri, Airlangga University Press, Surabaya, 156-177, 213-224, 450-470.
- Aisha A.F.A, Abdul-Salah K.M., Ismail Z., dan Majid A.M.S.A., 2013, Determination of total Xantones in *Garcinia mangostana* fruit rind extract by Ultraviolet (UV) spectrophotometry, *Journal of Medicinal Plants Research*, **7** (1), hal. 29.
- Akao, Y., Nakagawa, Y., Inuma, M., dan Nozawa, Y., 2008, Anti-cancer effect of Xantones from Pericarp of Mangosteen, *International Journal of Molecular Science*, **9**, 355-370.
- Ames BN., Shigenaga MK, dan Hagen TM. Oxidants, antioxidants, and the generative diseases of aging. *Proc. Natl. Acad. Sci. USA* 1993; **90**: 7915-22.
- Ananingrum, Galuh W., 2017, Formulasi Ekstrak Kulit Buah Manggis (*Garcinia mangostana*, L.) dalam Pembawa Propilen glikol-Air dan Uji Transpornya secara In Vitro, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Anonim, 2005, ASEAN Guideline On Stability Study of Drug Product; Philippines; ASEAN.
- Anonim, 2017, *Bagan Jumlah Kosmetik di Indonesia*, www.pom.go.id , 10 Oktober 2017.
- Anonim, 2017, *Gambar Buah Manggis*, <https://www.slideshare.net/wisdaap/buah-segar>, 14 November 2017.
- Anonim, 2017, Reaksi DPPH, https://openi.nlm.nih.gov/detailedresult.php?img=PMC3730368_BMRI2013-251754.sch.001&req=4, 14 November 2017.
- Ansel, H. C., 1989, *Pengantar Bentuk Sediaan Farmasi* Edisi 4, Penerjemah: Farida Ibrahim, Jakarta: UI Press. Hal. 390.
- Asbill, C.S. Elkattan A.F., dan Michniak B., 2000, Enhancement of transdermal drug delivery: chemical and physical approaches. *Crit. Rev. Ther. Drug Carrier Syst.* **17**, 621–658.

- Aqil, M., Ahad A., Sultana Y., dan Ali A., 2007, Status of Terpenes as skin Penetration Enhancer, *Drug Discovery Today: Pubmed*, 12.
- Awalia, A. R., 2012, Pengaruh Penambahan Mentol terhadap Karakteristik Fisik, Aseptabilitas dan Pelepasan Klorfeniramin Maleat dalam Gel HPMC, *skripsi*, Universitas Muhammadiyah Malang.
- Bharkatiya, 2009, Skin penetration enhancement technique, *Journal of Young Pharmacist*, 1.
- Carter, S. J., 1975, Dispensing for Pharmaceutical Students Edisi ke-12, London: Pitman Medical Publishing, Hal 214.
- Chairungrilerd, N., Furukawa, K., Ohta, T., Nozoe, S., dan Ohizumi, Y., 1996, Pharmacological properties of α -mangostin, A Novel Histamin H-1 Reseptor antagonist, *Eur. J. Pharmacol*, 314.
- Chye Lim, Yang Liu, Kang L., dan Chan Y., 2006, Limonene GP1/PG organel as a vehicle in Transdermal delivery of HP, *International Journal of Pharmaceutics*, 311 (1-2).
- Cronquist, A., 1981, An Integrated System of Classification of Flowering Plants. New York: Columbia University Press.
- Dalimartha, S. dan Soedibyo, M., 1999, Awet Muda dengan Tumbuhan Obat dan Diet Suplemen, *Trubus Agriwidya*, Jakarta: Trubus.
- Danastri, S., 2018, Formulasi Gel Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) yang Mengandung Nerolidol atau Camphor beserta Evaluasi Pelepasannya secara In Vitro, *skripsi*, Universitas Gadjah Mada.
- Dutta, P., Sem, A., Sarkar, K., dan Banerji, N., 1987, Acid-catalysed cyclisations of xantones: structure of a new xantone from *Garcinia mangostana* Linn., *Indian J. Chem.* 26B, 281–282.
- Elsayed, N.M., 2001, Antioxidant Mobilization In Response to Oxidative Stress: A Dinamik Environmental Nutrition Intervention, *Nutrition*, 17, 828-834.
- Fessenden, R.J. dan Fessenden, J.S., 1986, *Organic Chemistry*, diterjemahkan oleh Aloysius Hadyana Pujaatmaka, Edisi ketiga, Penerbit Erlangga: Jakarta.
- Fisher GJ, Kang S, Varani J, Bata-Csorgo Z, Wan Y, dan Datta S, 2002, Mechanisms of photoaging and chronological skin aging. *Arch Dermatol.*2002; 138:1462-70.

- Gandjar dan Rohman, 2007, *Kimia Farmasi Analisis*, Pustaka Pelajar: Yogyakarta.
- Garg, A., Aggrawal, dan A. K. Sigla, 2002, Spreading of Semisolid Formulation, USA: Pharmaceutical Technology, halaman 84.
- Ghafourian, T. Zandasrar P., Hamishekar H., dan Nokdochi A., 2004, The effect of penetration enhancers on drug delivery through skin: a QSAR study. *J. Control. Release* 99, 113–125.
- Glicksman, 1983, *Food Hydrocolloids*, California: CRC Press.
- Govindachari, T.R.K.P. dan Muthukumaraswamy, N., 1971. Xantones of *Garcinia mangostana* Linn. *Tetrahedron* 27, 3919–3926.
- Gupita, C. N., 2012, Pengaruh Berbagai pH Sari Buah dan Suhu Pasteurisasi terhadap Aktivitas Antioksidan dan tingkat penerimaan Sari Kulit Buah Manggis, *skripsi*, Universitas Diponegoro.
- Halliwell, B., 1994, Free Radical, Antioxidant and Human Disease: curiosity, cause or consequence, Vol 344, *Neurodegenerative Disease Research Group*, King's College, London.
- Hashida, M., dan Yamashita, F., 1995, Terpens as penetration enhancers. In: Smith, E.W., Maibach, H.I. (Eds.), *Percutaneous Penetration Enhancers*. CRC Press, Florida, pp. 309–321.
- Jinsart W, Ternai B., Buddhasukh D., dan Polya G.M., 1992, Inhibition Of Wheat Embryo Calcium - Dependent Protein Kinase and Other Kinases by Mangostin and Gammamangostin, *Phytochemistry*, 31(11):3711- 3713.
- Jung H, Su B, Keller B, Mehta R, dan Kinghorn A. 2006, Antioxidant xantones from the pericarp of *Garcinia mangostana* (Mangosteen), *J Agric Food Chem* 54: 2077-2082, dalam
- Koyama, Y., Bando H., Yamashita F., Takakura Y., Sezaki H., dan Hashida M., 1994, Comparative analysis of percutaneous absorption enhancement by D-limonene and oleic acid based on a skin diffusion model. *Pharm.Res*, 11, 377–383 .
- Krishnaiah, Y.S.R., Satyanarayana V., dan Bhaskar P., 2002, Influence of Limonene on the bioavailability of nifedipine hydrochloride from membrane-moderated transdermal therapeutic systems in human volunteers. *Int. J. Pharm.* 247, 91–102.

- Kuncari E.S., Praptiwi P., dan Iskandarsyah, 2014, Evaluasi, Uji Stabilitas Fisik dan Sineresis sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasa Hebra (*Apium graveolens* L.), *Bul. Penelit. Kesehat*, **42** (4), hal. 215
- Lachman L. dan Lieberman HA, 1994, *Teori dan Praktek Farmasi Industri*, diterjemahkan oleh Siti Suyatmi, Jakarta: UI Press.
- Lesmana, I., 2017, Pengaruh Etanol pada Formulasi Gel Ekstrak Kering Kulit Buah Manggis (*Garcinia mangostana*, L.) sifat fisik, daya antioksidan, dan kemampuan difusinya melewati membran, *Skripsi*, Fakultas Farmasi Universitas Gadjah Mada.
- Mambro, V. M. D, Azolini, A. E. C. S, Valim, Y.M.L, dan Foncesa, 2003, Comparison of Antioxidant Activities of Tocopherols alone and in pharmaceuticals formulations, *International Journal of Pharmaceutics*, 262, 93.
- Mansjoer, Arif., 2000, *Kapita Selekta Kedokteran*, Jakarta: Media Aesculapius FKUI..
- Mappa T., Edy HJ., dan Kojong N., 2013, Formulasi gel Ekstrak daun sasaladahan (*Peperomia pellucida* (L.) H.B.K) dan uji efektivitasnya terhadap lua bakar pada kelinci (*Oryctolagus cuniculus*), *Jurnal Ilmiah Farmasi*, **2** (2) halaman 49-55.
- Martin, 2013, *Farmasi Fisik: Dasar- dasar Kimia Fisik dalam Ilmu Farmasetik*, Edisi Ketiga. Jakarta: UI Press.
- Miranti, L, 2009, Pengaruh Konsentrasi Minyak atsiri Kencur (*Kaempferia galangan*) dengan Basis Salep larut Air terhadap Sifat Fisik Salep dan Daya Hambat Bakteri *Staphylococcus aureus* secara In Vitro, *skripsi*, Surakarta: Fakultas Farmasi Universitas Muhammadiyah.
- Molyneux, P., 2004, The use of The Stable Radical DPPH for estimating antioxidant activity, *J.Sci. Techno*, Vol 26.
- Monti, D., Saettone M.F., Giannachini B., dan Galliangeli D., 1995, Enhancement of transdermal penetration of dapiprazole through hairless mouse skin. *J. Control. Release* 33, 71–77.
- Moongkarndi P, Kosem N, Kaslungka S, Luanrata O, Pongpan N, dan Neungton N. 2004. Antiproliferation, antioxidant and Induction of Apoptosis by *Garcinia mangostana* (mangosteen) on SKBR3 human breast cancer cell line. *J Enthopharmacol* 90: 161-166.

- Morton, J., 1987, Fruits from Warm Climates. Creative Resource Systems Inc., Miami, USA. p. 304. dalam Pedraza-Chaverri, 2008, Medicinal Properties of Mangosteen (*Garcinia mangostana*), *Elsevier Ltd*, Vol. 46 No. 10, hal. 3227–3239.
- Musa, K.H., Abdullah, A., Kuswandi, B., dan Hidayat, M.A., 2013, A Novel High Troghput Method Based on DPPH dry reagent array for determination of antioxidant activity, *Food Chemistry*, 141: 4102.
- Narishetty, S.T.K. dan Panchagnula, R., 2004, Transdermal delivery of zidovudine: effect of terpens and their mechanism of action. *J. Control. Release* 95, 367–379.
- Ngawhirunpat, T., Opanasopi, P., Sukma, M., Sittisombut, C., dan Asushi K., 2010, Antioxidant, free radical-scavenging activity and cytotoxicity of different solvent extracts and their phenolic constituents from the fruit hull of mangosteen (*Garcinia mangostana*), *Pharmaceutical Biology*, 48 (1), 55-62.
- Okabe, H., Obata Y., Takayama K. dan Nagai T., 1990, Percutaneous absorption enhancing effect and skin irritation of monocyclic monoterpens. *Drug Des. Deliv.* 6, *Elsevier*, 229–238,
- Prashanti dan Laksmi, 2012, Terpenes: Effect of Lipophilicity in enhancing transdermal delivery of alfuzosin HCl, *Journal Adv. Pharm. Tech.*, 3(4):216-23.
- Peana, Alessandra T dan Mario D.L. Moretti, 2008, Linalool in Essential Plant Oils: Pharmacological Effect, *Botanical Medicines*, Chapter 79, hal. 716.
- Pedraza-Chaverri, 2008, Medicinal Properties of Mangosteen (*Garcinia mangostana*), *Elsevier Ltd*, Vol. 46 No. 10, hal. 3227–3239.
- Percival, M., 1998, Antioxidant, *Clinical Nutrition Insights*, 1-4.
- Pillai S., Oresajo, C., dan Hayward., 2005. Ultraviolet Radiation and Skin Aging: roles of Reactive Oxygen Species, mmation and Protease activation and Strategies for Prevention of In mmation-induced Matrix Degradation- a Review, *International Journal of Cosmetic Science*, Vol. 27, hal. 17-34.
- Pinnell SR, 2003, Cutaneous photodamage, oxidative stress, and topical antioxidant protection. *J Am Acad Dermatol* 2003; 48: 1-19.
- Pokorny, J., Yanishlieva, N. dan Gordon, M.H., 2001, *Antioxidant in Food: Practical Application*, 2, 10-12, 17, 44-45, Woodhead Publishing Ltd: England.

- Pothitirat dan Gritsapanan, 2008, *Quantitative of Total Mangostin in Garcinia Mangostana Fruit Rind*, J Health Res, Vol. 22 (4), hal.161
- Rowe, R.C., Sheskey, R.J., dan Owen, S. C., 2005, *Handbook of Pharmaceutical Excipient*, Fifth Edition, Pharmaceutical Press.
- Sawitri ME., 2008, Manap A dan Palupi TWL. Kajian Penambahan Gelatin terhadap Keasaman, pH, Daya Ikat Air dan Sineresis Yogurt; *Jurnal Ilmu & Teknologi Hasil Ternak*. Hal 35-42.
- Shaini, Chauhan dan Agrawal, 2014, Recent Development in Penetration Enhancers and Techniques in Transdermal drug Delivery System, *Journal of Advanced Pharmacy* 4 (1), Jan-Mar 2014), halaman 33.
- Sinko, P. J., 2006, *Martin's Physical Pharmacy and Pharmaceutical Science: Physical Chemical and Biopharmaceutical Principle in the Pharmaceutical Sciences*, 5th edition, Lippicott William and Wilkins, Philadelphia, 428-430.
- Suhartono, E., 2002, Oxygen Toxicity by Radiation and Effect of Glutamic Piruvate Transamine (GPT) Activity Rat Plasma after Vitamine C Treatment, *Seminar of Environmental Chemistry and Toxicology*, Yogyakarta.
- Suksamkarn S., Suwannapoch N., dan Phakodee, W., 2003, Antimicrobial Activity of Prenylated xantones from the fruits of *Garcinia mangostana*, *Chem. Pharm. Bull.* 51 (7).
- Sunarni, T., 2005, Aktivitas Antioksidan Penangkap Radikal Bebas Beberapa Kecambah Dari Biji Tanaman Familia Papilionaceae, *Jurnal Farmasi Indonesia*, 2 (2) , 53-61.
- Swarbrick, J. dan Boylan, J., 1995, Percutaneous Absorption, in *Encyclopedia of Pharmaceutical Technology*, 11, Marcel Dekker Inc., New York, 413-445.
- Tandon, R., 2005, Antioxidants: Past and present. Available from <http://www.pharmainfo.net/reviews/antioxidants-past-and-present.2005>; 3(4).
- Tjahyani, 2014, Antioxidant Properties of Garcia Mangostana Rind., *Elsevier Ltd, Procedia chemistry*, 13.
- Trifena, 2012, Analisis Uji In Vitro dan In Vivo Ekstrak Kombinasi Kulit Manggis (*Garcinia mangostana*L.) dan Pegagan (*Centella asiatica* L.) Sebagai Krim Antioksidan, *Tesis*, Depok: Program Studi Magister Herbal Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia, hal. 37-39.

- Vaddi, H.K., Ho P.C., dan Chan S.Y., 2002, Terpens in propylene glycol as skin-penetration enhancers: permeation and partition of haloperidol, Fourier transform infrared spectroscopy and differential scanning calorimetry. *J. Pharm. Sci.* 91, 1639–1651.
- Wang, J.J., Shi, Q. H., Zhang, W., dan Sanderson., B.J.S, 2012, Anti-skin cancer properties of Phenolic-rich extract from the pericarp of mangosteen (*Garcinia mangostana* L.), *Food and Chemical Technology*, Vol 50, 3004-3013.
- Williams, A. C., dan Barry, 2004, Penetration Enhancer, *Advanced Drug Delivery Review*, No.56, hal. 603-618.
- Yu, L., Zhao, M., Yang, B., Zhao, Q., dan Jiang., Y., 2007, Phenolics From Hull of *Garcinia mangostana* L., and Their Antioxidant Activities, *Food Chemistry*, 104 (1), 176-181.