UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdi, H. (2010). Partial least squares regression and projection on latent structure regression (PLS regression). *WIREs Computational Statistics, 2*(1), 97–106. https://doi.org/10.1002/wics.51

Ali, A. M., Abdel Gabbar, M., Abdel-Twab, S. M., Fahmy, E. M., Ebaid, H., Alhazza, I. M., & Ahmed, O. M. (2020). Antidiabetic potency, antioxidant effects, and mode of actions of *Citrus reticulata* fruit peel hydroethanolic extract, hesperidin, and quercetin in nicotinamide/streptozotocin-induced Wistar diabetic rats. *Oxidative Medicine and Cellular Longevity, 2020*, Article 1730492. https://doi.org/10.1155/2020/1730492

Anticona, M., Blesa, J., López-Malo, D., Frigola, A., & Esteve, M. J. (2021). Effects of *Ultrasound-Assisted Extraction* on physicochemical properties, bioactive compounds, and antioxidant capacity for the valorization of hybrid Mandarin peels. *Food Bioscience, 42*, 101185. https://doi.org/10.1016/j.fbio.2021.101185

ATAGO Co., Ltd. (n.d.). *Refractometer PAL-α*. https://atago.net/en/products-index.php?key=ACG49885

Bajaj, K. L., & Kaur, G. (1981). Spectrophotometric determination of L-ascorbic acid in vegetables and fruits. *Analyst, 106*, 117–120. https://doi.org/10.1039/AN9810600117

Cancer Chemoprevention Research Center, Universitas Gadjah Mada. (2008, May 17). *Jeruk keprok (Citrus reticulata)*. https://ccrc.farmasi.ugm.ac.id/ensiklopedia/ensiklopedia-tanaman-antikanker/j/jeruk-keprok/

Capano, M., & Wagle, A. (2022). From by-products to ingredients: The nexus of recycling and valorization in the post-harvest processing of horticultural products. *Food Bioengineering*, 1(1), 4-6.

Chemat, F., Rombaut, N., Sicaire, A.-G., Meullemiestre, A., Fabiano-Tixier, A.-S., & Abert-Vian, M. (2017). *Ultrasound Assisted Extraction* of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. *Ultrasonics Sonochemistry, 34*, 540–560. https://doi.org/10.1016/j.ultsonch.2016.06.035

Chong, I.-G., & Jun, C.-H. (2005). Performance of some variable selection methods when multicollinearity is present. *Chemometrics and Intelligent Laboratory Systems, 78*(1–2), 103–112. https://doi.org/10.1016/j.chemolab.2004.12.011

Cui, C., & Fearn, T. (2018). Modern practical convolutional neural networks for multivariate regression: Applications to NIR calibration. *Chemometrics and Intelligent Laboratory Systems, 182*, 9–20. https://doi.org/10.1016/j.chemolab.2018.07.008

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dardenne, P., Sinnaeve, G., & Baeten, V. (2000). Multivariate calibration and chemometrics for near infrared spectroscopy: Which method? Journal of Near Infrared Spectroscopy, 8(4). https://doi.org/10.1255/jnirs.283

Dias, M. C., Pinto, D. C. G. A., & Silva, A. M. S. (2021). Plant flavonoids: Chemical characteristics and biological activity. *Molecules, 26*(17), Article 5377. https://doi.org/10.3390/molecules26175377

Dong, Q., Yu, C., Li, L., Nie, L., Li, D., & Zang, H. (2019). Near-infrared spectroscopic study of molecular interaction in ethanol-water mixtures. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 222*, 117183. https://doi.org/10.1016/j.saa.2019.117183

Ezenarro, J., *et al*. (2025). How are chemometric models validated? A systematic review of linear regression models for NIRS data in food analysis. Journal of Chemometrics. https://doi.org/10.1002/cem.70036

Faber, N. M., & Rajkó, R. (2007). How to avoid over-fitting in multivariate calibration—the conventional validation approach and an alternative. *Analytica Chimica Acta, 595*(1–2), 98–106. https://doi.org/10.1016/j.aca.2007.05.030

Fatchurrahman, D., Nosrati, M., Amodio, M. L., Chaudhry, M. M. A., de Chiara, M. L. V., Mastrandrea, L., & Colelli, G. (2021). Comparison performance of visible-NIR and near-infrared hyperspectral imaging for prediction of nutritional quality of goji berry (*Lycium barbarum* L.). *Foods, 10*(7), 1676. https://doi.org/10.3390/foods10071676

Firdiyani, F., Agustini, T. R., & Ma'ruf, W. F. (2015). Ekstraksi senyawa bioaktif sebagai antioksidan alami Spirulina platensis segar dengan pelarut yang berbeda extraction of bioactive compounds as natural antioxidants from fresh Spirulina platensis using different solvents. *Jurnal Pengolahan Hasil Perikanan Indonesia*, *18*(1), 28-37.

Fujiwara, T. (2004). General problems in application of near infrared spectroscopy to measurement of sugar and acid contents in fruits. *Journal of Near Infrared Spectroscopy, 5*(2), 51–62. https://doi.org/10.11301/jsfe2000.5.51

Golic, M., Walsh, K., & Lawson, P. (2003). Short-wavelength near-infrared spectra of sucrose, glucose, and fructose with respect to sugar concentration and temperature. *Applied Spectroscopy, 57*(2), 139–145. https://doi.org/10.1366/000370203321535033

Gouda, M., Bekhit, A. E.-D., Tang, Y., Huang, Y., Huang, L., He, Y., & Li, X. (2021). Recent innovations of ultrasound green technology in herbal phytochemistry: A review. *Ultrasonics Sonochemistry, 73*, Article 105538. https://doi.org/10.1016/j.ultsonch.2021.105538

Gowen, A. A., Downey, G., Esquerre, C., & O'Donnell, C. P. (2011). Preventing over-fitting in PLS calibration models of near-infrared (NIR) spectroscopy data using regression coefficients. *Journal of Chemometrics, 25*(7), 375–381. https://doi.org/10.1002/cem.1349

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Guthrie, J. A., Reid, D. J., & Walsh, K. B. (2005). Assessment of internal quality attributes of mandarin fruit. 2. NIR calibration model robustness. *Australian Journal of Agricultural Research, 56*(4), 417–426. https://doi.org/10.1071/AR04299

Guthrie, J. A., Walsh, K. B., Reid, D. J., & Liebenberg, C. J. (2005). Assessment of internal quality attributes of mandarin fruit. 1. NIR calibration model development. *Australian Journal of Agricultural Research, 56*(4), 405–416. https://doi.org/10.1071/AR04257

Huang, Y., Zheng, Y., Liu, P., Xie, L., & Ying, Y. (2025). Enhanced prediction of soluble solids content and vitamin C content in citrus using visible and near-infrared spectroscopy combined with one-dimensional convolutional neural network. *Journal of Food Composition and Analysis, 139*, 107131. https://doi.org/10.1016/j.jfca.2024.107131

Huang, Y., Zheng, Y., Liu, P., Zhao, L., & Ying, Y. (2025). Enhanced prediction of soluble solids content and vitamin C content in citrus using visible and near-infrared spectroscopy combined with one-dimensional convolutional neural network. Journal of Food Composition and Analysis, 139, 107131. https://doi.org/10.1016/j.jfca.2024.107131

Jiao, Y., *et al*. (2020). Preprocessing methods for near-infrared spectrum calibration. Journal of Chemometrics. https://doi.org/10.1002/cem.3306

Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences, 374*(2065), 20150202. https://doi.org/10.1098/rsta.2015.0202

Kartikasari, D., Ropiqa, M., & Oktavianti, D. N. (2018). Pengaruh Perbandingan Konsentrasi Pelarut terhadap Kadar Flavonoid Total pada Ekstrak kasar kulit Buah Naga Merah (Hylocereus polyrhizus). *Jurnal Insan Farmasi Indonesia*, 1(2), 218-226.

Kumar, S., & Pandey, A. K. (2013). Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal, 2013*, Article 162750. https://doi.org/10.1155/2013/162750

Lado, J., Alós, E., Manzi, M., Cronje, P. J. R., Gómez-Cadenas, A., Rodrigo, M. J., & Zacarías, L. (2019). Light regulation of carotenoid biosynthesis in the peel of mandarin and sweet orange fruits. *Frontiers in Plant Science, 10*, 1288. https://doi.org/10.3389/fpls.2019.01288

Li, J., Huang, W., Tian, X., Wang, C., Fan, S., & Zhao, C. (2020). A simple and nondestructive approach for the analysis of soluble solid content in citrus by using portable visible to near-infrared spectroscopy. Food Science & Nutrition, 8(5), 2543–2552. https://doi.org/10.1002/fsn3.1550. Artikel ini relevan untuk membahas prapemrosesan, gangguan derau di atas 950 nm, dan serapan air di sekitar 970 nm.

Li, J.-L., Sun, D.-W., & Cheng, J.-H. (2016). Recent advances in nondestructive analytical techniques for determining the total soluble solids in fruits: A

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

review. *Comprehensive Reviews in Food Science and Food Safety, 15*(5), 897–911. https://doi.org/10.1111/1541-4337.12217

Li, P., Li, S., Du, G., Jiang, L., Liu, X., Ding, S., & Shan, Y. (2020). A simple and nondestructive approach for the analysis of soluble solid content in citrus by using portable visible to near-infrared spectroscopy. *Food Science & Nutrition, 8*(5), 2543–2552. https://doi.org/10.1002/fsn3.1550

Li, P., Zhang, X., Li, S., Du, G., Jiang, L., Liu, X., Ding, S., & Shan, Y. (2020). A rapid and nondestructive approach for the classification of different-age *Citri Reticulatae Pericarpium* using portable near infrared spectroscopy. *Sensors, 20*(6), 1586. https://doi.org/10.3390/s20061586

Liu, R., Qi, S., Lu, J., & Han, D. (2015). Measurement of soluble solids content of three fruit species using universal near infrared spectroscopy models. *Journal of Near Infrared Spectroscopy, 23*(5), 301–309. https://doi.org/10.1255/jnirs.1156

Maghirang, E. B., & Dowell, F. E. (2003). Hardness measurement of bulk wheat by single-kernel visible and near-infrared reflectance spectroscopy. *Cereal Chemistry, 80*(3), 316–322. https://doi.org/10.1094/CCHEM.2003.80.3.316

Magwaza, L. S., & Opara, U. L. (2015). Analytical methods for determination of sugars and sweetness of horticultural products—A review. *Scientia Horticulturae, 184*, 179–192. https://doi.org/10.1016/j.scienta.2015.01.001

Magwaza, L. S., & Opara, U. L. (2015). Analytical methods for determination of sugars and sweetness of horticultural products—A review. *Scientia Horticulturae, 184*, 179–192. https://doi.org/10.1016/j.scienta.2015.01.001

Magwaza, L. S., Opara, U. L., Nieuwoudt, H., Cronje, P. J. R., Saeys, W., & Nicolaï, B. M. (2012). NIR spectroscopy applications for internal and external quality analysis of citrus fruit—A review. *Food and Bioprocess Technology, 5*(2), 425–444. https://doi.org/10.1007/s11947-011-0697-1

Masithoh, R. E., Amanah, H. Z., & Cho, B. K. (2020). Application of Fourier transform near-infrared (FT-NIR) and Fourier transform infrared (FT-IR) spectroscopy coupled with wavelength selection for fast discrimination of similar color of tuber flours. *Indonesian Journal of Chemistry, 20*(3). https://doi.org/10.22146/ijc.48092

McGlone, V. A., Fraser, D. G., Jordan, R. B., & Künnemeyer, R. (2003). Internal quality assessment of mandarin fruit by Vis/NIR spectroscopy. *Journal of Near Infrared Spectroscopy, 11*(5), 379–390. https://doi.org/10.1255/jnirs.383

Mishra, P., Rutledge, D. N., Roger, J.-M., Wali, K., & Khan, H. A. (2021). Chemometric pre-processing can negatively affect the performance of near-infrared spectroscopy models for fruit quality prediction. *Talanta, 229*, 122303. https://doi.org/10.1016/j.talanta.2021.122303

Montero-Calderon, A., Cortes, C., Zulueta, A., Frigola, A., & Esteve, M. J. (2019). Green solvents and *Ultrasound-Assisted Extraction* of bioactive

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

orange (*Citrus sinensis*) peel compounds. *Scientific Reports, 9*, Article 16120. https://doi.org/10.1038/s41598-019-52717-1

Nicolai, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. *Postharvest Biology and Technology, 46*(2), 99–118. https://doi.org/10.1016/j.postharvbio.2007.06.024

Nicolaï, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. *Postharvest Biology and Technology, 46*(2), 99–118. https://doi.org/10.1016/j.postharvbio.2007.06.024

Nipornram, S., Tochampa, W., Rattanatraiwong, P., & Singanusong, R. (2018). Optimization of low power *Ultrasound-Assisted Extraction* of phenolic compounds from mandarin (*Citrus reticulata* Blanco cv. Sainampueng) peel. *Food Chemistry, 241*, 338–345. https://doi.org/10.1016/j.foodchem.2017.08.114

Purba, S. T., Wrastiati, L. P., & Triani, I. G. A. L. (2025). Characteristics of body scrub on variations addition of mandarin orange peel extract (*Citrus reticulata*) and heating temperature. *Jurnal Rekayasa dan Manajemen Agroindustri, 13*(4). https://doi.org/10.24843/JRMA.2025.v13.i04.p04

Purnamasari, A., Zelviani, S., Sahara, S., & Fuadi, N. (2022). Analisis nilai absorbansi kadar flavonoid tanaman herbal menggunakan spektrofotometer UV-Vis. *Teknosains: Media Informasi Sains dan Teknologi, 16*(1).

Qu, H.-B., Ou, D.-L., & Cheng, Y.-Y. (2005). Background correction in near-infrared spectra of plant extracts by orthogonal signal correction. *Journal of Zhejiang University Science B, 6*(8), 838–843. https://doi.org/10.1631/jzus.2005.B0838

Razavi, M. S., Rasouli Sharabiani, V., Tahmasebi, M., Grassi, S., & Szymanek, M. (2025). Chemometric and meta-heuristic algorithms to find optimal wavelengths and predict 'Red Delicious' apples traits using Vis-NIR. *Applied Food Research, 5*, 100853. https://doi.org/10.1016/j.afres.2025.100853

Reis, A., Passos, C. P., Brandão, E., Teixeira, N., Alves, T., Mateus, N., & de Freitas, V. (2025). Revisiting spectrophotometric methods in the FoodOmics era: The influence of phytochemicals in the quantification of soluble sugars in plant-based beverages, drinks, and extracts. *Foods, 14*(16), 2889. https://doi.org/10.3390/foods14162889

Reis, A., Passos, C. P., Brandão, E., Teixeira, N., Alves, T., Mateus, N., & de Freitas, V. (2025). Revisiting spectrophotometric methods in the FoodOmics era: The influence of phytochemicals in the quantification of

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

soluble sugars in plant-based beverages, drinks, and extracts. *Foods, 14*(16), Article 2889. https://doi.org/10.3390/foods14162889

Rinnan, Å., van den Berg, F. W. J., & Engelsen, S. B. (2009). Review of the most common pre-processing techniques for near-infrared spectra. *TrAC Trends in Analytical Chemistry, 28*(10), 1201–1222. https://doi.org/10.1016/j.trac.2009.07.007

Rinnan, Å., van den Berg, F., & Engelsen, S. B. (2009). Review of the most common pre-processing techniques for near-infrared spectra. *TrAC Trends in Analytical Chemistry, 28*(10), 1201–1222. https://doi.org/10.1016/j.trac.2009.07.007

Royal Botanic Gardens, Kew. (n.d.). *Citrus reticulata* Blanco. *Plants of the World Online*. https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:772038-1/general-information

Sharma, P., Dadwal, V., Rahmatkar, S. N., Gupta, M., & Singh, D. (2022). Flavonoid composition and antioxidant efficacy of citrus peels: An integrated in vitro and in silico approach toward potential neuroprotective agents. *Journal of Scientific & Industrial Research, 81*(5), 445–454. https://doi.org/10.56042/jsir.v81i05.56093

Shawky, E., & Selim, D. A. (2019). NIR spectroscopy-multivariate analysis for discrimination and bioactive compounds prediction of different Citrus species peels. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 219*, 1–7. https://doi.org/10.1016/j.saa.2019.04.026

Shawky, E., & Selim, D. A. (2019). NIR spectroscopy-multivariate analysis for discrimination and bioactive compounds prediction of different Citrus species peels. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 219, 1–7. https://doi.org/10.1016/j.saa.2019.04.026

Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., Rashid, A., Xu, B., Liang, Q., Ma, H., & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. *Ultrasonics Sonochemistry, 101*, Article 106646. https://doi.org/10.1016/j.ultsonch.2023.106646

Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of *Total Flavonoid Content* by aluminum chloride assay: A critical evaluation. *LWT, 150*, Article 111932. https://doi.org/10.1016/j.lwt.2021.111932

Theanjumpol, P., Self, G., Rittiron, R., Pankasemsuk, T., & Sardsud, V. (2013). Selecting variables for near infrared spectroscopy (NIRS) evaluation of mango fruit quality. *Journal of Agricultural Science, 5*(7), 146–159. https://doi.org/10.5539/jas.v5n7p146

Tirado-Kulieva, V. A., Hernández-Martínez, E., & Suomela, J.-P. (2022). Non-destructive assessment of vitamin C in foods: A review of the main

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

findings and limitations of vibrational spectroscopic techniques. *European Food Research and Technology, 248*, 2185–2195. https://doi.org/10.1007/s00217-022-04023-w

Wahab, M., Zia, A., Ahmad, W., *et al*. (2026). Optimizing NIR spectral preprocessing for PLS predictive accuracy: A systematic review (2019–2024). Discover Applied Sciences, 8, Article 560. https://doi.org/10.1007/s42452-026-08608-y

Wang, F., Chen, L., Chen, H., Chen, S., & Liu, Y. (2019). Analysis of flavonoid metabolites in citrus peels (*Citrus reticulata* "Dahongpao") using UPLC-ESI-MS/MS. *Molecules, 24*(15), 2680. https://doi.org/10.3390/molecules24152680

Wang, H., Peng, J., Xie, C., Bao, Y., & He, Y. (2015). Fruit quality evaluation using spectroscopy technology: A review. *Sensors, 15*(5), 11889–11927. https://doi.org/10.3390/s150511889

Wen, C., Zhang, J., Zhang, H., Dzah, C. S., Zandile, M., Duan, Y., Ma, H., & Luo, X. (2018). Advances in *Ultrasound Assisted Extraction* of bioactive compounds from cash crops—A review. *Ultrasonics Sonochemistry, 48*, 538–549. https://doi.org/10.1016/j.ultsonch.2018.07.018

Williams, P. (2014). The RPD statistic: A tutorial note. *NIR News, 25*(1), 22–26. https://doi.org/10.1255/nirn.1419

Williams, P., & Norris, K. (Eds.). (2001). *Near-infrared technology in the agricultural and food industries* (2nd ed.). American Association of Cereal Chemists.

Wold, S., Esbensen, K., & Geladi, P. (1987). Principal component analysis. *Chemometrics and Intelligent Laboratory Systems, 2*(1–3), 37–52. https://doi.org/10.1016/0169-7439(87)80084-9

Wold, S., Sjöström, M., & Eriksson, L. (2001). PLS-regression: A basic tool of chemometrics. *Chemometrics and Intelligent Laboratory Systems, 58*(2), 109–130. https://doi.org/10.1016/S0169-7439(01)00155-1

Wolfe, K., Wu, X., & Liu, R. H. (2003). Antioxidant activity of apple peels. *Journal of Agricultural and Food Chemistry, 51*(3), 609–614. https://doi.org/10.1021/jf020782a

Xuereb, M. A., Psakis, G., Attard, K., Lia, F., & Gatt, R. (2025). A comprehensive analysis of non-thermal ultrasonic-assisted extraction of bioactive compounds from citrus peel waste through a one-factor-at-a-time approach. *Molecules, 30*(3), Article 648. https://doi.org/10.3390/molecules30030648

Yoshida, K. (2024). Chemical and biological study of flavonoid-related plant pigment: Current findings and beyond. *Bioscience, Biotechnology, and Biochemistry, 88*(7), 705–718. https://doi.org/10.1093/bbb/zbae048

Yusoff, I. M., Taher, Z. M., Rahmat, Z., & Chua, L. S. (2022). A review of *Ultrasound-Assisted Extraction* for plant bioactive compounds: Phenolics,

UNIVERSITAS
GADJAH MADA
Prediksi Kadar Flavonoid, Vitamin C, Dan Brix Pada Ekstrak Kasar Kulit Jeruk Mandarin (Citrus reticulata) Dengan Spektroskopi Visible Near Infrared Tipe Transmitan
Dyan Febri Khoerunisa, Dr. Ir. Rudiati Evi Masithoh, S.T.P., M.Dev.Tech.,IPU., ASEAN Eng., APEC Eng. ; Hanim Zul
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

flavonoids, thymols, saponins and proteins. *Food Research International, 157*, Article 111268. https://doi.org/10.1016/j.foodres.2022.111268

Zhang, W., Lin, M., He, H., Wang, Y., Wang, J., & Liu, H. (2023). Toward achieving rapid estimation of vitamin C in citrus peels by NIR spectra coupled with a linear algorithm. *Molecules, 28*(4), 1681. https://doi.org/10.3390/molecules28041681