UNIVERSITAS
GADJAH MADA
**Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32
untuk akuisisi data geofisika**
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abu Zeid, N., Corradini, E., Bignardi, S., Morandi, N., Nizzo, V., dan Santarato, G. (2016). Unusual geophysical techniques in archaeology—HVSR and induced polarization: A case history. *In Near Surface Geoscience 2016 Conference (Paper We 22 A13), Barcelona*.

Abdulsamad, F., Florsch, N., Schmutz, M. and Camerlynck, C. (2016). Assessing the high frequency behavior of non-polarizable electrodes for spectral induced polarization measurements. *Journal of Applied Geophysics. 135*. https://doi.org/10.1016/j.jappgeo.2016.01.001.

Advanced Geosciences Inc. (2010). SuperSting R8/IP 8-channel Memory Earth Resistivity/IP Meter. Tersedia pada: https://www.geotools.com.au/wp-content/uploads/2020/05/SSR8Brochure.pdf.

Broadcom (2021). Datasheet HCPL 7840 solation Amplifier. Tersedia pada: https://docs.broadcom.com/doc/AV02-1289EN

Avago Technologies. (2010). Designing with Avago Technologies Isolation Amplifiers Application Note 1078. Tersedia pada: https://docs.broadcom.com/doc/AV02-2633EN.

Binley, Andrew dan Slater, Lee. (2020). Resistivity and Induced Polarization Theory and Applications to the Near-Surface Earth. *Cambridge University Press*. https://doi.org/10.1017/9781108685955.

Caglar, I. (2000). A Method to Remove Electromagnetic Coupling from Induced Polarization Data for an "Exponential" Earth Model. *Pure and Applied Geophysics. 157. 1729-1748*. https://doi.org/10.1007/PL00001058.

Dahlin, T. (2000). Short note on electrode charge-up effects in DC resistivity data acquisition using multi-electrode arrays. Geophysical Prospecting. 48. 181 - 187. https://doi.org/10.1046/j.1365-2478.2000.00172.x.

Dahlin, T., Leroux, V. dan Nissen, J. (2002). Measuring techniques in induced polarization imaging. *Journal of Applied Geophysics, 50, hal. 279–298*.

UNIVERSITAS
GADJAH MADA
**Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32
untuk akuisisi data geofisika**
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dahlin, T., Leroux, V., (2012). Improvement in time-domain induced polarization data quality with multi-electrode systems by separating current and potential cables. *Near Surface Geophysics 10, 545–565*. https://doi.org/10.3997/1873-0604.2012028

Fadlin, F., Hamzah, W., Purwasatriya, E., Idrus, A., Ariyanti, N., dan Ruslan, S. (2019). Resistivity and induced polarization (IP) approach for polymetallic vein distributions of Bukit Pondok mineralization (ex-VOC mining in 1902), Tana Tidung, East Kalimantan. *AIP Conference Proceedings, 2094*. https://doi.org/10.1063/1.5097479

Fancsik, T., Turai, E., Szabó, N.P. dkk. (2021). Evaluation of induced polarization measurements using a new inversion method. *Acta Geod Geophys, 56, hal. 623–643*. https://doi.org/10.1007/s40328-021-00355-3.

Ge, S.C., Ming, D., Kai, C., Li, B. dan Li, Y. (2016). Improved Data Preprocessing Algorithm for Time-Domain Induced Polarization Method with Digital Notch Filter. *Acta Geophysica, 64*. https://doi.org/10.1515/acgeo-2016-0015.

GF Instruments. (2019). ARES User manual v 5.46.

Guideline Geo. (2009). ABEM Terrameter LS 2 Resistivity and IP Imaging. Tersedia pada: https://guidelinegeo.com/wp-content/uploads/2024/11/ABEM_Terrameter_LS2_Brochure_web_2024.pdf.

IRIS Instruments. SYSCAL Pro resistivity & IP equipment for sounding, imaging and monitoring. Tersedia pada: https://www.iris-instruments.com/Pdf_file/Syscal_pro.pdf

IRIS. (2015). I-FullWaver IP fullwave record for advanced processing mineral exploration. Tersedia pada: https://www.iris-instruments.com/Pdf_file/I_fullwaver.pdf.

Jacques, D., Julien, G. dan Leite, O. (2024). On the use of Time Series to Improve Signal Processing of Electrical Data. *6th Asia Pacific Meeting on Near Surface Geoscience and Engineering*.

UNIVERSITAS
GADJAH MADA
**Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32
untuk akuisisi data geofisika**
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

John Paine dan Alex Copeland (2003) Reduction of noise in Induced Polarization data using full time series data, *ASEG Extended Abstracts, 2003:2, 1-4*, https://doi.org/10.1071/ASEG2003ab122

Kamil, M. (2007). AN1114 Switch Mode Power Supply (SMPS) Topologies (Part 1). Tersedia pada: https://ww1.microchip.com/downloads/en/appnotes/01114a.pdf.

Keller, G. V., dan Frischknecht, F. C. (1966). Electrical methods in geophysical prospecting. *Pergamon Press*.

Kuo, C. S. (2012). Minerals yearbook 2010, volume III: Area reports—International, Asia and the Pacific: Indonesia (pp. 11.1–11.8). *U.S. Geological Survey*. https://doi.org/10.3133/mybvIII

Li, W., Zhang, Q., Luo, Y., Zhang, Q. dan Jiang, F. (2020). Development of a New Multifunctional Induced Polarization Instrument Based on Remote Wireless Communication Technology. *IEEE Access, 8, hal. 100415-100425*. https://doi.org/10.1109/ACCESS.2020.2997125.

Maison, K., Sawitri, N., Samsidar, L., Handayani, R., Purbakawaca, R. dan Nurjaman, J. (2019). Design of digital resistivity-meter for subsurface exploration. *Journal of Physics: Conference Series, 1282(2), hal. 1-8*.

Månsson, C., dan Siikanen, J. (2007). Measuring techniques of Induced Polarization regarding data quality with an application on a test-site in Aarhus, Denmark and the tunnel construction at the Hallandsås Horst, Sweden. Lund university.

Maurya, P.K., Fiandaca, G., Christiansen, A.V. dan Auken, E. (2018). Field-scale comparison of frequency- and time-domain spectral induced polarization. *Geophysical Journal International, 214(2), hal. 1441–1466*. https://doi.org/10.1093/gji/ggy218.

Olsson, P.I. (2016). Optimization of time domain induced polarization data acquisition and spectral information content. Licentiate Thesis, Division of Engineering Geology.

Olsson, P.-I. (2018). Advances in time–domain induced polarisation tomography: Data acquisition, processing and modelling. [Doctoral Thesis

UNIVERSITAS
GADJAH MADA
**Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32
untuk akuisisi data geofisika**
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(compilation), Faculty of Engineering, LTH]. Department of Biomedical Engineering, Lund university.

Peter-Borie, M., Sirieix, C., Naudet, V. and Riss, J. (2011), Electrical resistivity monitoring with buried electrodes and cables: noise estimation with repeatability tests. *Near Surface Geophysics, 9: 369-380*. https://doi.org/10.3997/1873-0604.2011013

Philips Semiconductors. (1993). Product Specification PowerMOS transistor BUK555-60A/B. Tersedia pada: https://pdf.dzsc.com/BUK/BUK555-60A.pdf

Pramana, A. J., dkk. (2014). Pendugaan zona endapan mineral logam (emas) di Gunung Bujang, Jambi berdasarkan data induced polarization (IP). *Brawijaya Physics Student Journal, 2(1).*

Puspasari, F. (2023). Pengembangan rancang bangun *resistivity meter* digital dengan sistem penampil dan penyimpan data berbasis *internet of things*. [Disertasi doktor, Universitas Gadjah Mada].

Qi, Y., Panwar, N., Gresse, M., Grandis, H., Sharma, R., Géraud, Y., Chibati, N., dan Ghorbani, A. (2022). Induced polarization images alteration in stratovolcanoes. *Journal of Volcanology and Geothermal Research, 429, 107598*. https://doi.org/10.1016/j.jvolgeores.2022.107598

Radic, T. (2004). Elimination of cable effects while multi-channel SIP measurements. *Near Surface 2004, Utrecht, The Netherlands, Expanded Abstracts, P029*.

Reynolds, J. M. (1997). An introduction to applied and environmental geophysics. *John Wiley dan Sons*.

Routh, P.S., dan Oldenburg, D.W. (2001). Electromagnetic coupling in frequency-domain induced polarization data: A method for removal. *Geophysical Journal International, 145, 59-76*.

Seigel, H. O. (1959). Mathematical formulation of type curves for induced polarization. *Geophysics, 24(3), 546–565*.

Suhari. (2023). Penerapan sumber arus terkontrol tegangan untuk sistem pemancar geolistrik arus tetap. [Tesis magister, Universitas Gadjah Mada].

UNIVERSITAS GADJAH MADA
Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32 untuk akuisisi data geofisika
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sumner, J. S. (2012). Principles of induced polarization for geophysical exploration. *Developments in Economic Geology, Vol. 5. Elsevier*.

Suparwoto. (2017). Pembuatan alat spectral induced polarization (SIP) untuk mengukur efek polarisasi pada sampel batuan galena, pyrite, dan chalcopyrite. [Disertasi doktor, Universitas Gadjah Mada].

Supper, R., Romer, A., Kreuzer, G., Jochum, B., Ottowitz, D., Ita, A. dan Kauer, S. (2012). The GEOMON 4D electrical monitoring system: current state and future developments. *Proceedings of GELMON 2011, Berichte Geol. B.-A., 93, hal. 23-26*.

Syukri, M. (2019). Resistivity and chargeability signatures of tsunami deposits at Aceh Besar and Banda Aceh coastal area, Indonesia. *International Journal of GEOMATE, 17*. https://doi.org/10.21660/2019.59.09590

Tarasov, A., dan Titov, K. (2007). Relaxation time distribution from time domain induced polarization measurements. *Geophysical Journal International, 170(1), 31–43*. https://doi.org/10.1111/j.1365-246X.2007.03376.x

Tavakoli, S., Bauer, T. E., Rasmussen, T. M., Weihed, P., dan Elming, S.-Å. (2016). Deep massive sulphide exploration using 2D and 3D geoelectrical and induced polarization data in Skellefte mining district, northern Sweden. *Geophysical Prospecting, 64, 1602–1619*. https://doi.org/10.1111/1365-2478.12363

Texas Instruments Incorporated, 2013. *ADS1256 Very Low Noise, 24-Bit Analog-to-Digital Converter*. Tersedia pada: https://www.ti.com/lit/gpn/ADS1256.

Turai, E. (1985). TAU-transformation of time-domain IP curves. Annales Universitatis Scientiarum Budapestinensis de Rolando Eötvös Nominatae, *Sectio Geophysica et Meteorologica, I–II.*

Turai, E. (2011). Data processing method developments using TAU-transformation of time-domain IP data: II. Interpretation results of field measured data. *Acta Geodaetica et Geophysica Hungarica, 46(4), 391–400*. https://doi.org/10.1556/ageod.46.2011.4.2

UNIVERSITAS
GADJAH MADA
**Pengembangan instrumen Induced Polarization (IP) fungsi waktu perekam gelombang penuh berbasis ESP32
untuk akuisisi data geofisika**
Arief Rahmadi, Dr. Eddy Hartantyo, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Viezzoli, A., Cull, J. P., dan Massie, D. (2006). Mapping fly-ash water pond leakage with TEM and IP data at Loy Yang coal-mine (Australia). *Near Surface Geophysics, 4(5), 305–311*. https://doi.org/10.3997/1873-0604.2006005

Wait, J. R. (1959). Overvoltage research and geophysical applications. *Pergamon Press*.

Xiamen SET Electronics Co. (2024). 1.5KE SERIES Transient Voltage Suppressor Diodes. Tersedia pada: https://setfuse.com/SdwlUploads/Ed/file/20231221/TVS%201.5KE(Axial)_SETsafe%20&%20SETfuse.pdf.

Yatini, Santoso, D., Laesanpura, A., Sulistijo, B., Bahri, S., dan Suyanto, I. (2016). Application of time domain induced polarization (TDIP) methods to metallic minerals prospect on Kasihan Region, Pacitan Regency, East Java, Indonesia. *Int. j. econ. environ. geol. Vol:7(1) 16-23*.

Yohandri, Mairizwan dan Akmam. (2018). Development of A Digital Resistivity Meter Based on Microcontroller. *TENCON 2018 - 2018 IEEE Region 10 Conference*, hal. 551-554.

Zarif, Fardous dan Kessouri, Pauline dan Slater, Lee. (2018). Recommendations for Field-Scale Induced Polarization (IP) Data Acquisition and Interpretation. *Journal of Environmental & Engineering Geophysics*. 22. 10.2113/JEEG22.4.395.

Zhang, Q.S., Deng, M., Wang, Q., Feng, Y.Q. dan Yang, R. (2012). Application of Embedded Technology for Induced Polarization Instrument. *Advanced Materials Research*, 383-390, hal. 224-229.

Zonge, K.L. dan Hughes, L.J. (1985). The effect of electrode contact resistance on electric field measurements. *Proceedings of the 55th SEG Convention*, hal. 231–234.

Zonge, K.L., Sauck, W.A. dan Sumner, J.S. (1972). Comparison of Time, Frequency, and Phase Measurements in Induced Polarization. *Geophysical Prospecting, 20, hal. 626-648*. https://doi.org/10.1111/j.1365-2478.1972.tb00658.x.