UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/
MILIK PERPUSTAKAAN
FK.UGM

KEPUSTAKAAN

Allday, MJ. Crawford, DH. Role of epithelium in EBV persistence and pathogenesis of B cell tumours. Lancet.1988. 1:855-857.

Atula, S., Auvinen, E., Grenman, R., and Syrjanen, S , 1997, *Human papillomavirus and Epstein-Barr virus in epithelial carcinomas of the head and neck region.* Anticancer Res., 17, 4427-4434.

Baer, R., Bankier, A.T., Biggin, M.D., Deininger, P.L., Farrell, P.J., Gibson, T.J., Hatfull, G., Hudson, G.S., Satchwell, S.C., Sequin, C., Tuffnell, P.S. and Barrel, B.G. 1984. *DNA Sequence and Expression of The B95-8 Epstein-Barr Virus Genome. Nature.* 310: 207-211.

Brooks, G.F., Butel, J.S., Morse, S.A., 2005. *Jawetz, Melnick, & Adelberg's Mikrobiologi Kedokteran (Medical Microbiology)2.* Penerbit Salemba Medika, Jakarta.

CarrauR, Myers E, Johnson J. *Paranasal sinus carcinoma-diagnosis, treatment, and prognosis.* Oncology 1992;6:43.

Chen, C.J., Liang, K.Y., Chang, Y.S., Wang, Y.F., Hsieh, T., Hsu, M.M., Chen, J.Y., and Liu, M.Y., 1990,

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

Multiple risk factors of nasopharyngeal carcinoma: Epstein-Barr virus, malaria infection, cigarette smoking and familial tendency. Anticancer Res., 10, 547-554.

Citardi, M.J., Batra, P.S., 2008. *The Nose and Paranasal Sinuses. In: Lee, K.J. (Ed.): Essential Otolaryngology: Head & Neck Surgery 9th ed.,* pp:676-707. The McGraw Hill Companies, Inc., New York.

Cohen JI. *Epstein-Barr virus infection*. N Engl J Med 2000; 348:481-92

Craig, FE. Gulley, ML. Banks, PM. Posttransplantation lymphoproliperative disorders. Am. J. Clin. Pathol. 1993.99:265-276.

De Bruine PC. *T cell non Hodgkin's lymphomas : Biological, virological and clinicopathological aspects.* (dissertation) Amsterdam: Vrije Universiteit, 1994.

De Bruine PC. Jiwa,NM. Oudejans, JJ. Van der Valk,P. Van Heerde, P. Sabourin,JC. Csanaky,G. Gaulord, P. Noorduyn, AL. Willemze, R. Meijer, CJLM. Presence of Epstein-Barr virus in extranodal T cel lymphomas: difference in relation to site.Blood. 1994. 83: 1612-1618.

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

De MonteF, Ginsberg LE, Clayman GL. *Primary malignant tumors of the sphenoidal sinus.* Neurosurgery 2000; 46(5): 1084-1091; discussion1091-1092.

Dorland. 1998. *Kamus Saku Kedokteran Dorland*. Jakarta : EGC

Faulkner, GC. Krajewski, AS. Crawford, DH. The ins and outs of EBV infection. Trends Microbiol. 2000. 8: 185-189.

Gasco, M. and Crook, T., 2003, *The p53 network in head and neck cancer.* Oral Oncol., 39, 222-231.

Hamilton-Dutoit, SJ. Pallesen, G. Franzmann, MB. Karkov, J. Black, F. Steinhoj, P. Pedersen, C. AIDS-related lymphoma. Histopathology, immunophenotype, and association with Epstein-Barr virus as demonstrated by in situ nucleic acid hybridization. Am. J. Pathol. 1991. 138: 149-163.

Humme S, Reisbach G, Feederle R, Delecluse HJ, Bousset K, Hammerschmidt W, Schepers A. *The EBV nuclear antigen I (EBNA1) enhances B cell immortalization several thousandfold.* PNAS 2003; 100 (19): 10989-10994

Irish J, Dasgupta R, Freema J et al. *Outcome and analysis of the surgical management of esthesioneuroblastoma.* J otolaryngol 26 (1) : 1-7,1997

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

Kanavaros, P. Briere, J. Lescs, MC. Gaulard, P. Epstein-Barr virus in non-Hodgkin's lymphomas of the upper respiratory tract: association with sinonasal localisation and expression of NK and/or T cell antigen by tumour cells. J. Pathol. 1996.178: 297-302.

Khana, R. Burrows, SR. Moss, DJ. Immune regulation in Epstein-Barr associated disease. Microbiol. Rev. 1995. 59: 387-405.

Kieff E. *Epstein-Barr virus and its replication in Field* BN, Knipe DM, Howley PM, Editors. Fields Virology.3th ED. Lippincott-Raven Publishers, Philadelphia, 1996.

Kieff, E., Leibowitz, D. *Epstein Barr virus and its replication.* In: Fields BN. Editor. Virology. New York: D.M. Knipe 1990

Lee, K.J., (Eds.), 2003. *Essential Otolaryngology: Head and Neck Surgery*. 8th ed. McGraw-Hill, United States of America.

Matsunou, H. Konishi, F. Hori, H. Ikeda, T. Sasaki, K. Hirose, Y. Yamamichi, N. Characteristics of Epstein-Barr virus associated gastric carcinoma with lymphoid stroma in Japan. Cancer. 1996. 77: 1998-2004.

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

McKaig, R.G., Baric, R.S., and Olshan, A.F., 1998, *Human papillomavirus and head and neck cancer: epidemiology and molecular biology*. Head Neck, 20, 250-265.

Meij,P. Humoral and cell mediated immune responses directed against Epstein-Barr Virus-Encoded Tumor-Associated. Enschede: PrintPartner,2001.

Meij, P. Vervoort, MBHJ. Aarbiou, P. Van dissel, P. Brink, A. Bloemena, E. Meijer, CJLM. Middledorp, JM. Restricted low level human antibody responses against Epstein-Barr virus (EBV)-encoded latent membrane protein 1 in a subgroup of patients with EBV-associated diseases. J. Inf. Dis. 1999. 179:1108-1115.

Moore, K.L., Agur, A.M.R., 2002. *Anatomi Klinis Dasar*. Penerbit Hipokrates, Jakarta.

Murray PG., Young, FS. Epstein-Barr virus infection: basis of malignancy and potencial for therapy. In: Expert reviews in molecular medicine. Cambridge University Press. 2001: 1-20.

Murray PG., Young, FS., *Themed issue: the biology and pathology of the Epstein-Barr virus*. J Clin Pathol 2000; 53: 219-21

Niedobitek, G. Agathanggelaou, A. Herbst, H. Whitehead, L. Wright, DH. Young, LS. Epstein-Barr virus (EBV)

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

infection in Infetious Mononucleosis :virus latency replication and phenotype of EBV infected cells. J. Pathol. 1997.182: 151-159.

Okano, M. Matsumoto, S. Osato, T. Sakiyama, Y. Thiele, GM. Purtilo, DT. Severe chronic active Epstein-Barr virus infection syndrome. Clin. Microbiol. Rev. 1991. 4: 129-135.

Pallesen, G. Hamilton-Dutoit, SJ. Zhou, X. The association of Epstein-Barr virus (EBV) with T cell lymphoproliperations and Hodgkin's disease: two new developments in the EBV field. Adv. Cancer Res. 1993. 62: 179-239.

Panchal, L., Vaideeswar, P., Kathpal, D., Madiwale, C.P., Prabhat, D.P., 2005. *Sino-nasal Epihelial Tumours: A Pathological Study of 69 Cases [see comments].* J Postgrad Med 51(1): 30-35.

Rickinson, AB. Kieff, E. Epstein-Barr virus. In: Fields, BN. Knipe, DM. Howley, P. Chanock, RM. Melnick, JL. Month, TP. Roizman, B. Straus, SE. Fields Virology. 1996: 2397-2446.

Robert Jan Baatenburg de Jong, PhD, Jo Hermans, PhD, Jan Molenaar, Jeroen Johannes Briaire1, Saska le Cessie, PhD, 2001, *Prediction of survival in patients with head and neck cancer*. Head Neck, 718-724.

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

Rousch GC. *Epidemiology of cancer of the nose and paranasal sinuses-current concepts*. Head neck 2;3, 1979.

Sastroasmoro, S., Ismael, S. 2002. *Dasar-dasar metodologi penelitian klinis edisi 2.* Jakarta: CV Sagung Seto

Spiro J, Soo K, Spiro R. *Squamous carcinoma of the nasal cavity and paranasal sinuses*. Am J surg 1989; 158:328.

Syrjanen, S., Laine, P., Niemla, M., and Happonen, R.P., 1989, *Oral hairy leukoplakia is not specific sign of HIV infection but related to immunosuppression in general*. J. Oral. Pathol., 18, 28-31.

Szekely, L., Selivanoca, G., Magnusson, K.P., Klein, G., and Wiman, K.G., 1993, *EBNA-5, and Epstein-Barr virus-encoded nuclear antigen, binds to the retinoblastoma and p53 protein*. Proc. Natl. Acad. Sci. USA, 90, 5455-5459.

Tamura, S.,A. Yamazaki, M. Kumimoto, K. Takemura, T. Tabata, Y. Hinuma, and O. Yosie. 1992. *Impaired long-term T cell immunity to Epstein-Barr virus in patients with nasopharyngeal carcinoma*. Jpn.J.cancer Res.83 (5): 445-449

Thompson, M.P., Kurzrock, R., 2004. *Epstein-Barr Virus and Cancer.* Clinical Cancer Research 10: 803-821.

UNIVERSITAS
GADJAH MADA
Frekwensi Protein Epstein-Barr Nuclear Antigen-1 Pada Pasien Karsinoma Sinonasal Di Bagian Ilmu Kesehatan THT FK UGM/Rumah Sakit Dr. Sardjito
Reny Setyowati, dr. Agus Surono, Sp.THT, Ph.D. ; dr. Abdul Gofir, Sp.S (K)
Universitas Gadjah Mada, 2009 | Diunduh dari http://etd.repository.ugm.ac.id/

Tyan, Y.S., Liu, S.T., Ong, W.R., Chen, M.L., Shu, C.H., and Chang, Y.S. , 1993, *Detection of Epstein-Barr virus and human papillomavirus in head and neck tumors.* J. Clin. Microb., 31, 53-56.

Wolf, H. Zur, HH. Becker, V. EB viral genomes in epithelial nasopharyngeal carcinoma cells. Nature New Biology. 1973. 244: 245-247.

Young L, Alfieri C, Henessy K, Evans H, O'Hara C, Anderson KC, et al. *Expression of Epstein-Barr virus transformation-associated genes in tissues of patients with EBV lymphoproliferative disease.* N Engl J Med, 1989; 321: 1080-85

Yudha, N., Emoto, N., Rahayu, P., and Matsuo, M., 2003, *Nasopharyngeal carcinoma in Indonesia has a low prevalence of the 30-base pair deletion of Epstein-Barr virus latent membrane protein 1.* Southeast As J Trop Med Pub Health 34, 98-105.

Zur, HH. Schulte,HH. Klein, G. Henle, W. Hnele, G. Clifford, P. Santesson, L. EBV DNA in biopsies of Burkitt tumours and anaplastic carcinomas of the nasopharynx. Nature. 1970. 228:1056-1058.