



DAFTAR PUSTAKA

- [1] J. Han and M. Kamber, *Data Mining : Concepts and Techniques*, Second edi. San Fransisco: Morgan Kaufmann, 2006.
- [2] G. Kesavaraj and S. Sukumaran, “A Study On Classification Techniques in Data Mining,” *ICCCNT*, vol. 4, 2013.
- [3] A. Omary, A. Wedyan, A. Zghoul, A. Banihani, and I. Alsmadi, “An interactive predictive system for weather forecasting,” in *2012 International Conference on Computer, Information and Telecommunication Systems (CITS)*, 2012, pp. 1–4.
- [4] M. P. Shivarajani and K. Karthikeyan, “A Review of Weather Forecasting Using Data Mining Techniques,” *Int. J. Eng. Comput. Sci.*, vol. 5, no. 12, pp. 19784–19788, 2016.
- [5] S. Wu, C. Chang, and S. Lee, “Time Series Forecasting with Missing Values,” *2015 1st Int. Conf. Ind. Networks Intell. Syst.*, pp. 151–156, 2015.
- [6] E. Borszonyi, “Recovery of Missing Values based on Centroid Decomposition,” Thesis : University of Zurich, 2013.
- [7] M. Khayati and H. B. Michael, “Using Lowly Correlated Time Series to Recover Missing Values in Time Series : a Comparison between SVD and CD,” *Adv. Spat. Temporal Databases*, pp. 237–254, 2015.
- [8] D. I. Wilson, “The Black Art of Smoothing,” *Electrical Autom. Technol.*, no. July, pp. 35–56, 2006.
- [9] P. Jiang, F. Liu, J. Wang, and Y. Song, “Cuckoo search-designated fractal interpolation functions with winner combination for estimating missing values in time series,” *Appl. Math. Model.* 40, vol. 40, pp. 9692–9718, 2016.



- [10] S. Sridevi, S. Rajaram, C. Parthiban, S. SibiArasan, and C. Swadhikar, “Imputation for the analysis of missing values and prediction of time series data,” *2011 Int. Conf. Recent Trends Inf. Technol.*, pp. 1158–1163, 2011.
- [11] R. J. A. Little and D. B. Rubin, “Statistical Analysis with Missing Data,” *Wiley, New York.*, p. 381, 1987.
- [12] J. L. Schafer and J. W. Graham, “Missing Data : Our View of the State of the Art,” *Psychol. Methods*, vol. 7, no. 2, pp. 147–177, 2002.
- [13] T. D. Pigott, “A Review of Methods for Missing Data,” *Educ. Res. Eval.*, vol. 7, no. 4, pp. 353–383, 2001.
- [14] J. C. Wayman, “Multiple Imputation For Missing Data : What Is It And How Can I Use It ?,” *Annu. Meet. Am. Educ. Res. Assoc.*, 2003.
- [15] M. N. Noor, A. S. Yahaya, N. A. Ramli, and A. M. M. Al Bakri, “Filling Missing Data Using Interpolation Methods: Study on the Effect of Fitting Distribution,” *Key Eng. Mater.*, vol. 594–595, pp. 889–895, 2013.
- [16] M. F. Barnsley, Elton.J, Hardin.D, and Massopust.P, “HIDDEN VARIABLE FRACTAL INTERPOLATION FUNCTIONS*,” *Siam J.Math . Anal.*, vol. 20, no. 5, pp. 1218–1242, 1989.
- [17] D. C. O. de Resende, A. L. de Santana, and Fabio Manoel Franca Lobato, “Time series imputation using genetic programming and Lagrange interpolation,” *Brazilian Conf. Intell. Syst.*, vol. 5, 2016.
- [18] O. Ostashchuk, “Time Series Data Prediction and Analysis,” Thesis : Czech Technical University, 2017.
- [19] A. Savitzky and M. J. . Golay, “Smoothing and Differentiation of Data by Simplified Least Square Procedures,” *Anal. Chem.*, vol. 36, no. 8, pp. 1627–1639, 1964.



- [20] W. Gander and U. von Matt, “Smoothing Filters BT - Solving Problems in Scientific Computing Using Maple and Matlab ®,” W. Gander and J. Hřebíček, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 1993, pp. 121–139.
- [21] M. T. Chu and R. E. Funderlic, “THE CENTROID DECOMPOSITION : RELATIONSHIPS BETWEEN DISCRETE VARIATIONAL DECOMPOSITIONS AND SVDS,” *Matrix Anal. Appl.*, vol. 23, no. 4, pp. 1025–1044, 2002.
- [22] M. Khayati, M. Böhlen, and J. Gamper, “Scalable Centroid Decomposition,” Zurich, 2013.
- [23] David M. Lane, “Online Statistics Education: An Interactive Multimedia Course of Study,” Rice University. [Online]. Available: http://onlinestatbook.com/2/describing_bivariate_data/pearson.html. [Accessed: 06-Dec-2017].
- [24] J. Frost, “Understanding Hypothesis Tests: Significance Levels (Alpha) and P values in Statistics,” 2015. [Online]. Available: <http://blog.minitab.com/blog/adventures-in-statistics-2/understanding-hypothesis-tests%3A-significance-levels-alpha-and-p-values-in-statistics>. [Accessed: 07-Dec-2017].
- [25] N. M. Razali, Y. B. Wah, and M. Sciences, “Power comparisons of Shapiro-Wilk , Kolmogorov-Smirnov , Lilliefors and Anderson-Darling tests,” *J. Stat. Model. Anal.*, vol. 2, no. 1, pp. 21–33, 2011.
- [26] F. Lobato, C. Sales, I. Araujo, V. Tadaiesky, L. Dias, L. Ramos, and A. Santana, “Multi-objective genetic algorithm for missing data imputation,” *Pattern Recognit. Lett.*, vol. 68, pp. 126–131, 2015.
- [27] A. T. Sree Dhevi, “Imputing missing values using Inverse Distance Weighted Interpolation for time series data,” *6th Int. Conf. Adv. Comput.*



ICoAC 2014, pp. 255–259, 2015.

- [28] X. Zhu, S. Zhang, Z. Jin, Z. Zhang, and Z. Xu, “Missing value estimation for mixed-attribute data sets,” *IEEE Trans. Knowl. Data Eng.*, vol. 23, no. 1, pp. 110–121, 2011.
- [29] Š. R. Kalina J., Jarkovský J., Dušek L., Klánová J., Borůvková J., Šnábl. I., “Time series assessment in the Era of Stockholm Convention & GMP,” *Masaryk University*, 2014. [Online]. Available: <http://www.genasis.cz/time-series/>. [Accessed: 01-Nov-2017].
- [30] NIST/SEMATECH, “e-Handbook of Statistical Methods.” [Online]. Available: <http://www.itl.nist.gov/div898/handbook/>. [Accessed: 01-Nov-2017].
- [31] H. O. Posten, “Two-sample Wilcoxon power over the Pearson system and comparison with the t-test.,” *J. Stat. Comput. Simul.*, vol. 16, pp. 1–18, 1982.
- [32] S. Siegel, *Nonparametric Statistics FOR THE BEHAVIORAL SCIENCES*. McGraw-Hill, 1956.
- [33] H. Takagi, “Statistical Tests for Computational Intelligence Research and Human Subjective Tests.” [Online]. Available: <http://www.design.kyushu-u.ac.jp/~takagi/>. [Accessed: 01-Nov-2017].