UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aarts, C.E. M., Hiemstra, I.H., Be´guin, E.P., Hoogendijk, A. J., Bouchmal S., van Houdt, M., Tool, A. T. J., Mul, E., Jansen, M. H., Janssen, H., van Alphen, F. P. J., de Boer, J. P., Zuur, C. L., Meijer, A. B., van den Berg, T. K., Taco, W. K. (2019). Activated neutrophils exert myeloid-derived suppressor cell activity damaging T cells beyond repair. *Blood Advances*; 3(22):3562–74.

Abraham, C. R. (2011). Amyloid Beta Peptide and the Amyloid Cascade Hypothesis dalam : Budson, A. E., Kowall, N. W. (Eds.), *The Handbook of Alzheimer's Disease and Other Dementias* (hal. 237-261). Oxford : Wiley-Blackwell.

Aggarwal, N. T., & Mielke, M. M. (2023). Sex Differences in Alzheimer's Disease. *Neurologic Clinics, 41*(2), 343–358.

Algul, F. E., Kaplan, Y. (2025). Increased systemic immune-inflammation index as a novel indicator of Alzheimer's disease severity. *Journal of Geriatric Psychiatry and Neurology, 38*(3), 214–222.

Alzheimer's Association. (2024). 2024 Alzheimer's disease facts and figures. *Alzheimer's & Dementia, 20*(5), 3708–3821.

American Diabetes Association (2014). Diagnosis and classification of diabetes mellitus. *Diabetes care*, *37 Suppl 1*, S81–S90. https://doi.org/10.2337/dc14-S081.

Bank, U., Reinhold, D., Schneemilch, C., Kunz, D., Synowitz, H. J., Ansorge, S. (1999) Selective Proteolytic Cleavage of IL-2 Receptor and IL-6 Receptor Ligand Binding Chains by Neutrophil-Derived Serine Proteases at Foci of Inflammation. *J Interferon Cytokine Res*; 19(11):1277-1287.

Bansal, N., Parle, M. (2014). Dementia: An Overview. *Journal of Pharmaceutical Technology, Research and Management*. 2. 29-45.

Barthélemy, N.R., Bateman, R.J., Hirtz, C. Marin, P., Becher, F., Sato, C., Gabelle, A., Lehmann, S. (2020). Cerebrospinal Fluid Phospho-Tau T217 Outperforms T181 As A Biomarker For The Differential Diagnosis Of Alzheimer's Disease And PET Amyloid-Positive Patient Identification. *Alz Res Therapy* 12, 26.

Bendlin, B. B., Carlsson, C.M., Johnson, S.C., Zetterberg, H., Blennow, K., Willette, A.A., Okonkwo, O. C., Sodhi, A., Ries, M. L., Birdsill, A. C., Alexander, A. L., Rowley, H. A., Puglielli, L., Asthana, S., Sager, M. A. (2012). CSF T-Tau/Aβ42 Predicts White Matter Microstructure in Healthy Adults at Risk for Alzheimer's Disease. *PLoS One*; 7(6):e37720.

Bulut, T.Y., Şair, A. (2023). Examination of Neutrophil/Lymphocyte (NLR), Monocyte/Lymphocyte (MLR), And Platelet/Lymphocyte (PLR) Ratios Between Alzheimer's Disease And Vascular Dementia. *Eurasian j Crit Care*; 5(3):102-106.

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Buonacera, A., Stancanelli, B., Colaci, M., Malatino, L., Malatino, L. S. (2022). Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases. *International Journal of Molecular Sciences, 23*(7), 3636.

Cabanillas-Lazo, M., Quispe-Vicuña, C., Cruzalegui-Bazán, C., Pascual-Guevara, M., Mori-Quispe, N., Alva-Diaz, C. (2023). The Neutrophil-To-Lymphocyte Ratio as a Prognostic Biomarker in Guillain-Barre Syndrome: A Systematic Review with Meta-Analysis. *Front Neurol*;14:1153690.

Campbell MR, Ashrafzadeh-Kian S, Petersen RC, Mielke MM, Syrjanen JA, van Harten AC, Lowe VJ, Jack CR Jr, Bornhorst JA, Algeciras-Schimnich A. (2021). P-tau/Aβ42 and Aβ42/40 ratios in CSF are equally predictive of amyloid PET status. Alzheimers Dement (Amst). 18;13(1):e12190.

Cao, Q., Tan, C-C., Xu, W., Hu, H., Cao, X. P., Dong, Q., Tan, L., Yu, J. T. (2020). The Prevalence of Dementia: A Systematic Review and Meta-Analysis. *Journal of Alzheimer's Disease*. 73(3):1157-1166.

Chang, Y. T., Chang, C. C., Lin, H. S., Huang, C. W., Chang, W. N., Lui, C. C., Lee, C. C., Lin, Y. T., Chen, C. H., & Chen, N. C. (2012). Montreal cognitive assessment in assessing clinical severity and white matter hyperintensity in Alzheimer's disease with normal control comparison. *Acta Neurologica Taiwanica, 21*(2), 64–73.

Chen, Y., Yu, Y. (2023). Tau and neuroinflammation in Alzheimer's disease: Interplay mechanisms and clinical translation. *Journal of Neuroinflammation, 20*, 165.

Chen, Z., Mao, Z., Tang, W., Shi, Y., Liu, J., You, Y. (2025). Immunosenescence in aging and neurodegenerative diseases: Evidence, key hallmarks, and therapeutic implications. *Translational Neurodegeneration*, 14, 60.

Custodio, N., Montesinos, R., Lira, D., Herrera-Pérez, E., Bardales, Y., Valeriano-Lorenzo, L. (2017). Mixed Dementia: A Review of the Evidence. *Dement Neuropsychol*,11(4), 364-370.

Dahlan, M. S. (2016). Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. 4th ed. Epidemiologi Indonesia: Jakarta.

Dubois, B., Feldman, H. H., Jacova, C., Dekosky, S. T., Barberger-Gateau, P., Cummings, J., Delacourte, A., Galasko, D., Gauthier, S., Jicha, G., Meguro, K., O'Brien, J., Pasquier, F., Robert, P., Rossor, M., Salloway, S., Stern, Y., Visser, P. J., Scheltens, P. (2007). Research Criteria for the Diagnosis of Alzheimer's Disease: Revising the NINCDS–ADRDA Criteria. *The Lancet Neurology, 6*(8), 734–746.

Eratne, D., Collins, S., Nestor, P.J., Pond, D., Velakoulis, D., Yates, M., Masters, C.L. (2024). Using Cerebrospinal Fluid Biomarkers to Diagnose Alzheimer's Disease: an Australian perspective. *Front. Psychiatry* 15:1488494.

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fahmi, R. M., Ramadan, B. M., Salah, H., Elsaid, A. F., Shehta, N. (2021). Neutrophil-Lymphocyte Ratio as a Marker for Disability and Activity in Multiple Sclerosis. *Multiple Sclerosis and Related Disorders, 51*, 102921.

Febriama, A.N., Syahriani, F., Pango, F.H., Bakri, S., Akil, F., Alimuddin, S., Zainuddin, A. A. (2023). Neutrophil-Lymphocyte Ratio Associated with Disease Activity Score-28 in Patients with Rheumatoid Arthritis: A Cross-Sectional Study. Gazz Med Ital - Arch Sci Med;182:99-103.

Ferreira, D., Rivero-Santana, A., Perestelo-Pérez, L., Westman, E., Wahlund, L. O., Sarría, A., Serrano-Aguilar, P. (2014). Meta-Review of CSF Core Biomarkers in Alzheimer's Disease: The State-of-the-Art after the New Revised Diagnostic Criteria. *Frontiers in Aging Neuroscience, 6*, 47.

Forlenza, O. V., Radanovic, M., Talib, L. L., Aprahamian, I., Diniz, B. S., Zetterberg, H., Gattaz, W. F. (2015). Cerebrospinal Fluid Biomarkers in Alzheimer's Disease: Diagnostic Accuracy and Prediction of Dementia. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring, 1*(4), 455–463.

Frances, A., Pincus, H. A., First, M.B. (1994). Diagnostic and Statistical Manual of Mental Disorders Fourth Edition (DSM IV). Washington: American Psychiatric Association; p: 133– 56 diakses pada tanggal 28 April 2025 dari https://img3.reoveme.com/m/2ab8dabd068b16a5.pdf

Hansson, O., Seibyl, J., Stomrud, E., Zetterberg, H., Trojanowski, J. Q., Bittner, T., et al. (2018). CSF Biomarkers of Alzheimer's Disease Concord with Amyloid-β PET and Predict Clinical Progression: A Study of Fully Automated Immunoassays in BioFINDER and ADNI Cohorts. *Alzheimer's & Dementia*, 14(11), 1470–1481.

Hazan, J., Liu, K.Y., Fox, N., Howard, R. (2023). Advancing Diagnostic Certainty in Alzheimer's Disease: A Synthesis of the Diagnostic Process. *J Alzheimers Dis*;94(2):473-482.

Heneka, M.T., Carson, M.J., El Khoury J., Landreth, G.E., Brosseron, F., Feinstein, D.L., Jacobs, A.H., Wyss-Coray, T., Vitorica, J., Ransohoff, R.M., Herrup, K., Frautschy, S.A., Finsen, B., Brown, G.C., Verkhratsky, A., Yamanaka, K., Koistinaho, J., Latz, E., Halle, A., Petzold, G.C., Town, T., Morgan, D., Shinohara, M.L., Perry, V.H., Holmes, C., Bazan, N.G., Brooks, D.J., Hunot, S., Joseph, B., Deigendesch, N., Garaschuk, O., Boddeke, E., Dinarello, CA., Breitner, J.C., Cole, G.M., Golenbock, D.T., Kummer, M.P. (2015). Neuroinflammation in Alzheimer's Disease. *Lancet Neurol*; 14(4):388-405.

Hou, J.H., Ou, Y.N., Xu, W., Zhang, P. F., Tan, L. Yu, J. T., Alzheimer's Disease Neuroimaging Initiative. (2022). Association of Peripheral Immunity with Cognition, Neuroimaging, and Alzheimer's Pathology. *Alzheimers Res Ther,* 14(1), 29.

UNIVERSITAS
GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hou, J. H., Jiang, D. M., Chu, M., Wu, L. Y. (2025). Blood-Brain Barrier Biomarkers Modulate the Associations of Peripheral Immunity with Alzheimer's Disease. Translational Psychiatry, 15, 138.

Huang, H. C., Tseng, Y. M., Chen, Y. C., Chen, P. Y., Chiu, H. Y. (2021). Diagnostic Accuracy of the Clinical Dementia Rating Scale for Detecting Mild Cognitive Impairment and Dementia: A Bivariate Meta-Analysis. *Int J Geriatr Psychiatry*, 36: 239-251.

Huang, W.C., Chang, M. C., Wang, W.F., Jhang, K.M. (2022). A Comparison of Caregiver Burden for Different Types of Dementia: An 18 Month Retrospective Cohort Study. *Frontiers in Psychology*, 17(1), e79831.

Huang, Y., Huang, L.H., Su, H.B., Li, Y. X., Chen, H., Li., J. H., Yang, L. H., Su, Q., Gui, C. (2025). Prognostic Potential of Neutrophil-to-Lymphocyte Ratio for Adverse Outcomes in Dilated Cardiomyopathy: a Retrospective Cohort Study. *Sci Rep;* 15, 10339.

Iaccarino, L., Burnham, S. C., Dell'Agnello, G., Dowsett, S. A., Epelbaum, S., Kiddle, S. J., Mathews, M., Lleo, A., Parnetti, L., Hansson, O., Carrillo, M. C. (2023). Diagnostic Biomarkers of Amyloid and Tau Pathology in Alzheimer's Disease: An Overview of Tests for Clinical Practice in the United States and Europe. *The Journal of Prevention of Alzheimer's Disease, 10*(3), 426–442.

Jack, C. R., Jr., Bennett, D. A., Blennow, K., Carrillo, M. C., Dunn, B., Haeberlein, S. B., Holtzman, D. M., Jagust, W., Jessen, F., Karlawish, J., Liu, E., Molinuevo, J. L., Montine, T., Phelps, C., Rankin, K. P., Rowe, C. C., Scheltens, P., Siemers, E., Snyder, H. M., Sperling, R., Contributors. (2018). NIA-AA Research Framework: Toward a biological definition of Alzheimer's disease. *Alzheimer's & Dementia, 14*(4), 535–562.

Jack, C. R., Jr., Andrews, J. S., Beach, T. G., Buracchio, T., Dunn, B., Graf, A., Hansson, O., Ho, C., Jagust, W., McDade, E., Molinuevo, J. L., Okonkwo, O. C., Pani, L., Rafii, M. S., Scheltens, P., Siemers, E., Snyder, H. M., Sperling, R., Teunissen, C. E., Carrillo, M. C. (2024). Revised criteria for diagnosis and staging of Alzheimer's disease: Alzheimer's Association Workgroup. *Alzheimer's & Dementia, 20*(8), 5143–5169.

Jacobs, T., Jacobson, S. R., Fortea, J., Berger, J. S., Vedvyas, A., Marsh, K., He, T., Gutierrez□Jimenez, E., Fillmore, N. R., Gonzalez, M., Figueredo, L., Gaggi, N. L., Plaska, C. R., Pomara, N., Blessing, E., Betensky, R., Rusinek, H., Zetterberg, H., Kaj Blennow, K., Glodzik, L., Wisniweski, T. M., de Leon, M. J., Osorio, R. S., Cejudo, J. R., Alzheimer's Disease Neuroimaging Initiative. (2024). The Neutrophil to Lymphocyte Ratio Associates with Markers of Alzheimer's Disease Pathology in Cognitively Unimpaired Elderly People. *Immunity & Ageing*, *21*(1), 32.

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jeon, Y., Lee, W.I., Kang, S.Y., Kim, M.H. (2019). Neutrophil-to-Monocyte-Plus-Lymphocyte Ratio as a Potential Marker for Discriminating Pulmonary Tuberculosis from Nontuberculosis Infectious Lung Diseases. Lab Med;50(3):286-291.

Jia, J., Wei, C., Chen, S., Li, F., Tang, Y., Qin, W., Zhao, L., Jin, H., Xu, H., Wang, F., Zhou, A., Zuo, X., Wu, L., Han, Y., Han, Y., Huang, L., Wang, Q., Li, D., Chu, C., … Dong, X. (2021). Comprehensive Management of Daily Living Activities, Behavioral and Psychological Symptoms, and Cognitive Function in Patients with Alzheimer's disease: A Chinese Expert Consensus. *Neuroscience Bulletin, 37*(7), 1025–1038.

Jin, Z., Cai, G., Zhang, P., Li, X., Yao, S., Zhuang, L., Ren, M., Wang, Q., Yu, X. (2021). The Value of the Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio as Complementary Diagnostic Tools in the Diagnosis of Rheumatoid Arthritis: a Multicenter Retrospective Study. J Clin Lab Anal; 35(1):e23569.

Kinney, J.W., Bemiller, S.M., Murtishaw, A.S., Leisgang, A.M., Salazar, A.M., Lamb, B.T. (2018). Inflammation as a Central Mechanism in Alzheimer's Disease. *Alzheimers Dement (N Y)*; 4:575-590.

Kurniawan, R.B., Siahaan, P.P., Saputra, P.B., Arnindita, J.N., Savitri, C.G., Faizah, N.N., Andira, L.H., D'Oria, M., Eko Putranto, J.N., Alkaff. F.F. (2024). Neutrophil-to-Lymphocyte Ratio as a Prognostic Biomarker in Patients with Peripheral Artery Disease: A Systematic Review And Meta-Analysis. Vasc Med;29(6):687-699.

Lanctôt, K. L., Boada, M., Tariot, P. N., Dabbous, F., Hahn-Pedersen, J., Udayachalerm, S., Raket, L. L., Saiontz-Martinez, C., Michalak, W., Weidner, W., & Cummings, J. (2024). Association between clinical dementia rating and clinical outcomes in Alzheimer's disease. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring, 16*(1), e12522.

Lastri, D. N. (2022). Demensia Alzheimer dalam : *Buku Ajar Neurologi Edisi Kedua. Departemen Neurologi* (hal. 554-557), Fakultas Kedokteran Universitas Indonesia, Jakarta.

Lattanzi, S., Brigo, F., Trinka, E., Cagnetti, C., Di Napoli, M., Silvestrini, M. (2019). Neutrophil-to-Lymphocyte Ratio in Acute Cerebral Hemorrhage: a System Review. Transl Stroke Res; 10(2):137-145.

Lee, J., Jang, H., Kang, S. H., Kim, J., Kim, J. S., Kim, J. P., Kim, H. J., Seo, S. W., Na, D. L. (2020). Cerebrospinal Fluid Biomarkers for the Diagnosis and Classification of Alzheimer's Disease Spectrum. *Journal of Korean Medical Science, 35*(44), e361.

Leuzy, A., Janelidze, S., Mattsson-Carlgren, N., Palmqvist, S., Jacobs, D., Cicognola, C., Stomrud, E., Vanmechelen, E., Dage, J. L., Hansson, O. (2021). Comparing The Clinical Utility And Diagnostic Performance Of Cerebrospinal Fluid P-Tau181, P-Tau217, And P-Tau231 Assays. *Neurology*, 97(17), e1681–e1694.

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lewczuk, P., Esselmann, H., Bibl, M., Beck, G., Maler, J. M., Otto, M., Kornhuber, J., Wiltfang, J. (2004). Tau Protein Phosphorylated at Threonine 181 in CSF as a Neurochemical Biomarker in Alzheimer's Disease: Original Data and Review of the Literature. *J Mol Neurosci*; 23(1-2):115-22.

Lewczuk, P., Matzen, A., Blennow, K., Parnetti, L., Molinuevo, J. L., Eusebi, P., Kornhuber, J., Morris, J. C., Fagan, A. M., & Lehmann, S. (2017). Cerebrospinal fluid Aβ42/40 corresponds better than Aβ42 to amyloid PET in Alzheimer's disease. *Journal of Alzheimer's Disease, 55*(2), 813–822.

Li, G., Shofer, J. B., Petrie, E. C., Yu, C. E., Wilkinson, C. W., Figlewicz, D. P., Shutes-David, A., Zhang, J., Montine, T. J., Raskind, M. A., Quinn, J. F., Galasko, D. R., & Peskind, E. R. (2017). Cerebrospinal fluid biomarkers for Alzheimer's and vascular disease vary by age, gender, and APOE genotype in cognitively normal adults. *Alzheimer's Research & Therapy, 9*, 48.

Li, J. Q., Zhang, Y. R., Wang, H. F., Guo, Y., Shen, X. N., Li, M. M., Song, J. H., Tan, L., Xie, A. M., Yu, J. T. (2023). Exploring the Links among Peripheral Immunity, Biomarkers, Cognition, and Neuroimaging in Alzheimer's Disease. *Alzheimer's & Dementia: Diagnosis, Assessment & Disease Monitoring*, *15*(4), e12517.

Li, M., An, H., Wang, W., Wei, D. (2023). Biomolecular Markers of Brain Aging dalam Z. Zhang (ed.), *Cognitive Aging and Brain Health*, Advances in Experimental Medicine and Biology 1419,

Liu, Y., Tan, Y., Zhang, Z., Yi, M., Zhu, L., Peng, W. (2024). The interaction between ageing and Alzheimer's disease: Insights from the hallmarks of ageing. *Translational Neurodegeneration, 13*, 7.

Liu, H., Li, Y., Yi, J., Zhou, W., Zhao, S., Yin, G. (2022). Neutrophil–Lymphocyte Ratio as a Potential Marker for Differential Diagnosis between Spinal Tuberculosis and Pyogenic Spinal Infection. *J Orthop Surg Res;* 17, 357.

Livingston, G., Huntley, J., Liu, K. Y., Costafreda, S. G., Selbæk, G., Alladi, S., Ames, D., Banerjee, S., Burns, A., Brayne, C., Fox, N. C., Ferri, C. P., Gitlin, L. N., Howard, R., Kales, H. C., Kivimäki, M., Larson, E. B., Nakasujja, N., Rockwood, K., … Mukadam, N. (2024). Dementia Prevention, Intervention, and Care: 2024 Report of the Lancet Standing Commission. *The Lancet, 404*(10452), 572–628.

Mandell, A. M., Green, R. C. (2011). Alzheimer's disease dalam : Budson, A. E., Kowall, N. W. (Eds.), *The Handbook of Alzheimer's Disease and Other Dementias* (hal. 3-91). Oxford : Wiley-Blackwell.

Mangoni, A. A., Zinellu, A. (2024). Diagnostic Accuracy of the Neutrophil-To-Lymphocyte Ratio And The Platelet-To-Lymphocyte Ratio In Rheumatoid Arthritis: A Systematic Review And Meta-Analysis. *Clin Exp Med* **24**, 207 (2024).

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Marfany, A., Sierra, C., Camafort, M., Doménech, M., Coca, A. (2018). High blood pressure, Alzheimer disease and antihypertensive treatment. *Panminerva Medica, 60*(1), 8–16.

Mattsson-Carlgren, N., Grinberg, L. T., Boxer, A., Ossenkoppele, R., Jonsson, M., Seeley, W., Ehrenberg, A., Spina, S., Janelidze, S., Rojas-Martinez, J., Rosen, H., La Joie, R., Lesman-Segev, O., Iaccarino, L., Kollmorgen, G., Ljubenkov, P., Eichenlaub, U., Gorno-Tempini, M. L., Miller, B., Hansson, O., & Rabinovici, G. D. (2022). Cerebrospinal Fluid Biomarkers in Autopsy-confirmed Alzheimer Disease and Frontotemporal Lobar Degeneration. *Neurology; 98*(11), e1137-e1150.

Mehta, N. H., Zhou, L., Li, Y., McIntire, L. B., Nordvig, A., Butler, T., de Leon, M., Chiang, G. C. (2023). Peripheral Immune Cell Imbalance is Associated with Cortical Beta-Amyloid Deposition and Longitudinal Cognitive Decline. *Scientific Reports*, *13*(1), 8847.

Menéndez-González, M. (2014). Routine lumbar puncture for the early diagnosis of Alzheimer's disease. Is it safe? *Front Aging Neurosci*;6:65.

Milà-Alomà, M., Suárez-Calvet, M., Molinuevo, J. L. (2019). Latest advances in cerebrospinal fluid and blood biomarkers of Alzheimer's disease. *Therapeutic Advances in Neurological Disorders, 12*, 1756286419888819.

Mohammadi, A., Mohammadi, M., Almasi-Dooghaee, M., Mirmosayyeb, O. (2024). Neutrophil to Lymphocyte Ratio in Alzheimer's Disease: A Systematic Review and Meta-analysis. *PLoS ONE,* 19(6), e0305322.

Morales, I., Guzmán-Martínez, L., Cerda-Troncoso, C., Farías, G. A., Maccioni R.B. (2014). Neuroinflammation in the Pathogenesis of Alzheimer's Disease. A Rational Framework for the Search of Novel Therapeutic approaches. *Front Cell Neurosci*;8:112.

Negida, A. (2020). Sample Size Calculation Guide – Part 7: How to Calculate the Sample Size Based on a Correlation. *Advanced Journal of Emergency Medicine*, 4(2), e34.

Ostrowska, M., Ostrowski, A., Łuczak, M., Jaguszewski, M., Adamski, P., Bellwon, J., Rynkiewicz, A., Gruchała, M. (2017). Basic Laboratory Parameters as Predictors of In Hospital Death in Patients with Acute Decompensated Heart Failure: Data From A Large Single-Centre Cohort. *Kardiologia Polska*; 75(2), 157–163.

Palmqvist, S., Insel, P. S., Stomrud, E., Janelidze, S., Zetterberg, H., Brix, B., Eichenlaub, U., Dage, J. L., Chai, X., Blennow, K., Mattsson, N., Hansson, O. (2019). Cerebrospinal fluid and plasma biomarker trajectories with increasing amyloid deposition in Alzheimer's disease. *EMBO Molecular Medicine, 11*(12), e11170.

Papaliagkas, V., Kalinderi, K., Vareltzis, P., Moraitou, D., Papamitsou, T., Chatzidimitriou, M. (2023). CSF Biomarkers in the Early Diagnosis of Mild

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cognitive Impairment and Alzheimer's Disease. *International Journal of Molecular Sciences*; *24*(10), 8976.

Paraskevas, G.P., Kapaki, E. (2021). Cerebrospinal Fluid Biomarkers for Alzheimer's Disease in Era of Disease-Modifying Treatments. *Brain Sci,* 11, 1258.

Parhizkar, S., Holtzman, D. M. (2022). APOE mediated neuroinflammation and neurodegeneration in Alzheimer's disease. *Seminars in Immunology, 59*, 101594.

Prince, M., Wimo, A., Guerchet, M., Ali, G.-C., Wu, Y.-T., Prina, M. (2015). World Alzheimer Report 2015: The Global Impact of Dementia – An Analysis of Prevalence, Incidence, Cost and Trends. *Alzheimer's Disease International* diakses pada tanggal 9 Maret 2025 dari https://www.alzint.org/resource/world-alzheimer-report-2015/

Puig-Pijoan, A., García-Escobar, G., Fernández-Lebrero, A., Manero Borràs, R. M., Sánchez Benavides, G., Navalpotro Gómez, I., Cascales Lahoz, D., Suárez-Calvet, M., Grau-Rivera, O., Boltes Alandí, A., Pont Sunyer, M. C., Ortiz-Gil, J., Carrillo-Molina, S., López-Villegas, D., Abellán Vidal, M. T., Martínez-Casamitjana, M. I., Hernández Sánchez, J. J., Peña-Casanova, J., Roquer González, J., Padrós Fluvià, A., Puente Periz, V. (2022). The CORCOBIA study: Cut-off points of Alzheimer's disease CSF biomarkers in a clinical cohort. *Neurología (English Edition)*, 37(9), 679–687.

Pun, P. B., Lu, J., Moochhala, S. (2009). Involvement of ROS in BBB Dysfunction. *Free Radical Research*; 43(4):348–64.

Rambe, A.S., Fitri, F.I. (2017). Correlation between the Montreal Cognitive Assessment-Indonesian Version (Moca-INA) and the Mini-Mental State Examination (MMSE) in Elderly. *Open Access Maced J Med Sci*;5(7):915-919.

Reitz, C., Tang, M. X., Luchsinger, J., & Mayeux, R. (2004). Relation of plasma lipids to Alzheimer disease and vascular dementia. *Archives of Neurology, 61*(5), 705–714. doi:10.1001/archneur.61.5.705

Rembach, A., Watt, A. D., Wilson, W. J., Rainey-Smith, S., Ellis, K. A., Rowe, C. C., Villemagne, V. L., Macaulay, S. L., Bush, A. I., Martins, R. N., Ames, D., Masters, C. L., Doecke, J. D., the AIBL Research Group. (2014). An Increased Neutrophil–Lymphocyte Ratio in Alzheimer's Disease is a Function of Age and is Weakly Correlated with Neocortical Amyloid Accumulation. *Journal of Neuroimmunology, 273*(1–2), 65–71.

Roveta, F., Bonino, L., Piella E.M., Rainero I., Rubino E. (2024). Neuroinflammatory Biomarkers in Alzheimer's Disease: From Pathophysiology to Clinical Implications. *International Journal of Molecular Sciences*; 25(22):11941.

Shaw, L.M., Vanderstichele, H., Knapik-Czajka, M., Clark, C.M., Aisen, P.S., Petersen, R.C., Blennow, K., Soares, H., Simon, A., Lewczuk, P., Dean, R., Siemers, E., Potter, W., Lee, V.M., Trojanowski, J.Q., Alzheimer's Disease Neuroimaging

UNIVERSITAS GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Initiative. (2009) Cerebrospinal Fluid Biomarker Signature in Alzheimer's Disease Neuroimaging Initiative Subjects. *Ann Neurol*; 65(4):403-13.

Tapiola, T., Alafuzoff, I., Herukka, S.-K., Parkkinen, L., Hartikainen, P., Soininen, H., Pirttilä, T. (2009). Cerebrospinal fluid β-amyloid 42 and tau proteins as biomarkers of Alzheimer-type pathologic changes in the brain. *Archives of Neurology, 66*(3), 382–389.

Unger, T., Borghi, C., Charchar, F., Khan, N.A., Poulter, N.R., *et al.* (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension (Dallas, Tex. : 1979)*, *75*(6), 1334–1357.

Wang Y, Huang Y, Liu Z, Zhuo C, Li S, Prince M. (2010). A five-year community-based longitudinal survival study of dementia in Beijing, China: a 10/66 Dementia Research Group population-based study. *Int Psychogeriatr*; 22(5):761-8

World Health Organization Regional Office for the Western Pacific, International Association for the Study of Obesity, & International Obesity Task Force. (2000). The Asia-Pacific perspective: redefining obesity and its treatment. Health Communications Australia.

World Health Organization. (2025). *Dementia*. World Health Organization. https://www.who.int/news-room/fact-sheets/detail/dementia

Xiao, X., Liu, H., Liu, X., Zhang, W., Zhang, S., Jiao, B. (2021). APP, PSEN1, and PSEN2 Variants in Alzheimer's Disease: Systematic Re-Evaluation according to ACMG Guidelines. *Frontiers in Aging Neuroscience, 13*, 695808.

Xu, Z., Zhang, J., Zhong, Y., Mai, Y., Huang, D., Wei, W., Huang, J., Zhao, P., Lin, F., Jin, J. (2021). Predictive Value of the Monocyte-to-Lymphocyte Ratio in the Diagnosis of Prostate Cancer. Medicine (Baltimore); 100(38) :e27244.

Yemm, H., Robinson, D. L., Paddick, S.-M., Dotchin, C., Goodson, M. L., Koshy, E., Robinson, L., Gray, W. K. (2021). Instrumental Activities of Daily Living Scales to Detect Cognitive Impairment and Dementia in Low- and Middle-Income Countries: A Systematic Review. *Journal of Alzheimer's Disease, 83*(1), 451–474.

Zenaro, E., Pietronigro, E. C., Della Bianca, V., Piacentino, G., Marongiu, L., Budui, S., Turano, E., Rossi, B., Angiari, S., Dusi, S., Montresor, A., Carlucci, T., Nani, S., Tosadori, G., Calciano, L., Catalucci, D., Berton, G., Bonetti, B., & Constantin, G. (2015). Neutrophils promote Alzheimer's disease-like pathology and cognitive decline via LFA-1 integrin. *Nature Medicine, 21*(8), 880–886.

Zhai, W., Zhao, M., Wei, C., Meng, L., Zhao, A., Zhang, Y., Cui, X., Xu, Y., Sun, L. (2024). Obesity-Induced Chronic Low-Grade Inflammation in Adipose Tissue: A Pathway to Alzheimer's Disease. *Ageing Research Reviews, 99*, 102402.

Zhang F, Jiang L. (2015). Neuroinflammation in Alzheimer's Disease. *Neuropsychiatr Dis Treat*;11:243-56.

UNIVERSITAS
GADJAH MADA
Hubungan Rasio Neutrofil/Limfosit Serum dengan Biomarker Alzheimer Dalam Cairan Serebrospinal: Studi Eksploratori
Atika Rahmadini, dr. Indra Sari Kusuma Harahap, Ph.D.,Sp.N.,Subsp.ENK(K); dr. Amelia Nur Vidyanti, Ph.D., Sp.N.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Q., Yang, G., Luo, Y., Jiang, L., Chi, H., Tian, G. (2024). Neuroinflammation in Alzheimer's disease: Insights from peripheral immune cells. *Immunity & Ageing, 21*, 38.

Zhang, X., Wei, R., Wang, X., Zhang, W., Li, M., Ni, T., Weng, W., Li, Q. (2024). The neutrophil-to-lymphocyte ratio is associated with all-cause and cardiovascular mortality among individuals with hypertension. *Cardiovascular Diabetology, 23*, 117.

Zinellu, A., Paliogiannis, P. & Mangoni, A. A. (2024). A Systematic Review and Meta-Analysis of the Diagnostic Accuracy of the Neutrophil-To-Lymphocyte Ratio and the Platelet-to-Lymphocyte Ratio in Systemic Lupus Erythematosus. *Clin Exp Med;* 24, 170.