

PUSTAKA ACUAN

- Abdel-Aal, E. S. M., J. C. Young, & I. Rabalski. 2006. Anthocyanin composition in black, blue, pink, purple, and red cereal grains. *J. Agric. Food Chem.* 54: 4696–4704.
- Amin, I. D., R. Hestningsih, & S. Yuliawati. 2016. Pengujian daun jeruk purut (*Cytrus hystrix*) sebagai zat penolak alami bagi kecoa jerman (*Blatella germanica*) dewasa di laboratorium. *Jurnal Kesehatan Masyarakat.* 4 (1): 127-133.
- Anil, R. E., & N. Vural. 2009. Antioxidant phenolic substances of Turkish red wine from different wine regions. *Molecules.* 14: 289-297.
- Ansel, H.C. 1989. *Pengantar Bentuk Sediaan Farmasi*. Edisi ke 4. Universitas Indonesia Press. Jakarta, hal. 96.
- Antara, N. S. 1985. *Mempelajari pengaruh cara penyimpanan terhadap susut bobot dan mutu padi lokal*. Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor, hal. 16-23
- Araullo, E.V., D. B. de Padua, & M. Graham. 1976. *Rice postharvest technology*. International Development Research Centre. Ottawa, pp. 39-51.
- Atmadja, Y. 2003. *Daya insektisida lima bahan nabati terhadap Sitophilus zeamais Motsch.* Skripsi. Fakultas Teknologi Pertanian Institut Pertanian Bogor. Bogor, hal. 15-18.
- Basis Data Statistik Pertanian. 2011. http://aplikasi.pertanian.go.id/bdsp/hasil_ind.asp. Diakses 8 Februari 2017 pukul 20:18 WIB.
- CABI, 2007. [http://keys.lucidcentral.org/keys/v3/eafrinet/maize_pests/key/maize_pests/Media/Html/Tribolium castaneum \(Herbst 1797\) - Red Flour Beetle.htm](http://keys.lucidcentral.org/keys/v3/eafrinet/maize_pests/key/maize_pests/Media/Html/Tribolium_castaneum_(Herbst_1797)_-Red_Flour_Beetle.htm). Diakses 23 April 2018 pukul 15:19 WIB.
- Caro, G. M., G. Cros, T. Yokota, & A. Crozier. 2013. Phytochemical profiles of black, red, brown, and white rice from the Camargue Region of France. *J. Agric. Food Chem.* 61 (33): 7976-7986.
- Chakuton K., D. Puangpropintag, & M. Nakornriab. 2012. Phytochemical content and antioxidant activity of colored and non-colored Thai rice cultivars. *Journal Asian Journal of Plant Sciences.* 11: 285-293.
- Chen, C. 2003. Evaluation of air oven moisture content determination methods for rough rice. *Biosystems Engineering.* 86 (4): 447-457.
- Clifford, M. N. 2000. Anthocyanins: Nature, occurrence and dietary burden. *J. Agric. Food. Chem.* 80: 1063-1072.
- Chrastil, J. 1990. Chemical and physicochemical changes of rice during storage at different temperatures. *Journal of Cereal Science.* 11 (1): 71-85.

- Daniel, O., M. S. Meier, J. Schlatter, & P. Frischknecht. 1999. Selected phenolic compounds in cultivated plants: Ecologic functions, health implications and modulation by pesticides. *Environ, Health Perspect.* 107: 109-114.
- De Luca, Y. 1979. Ingredients naturels de preservation des grains stokes dans les pays en voie de developpement. *J. Agric. Trad. Bot. Appl.* 26 (1): 29-57.
- Deng, G. F., X. R. Xu, Y. Zhang, Li, R. Y. Gan, & H. B. Li. 2013. Phenolic compounds and bioactivities of pigmented rice. *Critical Reviews in Food Science and Nutrition.* 53: 296-306.
- Dharmaputra, O. S., H. Halid, & Sunjaya. 2014. Serangan *Tribolium castaneum* pada beras di penyimpanan dan pengaruhnya terhadap serangan cendawan dan susut bobot. *Jurnal Patologi Indonesia.* 10 (4): 126-132.
- Ditjen POM. 1986. *Sediaun galenik*. Departemen Kesehatan RI. Jakarta, hal. 10-11.
- Fibriyanti, Y. W. 2012. *Kajian kualitas kimia dan biologi beras merah (Oryza nivara) dalam beberapa Pewadahan Selama Penyimpanan*. Skripsi. Fakultas Pertanian Universitas Negeri Surakarta. Surakarta, hal. 6-10.
- Flinn, P. W., & J. P. Campbell. 2012. Effects of flour conditioning on cannibalism of *Tribolium castaneum* eggs and pupae. *Entomological Society of America.* 41(6): 1501-1504.
- Flint, M. D., & R. Van den Bosch. 1990. *Pengendalian hama terpadu*. Penerbit Kanisius. Yogyakarta, hal. 9-141.
- Food and Agriculture Organization of United Nation. (n.d.). 2008. http://www.fao.org/es/esc/en/20953/21026/21631/highlight_23001en.html >. Diakses 4 Januari 2017 pukul 20:23 WIB.
- Giusti, M. M., & R. E. Wroslad. 2001. Characterization and measurement of anthocyanins by uv-visible spectroscopy. *Current Protocol in Food Analytical Chemistry.* 2001: F1.2.1-F1.2.13.
- Haines, C. P. 1991. *Insect and arachnids of tropical stored products: their biology and identification*. A Training Manual. 2nd Edition Revised. Natural Resource Institute. Chatam Maritime, p. 246.
- Hamid, I. 2016. <https://www.irawatihamid.com/2016/04/cara-alami-dan-aman-menurunkan-tekanan-darah-tinggi.html>. Diakses 23 April 2018 pukul 15:27 WIB.
- Hassan, N. A. 2017. <https://www.majalahsains.com/magnaphorthe-oryzae-fungus-pencetus-penyakit-karah-padi/>. Diakses 23 April 2018 pukul 15:06 WIB.
- Hiemori, M., E. Koh, & A. E. Mitchell. 2009. Influence of cooking on anthocyanins in black rice (*Oryza sativa* L. japonica var. SBR). *J. Agric. Food Chem.* 57: 1908-1914.

- Hopkins, W. G., & N. P. A. Huner. 2009. *Introduction to plant physiology*. 4th Edition. John Wiley & Sons, Inc. New Jersey, pp. 459-460, 467, 476.
- Hyun, J. W., & H. S. Chung. 2004. Cyanidin and malvidin from *Oryza sativa* cv. Heungjinjubyeo mediate cytotoxicity against human monocytic leukemia cells by arrest of G(2)/M phase and induction of apoptosis. *J. Agric. Food Chem.* 52: 2213–2217.
- International Rice Research Institute. 2009. *Rice science for better world*. International Rice Research Institute. Los Banos, p. 23.
- Jurd, L., & S. Asen. 1966. The formation of metal an “co-pigment” complexes of cyanidin 3-glucoside. *Phytochemistry*. 5: 1263-1271.
- Khair, A. S. M. 2002. *Studies on the biology of the red-flour beetle Tribolium castaneum Herbst., (Coleoptera: Tenebrionidae) in different cereal flours*. Thesis. Faculty of Agriculture University of Khartoum. Khartoum, pp. 22-24.
- Koswara, S. 2009. Teknologi Pengolahan Beras (Teori dan Praktek). www.ebookpangan.com. Diakses 6 Februari 2018 pukul 15:13 WIB.
- Lai P., K. Y. Li, S. Lu, & H. H. Chen. 2009. Phytochemicals and antioxidant properties of solvent extracts from *Japonica* rice bran. *Food Chemistry*. 117: 538-544.
- Lee, G. H. 2010. Identification and quantification of anthocyanins from the grains of black rice (*Oryza sativa* L.) varieties. *Food Sci. Biotechnol.* 19: 391–397.
- Lee, J., R. W. Durst, & R. E. Wrolstad. 2005. Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by the pH differential method: collaborative study. *Journal of Association of Official Analytical Chemists International*. 88 (5): 1269-1278.
- Ma, J., X. W. Chen, & W. H. Ling. 2000. The health efficacy of red rice and black rice. *J. Food Sci.* 21: 139–140.
- Mahardianti, M. 2014. *Uji daun salam (Syzygium polyanthum) sebagai zat penolak alami bagi kecoa Amerika (Periplaneta americana) dewasa*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Lampung. Bandar Lampung, hal. 67.
- Mandal, S. C., V. Mandal, & A. K. Das. 2015. *Essential of Botanical Extraction Principles and Applications*. Elsevier. Philadelphia, pp. 80-51.
- Maulida, R., & A. Guntarti. 2015. Pengaruh ukuran partikel beras hitam (*Oryza sativa* L.) terhadap rendemen ekstrak dan kandungan total antosianin. *Pharmaciana*. 5 (1): 9-16.

- Mazid, M., T. A. Khan, & F. Mohammad. 2011. Role of secondary metabolites in defense mechanisms of plants. *Biology and Medicine*. 3 (2): 232-249.
- Meng, F., Y. Wei, & X. Yang. 2005. Iron content and bioavailability in rice. *Journal of Trace Elements in Medicine and Biology*. 18 (4): 333-338.
- Mun'im, A., O. Negishi, & T. Ozawa. 2003. Antioxidative compounds from *Crotalaria sessiliflora*. *Bioscience, Biotechnology, and Biochemistry*. 67 (2): 410-414.
- Munawaroh, S., & P. S. Handayani. 2010. Ekstraksi minyak daun jeruk purut (*Citrus hystrix*) dengan pelarut etanol dan n-heksana. *Jurnal Kompetensi Teknik*. 2 (1): 73-78.
- Muntana N., & S. Prasong. 2010. Study on total phenolic contents and their antioxidant activities of Thai white, red, and black rice bran extract. *Pakistan Journal of Biological Sciences*. 13 (4): 170-174.
- Mustanir & Rosnani. 2008. Isolasi senyawa bioaktif penolak (*repellent*) nyamuk dari ekstrak aseton batang tumbuhan legundi (*Vitex trifolia*). *Bul. Littro*. 19 (2): 174-180.
- Nakornriab, M., T. Sriseadka, & S. Wongpornchai. 2008. Quantification of carotenoid and flavonoid components in brans of some Thai black rice cultivars using supercritical fluid extraction and high-performance liquid chromatography-mass spectrometry. *J. Food Lipid*. 15: 488-503.
- Nelson, J. L., P. S. Bernstein, M. C. Schmit, M. S. Von Tress, & E. W. Askew. 2003. Dietary modification and moderate antioxidant supplementation defferently affect serumcarotenoids, antioxidants level marker of oxidative stress in older humans. *J. Nutr*. 133: 3117-3123.
- Novizan. 2002. *Membuat dan memanfaatkan pestisida ramah lingkungan*. Agro Media Pustaka. Jakarta, hal. 22.
- Nurrohman. 2005. Susut bobot beras selama penyimpanan karena respirasi. *Jurnal Litbang Universitas Muhammadiyah Semarang*. 2 (5): 54-63.
- Ohmura, W., S. Doi, M. Aoyama, & S. Ohara. 2000. Antifeedant activity of flavonoid and related compounds against the subterranean termite *Coptotermes formosanus* Shiraki. *Journal of Wood Science*. 46 (2): 149-153.
- Oki, T., M. Masuda, M. Kobayashi, Y. Nishiba, S. Furuta, I. Suda, & T. Sato. 2002. Polymeric procyanidins as radical-scavenging components in red-hulled rice. *J. Agric. Food Chem*. 50: 7524-7529.
- Oxtoby, D. W., H. P. Gillis, & N. H. Nachtrieb. 2003. *Prinsip-prinsip Kimia Modern*. Edisi ke 4. Penerbit Erlangga. Jakarta, hal. 124.

- Pendit, P. A. C. D., E. Zubaidah, & F. H. Sriherfyna. 2016. Karakteristik fisik-kimia dan aktivitas antibakteri ekstrak daun belimbing wuluh (*Averrhoa billimbi* L.). *Jurnal Pangan dan Agroindustri*. 4 (1): 400-409.
- Perdon, A. A., B. P. Marks, T. J. Siebenmorgen, & N. B. Reid. 1997. Effect of rough rice storage conditions on the amylograph and cooking properties of medium-grain rice cv. Bengal. *Cereal Chemistry*. 74 (6): 864-867.
- Pestsolution. 2018. <https://www.pestsolutions.co.uk/pest-library/stored-product-insects/rust-red-flour-beetle-tribolium-castaneum>. Diakses 23 April 2018 pukul 14:59 WIB.
- Plummer D. T. 1971. *An introduction of practical biochemistry*. Mc. Graw Hill Book Co. Ltd. Maidenhead Berkshire, pp. 185-161.
- Pranata, R. I. 1979. *Pengantar ilmu hama gudang*. BIOTROP. Bogor, hal. 14-20.
- Prasetyo, Y. T. 2003. *Bertanam padi gogo tanpa olah tanah*. Penerbit Penebar Swadaya. Jakarta, hal. 45-87.
- Pratimasari D. 2009. *Uji aktivitas penangkap radikal buah Carica papaya L. dengan metode DPPH dan penetapan kadar fenolik serta flavonoid totalnya*. Skripsi. Universitas Muhammadiyah Surakarta. Surakarta, hal 5-6.
- Proestos, C., A. Bakogianis, C. Psarianos, A. A. Koutinas, M. Kanellaki, & M. Komatis. 2005. High performance liquid chromatography analysis of phenolic substances in Greek wines. *Journal OF Food Control*. 16: 319-323.
- Ranalli, R. P., T. A. Howell Jr, & T. J. Siebenmorgen. 2003. Effect of controlled ambient aeration on rice quality during on-farm storage. *Cereal Chemistry*. 80 (1): 9-12.
- Rasamasa, 2013. <https://rasamasa.com/tips-dan-trik/buang-tangkai-daun-jeruk>. Diakses 23 April 2018 pukul 15:22 WIB.
- Ratnawati, M. Djaeni, & D. Hartono. 2013. Perubahan kualitas beras selama penyimpanan. *PANGAN*. 22 (3): 199-208.
- Rein, M. 2005. *Copigmentation Reactions and Color Stability of Berry Anthocyanins*. Dissertation. Departement of Applied Chemistry and Microbiology. Food Chemistry Division University of Helsinki. Helsinki, pp 10-14.
- Renaninggalih, R., K. Y. Mulkiya, & E. R. Sadiyah. 2014. Karakteristik dan pengujian aktivitas penolak nyamuk minyak atsiri daun kecombrang (*Etlintera elatior* (Jack) R. M. Smith). *Prosiding SnaPP 2014, teknologi Dan Kesehatan*. 483-490.

- Reza, H. Ch. 2004. Penerapan standar pada pengolahan dan mutu beras di Indonesia. *Prosiding Lokakarya Nasional: Upaya Peningkatan Nilai Tambah Pengolahan Padi*. 20-21 Juli: 144-157.
- Rich, E. R. 1956. Egg cannibalism and fecundity in *Tribolium*. *Ecol.* 37: 10-120.
- Rukmana, R. 2005. *Seri budi daya: asam*. Penerbit Kanisius. Yogyakarta, hal. 13-14.
- Sarwono, B. 1986. *Jeruk dan kerabatnya*. Penerbit Penebar Swadaya. Jakarta, hal. 4-7.
- Sastroutomo, S. S. 1992. *Dasar-dasar pestisida dan dampak penggunaannya*. Penerbit Gramedia. Jakarta, hal. 3-5.
- Senter, S. D., J. A. Robertson JA, & F. I. Meredith. 1989. Phenolic compounds of the mesocarp of cresthaven peaches during storage and ripening. *J Food Sci.* 54: 1259–1260, 1268.
- Setiawati, R. 2009. *Kajian penggunaan daun pepaya, daun belimbing wuluh, daun cante, daun jeruk purut, dan bunga kecombrang sebagai insektisida alami terhadap perkembangan *Sitophilus zeamais* Motsch dan aplikasinya pada penyimpanan beras*. Skripsi. Fakultas Teknologi Pertanian Institut Pertanian Bogor. Bogor, hal.4-15.
- Sidik, M., & H. Halid. 1983. Sistem penyimpanan dan perawatan kualitas bahan pangan di Badan Urusan Logistik. *Risalah Seminar Nasional Pengawetan Pangan Dengan Iradiasi*. 81-87.
- Sirisoontarak, P., & A. Noomhorm. 2007. Changes in physicochemical and sensory-properties of irradiated rice during storage. *Journal of Stored Products Research.* 43: 282-289.
- Soemardi. 1982. *Penekanan kehilangan hasil program penelitian pascapanen*. BPTP. Bogor, hal. 47.
- Sugiat, D. 2010. *Penetapan kadar fenol total dan aktivitas antioksidan ekstrak metanol dedak beberapa varietas padi (*Oryza sativa* L.)*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Indonesia. Depok, hal. 19-49.
- Suharno, P. 1987. *Technical aspect of brown rice logistic system*. BULOG Reseach and Development Centre. National Logistics Agency. Jakarta, p. 56.
- Tian, S., K. Nakamura, & H. Kayahara. 2004. Analysis of phenolic compounds in white rice brown rice and germinated brown rice. *J. Agric. Food Chem.* 52: 4808-4813.
- Urbanina, 2017. <http://urbanina.com/organik/harga-beras-hitam-organik-di-pasaran-saat-ini/>. Diakses 23 April 2018 pukul 15:11 WIB.

- Vergara, B. S., & S. K. De Datta. 1996. *Oryza sativa* L. dalam Grubben, G. J., & S. Partoharjono. Plant resources of South-East Asia. *Cereals*. 10: 106-115.
- Voight, R. 1984. *Buku Pelajaran Teknologi Farmasi*. Gadjah Mada University Press. Yogyakarta, hal. 26.
- Wagiman, FX, P. Kusumaningrum, & S. Tarmadja. 1999. Asosiasi *Sitophilus oryzae* (Col.: Curculionidae) dan *Tribolium castaneum* (Col.: Tenebrionidae) dalam beras: pertumbuhan populasi dan kerusakan beras. *Jurnal Perlindungan Tanaman Indonesia*. 5 (1): 30-34.
- Widarta, I. W. R., & I. W. Arnata. 2014. Stabilitas aktivitas antioksidan ekstrak bekatul beras merah terhadap oksidator dan pemanasan pada berbagai pH. *J. Teknol. Dan Industri Pangan*. 25 (2): 193-199.
- Widyawati, P. S., A. M. Suteja, T. I. P. Suseno, P. Monika, W. Saputrajaya, & C. Liguori. 2014. Pengaruh perbedaan warna pigmen beras organik terhadap aktivitas antioksidan. *AGRITECH*. 34 (4): 399-406.
- Wikipedia, 2018. <https://en.wikipedia.org/wiki/Cyanidin>
<https://en.wikipedia.org/wiki/Peonidin>. Diakses 23 April 2018 pukul 20:19 WIB.
- Yodmanee, S., T. T. Karrila, & P. Pakdeechanuan. 2011. Physical, chemical and antioxidant properties of pigmented rice in Southern Thailand. *International Food Research Journal*. 18: 901-906.
- Youngson, R. 1998. *Antioxidants: Vitamins C & E for Health*. Sheldon Press. London, pp. 18-20.
- Yulia, O. 2007. *Pengujian Kapasitas Antioksidan Ekstrak Polar, Nonpolar, Fraksi Protein dan Nonprotein Kacang Komak (Lablab purpureus (L.) sweet)*. Departemen Ilmu Dan Teknologi Pangan. Institut Pertanian. Bogor. Bogor, hal. 18-22.
- Zhang, M. W., B. J. Guo, R. F. Zhang, J. W. Chi, Z. C. Wei, Z. H. Xu, Y. Zhang, & X. J. Tang, X.J. 2006. Separation, purification and identification of antioxidant compositions in black rice. *Agricultural Science in China*. 5 (6): 431-440
- Zhou, Z., K. Robards, S. Helliwell, & C. Blanchard. 2003. Ageing of stored rice: changes in chemical and physical attributes. *Journal of Cereal Science*. 35 (1): 65-78.
- Zhou, Z., K. Robards, S. Helliwell, & C. Blanchard. 2004. The distribution of phenolic acids in rice. *Food Chem*. 87: 401-406.