UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abolore, R.S., Jaiswal, S., and Jaiswal, A.K., 2024, Green dan sustainable pretreatment methods for cellulose extraction from lignocellulosic biomass and its applications: A review, *Carbohydr. Polym. Technol. Appl.*, 7, 100396.

Adha, A., Adhynugraha, M.I., Purnamastuti, F.N., Megawanto, F.C., Budiyanto, Chairunnisa, Saraswati, S.O., Wiranto, I.B., Kharis, R., Indriasari, Fitrianto, Amry, A., Bintoro, A., and Hasim, F., 2026, Indonesia's path to sustainable aviation fuel: Evaluating feedstock potential from agricultural residue, *Biomass Bioenergy*, 209, 108927.

Aditiya, H.B., Chong, W.T., Mahlia, T.M.I., Sebayang, A.H., Berawi, M.A., and Nur, H., 2016, Second generation bioethanol potential from selected Malaysia's biodiversity biomasses: A review, *Waste Manage.*, 47, 46–61.

Ahvenainen, P., Kontro, I., and Svedström, K., 2016, Comparison of sample crystallinity determination methods by X-ray diffraction for challenging cellulose I materials, *Cellulose*, 23, 1073–1086.

Ali, M.E., Ahamad, M.N.U., and Hamid, S.B.A., 2014, Catalytic pretreatments of palm tree biomass for the extraction of lignin, cellulose and hemicelluloses, *Adv. Mater. Res.*, 925. 67-71

Ali, N.A.W.A., Wong, G.R., Tan, B.C., Lum, W.S., and Mazumdar, P., 2025, Unleashing the Potential of Durian: Challenges, Opportunities, and the Way Forward, *Appl. Fruit Sci*, 67, 3-18.

Amarasekara, A.S., 2016, Acidic Ionic Liquids, *Chem. Rev.*, 116, 6133–6183.

Amarasekara, A.S. and Reyes, C.D.G., 2020, Acidic ionic liquid catalyzed liquefactions of corn cobs and switchgrass in acetone: Analysis of bio-oils using LC-MS dan GC-MS, *J. Anal. Appl. Pyrolysis*, 145, 104572.

Anyomih, W.D., Darkwa, J., Moshapo, P.T., Mehlana, G., and Makhubela, B.C.E., 2026, Recyclable Brønsted-Lewis acidic ionic liquids enable high-yield biomass valorization to platform chemicals in aqueous biphasic systems, *Sustain. Chem. Pharm.*, 49, 102315.

Ariyanti, D., Adi Sasongko, N., Maryana, R., Agung Nugroho, R., Thamrin, S., Rimantho, D., Wahyono, Y., Kumar Das, A., Yansa Garia, O., and Tayon, F., 2024, Alkaline pretreatment of Durio sp. residual biomass enhances cellulose accessibility for efficient bioethanol production, *Int. J. Ambient Energy*, 45(1),.

Ariyanti, D., Gozan, M., Sari, C.K., Maryana, R., Rimantho, D., Putra, O.A., Lisnawati, Yuliatun, L., Maulana, M.I., Jumina, Fiviyanti, S., Fansuri, M.H., Susparini, N.T., Wahyono, Y., and Rahman, A., 2026, Mild acid batch conversion of corncob biomass to furfural: Toward circular bioenergy and global research trends, *Bioresour. Technol.*, 440, 1-12.

Arlete, T., Ozkan, S., Ribeiro, A.P., Cristino, A.F., and Galhano dos Santos, R., 2024, Thermochemical liquefaction of biomass with ionic liquids: Exploring a sustainable pathway for a cleaner bio-oils production, *J. Clean. Prod.*, 434, 140114.

Arumugam, M., Goh, C.K., Zainal, Z., Triwahyono, S., Lee, A.F., Wilson, K., and Taufiq-yap, Y.H., 2021, Hierarchical hzsm-5 for catalytic cracking of oleic acid to biofuels, *Nanomater.*, 11, 1–11.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Asawaworarit, P., Daorattanachai, P., Laosiripojana, W., Sakdaronnarong, C., Shotipruk, A., and Laosiripojana, N., 2019, Catalytic depolymerization of organosolv lignin from bagasse by carbonaceous solid acids derived from hydrothermal of lignocellulosic compounds, *Chem. Eng. J.*, 356, 461–471.

Awad, W.H., Gilman, J.W., Nyden, M., Harris, R.H., Sutto, T.E., Callahan, J., Trulove, P.C., DeLong, H.C., and Fox, D.M., 2004, Thermal degradation studies of alkyl-imidazolium salts and their application in nanocomposites, *Thermochim. Acta*, 409, 3–11.

Ayeni, A.O., Daramola, M.O., Oyekunle, D.T., Sadare, O.O., Agboola, O., and Ayoola, A.A., 2020, Evaluation of Methods for the Analysis of Untreated and Processed Lignocellulosic Biomasses,. In, Daramola,Michael O and Ayeni,Augustine O (eds), *Valorization of Biomass to Value-Added Commodities: Current Trends, Challenges,* dan *Future Prospects*. Springer International Publishing, Cham, pp. 101–117.

Bains, R., Kumar, A., Chauhan, A.S., and Das, P., 2022, Dimethyl carbonate solvent assisted efficient conversion of lignocellulosic biomass to 5-hydroxymethylfurfural and furfural, *Renew. Energy*, 197, 237–243.

Bannon, S.M., Tremblay, B.M., Boudreau, A., Sreedhar, N., Morin, C., Leroux, C.R., Phan, P., Roy, A., Paul, M., and Geise, G.M., 2025, Characterizing Hydrated Polymers via Dielectric Relaxation Spectroscopy: Connecting Relative Permittivity, State of Water, and Salt Transport Properties of Sulfonated Polysulfones, *Macromolecules*, 58, 8271–8287.

Bao, S., Chen, B., Liang, Y., Zhang, Y., and Ren, L., 2025, Effect of cationic alkyl chain lengths on the adsorption performance of supported imidazole-based ionic liquids for vanadium(V) recovery, *Environ. Technol. Innov.*, 38, 104174.

Basar, I.A., Liu, H., Carrere, H., Trably, E., and Eskicioglu, C., 2021, A review on key design and operational parameters to optimize and develop hydrothermal liquefaction of biomass for biorefinery applications, *Green Chem.*, 23, 1404–1446.

Belgacem, M.N., Gandini, A., Boston, A., Heidelberg, 2008, Monomers, Polymers and Composites from Renewable Resources, Pergamon Press, London, New, Oxford, Y., San, P., San, D., Singapore, F., dan Tokyo, S.

Bezza, F.A., Tichapondwa, S.M., Brink, H.G., Daramola, M.O., Chirwa, E.M., and Iwarere, S.A., 2026, Sustainable valorization of lignocellulosic biomass for integrated biofuel and biomaterials production within the circular economy framework: Recent advances in pretreatment processes — A comprehensive review, *Biomass Bioenergy*, 215,1-13.

Bichot, A., Delgenès, J.P., Méchin, V., Carrère, H., Bernet, N., and García-Bernet, D., 2018, Understanding biomass recalcitrance in grasses for their efficient utilization as biorefinery feedstock, *Rev. Environ. Sci. Biotechnol.*, 17, 707–748.

Binnemans, K. and Jones, P.T., 2024, Methanesulfonic acid (MSA) in clean processes dan applications: a tutorial review, *Green Chem.*, 26, 8583–8614.

Bodachivskyi, I., Kuzhiumparambil, U., and Williams, D.B.G., 2021, Biomass Processing via Acid Catalysis,.Eds.: Ravelli D., and Samori C., John Wiley and Sons.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cammarata, L., Kazarian, S.G., Salter, P.A., and Welton, T., 2001, Molecular states of water in room temperature ionic liquids, *PCCP*, 3, 5192–5200.

Cheok, C.Y., Mohd Adzahan, N., Abdul Rahman, R., Zainal Abedin, N.H., Hussain, N., Sulaiman, R., and Chong, G.H., 2018, Current trends of tropical fruit waste utilization, *Crit. Rev. Food Sci. Nutr.*, 58, 335–361.

Chi, Z., Zhao, X., Daugaard, T., Dalluge, D., Rover, M., Johnston, P., Salazar, A.M., Santoscoy, M.C., Smith, R., Brown, R.C., Wen, Z., Zabotina, O.A., and Jarboe, L.R., 2019, Comparison of product distribution, content and fermentability of biomass in a hybrid thermochemical/biological processing platform, *Biomass Bioenergy*, 120, 107–116.

Chio, C., Sain, M., and Qin, W., 2019, Lignin utilization: A review of lignin depolymerization from various aspects, *Renew. Sustain. Energy Rev.*, 107, 232–249.

Chu, S., Yang, L., Guo, X., Dong, L., Chen, X., Li, Y., and Mu, X., 2018, The influence of pore structure and Si/Al ratio of HZSM-5 zeolites on the product distributions of A-cellulose hydrolysis, *Mol. Catal.*, 445, 240–247.

Cocero, M.J., Cabeza, Á., Abad, N., Adamovic, T., Vaquerizo, L., Martínez, C.M., and Pazo-Cepeda, M.V., 2018, Understanding biomass fractionation in subcritical and supercritical water, *Supercrit. Fluids.*, 133, 550–565.

Da Costa Lopes, A.M. and Bogel-Lukasik, R., 2015, Acidic ionic liquids as sustainable approach of cellulose and lignocellulosic biomass conversion without additional catalysts, *ChemSusChem*, 8, 947–965.

Dahunsi, O.S., 2025, Chapter 22 - Value-added products of biorefinery,. In, *Biorefinery*, Woodhead Series in Bioenergy. Elsevier Science Ltd, pp. 603–645.

Darabi, L. and Zare, M., 2020, Theoretical study on the structure and electronic properties of alkylimidazolium iodide ionic liquids: The effect of alkyl chain length, *New.J.Chem.*, 44, 4023–4032.

Demaison, J., Herman, M., Liévin, J., and Rudolph, H.D., 2007, Equilibrium Structure of Sulfuric Acid, *J. Phys. Chem. A*, 111, 2602–2609.

Dietz, C.H.J.T., Verra, M., Verberkt, S., Gallucci, F., Kroon, M.C., Neira D'Angelo, M.F., Papaioannou, M., and Van Sint Annaland, M., 2019, Sequential and in Situ Extraction of Furfural from Reaction Mixture and Effect of Extracting Agents on Furfural Degradation, *Ind. Eng. Chem. Res.*, 58, 16116–16125.

Ding, K. Bin, Wang, Z.Q., Chai, Y., Zhang, Y.C., and Zheng, Y.Z., 2026, Fractionation of durian shell via dual ionic liquid pretreatment for enhanced enzymatic hydrolysis and antioxidant lignin recovery, *Int. J. Biol. Macromol.*, 361, 151943.

Duarah, P., Haldar, D., Patel, A.K., Dong, C. Di, Singhania, R.R., and Purkait, M.K., 2022, A review on global perspectives of sustainable development in bioenergy generation, *Bioresour. Technol.*, 348, 126791.

Dulie, N.W., Woldeyes, B., Demsash, H.D., and Jabasingh, A.S., 2021, An Insight into the Valorization of Hemicellulose Fraction of Biomass into Furfural: Catalytic Conversion and Product Separation, *Waste Biomass Valorization*, 12, 531–552.

Eseyin, A.E. and Steele, P.H., 2015, An Overview Of The Applications Of Furfural And Its Derivatives, *Int. J. Adv. Chem.*, 3, 42–47.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Febyola Nendo, F., Dwi Sutanto, T., Banon, C., Angasa, E., and Gustian, I., 2026, Modified Polystyrene Waste as Cation Exchange Material and Its Characterization, *IJFAC*, 11, 67–75.

Fiala, K., Thongjarad, A., and Leesing, R., 2024, Valorization of durian peel as a carbon feedstock for a sustainable production of heterogeneous base catalyst, single cell oil and yeast-based biodiesel, *Carbon Resour. Convers.*, 7(3), 100224.

Fliss, O., Essalah, K., and Ben Fredj, A., 2021, Stabilization of glyphosate zwitterions dan conformational/tautomerism mechanism in aqueous solution: Insights from: Ab initio dan density functional theory-continuum model calculations, *PCCP*, 23, 26306 – 26323.

Flores, J.E., Degnan, D.J., Corilo, Y.E., Clendinen, C.S., and Bramer, L.M., 2025, The Power of Many: An Ensemble Approach to Spectral Similarity, *J. Am. Soc. Mass Spectrom.*, 36, 2164–2170.

French, A.D., 2014, Idealized powder diffraction patterns for cellulose polymorphs, *Cellulose*, 21, 885–896.

Fumino, K., Peppel, T., Geppert-Rybczyńska, M., Zaitsau, D.H., Lehmann, J.K., Verevkin, S.P., Köckerling, M., and Ludwig, R., 2011, The influence of hydrogen bonding on the physical properties of ionic liquids, *PCCP*, 13, 14064–14075.

Gamay, R.A.J., Botecario, P.M.N., Sanchez, P.D.C., and Alvarado, M.C., 2024, Durian (Durio zibenthinus) waste: a promising resource for food dan diverse applications—a comprehensive review, *Food Prod. Process. Nutr.*, 6, 1-20.

Gan, P., Zhang, K., Yang, G., Li, J., Zhao, Y., and Chen, J., 2024, Catalytic Production dan Upgrading of Furfural: A Platform Compound, *Int. J. Mol. Sci.*, 25,.

Gao, B., Sun, C., Yang, T., Wen, Q., You, S., Yang, Q., Yang, Z., Cheng, H., Wang, Y., Zhou, H., and Chen, Z., 2023, Biphasic solvent systems enabled lignocellulosic biomass fractionation: A pathway towards comprehensive biomass utilization, *Ind. Crops Prod.*, 202, 1-15.

Gu, Y., Shi, F., and Deng, Y., 2004, Esterification of aliphatic acids with olefin promoted by Brønsted acidic ionic liquids, *J. Mol. Catal. A Chem.*, 212, 71–75.

Guragain, Y.N. dan Vadlani, P. V., 2021, Renewable Biomass Utilization: A Way Forward to Establish Sustainable Chemical dan Processing Industries, *Clean Technologies*, 3, 243–259.

Gürbüz, E., Bond, J.Q., Dumesic, J.A., and Román-Leshkov, Y., 2013, Role of Acid Catalysis in the Conversion of Lignocellulosic Biomass to Fuels and Chemicals,. In, *The Role of Catalysis for the Sustainable Production of Bio-Fuels* dan *Bio-Chemicals*. Elsevier Inc., pp. 261–288.

Gurgel, L.V.A., Marabezi, K., Zanbom, M.D., and Curvelo, A.A.D.S., 2012, Dilute acid hydrolysis of sugar cane bagasse at high temperatures: A Kinetic study of cellulose saccharification and glucose decomposition. Part I: Sulfuric acid as the catalyst, *Ind. Eng. Chem. Res.*, 51, 1173–1185.

Haldar, D., Dey, P., Thomas, J., Singhania, R.R., and Patel, A.K., 2022, One pot bioprocessing in lignocellulosic biorefinery: A review, *Bioresour. Technol.*, 365,.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Halder, P., Kundu, S., Patel, S., Parthasarathy, R., Pramanik, B., Paz-Ferreiro, J., and Shah, K., 2019, TGA-FTIR study on the slow pyrolysis of lignin and cellulose-rich fractions derived from imidazolium-based ionic liquid pre-treatment of sugarcane straw, *Energy Convers. Manag.*, 200,.

Han, S., Lee, S.M., and Kim, J.S., 2022, Kinetic Study of Glucose Conversion to 5-hydroxymethylfurfural and Levulinic Acid Catalyzed by Sulfuric Acid, *Korean Chem. Eng. Res*, 60, 193–201.

Herbaut, M., Zoghlami, A., Habrant, A., Falourd, X., Foucat, L., Chabbert, B., and Paës, G., 2018, Multimodal analysis of pretreated biomass species highlights generic markers of lignocellulose recalcitrance, *Biotechnol. Biofuels*, 11,.

Iyyappan, J., Pravin, R., Al-Ghanim, K.A., Govindarajan, M., Nicoletti, M., and Baskar, G., 2023, Dual strategy for bioconversion of elephant grass biomass into fermentable sugars using Trichoderma reesei towards bioethanol production, *Bioresour. Technol.*, 374,.

Kamata, M., Chang, A.Z., Segalman, R.A., Fredrickson, G.H., and Frischknecht, A.L., 2025, Molecular understanding of ion transport in a zwitterionic electrolyte, *J. Chem. Phys.*, 163,.

Khan, A.S., Man, Z., Bustam, M.A., Nasrullah, A., Ullah, Z., Sarwono, A., Shah, F.U., and Muhammad, N., 2018, Efficient conversion of lignocellulosic biomass to levulinic acid using acidic ionic liquids, *Carbohydr. Polym.*, 181, 208–214.

Kim, D., 2018, Physico-chemical conversion of lignocellulose: Inhibitor effects dan detoxification strategies: A mini review, *Molecules*, 23,.

Leesing, R., Siwina, S., and Fiala, K., 2021, Yeast-based biodiesel production using sulfonated carbon-based solid acid catalyst by an integrated biorefinery of durian peel waste, *Renew. Energy*, 171, 647–657.

Lin-Vien, D., Colthup, N.B., Fateley, W.G., and Grasselli, J.G., 1991, *The Handbook of Infrared and Raman Characteristic Frequencies of Organic Molecules*, Academic Press.

Liu, H., Liu, J., Huang, H., Evrendilek, F., Wen, S., and Li, W., 2021, Optimizing bioenergy dan by-product outputs from durian shell pyrolysis, *Renew. Energy*, 164, 407–418.

Liu, X.M., Song, Z.X., and Wang, H.J., 2009, Density functional theory study on the -SO3H functionalized acidic ionic liquids, *Struct. Chem.*, 20, 509–515.

López, M., Rivas, S., Vila, C., Santos, V., and Parajó, J.C., 2020, Performance of 1-(3-sulfopropyl)-3-methylimidazolium hydrogen sulfate as a catalyst for hardwood upgrading into bio-based platform chemicals, *Catalysts*, 10, 1–17.

Lu, Y., He, Q., Peng, Q., Chen, W., Cheng, Q., Song, G., and Fan, G., 2021, Directional synthesis of furfural compounds from holocellulose catalyzed by sulfamic acid, *Cellulose*, 28, 8343–8354.

Lubis, R., Saragih, S.W., Wirjosentono, B., and Eddyanto, E., 2018, Characterization of durian rinds fiber (Durio zubinthinus, murr) from North Sumatera,. In, *AIP Conf. Proc.* American Institute of Physics Inc.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Luo, Y., Li, D., Li, R., Li, Z., Hu, C., and Liu, X., 2020, Roles of water and aluminum sulfate for selective dissolution dan utilization of hemicellulose to develop sustainable corn stover-based biorefinery, *Renew. Sustain. Energy Rev.*, 122, 1-12.

Lv, Y., Zhang, Y., and Xu, Y., 2024, Understanding dan technological approach of acid hydrolysis processing for lignocellulose biorefinery: Panorama and perspectives, *Biomass Bioenergy*, 183, 1-5.

Ma, C., Cai, B., Zhang, L., Feng, J., and Pan, H., 2021, Acid-Catalyzed Conversion of Cellulose Into Levulinic Acid With Biphasic Solvent System, *Front. Plant Sci.*, 12, 1-7.

Maeda, M., Nakayama, K., Uehara, D., Hoshino, M., and Inamo, M., 2024, Steric effect on the photoreaction of chromium(III) porphyrin complexes with imidazole ligands, *JPPHF*, 28, 41–49.

Matsagar, B.M. and Dhepe, P.L., 2017, Effects of cations, anions dan H+ concentration of acidic ionic liquids on the valorization of polysaccharides into furfural, *New J. Chem.*, 41, 6137–6144.

Matsagar, B.M., Hossain, S.A., Islam, T., Alamri, H.R., Alothman, Z.A., Yamauchi, Y., Dhepe, P.L., and Wu, K.C.W., 2017, Direct Production of Furfural in One-pot Fashion from Raw Biomass Using Brønsted Acidic Ionic Liquids, *Sci. Rep.*, 7,. 15-17

Mohd Ali, M., Hashim, N., Aziz, S.A., and Lasekan, O., 2020, Exploring the chemical composition, emerging applications, potential uses, dan health benefits of durian: A review, *Food Control*, 113, 19-23.

Montoya-Escobar, N., Ospina-Acero, D., Velásquez-Cock, J.A., Gómez-Hoyos, C., Serpa Guerra, A., Gañan Rojo, P.F., Vélez Acosta, L.M., Escobar, J.P., Correa-Hincapié, N., Triana-Chávez, O., Zuluaga Gallego, R., and Stefani, P.M., 2022, Use of Fourier Series in X-ray Diffraction (XRD) Analysis and Fourier-Transform Infrared Spectroscopy (FTIR) for Estimation of Crystallinity in Cellulose from Different Sources, *Polymers (Basel).*, 14, 21-24.

Namhaed, K., Kiatkittipong, W., Cognet, P., Najdanovic-Visak, V., Kida, T., Quitain, A.T., and Assabumrungrat, S., 2025, Towards efficient furfural production: A review of biphasic solvent systems for enhanced yields dan industrial scalability, *SEHS*, 19, 6-9.

Nguyen, A.P.T., Kha, P.H., Ly, L.T., Vo, K.D.N., and Nguyen, T.T.T., 2025, Chemical Profiling of RI_6 Durian Peel (Durio zibethinus Murr.) dan Lignin Characterization, *Chem. Eng. Trans.,* 119, 529–534.

Obeng, A.K., Premjet, D., and Premjet, S., 2018, Fermentable sugar production from the peels of two durian (Durio zibethinus Murr.) cultivars by phosphoric acid pretreatment, *Resources*, 7, 9-12.

Ohlsson, J.A., Harman-Ware, A.E., Sandgren, M., and Schnürer, A., 2020, Biomass Recalcitrance in Willow Under Two Biological Conversion Paradigms: Enzymatic Hydrolysis and Anaerobic Digestion, *Bioenergy Res.*, 13, 260–270.

Olasupo, A., Corbin, D.R., and Shiflett, M.B., 2026, Applications of ionic Liquids: Fate, Prospects, dan Perspectives, *Cleaner Materials*, 19, 12-15.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Panakkal, E.J., Cheenkachorn, K., Gundupalli, M.P., Kitiborwornkul, N., and Sriariyanun, M., 2021, Impact of sulfuric acid pretreatment of durian peel on the production of fermentable sugar dan ethanol, *J. Indian Chem. Soc.*, 98,.

Panjaitan, J.R.H. and Gozan, M., 2024, Levulinic dan Formic Acids from Rice Straw dan Sugarcane Bagasse,. In, *Chemical Substitutes from Agricultural* dan *Industrial By-Products*., pp. 301–317.

Papp, D. and Czakó, G., 2021, Facilitated inversion complicates the stereodynamics of an SN_2 reaction at nitrogen center, *Chem. Sci.*, 12, 5410–5418.

Pavia, D.L., Lampman, G.M., Kriz, G.S., and Vyvyan, J.A., 2014, *Introduction to Spectroscopy*, Cengage Learning.

Payus, C.M., Refdin, M.A., Zahari, N.Z., Rimba, A.B., Geetha, M., Saroj, C., Gasparatos, A., Fukushi, K., and Alvin Oliver, P., 2019, Durian husk wastes as low-cost adsorbent for physical pollutants removal: Groundwater supply,. In, *Materials Today: Proceedings*. Elsevier Ltd, pp. 80–87.

Peleteiro, S., Rivas, S., Alonso, J.L., Santos, V., and Parajó, J.C., 2016, Furfural production using ionic liquids: A review, *Bioresour. Technol.*, 202, 181–191.

Penín, L., López, M., Santos, V., and Parajó, J.C., 2022, Evaluation of Acidic Ionic Liquids as Catalysts for Furfural Production from Eucalyptus nitens Wood, *Molecules*, 27,.

Pereira, S.C., Maehara, L., Machado, C.M.M., and Farinas, C.S., 2016, Physical-chemical-morphological characterization of the whole sugarcane lignocellulosic biomass used for 2G ethanol production by spectroscopy dan microscopy techniques, *Renew. Energy*, 87, 607–617.

Pita, R., Olea, F., Tapia, R.A., and Pavez, P., 2026, Anion dan cation effects of alkyl sulfonic acid functionalized Brønsted acid ionic liquids on production of cellulose nanocrystals, *Cellulose*,.

Prasertboonyai, K. and Osakoo, N., 2026, Synthesis of nitrogen-doped activated carbon from agricultural wastes of durian peel for Cr (VI) removal from water, *Desalination Water Treat.*, 325,.

Pu, Y., Zhang, D., Singh, P.M., and Ragauskas, A.J., 2008, The new forestry biofuels sector, *Biofuels Bioprod. Biorefining,* 2, 58–73.

Qi, T., Si, Z.-B., Liu, L.-J., Yang, H.-M., Huang, Z., Yang, H.-Q., and Hu, C.-W., 2020, Mechanistic study of cellobiose conversion to 5-hydroxymethylfurfural catalyzed by a Brønsted acid with counteranions in an aqueous solution, *PCCP*, 22, 9349–9361.

Qiu, B., Tao, X., Wang, Y., Zhang, D., and Chu, H., 2025, Hydrothermal liquefaction for preparation of liquid fuels and chemicals: Solvent effects, catalysts regulation and thermochemical conversion processes, *Green Energy Environ*, 10, 1727–1750.

Questell-Santiago, Y.M., Galkin, M. V., Barta, K., and Luterbacher, J.S., 2020, Stabilization strategies in biomass depolymerization using chemical functionalization, *Nat. Rev. Chem.*, 4, 311–330.

Rabideau, B.D. and Ismail, A.E., 2015, Mechanisms of hydrogen bond formation between ionic liquids dan cellulose dan the influence of water content, *PCCP*, 17, 5767–5775.

Ragauskas, A.J., 2014, *Materials for Biofuels*, World Scientific.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rai, S., Kanthakere, S., and Puttur, U., 2026, Advances in biomass valorization for sustainable biofuel production assisted by ionic liquids: processes, challenges, and industrial perspectives, *Environ. Sci. Pollut. Res.*, 33, 2517–2539.

Raina, N., Chuetor, S., Elalami, D., Tayibi, S., and Barakat, A., 2024, Biomass Valorization for Bioenergy Production: Current Techniques, Challenges, and Pathways to Solutions for Sustainable Bioeconomy, *Bioenergy Res.*, 17, 1999–2028.

Rao, B.R., Rao, D.C.S., and Reddy, Ch.S., 2013, AM1 study of the electronic structure of zwitterions of Ampicillin, *Indian J. Chem. - B Org. Med. Chem.* 52, 164 – 168.

Rathour, R.K., Behl, M., Sakhuja, D., Kumar, N., Sharma, N., Walia, A., Bhatt, A.K., and Bhatia, R.K., 2025, Recent Updates in Biomass Pretreatment Techniques for a Sustainable Biofuel Industry: A Comprehensive Review, *Waste Biomass Valorization.*, 16, 3833–3858.

Rocha, E.G.A., Pin, T.C., Rabelo, S.C., and Costa, A.C., 2017, Evaluation of the use of protic ionic liquids on biomass fractionation, *Fuel*, 206, 145–154.

Sagarik, K., Phonyiem, M., Lao-Ngam, C., and Chaiwongwattana, S., 2008, Mechanisms of proton transfer in Nafion®: Elementary reactions at the sulfonic acid groups, *PCCP*, 10, 2098–2112.

Sarma, P., Dutta, A.K., and Borah, R., 2017, Design dan Exploration of $–SO_3H$ Group Functionalized BrØnsted Acidic Ionic Liquids (BAILs) as Task-Specific Catalytic Systems for Organic Reactions: A Review of Literature, *Catal. Surv. Asia*, 21, 70–93.

Schutyser, W., Renders, T., den Bossche, G., den Bosch, S., Koelewijn, S.-F., Ennaert, T., and Sels, B.F., 2017, Catalysis in Lignocellulosic Biorefineries: The Case of Lignin Conversion,. In, *Nanotechnology in Catalysis*. John Wiley and Sons, Ltd, pp. 537–584.

Selvaraj, B.R., Joy, S., and Periyasamy, G., 2020, Charge oscillation dynamics in various imidazolium based ion pairs and their time scale, *Chem. Phys.*, 529,.

Shan, W., Yang, Q., Su, B., Bao, Z., Ren, Q., and Xing, H., 2015, Proton Microenvironment and Interfacial Structure of Sulfonic-Acid-Functionalized Ionic Liquids, *J. Phys. Chem. C*, 119, 20379–20388.

Shao, Q. and Jiang, S., 2015, Molecular Understanding and Design of Zwitterionic Materials, *J. Adv. Mater.*, 27, 15–26.

Shepherd, T., 2016, Wax Pathways,. In, *Encyclopedia of Applied Plant Sciences*. Elsevier Inc., pp. 399–418.

Shi, N., Liu, Q., Cen, H., Ju, R., He, X., and Ma, L., 2020, Formation of humins during degradation of carbohydrates and furfural derivatives in various solvents, *Biomass Convers. Biorefin.*, 10, 277–287.

Shikata, T. and Okuzono, M., 2013, Are all polar molecules hydrophilic? Hydration numbers of ketones and esters in aqueous solution, *J. Phys. Chem. B*, 117, 7718–7723.

Siji, S.L., Sherin, J.S., Sajan, D., Joe, I.H., and Jayakumar, V.S., 2008, Vibrational spectral investigations of cheque paper document in forensic science,. In, *AIP Conf. Proc.*, pp. 169–171.

Silva, T.A.L., Varao, L.H.R., and Pasquini, D., 2024, *Lignocellulosic biomass*,.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sim, X.Y., He, N., Abdul, P.M., Yeap, S.K., Hui, Y.W., Jamali, N.S., Mong, G.R., Woon, K.S., Tan, P.C., and Tan, J.P., 2024, Synergistic impact of co-substrate of biodiesel crude glycerol and durian peel hydrolysate for biohydrogen and 1,3-propanediol synthesis by Clostridium butyricum, *Int. J. Hydrogen Energy*, 96, 1119–1130.

Singh, S.K. and Dhepe, P.L., 2019, Lignin Conversion Using Catalytic Ionic Liquids: Understanding the Role of Cations, Anions, and Hammett Acidity Functions, *Ind. Eng. Chem. Res.*, 58, 21273–21284.

Singh, S.K. and Savoy, A.W., 2020, Ionic liquids synthesis and applications: An overview, *J. Mol. Liq.*, 297,.

Socrates, G., 2004, *Infrared and Raman Characteristic Group Frequencies: Tables and Charts*, Wiley.

Stanciu, M.-C., Tanasă, F., and Teacă, C.-A., 2025, Crystallinity Changes in Modified Cellulose Substrates Evidenced by Spectral and X-Ray Diffraction Data, *Polysaccharides*, 6, 5-9.

Sun, Y., Liu, P., and Liu, Z., 2016, Catalytic conversion of carbohydrates to 5-hydroxymethylfurfural from the waste liquid of acid hydrolysis NCC, *Carbohydr. Polym.*, 142, 177–182.

Suprapto Eva Oktavia Ningrum, N.H.R.F.M.S.F.T.G., 2020, The Effect of Synthesis Condition of the Ability of Swelling, Adsorption, and Desorption of Zwitterionic Sulfobetaine-Based Gel, *Int. J. Technol.*, 11, 299–309.

Świątek, K., Gaag, S., Klier, A., Kruse, A., Sauer, J., and Steinbach, D., 2020, Acid hydrolysis of lignocellulosic biomass: Sugars and furfurals formation, *Catalysts*, 10, 12-14.

Szpecht, A., Zielinski, D., Galinski, M., and Smiglak, M., 2023, Thermal and Electrochemical Properties of Ionic Liquids Bearing Allyl Group with Sulfonate-Based Anions—Application Potential in Epoxy Resin Curing Process, *Molecules*, 28, 3-7.

Tan, C.H., Ishak, W.R.W., Easa, A.M., Hii, C.L., Meng-Jun Chuo, K., How, Y.H., and Pui, L.P., 2023, From waste to wealth: a review on valorisation of durian waste as functional food ingredient, *J. Food Meas. Charact.*, 17, 6222–6235.

Tan, Y.L., Abdullah, A.Z., and Hameed, B.H., 2018, Catalytic fast pyrolysis of durian rind using silica-alumina catalyst: Effects of pyrolysis parameters, *Bioresour. Technol.*, 264, 198–205.

Tao, F., Song, H., and Chou, L., 2011, Hydrolysis of cellulose in SO_3H-functionalized ionic liquids, *Bioresour. Technol.*, 102, 9000–9006.

Techawinyutham, L., Techawinyutham, W., Rangappa, S.M., and Siengchin, S., 2024, Lignocellulose based biofiller reinforced biopolymer composites from fruit peel wastes as natural pigment, *Int. J. Biol. Macromol.*, 257,.

Teng, J., Ma, H., Wang, F., Wang, L., and Li, X., 2016, Catalytic Fractionation of Raw Biomass to Biochemicals and Organosolv Lignin in a Methyl Isobutyl Ketone/H2O Biphasic System, *ACS Sustain. Chem. Eng.*, 4, 2020–2026.

Thanh, N.C., Natarajan, A., and Nguyen, C.T., 2026, Durian fruit waste as future biomass for biohydrogen production in Southeast Asian countries, *Int. J. Hydrogen Energy*, 199,.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Thushari, I. and Babel, S., 2018, Preparation of solid acid catalysts from waste biomass dan their application for microwave-assisted biodiesel production from waste palm oil, *Waste Manag. Res.*, 36, 719–728.

Tomaš, R., 2021, Imidazolium-Based Ionic Liquids: Some Research Methods, Applications and Physico-Chemical Properties, *Croat. Chem. Acta*, 94, 1-4.

Tomer, R., Tonelli, A., Morena, A., Fusaro, L., Meynen, V., Aprile, C., and Hermans, S., 2025, Enhanced catalytic conversion of cellobiose/cellulose to 5-hydroxymethylfurfural using dual catalysts: Sulfonated activated carbon dan Lewis acid catalyst, *Biomass Bioenergy*, 203,.

Upare, P.P., Clarence, R.E., Shin, H., and Park, B.G., 2023, An Overview on Production of Lignocellulose-Derived Platform Chemicals Such as 5-Hydroxymethyl Furfural, Furfural, Protocatechuic Acid, *Processes*, 11, 5-12.

Vafaeezadeh, M. and Alinezhad, H., 2016, Brønsted acidic ionic liquids: Green catalysts for essential organic reactions, *J. Mol. Liq.*, 218, 95–105.

Verdía Barbará, P., Choudhary, H., Nakasu, P.S., Al-Ghatta, A., Han, Y., Hopson, C., Aravena, R.I., Mishra, D.K., Ovejero-Pérez, A., Simmons, B.A., and Hallett, J.P., 2025, Recent Advances in the Use of Ionic Liquids dan Deep Eutectic Solvents for Lignocellulosic Biorefineries and Biobased Chemical dan Material Production, *Chem. Rev.*, 125, 5461–5583.

Wang, Y., Li, M., Wang, Z., Liu, S., and O'Young, L., 2025, Furfural production: A review on reaction mechanism and conventional production process, *Ind. Crops Prod.*, 230,.

Wanmolee, W., Daorattanachai, P., and Laosiripojana, N., 2016, Depolymerization of Organosolv Lignin to Valuable Chemicals over Homogeneous and Heterogeneous Acid Catalysts,. In, *Energy Procedia*. Elsevier Ltd, pp. 173–177.

Wei, W.Q. and Wu, S.B., 2017, Conversion of Eucalyptus Cellulose into 5-Hydroxymethylfurfural Using Lewis Acid Catalyst in Biphasic Solvent System, *Waste Biomass Valorization*, 8, 1303–1311.

Woo, W.X., Nasoha, N.Z. binti, Luthfi, A.A.I., Yeap, S.K., Hui, Y.W., Bukhari, N.A., Manaf, S.F.A., and Tan, J.P., 2023, Bio-based succinic acid production from durian husk: A rising Southeast Asia agricultural waste, *Ind. Crops Prod.*, 206,.

Wu, R. and McMahon, T.B., 2008, IRMPD spectra of Gly·NH_4^+ and proton-bound betaine dimer: Evidence for the smallest gas phase zwitterionic structures, *J. Mass Spectrom.*, 43, 1641–1648.

Wu, R., Xiao, C., Zhu, J., Zu, M., Tian, M., Li, H., Yu, S., and Xie, H., 2024, A novel liquid-liquid phase-change solvent with upper critical solution temperature for simultaneous pretreatment dan separation of lignin, cellulose and hemicellulose from lignocellulosic biomass, *Ind. Crops Prod.*, 209,.

Yang, W., Li, X., Liu, S., and Feng, L., 2014, Direct hydrothermal liquefaction of undried macroalgae Enteromorpha prolifera using acid catalysts, *Energy Convers. Manag.*, 87, 938–945.

Yang, Z., Feng, J., Cheng, H., Liu, Y., and Jiang, J., 2021, Directional depolymerization of lignin into high added-value chemical with synergistic effect of binary solvents, *Bioresour. Technol.*, 321,.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yin, Y., Ma, C., Li, W., Luo, S., Zhang, Z., and Liu, S., 2024, High Lewis acidity catalyst for direct depolymerization of microcrystalline cellulose to 5-hydroxymethylfurfural: Reaction optimization by central composite design, *Biomass Bioenergy*, 180,.

Yong, K.J., Wu, T.Y., Lee, C.B.T.L., Lee, Z.J., Liu, Q., Jahim, J.M., Zhou, Q., and Zhang, L., 2022, Furfural production from biomass residues: Current technologies, challenges and future prospects, *Biomass Bioenergy*, 161,.

Yoo, C.G., Dumitrache, A., Muchero, W., Natzke, J., Akinosho, H., Li, M., Sykes, R.W., Brown, S.D., Davison, B., Tuskan, G.A., Pu, Y., and Ragauskas, A.J., 2018, Significance of Lignin S/G Ratio in Biomass Recalcitrance of Populus trichocarpa Variants for Bioethanol Production, *ACS Sustain. Chem. Eng.*, 6, 2162–2168.

Zakaria, S.M., Idris, A., Chandrasekaram, K., and Alias, Y., 2020, Efficiency of Brønsted acidic ionic liquids in the dissolution and depolymerization of lignin from rice husk into high value-added products, *Ind. Crops Prod.*, 157,.

Zentel, T., Overbeck, V., Michalik, D., Kühn, O., and Ludwig, R., 2018, Hydrogen bonding in protic ionic liquids: structural correlations, vibrational spectroscopy, and rotational dynamics of liquid ethylammonium nitrate, *J. Phys. B: At. Mol. Opt. Phys.*, 51, 034002.

Zhan, Q., Lin, Q., Wu, Y., Liu, Y., Wang, X., and Ren, J., 2023, A fractionation strategy of cellulose, hemicellulose, and lignin from wheat straw via the biphasic pretreatment for biomass valorization, *Bioresour. Technol.*, 376,.

Zhang, H., Dong, J., Reubroycharoen, P., Song, S., and Li, X., 2026, Recent Advances in Lignin Valorization: Catalytic Strategies for the Production of Renewable Aromatics, *Adv. Synth. Catal.*, 368, 70441.

Zhang, J., Wang, Y., Zhang, L., Zhang, R., Liu, G., and Cheng, G., 2014, Understanding changes in cellulose crystalline structure of lignocellulosic biomass during ionic liquid pretreatment by XRD, *Bioresour. Technol.*, 151, 402–405.

Zhang, L., Lu, Z., Velarde, L., Fu, L., Pu, Y., Ding, S.-Y., Ragauskas, A.J., Wang, H.-F., and Yang, B., 2015, Vibrational spectral signatures of crystalline cellulose using high resolution broadband sum frequency generation vibrational spectroscopy (HR-BB-SFG-VS), *Cellulose*, 22, 1469–1484.

Zhang, T., Li, W., Xiao, H., Jin, Y., and Wu, S., 2022, Recent progress in direct production of furfural from lignocellulosic residues dan hemicellulose, *Bioresour. Technol.*, 354, 9-15.

Zhang, Z., Meng, P., Luo, H., Pei, Z., and Liu, X., 2024, Lewis Acid-Base Site-Assisted In Situ Transesterification Catalysis to Produce Biodiesel, *Catalysts*, 14,1-11.

Zhao, X., Zhang, L., and Liu, D., 2012, Biomass recalcitrance. Part I: The chemical compositions and physical structures affecting the enzymatic hydrolysis of lignocellulose, *Biofuels Bioprod. Biorefining,* 6, 465–482.

Zhao, Y. and Zhen, Y., 2026, Recent progress of ionic liquids for life science applications: A critical review, *Results Chem.*, 26, 1-9.

Zhou, P. and Zhang, Z., 2016, One-pot catalytic conversion of carbohydrates into furfural and 5-hydroxymethylfurfural, *Catal. Sci. Technol.*, 6, 3694–3712.

UNIVERSITAS
GADJAH MADA
Sintesis Bronsted Acidic Ionic Liquid (BAIL) Berbasis 1-metilimidazol Sebagai Katalis Dalam Hidrolisis Asam Limbah Kulit Durian Pada Sistem Hidrotermal Bifasik
Miftahul Zikri, Prof. Drs. Jumina, Ph.D.; Dr. Dita Ariyanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhou, S., Xue, Y., Sharma, A., and Bai, X., 2016, Lignin Valorization through Thermochemical Conversion: Comparison of Hardwood, Softwood and Herbaceous Lignin, *ACS Sustain. Chem. Eng.*, 4, 6608–6617.

Zhou, Z., Liu, D., and Zhao, X., 2021, Conversion of lignocellulose to biofuels and chemicals via sugar platform: An updated review on chemistry and mechanisms of acid hydrolysis of lignocellulose, *Renew. Sustain. Energy Rev.*, 146, 1-5.

Zhu, X., Peng, C., Chen, H., Chen, Q., Zhao, Z.K., Zheng, Q., and Xie, H., 2018, Opportunities of Ionic Liquids for Lignin Utilization from Biorefinery, *ChemistrySelect.*, 3, 7945–7962.

Zimmermann, C.J., Bollar, N. V., and Wettstein, S.G., 2018, Liquid phase conversion of lignocellulosic biomass using biphasic systems, *Biomass Bioenergy*, 118, 163–171.