

## DAFTAR PUSTAKA

- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, IB., Middeldorp, JM.. 2012. Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation. *Chinese Journal of Cancer*, 31(4), pp. 185–196. doi: 10.5732/cjc.011.10328.
- Aliansi Tungku Indonesia. 2014. Kayu sebagai sumber energy. *Avaiable at:* [http://www.tungkuindonesia.org/id/articles/2014/07/38/Kayu-Sebagai-Sumber-Energi.html#.WuFQVi\\_wdn6](http://www.tungkuindonesia.org/id/articles/2014/07/38/Kayu-Sebagai-Sumber-Energi.html#.WuFQVi_wdn6)
- Ariwibowo, Hendrawan. 2013. Faktor risiko karsinoma nasofarings. *Kalbemed CDK-204*; 40:5
- Ayan I., Kaytan E., Ayan N. 2003. Childhood nasopharyngeal carcinoma: from biology to treatment. *Lancet Oncol*;4:13 – 21.
- Bei, J., Su, W., Ng, C., Yu, K., Chin, Y., Lou, P., *et al.* 2015. A GWAS Meta-analysis and Replication Study Identifies a Novel Locus within *CLPTM1L/TERT* Associated with Nasopharyngeal Carcinoma in Individuals of Chinese Ancestry. *Cancer Epidemiol. Biomarkers Prev.* 25:1
- Bei, J. X., Jia, W. H. and Zeng, Y. X. 2012. Familial and large-scale case-control studies identify genes associated with nasopharyngeal carcinoma. *Seminars in Cancer Biology*. Elsevier Ltd, 22(2), pp. 96–106. doi: 10.1016/j.semcancer.2012.01.012.
- Bei, J. X., Su, W., Ng, C., Yu, K., Chin, Y., Lou, P., Hsu, WL., McKay, JD., Chen, CJ., Chang, YS., Chen, LZ., Chen, MY., Cui, Q., Feng, FT., Feng, QS., Guo, YM., Jia, WH., Khoo, AS., Liu, WS., Mo, HY., Pua, KC., Teo, SH., Tse, KP., Xia, YF., Zhang, H., Zhou, GQ., Liu, JJ., Zeng, YX., Hildesheim, A., International Nasopharyngeal Carcinoma (NPC) Genetics Working Group. 2016. A GWAS meta-analysis and replication study identifies a novel locus within *CLPTM1L/TERT* associated with nasopharyngeal carcinoma in individuals of Chinese ancestry. *Cancer Epidemiology Biomarkers and Prevention*, 25(1), pp. 188–192. doi: 10.1158/1055-9965.EPI-15-0144.
- Benna, C.R., Devi, Pisani, Paola, Pisani, Tang, T.S., Parkin, D.M., 2004. High incidence of nasopharyngeal carcinoma innative people of Sarawak, Borneo Island. *Cancer Epidemiol Biomarkers Prev*;13:482-486
- Bray, Freddie., Haugen, Marion., Moger, Tron A., Tretli, Steinar., Aalen, Odd O., dan Grotmol, Tom. 2008. Age Incidence Curves of Nasopharyngeal Carcinoma Worldwide: Bimodality in Low Risk Populations and Aetiologic Impliocations. *Cancer Epidemiol Biomarkers Prev* 2008;17(9). *September 2008*
- Brennan B. 2006. Nasopharyngeal carcinoma *Orphanet Journal of Rare Diseases*. 1:23. doi:10.1186/1750-1172-1-23
- Chang, E. T. and Adami, H. O. 2006. The enigmatic epidemiology of

- nasopharyngeal carcinoma. *Cancer Epidemiology Biomarkers and Prevention*, 15(10), pp. 1765–1777. doi: 10.1158/1055-9965.EPI-06-0353.
- Chien, Y. and Chen, C. 2003. Epidemiology and Etiology of Nasopharyngeal Carcinoma : Gene-Environment Interaction, 1(1), pp. 1–19.
- Chien YC., Chen JY., Liu MY., Yang HL., Hsu MM., Chen CJ. 2001. Serologic markers of Epstein–Barr virus infection and nasopharyngeal carcinoma in Taiwanese men. *N Engl J Med*;345(26):1877–82.
- Curado MP., Edwards B., Shin HR., Storm H., Ferlay J., Heanue M. 2007. Cancer incidence in five continents, vol. IX. Geneva: WHO Press □
- Demers PA., Boffetta P., Kogevinas M. 1995. Pooled reanalysis of cancer mortality among five cohorts of workers in wood-related industries. *Scand J Work Environ Health*; 21:179–90.
- Doku, D., Darteh, E. K. M. and Kumi-Kyereme, A. 2013. Socioeconomic inequalities in cigarette smoking among men: evidence from the 2003 and 2008 Ghana demographic and health surveys., *Archives of public health = Archives belges de santé publique*, 71(1), p. 9. doi: 10.1186/0778-7367-71-9
- Fachiroh, J., Sangrajang, S., Johansson, M., Renard, H., Gaborieau, V., Chabrier, A., Chindavijak, S., Brennan, P., and McKay, J.D.(2012). Tobacco consumption and genetic susceptibility to nasopharyngeal carcinoma (NPC) in Thailand, *Cancer Causes and Control*, 23(12), pp. 1995–2002. doi: 10.1007/s10552-012-0077-9. National cancer institute
- Guo, X., Johnson, RC., Deng., Liao J., Guan, L., Nelson GW., Tang, M., Zheng., Y., de The, G., O’Brien, SJ., Winker., Zeng, Y. 2009. Evaluation of non-viral risk factors for nasopharyngeal carcinoma in a high-risk population of Southern China. *Int J Cancer*, 124(12), pp. 2942– 4947. doi: 10.1038/nbt.3121. ChIP-nexus. □
- Handoyo, D. and Rudiretna, A. 2001. Prinsip umum dan pelaksanaan Polymerase Chain Reaction (PCR). *Unitas*, 9(1), pp. 17–29. □
- He, Y.Q., Xue, W.Q., Shen, G.P., Tang, L.T., Zeng, Y.X., Wei, H.J. 2015. Household inhalants exposure and nasopharyngeal carcinoma risk: a large scale case-control study in Guangdong, China. *BMC Cancer*; 15:1022
- Henle W., Henle G., Ho HC., Burtin P., Cachin Y., Clifford P. 1970. Antibodies to Epstein–Barr virus in nasopharyngeal carcinoma, other head and neck neoplasms, and control groups. *J Natl Cancer Inst*;44(1):225–31. □
- Hildesheim A., Dosemeci M., Chan CC., Chen CJ., Cheng YJ., Hsu MM. 2001. Occupational exposure to wood, formaldehyde, and solvents and risk of nasopharyngeal carcinoma. *Cancer Epidemiol Biomarkers Prev*;10(11):1145–53. Hsu W-L, Chen J-Y, Chien Y-C. 2009. Independent Effect of EBV and Cigarette Smoking on Nasopharyngeal Carcinoma: A 20-Year Follow-Up Study on 9,622 Males without Family History in □Taiwan. *Cancer Epidemiol Biomarkers Prev*;18:1218-26.

- Hwangbo, Bin and Lee, Jin-Soo. 2003. Passive Smoking and Lung Cancer. *Cancer Research and Treatment*; 35:90-95
- IARC. 2004. IARC monographs on the evaluation of carcinogenic risks to humans. Vol. 83. Tobacco smoke and involuntary smoking. Lyon (France): IARC Press; p. 51 – 94.
- Jenkins RA., Guerin MR., Tomkins BA. 2000. *eChemistry of Environmental Tobacco Smoke: Composition and Measurement*, Second Edition., Jenkins RA, Guerin MR, Tomkins BA, editors. London: Lewis Boca Raton.
- Jia, W.-H. and Qin, H.-D. 2012. Non-viral environmental risk factors for nasopharyngeal carcinoma: A systematic review. *Seminars in Cancer Biology*, Elsevier Ltd, 22(2), pp. 117–126. doi: 10.1016/j.semcancer.2012.01.009.
- Kementrian Kesehatan RI. 2013. Panduan Penatalaksanaan Kanker Nasofarings. Badan Penelitian dan Pengembangan Kesehatan, Kementrian Kesehatan RI. Available at : <http://kanker.kemkes.go.id/guidelines/PPKNasofarings.pdf>
- Kumar, S., Sastyanarayana, K., Siravastava V.K. 2003. Epidemiological and etiologial facrors associated with nasopharyngeal carcinoma. *Indian Council Medical Research*; 33.
- Lung, S.C., Kao M.C., Hu S.C. 2003. Contribution of incense burning to indoor PM10 and particle-bound polycyclic aromatic hydrocarbons under two ventilation conditions. *Indoor Air* 13:194–199
- Mocellin, S., Verdi, D., Pooley, K.A., Landi, M.T., Egan, K.M., Baird, D.M., Prescott, J., De Vivo, I., Nitti, D. 2012. Telomerase reverse transcriptase locus polymorphisms and cancer risk: A field synopsis and meta-analysis. *Journal of the National Cancer Institute*, 104(11), pp. 840–854. doi: 10.1093/jnci/djs222.
- National Cancer Institute, 2009. Nasopharyngeal Cancer Treatment. U.S.A: National Cancer Institute. Available from: <http://www.cancer.gov/cancertopics/pdq/treatment/nasopharyngeal/HealthProfessional/page9>. (Accesed 17 November 2016)
- Nicholls JM., Agathangelou A., Fung K. 1997. The association of squamous cell carcinomas of the nasoharynx with Epstein 鄧 Barr virus shows geographical variation reminiscent of Burkitts lymphoma. *J Pathol*, 183:164-168
- Newton, C.R. and A. Graham. 1994. PCR. UK: Bios Scientific Publisher
- Ondrey FG., Wright SK. Neoplasms of the Nasopharynx. *Ballenger's Otorhinolaryngology Head and Neck Surgery*. 16th ed. 2003. p 1407-22.
- Sharma TD, Singh Th T, Laishram RS, Chandra Sharma LD, Sunita AK, Tiameren Imchen L. 2011. Nasopharyngeal Carcinoma - a Clinico-pathological Study in a Regional Cancer Centre of □Northeastern India. *Asian Paci c J Cancer Prev*. 12, 1583-7.

- Sihotang, Laurencius. 2013. *Macam-macam Tipe PCR dan Teknik Pemotongan Protein dengan Metode Edman Sebagai Dasar Kerja Analisis Sekunsing*. Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Jakarta.
- Tsao, S. W., Yip, Y.L., Tsang, C.M., Pang, P.S., Lau, V.M.Y., Zhang, G., Lo, KW. 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncology*, Elsevier Ltd, 50(5), pp. 330–338. doi: 10.1016/j.oraloncology.2014.02.006.
- Xie, S., Yu, I.T., Tse, L.A., Au, J.S.K., Wang, F., Lau, J.S., Zhang, B. 2014. Domestic Incense Burning and Nasopharyngeal Carcinoma : A Case- Control Study in HongKong Chinese. *Environmental and Molecular Mutagenesis*, 55:751-756
- Wei, K.R., Zheng, R.S., Zhang, S.w., Liang, Z.H., Li, Z.M., Chen, W.Q., 2017. Nasopharyngeal carcinoma incidence and mortality in China, 2013. *Chin J Cancer*; 36:90
- WHO-IARC. 2012. Globocan 2012 : estimated cancer incidence, mortality and prevalence worldwide in 2012. Available at : [http://globocan.iarc.fr/Pages/fact\\_sheets\\_population.aspx](http://globocan.iarc.fr/Pages/fact_sheets_population.aspx)
- Ye, S., Dhillon, S., Ke, X., Collins, A.R., Day, I.N.M. 2001. An efficient procedure for genotyping single nucleotide polymorphisms. *Nucl. Acid Res*, 29(17):e88
- Yuan, JM., Wang, XL., Xiang, YB., Gao, YT., Ross, RK., Yu, MC. 2000. Preserved foods in relation to risk of nasopharyngeal carcinoma in Shanghai, China. *Int J Cancer*, 85(3):358–63.
- Zhang, Y., Zhang, X., Zhang, H., Zhai, Y., Wang, Z., Li, P., Yu, L., Xia, X., Zhang, Y., He, F., Zhou, G. 2015. Common variations in *TERT-CLPTM1L* locus are reproducibly associated with the risk of nasopharyngeal carcinoma in Chinese populations. *Oncotarget*, 7(1) : 759-770
- Zheng, X., Luo, Y., Christensson, B., Drettner, B. 1994. Induction of nasal and nasopharyngeal tumours in Sprague-Dawley rats fed with Chinese salted fish. *Acta Otolaryngol*, 114:98–104