

DAFTAR PUSTAKA

- Anggraeni, W. dan Aristiani, L., 2017. Using Google Trend data in forecasting number of dengue fever cases with ARIMAX method case study: Surabaya, Indonesia. *Proceedings of 2016 International Conference on Information and Communication Technology and Systems, ICTS 2016*, hal.114–118.
- Anggraeni, W., Pramana, I.P.A.A., Samopa, F., Riksakomara, E., Wibowo, R.P., Condro, L. dan Pujiadi, 2017. Forecasting The Number of Dengue Fever Cases in Malang Regency Indonesia. *Journal of Theoretical and Applied Information Technology*, 95(1).
- Anselin, L., 1998. GIS Research Infrastructure for Spatial Analysis of Real Estate Markets. *Journal of Housing Research*, 9 (1) : 113-133.
- Anselin, L., 1995. Local indicators of spatial association-LISA. *Geographical analysis*, vol. 27, no. 2, pp. 93–115.
- Araujo, R. V., Albertini, M.R., Silva, A.L.C., Suesdek, L., Franceschi, N.C.S., Bastos, N.M., G. Katz, V.A.C., Castro, B.C. dan Capurro, M.L., 2015. So Paulo urban heat islands have a higher incidence of dengue than other urban areas. *Brazilian Journal of Infectious Diseases*, vol. 19, no. 2, pp. 146–155.
- Ariati, J. dan Anwar, A., 2014. Model Prediksi Kejadian Demam Berdarah Dengue (Dbd) Berdasarkan Faktor Iklim Di Kota Bogor, Jawa Barat. *Buletin Penelitian Kesehatan*, 42(4 Des), hal.249–256. Available at: <http://ejournal.litbang.depkes.go.id/index.php/BPK/article/view/3663>.
- Aziz, S., Aidil, R.M., Nisfariza, M.N., Ngui, R., Lim, Y.A.L., Wan Yusoff, W.S. dan Ruslan, R., 2014. Spatial density of Aedes distribution in urban areas: A case study of breteau index in Kuala Lumpur, Malaysia. *Journal of Vector Borne Diseases*, 51(2), hal.91–96.
- Baharuddin, B., Suhariningsih, S. dan Ulama, B.S.S., 2014. Geographically weighted regression modeling for analyzing spatial heterogeneity on relationship between dengue hemorrhagic fever incidence and rainfall in Surabaya, Indonesia. *Modern Applied Science*, vol. 8, no. 3, p. p85.
- Bao, S., 1998. Exploratory Spatial Data Analysis with Multilayer Information. *Community based GIS Education Project, Center for Environmental Information Technology and Application East Michigan University*.
- Barreto, F.R., M. G. Teixeira, Costa, M.C., Carvalho, M.S., F. R. Barreto, M. G. Teixeira, M. C. Costa, M. S. Carvalho, M.L. dan Barreto, 2008. Spread pattern of the first dengue epidemic in the city of Salvador, Brazil. *BMC Public Health*, vol. 8, no. 1, p. 51.
- Bhatnagar, S., Lal, V., Gupta, S. dan Gupta, O., 2012. Forecasting incidence of dengue in Rajasthan, using time series analyses. *Indian Journal of Public Health*, 56(4), hal.281. Available at: <http://www.ijph.in/text.asp?2012/56/4/281/106415>.

- Bpkp, 2017. Profil Kabupaten Sleman. Available at: <http://www.bpkp.go.id/diy/konten/830/Profil-Kabupaten-Sleman> [Diakses Agustus 20, 2017].
- Brunsdon, C., Fotheringham, A.S. dan Charlton, M., 2008. Geographically weighted regression: a method for exploring spatial nonstationarity. *Encyclopedia of Geographic Information Science*, p. 558.
- Byun, Y.G., Huh, Y., Yu, K.. dan Kim, Y., 2006. Revision of Moran Scatterplot Approach for More Effective Forest Fire Detections. *Proceedings of the 5th WSEAS International Conference on Applied Computer Science, Hangzhou, China: 952-956*.
- Celebioglu, F. dan Dall'erba, S., 2008. Spatial disparities across the regions of Turkey: an exploratory spatial data analysis. *Ann Reg Sci 45:379-400*.
- Cerny, C.A. dan Kaiser, H.F., 1977. A study of a measure of sampling adequacy for factor-analytic correlation matrices. *Multivariate Behavioral Research, 12(1), 43-47*.
- Chen, Y., 2010. *On the Four Types of Weight Functions for Spatial Contiguity Matrix*, Department of Geography, College of Environmental Sciences, Peking University, Beijing.
- Cowpertwait, P.S.P. dan Metcalfe, A. V., 2009a. Introductory Time Series with R. In Springer Science+Business Media, Inc., New York.
- Cowpertwait, P.S.P. dan Metcalfe, A. V., 2009b. *Introductory Time Series with R*, Springer Science+Business Media, Inc., New York.
- Cruz, A.C., Lubrica, J.A., Punzalan, B.V.D.C. dan Martin, M.C., 2012. Forecasting dengue incidence in the National Capital Region , Philippines : using time series analysis with climate variables as predictors. , 60, hal.19-26.
- Depkes RI, 2015. Demam Berdarah biasanya mulai meningkat di Januari. Available at: <http://www.depkes.go.id> [Diakses Agustus 20, 2016].
- Dinkes Sleman, 2017. Penanggulangan Penyakit. Available at: <http://dinkes.slemankab.go.id/penanggulangan-penyakit/comment-page-1>.
- Dom, N.C., Hassan, A.A., Latif, Z.A. dan Ismail, R., 2013. Generating temporal model using climate variables for the prediction of dengue cases in Subang Jaya, Malaysia. *Asian Pacific Journal of Tropical Disease, 3(5), hal.352-361*.
- Dominiak, A.W. dan Zeug-Żebro, K., 2006. Spatial statistics in the analysis of county budget incomes in Poland with the R CRAN. *Proceedings of 30th International Conference Mathematical Methods in Economics*.
- Dormann, C.F., McPherson, J.M., Araujo, M.B., Bivand, R., Bolliger, J., Carl, G., Davies, R.G., Hirzel, A., Jetz, W., dan Kissling, W.D., 2007. Methods to account for spatial autocorrelation in the analysis of species distributional data: a review. *Ecography 30: 609-628*.
- Earnest, A., Tan, S.B., Wilder-Smith, A. dan MacHin, D., 2012. Comparing statistical models to predict dengue fever notifications. *Computational and*

Mathematical Methods in Medicine, 2012.

Enders, W., 2004. *Applied econometric time series* 2nd ed., Hoboken, NJ : J. Wiley.

Farooqi, W. dan Ali, S., 2013. A Critical Study of Selected Classification Algorithms for Dengue Fever and Dengue Hemorrhagic Fever. *2013 11th International Conference on Frontiers of Information Technology*, hal.140–145. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6717241> [Diakses Mei 19, 2014].

Farooqi, W., Ali, S. dan Wahab, A., 2014. Classification of Dengue Fever Using Decision Tree. , 3(2), hal.15–22.

Gatrell, A.C., Bailey, T.C., Diggle, P.J. dan Rowlingson, B.S., 1996. Spatial point pattern analysis and its application in geographical epidemiology. *Transactions of the Institute of British geographers*, pp. 256–274.

Getis, A. dan Ord, J., 1992. The Analysis of Spatial Association by Use of Distance Statistics. *Geographical Analysis*.

Goto, K., Kumarendran, B., Mettananda, S., Gunasekara, D., Fujii, Y. dan Kaneko, S., 2013. Analysis of Effects of Meteorological Factors on Dengue Incidence in Sri Lanka Using Time Series Data. *PLoS ONE*, 8(5), hal.1–8.

Griffith, D.A., 2009. *Spatial Autocorrelation*, University of Texas at Dallas, Richardson, TX, USA.

Gujarati, D., 2004. *Basic Econometric, (4th Ed.)*, The McGraw-Hill Companies. NewYork.

Hartomo, K.D., 2016. *Model Prediksi Curah Hujan Dengan Metode Exponential Smoothing Seasonal Planting Index (ESSPI) Untuk Penentuan Pola Tanam*. Disertasi, Departemen Ilmu Komputer dan Elektronika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada.

Hii, Y.L., Zhu, H., Ng, N., Ng, L.C. dan Rocklöv, J., 2012. Forecast of Dengue Incidence Using Temperature and Rainfall. *PLoS Neglected Tropical Diseases*, 6(11).

Jeefoo, P., Tripathi, N.K. dan Souris, M., 2011. Spatio-temporal diffusion pattern and hotspot detection of dengue in Chachoengsao province, Thailand. *International Journal of Environmental Research and Public Health*, 8(1), hal.51–74.

Johansson, M.A., Reich, N.G., Hota, A., Brownstein, J.S. dan Santillana, M., 2016. Evaluating the performance of infectious disease forecasts: A comparison of climate-driven and seasonal dengue forecasts for Mexico. *Scientific Reports*, 6(1), hal.33707. Available at: <http://www.nature.com/articles/srep33707>.

Joshua, 2007. *Analisis Vector Autoregression (VAR) Terhadap Interrelationship Antara Pertumbuhan PDB dan Pertumbuhan Kesempatan Kerja (Studi Kasus: Indonesia Tahun 1977-2006)*.

Karim, M.N., Munshi, S.U., Anwar, N. dan Alam, M.S., 2012. Climatic factors

influencing dengue cases in Dhaka city: A model for dengue prediction. *Indian Journal of Medical Research*, 136(1), hal.32–39.

Kemendes RI, 2010. *Demam Berdarah Dengue*,

Kesorn, K., Ongluk, P., Chompoosri, J., Phumee, A., Thavara, U., Tawatsin, A. dan Siriyasatien, P., 2015. Morbidity rate prediction of dengue hemorrhagic fever (DHF) using the support vector machine and the *Aedes aegypti* infection rate in similar climates and geographical areas. *PLoS ONE*, 10(5), hal.1–16.

Khormi, H.M. dan Kumar, L., 2011. Identifying and visualizing spatial patterns and hot spots of clinically-confirmed dengue fever cases and female *Aedes aegypti* mosquitoes in Jeddah , Saudi Arabia. *Dengue Bulletin*, 35, hal.15–34.

Lasijo, 2001. Fitting Kurva Dengan Menggunakan Spline Kubik, Integral. *Integral*, vol. 6, no. 2, Oktober 2001.

Lutkepohl, H., 2005. New Introduction to Multiple Time Series Analysis. *Science+Business Media, Inc., Berlin*.

Ma, X. dan Pei, T., 2009. Exploratory Spatial Data Analysis of Regional Economic Disparities in Beijing During 2001 – 2007. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 38(2):241-244.

Majidah, A., Dini, V., Fitriany, R.N., Wulandari, R.A., Lingkungan, D.K., Masyarakat, F.K. dan Indonesia, U., 2010. Faktor Iklim dan Angka Insiden Demam Berdarah Dengue di Kabupaten Serang. *Makara, Kesehatan*, 14(1), hal.31–38. Available at: <http://journal.ui.ac.id/index.php/health/article/viewFile/644/629>.

Makridakis, S. dan Wheelwright, S., 1989. *Forecasting Methods for Management*, 5 ed, Wiley Publishing, Inc.

Martinez, E.Z., Silva, E.A.S. da dan Fabbro, A.L.D., 2011. A SARIMA forecasting model to predict the number of cases of dengue in Campinas, State of São Paulo, Brazil. *Revista da Sociedade Brasileira de Medicina Tropical*, 44(4), hal.436–40. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/21860888>.

Masrizal dan Sari, N.P., 2016. Analisis Kasus DBD Berdasarkan Unsur Iklim dan Kepadatan Penduduk Melalui Pendekatan GIS di Tanah Datar. *Kesehatan Masyarakat Andalas*, 10(2), hal.166–171.

Mulyana, 2004. *Analisis Deret Waktu*, Universitas Padjadjaran FMIPA Jurusan Statistika, Bandung.

Nachrowi, D. dan Usman, H., 2006. *Pendekatan populer dan praktis ekonometrika untuk analisis ekonomi dan keuangan*, Lembaga Penerbit FE-UI.

Naim, M., 2014. Spatial-temporal analysis for identification of vulnerability to dengue in Seremban District, Malaysia. *International Journal of Geoinformatics*, vol. 10, no. 1.

Naish, S. dan Tong, S., 2014. Hot spot detection and spatio-temporal dynamics of

dengue in Queensland, Australia. *ISPRS-International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, vol. 1, pp. 197–204.

Nugroho, A., 2017. *Model Prediksi Curah Hujan dan Klasifikasi Lahan di Kabupaten Semarang Yang Mempertimbangkan Prinsip Konservasi Air Berbasis Metoda Runtun Waktu Multivariat dan Logika Fuzzy Menggunakan Data Klimatologi dan Hidrologi*. Disertasi, Departemen Ilmu Komputer dan Elektronika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada.

Openshaw, S., 1991. Developing appropriate spatial analysis methods for GIS. *Geographic Information Systems and Science*, hal.389–402.

Paez, A. dan Darren, M.S., 2004. Spatial statistics for urban analysis:A review of techniques with examples. *GeoJournal* 61:53–67.

Pramana, I.P.A.A. dan Anggareni, W., 2016. Peramalan Jumlah Kasus Demam Berdarah di Inference System. *Jurnal Teknik ITS*, 5(1).

Prasetyo, S.Y.J., 2014. *Framework Prediksi Konektivitas Spasial Menggunakan Metode Exponential Smoothing – Spatial Autocorrelation Untuk Penentuan Wilayah Endemik Wereng Batang Cokelat (Nilaparvata lugensStal) Di Provinsi Jawa Tengah*. Disertasi, Departemen Ilmu Komputer dan Elektronika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Gadjah Mada.

Ramadona, A.L., Lazuardi, L., Hii, Y.L., Holmner, Å., Kusnanto, H. dan Rocklöv, J., 2016. Prediction of dengue outbreaks based on disease surveillance and meteorological data. *PLoS ONE*, 11(3), hal.1–18.

Ramasubramanian, 1998. *Time Series Analysis. IASRI Package Avenue, New Delhi*.

Rosadi, D., 2011. Analisis Ekonometrika dan Runtun Waktu Terapan dengan R. In ANDI Yogyakarta.

Schumway, R.H. dan Stoffer, D.S., 2011. *Time Series Analysis and Its Applications with R Examples*. In Springer Science+Business Media, New York.

Scrucca, L., 2005. Clustering multivariate spatial data based on local measures of spatial autocorrelation, An application to the labour market of Umbria. *Dipartimento di Economia, Finanza e Statistica Universit`a degli Studi di Perugia, Italy*.

Setyono, A. dan Novianto, S., 2013. Penerapan Interpolasi Linier Untuk Deteksi Garis Lurus Pada Citra. *Techno.com*, 12 No. 3, hal.143–149.

Sims, 1980. Vector Autoregressive Models for Multivariate Time Series. *Modeling Financial Time Series with S-PLUS®*, hal.385–429. Available at: http://link.springer.com/10.1007/978-0-387-32348-0_11.

Sitepu, R., 2009. Pemodelan dan Peramalan Deret Waktu Musiman dengan

Pendekatan Filter Bank. *Jurnal penelitian Sains*, 12, hal.1–5. Available at: www.repository.usu.ac.id/bitstream/123456789/6046/1/08E00398.pdf.

Stewart-Ibarra, A.M. Munoz, A.G., Ryan, S.J., Ayala, EB., Borbor-Cordova, M.J., Finkelstein, J.R., Mejja, R., Ordonez, T., Recalde-Coronel, G.C., dan Rivero, K., 2014. Spatiotemporal clustering, climate periodicity, and social-ecological risk factors for dengue during an outbreak in Machala, Ecuador, in 2010. *BMC Infectious Diseases*, 14(1), hal.610. Available at: <http://bmcinfectdis.biomedcentral.com/articles/10.1186/s12879-014-0610-4>.

Wang, C., Li, D., Hu, Y., Wu, X. dan Qi, Y., 2009. Research of spatio-temporal analysis of agricultural pest. *Wuhan University, Wuhan, Hubei 430079, International Symposium on Spatial, China*.

Widiono, 2011. *Penyakit Tropis : Epidemiologi, penularan, pencegahan dan pemberantasannya* Kedua., Erlangga.