

DAFTAR PUSTAKA

- Bardak, H., Gunay, M., Ercalik, Y., Bardak, Y., Ozbas, H., Bagci, O., 2017. Next-generation sequencing analysis of the ARMS2 gene in Turkish exudative age-related macular degeneration patients 2.
- Berrow, E.J., Bartlett, H.E., Eperjesi, F., Gibson, J.M., 2011. Risk Factors for Age-related Macular Degeneration. *Eur. Ophthalmic Rev.* 5, 143. <https://doi.org/10.17925/EOR.2011.05.02.143>
- Besharshe, J.C., Bok, D., 2011. The Retina and Its Disorders. <https://doi.org/10.1017/CBO9781107415324.004>
- Bhutto, I., Luty, G., 2012. Understanding age-related macular degeneration (AMD): Relationships between the photoreceptor/retinal pigment epithelium/Bruch's membrane/choriocapillaris complex. *Mol. Aspects Med.* <https://doi.org/10.1016/j.mam.2012.04.005>
- Bowling, B., 2016. Kanski: Clinical Ophthalmology, Clinical Ophthalmology. A systematic approach. <https://doi.org/10.1016/B978-84-9113-003-1/00022-6>
- Brión, M., Sanchez-Salorio, M., Cortón, M., De La Fuente, M., Pazos, B., Othman, M., Swaroop, A., Abecasis, G., Sobrino, B., Carracedo, A., 2011. Genetic association study of age-related macular degeneration in the Spanish population. *Acta Ophthalmol.* 89. <https://doi.org/10.1111/j.1755-3768.2010.02040.x>
- Chakravarthy, U., McKay, G.J., De Jong, P.T.V.M., Rahu, M., Seland, J., Soubrane, G., Tomazzoli, L., Topouzis, F., Vingerling, J.R., Vioque, J., Young, I.S., Sofat, R., Hingorani, A.D., Fletcher, A.E., 2013. ARMS2 increases the risk of early and late age-related macular degeneration in the european eye study. *Ophthalmology* 120, 342–348. <https://doi.org/10.1016/j.ophtha.2012.08.004>
- Chakravarthy, U., Williams, M., Amoaku, W., Bailey, C., Bishop, P., Brand, C., Chakravarthy, U., Chong, V., Downes, S., Evans, J., Lotery, A., Rubin, G., Sparrow, J., Talks, J., Williams, M., Yelf, C., 2013. The Royal College of Ophthalmologists Guidelines on AMD: Executive Summary. *Eye* 27, 1429–1431. <https://doi.org/10.1038/eye.2013.233>
- Chalam, K. V., Khetpal, V., Rusovici, R., Balaiya, S., 2011. A review: role of ultraviolet radiation in age-related macular degeneration. *Eye Contact Lens* 37, 225–232. <https://doi.org/10.1097/ICL.0b013e31821fbd3e>
- Cheng, Y., Huang, L., Li, X., Zhou, P., Zeng, W., Zhang, C., 2013. Genetic and Functional Dissection of ARMS2 in Age-Related Macular Degeneration and

Polypoidal Choroidal Vasculopathy. PLoS One 8, e53665.
<https://doi.org/10.1371/journal.pone.0053665>

Cheung, C.M.G., Laude, A., Yeo, I., Tan, S.-P., Fan, Q., Mathur, R., Lee, S.Y., Chan, C.M., Tan, G., Lim, T.H., Cheng, C.-Y., Wong, T.Y., 2017. Systemic, Ocular and Genetic Risk Factors for Age-related Macular Degeneration and Polypoidal Choroidal Vasculopathy in Singaporeans. Sci. Rep. 7, 41386. <https://doi.org/10.1038/srep41386>

Cheung, C.M.G., Tai, E.S., Kawasaki, R., Tay, W.T., Lee, J.L., Hamzah, H., Wong, T.Y., 2012. Prevalence of and risk factors for age-related macular degeneration in a multiethnic Asian cohort. Arch. Ophthalmol. 130, 480–486. <https://doi.org/10.1001/archophthalmol.2011.376>

Cruz-González, F., Cieza-Borrella, C., López Valverde, G., Lorenzo-Pérez, R., Hernández-Galilea, E., González-Sarmiento, R., 2014. CFH (rs1410996), HTRA1 (rs112000638) and ARMS2 (rs10490923) gene polymorphisms are associated with AMD risk in Spanish patients. Ophthalmic Genet. 35, 68–73. <https://doi.org/10.3109/13816810.2013.781193>

Cunningham, J., 2017. Recognizing age-related macular degeneration in primary care. J. Am. Acad. Physician Assist. 30, 18–22. <https://doi.org/10.1097/01.JAA.0000512227.85313.05>

Denniston, A.K.O., Murray, P.I., 2014. Oxford Handbook of Ophthalmology (OUP).

Elhamamsy, M., Souka, A., El Assi, H.H., Ashraf, M., Kassem, H.S., 2017. ARMS2 and HTRA1 gene polymorphisms in association with age-related macular degeneration in an Egyptian cohort. Middle East J. Med. Genet. 6, 22–28. <https://doi.org/10.1097/01.MXE.0000512347.39933.9c>

Emily C. Fletcher; N. Victor Chong;, 2011. Retina, in: Retina, in: Vaughan & Asbury's General Ophthalmology, 18th Edition. Vaughan & Asbury's General Ophthalmology, 18th Edition.

Fang, K., Gao, P., Tian, J., Qin, X., Yu, W., Li, J., Chen, Q., Huang, L., Chen, D., Hu, Y., Li, X., 2015. Joint effect of CFH and arms2/htra1 polymorphisms on neovascular age-related macular degeneration in Chinese population. J. Ophthalmol. 2015. <https://doi.org/10.1155/2015/821918>

Feher, J., Kovacs, I., Artico, M., Cavallotti, C., Papale, A., Balacco Gabrieli, C., 2006. Mitochondrial alterations of retinal pigment epithelium in age-related macular degeneration. Neurobiol Aging 27, 983–993. [https://doi.org/S0197-4580\(05\)00154-5](https://doi.org/S0197-4580(05)00154-5) [pii]n10.1016/j.neurobiolaging.2005.05.012

- Fisher, S.A., Abecasis, G.R., Yashar, B.M., Zarepari, S., Swaroop, A., Iyengar, S.K., Klein, B.E.K., Klein, R., Lee, K.E., Majewski, J., Schultz, D.W., Klein, M.L., Seddon, J.M., Santangelo, S.L., Weeks, D.E., Conley, Y.P., Mah, T.S., Schmidt, S., Haines, J.L., Pericak-Vance, M.A., Gorin, M.B., Schulz, H.L., Pardi, F., Lewis, C.M., Weber, B.H.F., 2005. Meta-analysis of genome scans of age-related macular degeneration. *Hum. Mol. Genet.* 14, 2257–2264. <https://doi.org/10.1093/hmg/ddi230>
- Friedrich, U., Myers, C.A., Fritsche, L.G., Milenkovich, A., Wolf, A., Corbo, J.C., Weber, B.H.F., 2011. Risk-and non-risk-associated variants at the 10q26 AMD locus influence ARMS2 mRNA expression but exclude pathogenic effects due to protein deficiency. *Hum. Mol. Genet.* 20, 1387–1399. <https://doi.org/10.1093/hmg/ddr020>
- Fritsche, L.G., Loenhardt, T., Janssen, A., Fisher, S.A., Rivera, A., Keilhauer, C.N., Weber, B.H.F., 2008. Age-related macular degeneration is associated with an unstable ARMS2 (LOC387715) mRNA. *Nat. Genet.* 40, 892–896. <https://doi.org/10.1038/ng.170>
- Holz, F.G., Pauleikhoff, D., Spaide, R.F., Bird, A.C., 2012. Age-related macular degeneration, 2, illustr ed. Springer Science & Business Media.
- Kanda, A., Chen, W., Othman, M., Branham, K.E.H., Brooks, M., Khanna, R., He, S., Lyons, R., Abecasis, G.R., Swaroop, A., 2007. A variant of mitochondrial protein LOC387715/ARMS2, not HTRA1, is strongly associated with age-related macular degeneration. *Proc. Natl. Acad. Sci.* 104, 16227–16232. <https://doi.org/10.1073/pnas.0703933104>
- Kawasaki, R., Yasuda, M., Song, S.J., Chen, S.-J., Jonas, J.B., Wang, J.J., Mitchell, P., Wong, T.Y., 2010. The prevalence of age-related macular degeneration in Asians: a systematic review and meta-analysis. *Ophthalmology* 117, 921–7. <https://doi.org/10.1016/j.ophtha.2009.10.007>
- Klein, B.E.K., Howard, K.P., Iyengar, S.K., Sivakumaran, T.A., Meyers, K.J., Cruickshanks, K.J., Klein, R., Cruickshanks, K.J., 2014. Sunlight exposure, Pigmentation, And incident age-related macular degeneration. *Investig. Ophthalmol. Vis. Sci.* 55, 5855–5861. <https://doi.org/10.1167/iovs.14-14602>
- Kolar, P., 2013. Classification and Clinical Features of AMD. Age-Related Macular Degener. - Etiol. Diagnosis Manag. - A Glance Futur. <https://doi.org/10.5772/53762>
- Kortvely, E., Hauck, S.M., Duetsch, G., Gloeckner, C.J., Kremmer, E., Alge-Priglinger, C.S., Deeg, C.A., Ueffing, M., 2010. ARMS2 is a constituent of the extracellular matrix providing a link between familial and sporadic age-related macular degenerations. *Investig. Ophthalmol. Vis. Sci.* 51, 79–88.

<https://doi.org/10.1167/iovs.09-3850>

Kwok, P.Y., Xiao, M., 2003. SNP genotyping and molecular haplotyping of DNA pools, in: Cold Spring Harbor Symposia on Quantitative Biology. pp. 65–67.
<https://doi.org/10.1101/sqb.2003.68.65>

Lechanteur, Y.T.E., Van De Camp, P.L., Smailhodzic, D., Van De Ven, J.P.H., Buitendijk, G.H.S., Klaver, C.C.W., Groenewoud, J.M.M., Den Hollander, A.I., Hoyng, C.B., Klevering, B.J., 2015. Association of smoking and CFH and ARMS2 risk variants with younger age at onset of neovascular age-related macular degeneration. *JAMA Ophthalmol.* 133, 533–541.
<https://doi.org/10.1001/jamaophthalmol.2015.18>

Lim, L.S., Mitchell, P., Seddon, J.M., Holz, F.G., Wong, T.Y., 2012. Age-related macular degeneration. *Lancet* 379, 1728–1738.
[https://doi.org/10.1016/S0140-6736\(12\)60282-7](https://doi.org/10.1016/S0140-6736(12)60282-7)

Medicine, N.L. of U.S., 2017. Genetics Home Reference 1, 1–8.

Micklisch, S., Lin, Y., Jacob, S., Karlstetter, M., Dannhausen, K., Dasari, P., von der Heide, M., Dahse, H.M., Schmölz, L., Grassmann, F., Alene, M., Fauser, S., Neumann, H., Lorkowski, S., Pauly, D., Weber, B.H., Jousen, A.M., Langmann, T., Zipfel, P.F., Skerka, C., 2017. Age-related macular degeneration associated polymorphism rs10490924 in ARMS2 results in deficiency of a complement activator. *J. Neuroinflammation* 14, 1–15.
<https://doi.org/10.1186/s12974-016-0776-3>

Ross, R.J., Bojanowski, C.M., Wang, J.J., Chew, E.Y., Iii, F.L.F., Mitchell, P., Chan, C., Tuo, J., 2007. NIH Public Access 48, 1128–1132.

Rufino, S., 2010. Neovascular Phenotypes: Polypoidal Choroidal Vasculopathy, Age-related Macular Degeneration.

Sakurada, Y., Yoneyama, S., Sugiyama, A., Tanabe, N., Kikushima, W., Mabuchi, F., Kume, A., Kubota, T., Iijima, H., 2016. Prevalence and genetic characteristics of geographic atrophy among elderly Japanese with age-related macular degeneration. *PLoS One* 11, 1–8.
<https://doi.org/10.1371/journal.pone.0149978>

Schmidt, S., Hauser, M.A., Scott, W.K., Postel, E.A., Agarwal, A., Gallins, P., Wong, F., Chen, Y.S., Spencer, K., Schnetz-Boutaud, N., Haines, J.L., Pericak-Vance, M.A., 2006. Cigarette Smoking Strongly Modifies the Association of LOC387715 and Age-Related Macular Degeneration. *Am. J. Hum. Genet.* 78, 852–864. <https://doi.org/10.1086/503822>

Schwartz, S.G., Agarwal, A., Kovach, J.L., Gallins, P.J., Cade, W., Postel, E.A.,

- Wang, G., Ayala-Haedo, J., Spencer, K.M., Haines, J.L., Pericak-Vance, M.A., 2012. THE ARMS2 A69S VARIANT AND BILATERAL ADVANCED AGE-RELATED MACULAR DEGENERATION 32, 1486–1491. <https://doi.org/10.1016/j.jacc.2007.01.076>. White
- Seddon, J.M., Francis, P.J., George, S., Schultz, D.W., Rosner, B., Klein, M.L., 2007. Association of CFH Y402H and LOC387715 A69S with progression of age-related macular degeneration. *J. Am. Med. Assoc.* 297, 1793–1800. <https://doi.org/10.1001/jama.297.16.1793>
- Shalev, V., Srour, M., Goldshtein, I., Kokia, E., Chodick, G., 2011. Statin use and the risk of age related macular degeneration in a large health organization in Israel. *Ophthalmic Epidemiol.* 18, 83–90. <https://doi.org/10.3109/09286586.2011.560746>
- Sobrin, L., Reynolds, R., Yu, Y., Fagerness, J., Leveziel, N., Bernstein, P.S., Souied, E.H., Daly, M.J., Seddon, J.M., 2011. ARMS2/HTRA1 locus can confer differential susceptibility to the advanced subtypes of age-related macular degeneration. *Am. J. Ophthalmol.* 151. <https://doi.org/10.1016/j.ajo.2010.08.015>
- Spaide, R.F., Curcio, C. a, 2010. Drusen characterization with multimodal imaging. *Retina* 30, 1441–1454. <https://doi.org/10.1097/IAE.0b013e3181ee5ce8>
- Sundaresan, P., Vashist, P., Ravindran, R.D., Shanker, A., Nitsch, D., Nonyane, B.A.S., Smeeth, L., Chakravarthy, U., Fletcher, A.E., 2012. Polymorphisms in ARMS2/HTRA1 and complement genes and age-related macular degeneration in India: Findings from the INDEYE study. *Investig. Ophthalmol. Vis. Sci.* 53, 7492–7497. <https://doi.org/10.1167/iovs.12-10073>
- Tanaka, K., Nakayama, T., Yuzawa, M., Wang, Z., Kawamura, A., Mori, R., Nakashizuka, H., Sato, N., Mizutani, Y., 2011. Analysis of candidate genes for age-related macular degeneration subtypes in the Japanese population. *Mol Vis* 17, 2751–2758.
- Trouw, L.A., Blom, A.M., Gasque, P., 2008. Role of complement and complement regulators in the removal of apoptotic cells. *Mol. Immunol.* <https://doi.org/10.1016/j.molimm.2007.09.008>
- Vavvas, D.G., Small, K.W., Awh, C.C., Zanke, B.W., Tibshirani, R.J., Kustra, R., 2018. CFH and ARMS2 genetic risk determines progression to neovascular age-related macular degeneration after antioxidant and zinc supplementation. *Proc. Natl. Acad. Sci.* 201718059. <https://doi.org/10.1073/pnas.1718059115>
- Velilla, S., García-Medina, J.J., García-Layana, A., Dolz-Marco, R., Pons-

- Vázquez, S., Pinazo-Durán, M.D., Gómez-Ulla, F., Arévalo, J.F., Díaz-Llopis, M., Gallego-Pinazo, R., 2013. Smoking and Age-Related Macular Degeneration: Review and Update. *J. Ophthalmol.* 2013, 1–11. <https://doi.org/10.1155/2013/895147>
- Wang, G., Spencer, K., Scott, W., 2010a. Analysis of the indel at the ARMS2 3' UTR in age-related macular degeneration. *Hum. Genet.* 127, 595–602. <https://doi.org/10.1007/s00439-010-0805-8>.Analysis
- Wang, G., Spencer, K.L., Court, B.L., Olson, L.M., Scott, W.K., Haines, J.L., Pericak-vance, M.A., 2010b. NIH Public Access 50, 3084–3090. <https://doi.org/10.1167/iovs.08-3240>.Localization
- Weismann, D., Hartvigsen, K., Lauer, N., Bennett, K.L., Scholl, H.P.N., Issa, P.C., Cano, M., Brandstätter, H., Tsimikas, S., Skerka, C., Superti-Furga, G., Handa, J.T., Zipfel, P.F., Witztum, J.L., Binder, C.J., 2011. Complement factor H binds malondialdehyde epitopes and protects from oxidative stress. *Nature* 478, 76–81. <https://doi.org/10.1038/nature10449>
- Wernicke, S., 2003. On the algorithmic tractability of single nucleotide polymorphism (SNP) analysis and related problems.
- WHO, 2014. WHO | Visual impairment and blindness. *Vis. Impair. Blind.* https://doi.org/10.1007/SpringerReference_61253
- Wilhelm, B.T., Marguerat, S., Watt, S., Schubert, F., Wood, V., Goodhead, I., Penkett, C.J., Rogers, J., Bähler, J., 2008. Dynamic repertoire of a eukaryotic transcriptome surveyed at single-nucleotide resolution. *Nature* 453, 1239–1243. <https://doi.org/10.1038/nature07002>
- Yonekawa, Y., Miller, J., Kim, I., 2015. Age-Related Macular Degeneration: Advances in Management and Diagnosis. *J. Clin. Med.* 4, 343–359. <https://doi.org/10.3390/jcm4020343>
- Zarbin, M.A., 2004. Current concepts in the pathogenesis of age-related macular degeneration. *Arch. Ophthalmol.* 122, 598–614. <https://doi.org/10.1001/archophth.122.4.598>