

DAFTAR PUSTAKA

- Akiyama, H., Barger, S., Barnum, S., Bradt, B., Bauer, J., Cole, G.M., 2000. Inflammation and Alzheimer's disease. *Neurobiol. Aging* 21: 383–421.
- Alvarez, A., Opazo, C., Alarcón, R., Garrido, J., Inestrosa, N.C., 1997. Acetylcholinesterase promotes the aggregation of amyloid- β -peptide fragments by forming a complex with the growing fibrils. *J. Mol. Biol.* 272:348–361.
- Alzheimer's Association, 2015. Alzheimer's disease facts and figures. *Alzheimers Dement.* 11(3):332-384.
- Ansari, M.A., Scheff, S.W., 2010. Oxidative stress in the progression of Alzheimer disease in the frontal cortex. *J. Neuropathol. Exp. Neurol.* 69(2):155-167.
- Bear, M.F., Connors, B.W., Paradiso, M.A., 2016. Neuroscience: Exploring the brain. Fourth ed. Wolters Kluwer, Philadelphia.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S., Kalayci, O., 2012. Oxidative stress and antioxidant defense. *World Allergy Organ. J.* 5(1):9–19.
- Bombi, L., Shim, I., Lee, H. and Hahm, D., 2011. *Rehmannia glutinosa* ameliorates scopolamine-induced learning and memory impairment in rats. *J. Microbiol. Biotechnol.* 21:874–883.
- Boni, U.D., Otvos, A., Scott, J.W., Crapper, D.R., 1976. Neurofibrillary degeneration induced by systemic aluminum. *Acta Neuropathol.* 35(4):285–294.
- Cardoso, A., Magano, S., Marrana, F., Andrade, J.P., 2015. D-Galactose high-dose administration failed to induce accelerated aging changes in neurogenesis, anxiety, and spatial memory on young male Wistar rats. *Rejuvenation Res.* 18(6):497-507.
- Caspersen, C., Wang, N., Yao, J., Sosunov, A., Chen, X., Lustbader, J.W., et al, 2017. Mitochondrial A β : a potential focal point for neuronal metabolic dysfunction in Alzheimer's disease. *FASEB J.* 19(14):2040–2041
- Chang, L.W., Wenger, G.R., McMillan, D.E., Dyer, R.S., 1983. Species and strain comparison of acute neurotoxic effects of trimethyltin in mice and rats. *Neurobehav. Toxicol. Teratol.* 5:337–350.
- Charan, J., Katharina, N.D., 2013. How to calculate sample size in animal studies. *J. Pharmacol. Pharmacother.* 4(4):303-306.
- Chen, C., Li, X-H., Zhang, S., Tu, Y., Wang, Y-M., Sun, H.T., 2014. 7,8-dihydroxyflavone ameliorates scopolamine-induced Alzheimer-like pathologic dysfunction. *Rejuvenation Res.* 17(3):249-54.
- Cui, X., Zuo, P., Zhang, Q., Li, X., Hu, Y., Long, J., et al., 2006. Chronic systemic d-galactose exposure induces memory loss, neurodegeneration, and oxidative damage in mice: Protective effects of R-alpha-lipoic acid. *J. Neurosci. Res.* 83:1584–1590.
- Cummings, J.L., 2004. Alzheimer's disease. *N. Engl. J. Med.* 351:56–67.

- Dam D.V., Deyn, P.P.D, 2006 Drug discovery in dementia: the role of rodent models. *Nat. Rev.* 5:956–970
- Deng, H.B., Cui, D.P., Jiang, J.M., Feng, Y.C., Cai, N.S., Li, D.D., 2003. Inhibiting effects of *Achyranthes bidentata* polysaccharide and *Lycium barbarum* polysaccharide on nonenzyme glycation in D-galactose induced mouse aging model. *Biomed. Environ. Sci.* 16(3):267-275.
- Devan, B.D., Magalis, C., McDonald, R.J., 2015. Hippocampal development and the dissociation of cognitive-spatial mapping from motor performance. *F1000Research*, 4:625.
- Di Giovanni, G., Shi, W., 2009. Effects of scopolamine on dopamine neurons in the substantia nigra: role of the pedunculopontine tegmental nucleus. *SYNAPSE* 63: 673-680.
- Ding, Q., Dimayuga, E., Keller, J.N., 2007. Oxidative damage, protein synthesis, and protein degradation in Alzheimer's disease. *Curr. Alzheimer. Res.* 4(1):73-79.
- El-Sherbiny, D.A., Khalifa, A.E., Attia, A.S., Eldenshary, E.E-D.S., 2003. *Hypericum perforatum* extract demonstrates antioxidant properties against elevated rat brain oxidative status induced by amnestic dose of scopolamine. *Pharmacol. Biochem. Behav.* 76:525-533.
- Esler, W. P., and Wolfe, M. S., 2001. A portrait of Alzheimer secretases -new features and familiar faces. *Science*, 293(5534):1449–1454.
- Florea, A.M., Splettstoesser, F., Dopp, E., Rettenmeier, A.W., Busselberg, D., 2005. Modulation of intracellular calcium homeostasis by trimethyltin chloride in human tumour cells: neuroblastoma SY5Y and cervix adenocarcinoma HeLa S3. *Toxicology*, 216(1):1–8.
- Francis, P.T., Palmer, A.M., Snape, M., Wilcock, G.K., 1999. The cholinergic hypothesis of Alzheimer's disease: review of progress. *J. Neurol. Neurosurg. Psychiatry* 66:137-147.
- Furuta, A., Price, D.L., Pardo, C.A., Troncoso, J.C., Xu, Z.S., Taniguchi, N., et al, 1995. Localization of superoxide dismutases in Alzheimer's disease and Down's syndrome neocortex and hippocampus. *Am. J. Pathol.* 146(2): 357–367.
- Gamblin, T.C., King, M.E., Kuret, J., Berry, R.W., Binder, L.I., 2000. Oxidative regulation of fatty acid-induced tau polymerization. *Biochemistry* 39(46): 14203–14210.
- Gao, J., Hea, H., Jiang, W., Changa, X., Zhua, L., Luo, F., et al, 2015. Salidroside ameliorates cognitive impairment in a d-galactose-induced rat model of Alzheimer's disease. *Behav. Brain Res.* 293:27–33
- Garcia-Ayllon, M.S., Small, D.H., Avila, J., Saez-Valero, J., 2011. Revisiting the role of acetylcholinesterase in Alzheimer's disease: cross-talk with P-tau and beta-amyloid. *Front. Mol. Neurosci.* 4:1–9.
- Gasparova, Z., Stara, V., Janega, P., Navarova, J., Sedlackova, N., Mach, M., et al, 2014. Pyridoinole antioxidant-induced preservation of rat hippocampal pyramidal cell number linked with reduction of oxidative

- stress yet without influence on cognitive deterioration in Alzheimer-like neurodegeneration. *Neuro. Endocrinol. Lett.* 35(6):454-462.
- Geddes, D.M., 2003. Susceptibility of hippocampal neuron to mechanically induced injury. *Exp. Neurol.* 184(1):420-427.
- Geloso, M.C., Corvino, V., Michetti, F., 2011. Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. *Neurochem. Int.* 58:729-738.
- Giergiel, M., Lopucki, M., Stachowicz, N., Kankofer, M., 2012. The influence of age and gender on antioxidant enzyme activities in humans and laboratory animals. *Aging Clin. Exp. Res.* 24 (6):561-569.
- Golde, T.E., Dickson, D. and Hutton, M., 2006. Filling the gaps in the a cascade hypothesis of Alzheimers disease. *Curr. Alzheimer Res.* 3:421-430.
- Goverdhan, P., Sravanthi, A., Mamatha, T., 2012. Neuroprotective effects of meloxicam and selegiline in scopolamine-induced cognitive impairment and oxidative stress. *Int. J. Alzheimers Dis.* 2012(ID974013):8.
- Greenstein, B., and Greenstein A., 2000. Color Atlas of Neuroscience: Neuroanatomy and Neurophysiology. Thieme. Stuttgart.
- Grivennikova, V.G., and Vinogradov, A.D., 2006. Generation of superoxide by the mitochondrial Complex I. *Biochim. Biophys. Acta* 1757(5-6):553-561.
- Guo, G.W., Wu, Y.L., Yang, X.H., Guo, L.N., Yang, Y.X., 1999. Effects of aluminum chloride on amyloid β -protein precursor and glial fibrillary acidic protein expression in rat cortex. *Chin. J. Pharmacol. Toxicol.* 13(3): 227-230.
- Guyton, A.C., and Hall, J.E., 2012. Guyton and Hall Textbook of Medical Physiology. 12th ed. Saunders, Philadelphia
- Haider, S., Batool, Z., Ahmad, S., Siddiqui, R.A., Haleem, D.J., 2018. Walnut supplementation reverses the scopolamine-induced memory impairment by restoration of cholinergic function via mitigating oxidative stress in rats: a potential therapeutic intervention for age related neurodegenerative disorders. *Metab. Brain Dis.* 33(1):39-51.
- Haider, S., Tabassum, S., Perveen, T., 2016. Scopolamin-induced greater alterations in neurochemical profile and increased oxidative stress demonstrated a better model of dementia: A comparative study. *Brain Res. Bull.* 127:234-247.
- Han, K., Jia, N., Li, J., Yang, L., Min, L.-Q., 2013. Chronic caffeine treatment reverses memory impairment and the expression of Brain BDNF and TrkB in the PS1/APP double transgenic mouse model of Alzheimer's disease. *Mol. Med. Rep.* 8:737-740.
- Hao, L., Huang, H., Gao, J., Marshall, C., Chen, Y., Xiao, M., 2014. The influence of gender, age, and treatment time on brain oxidative stress and memory impairment induced by D-galactose in mice. *Neurosci. Lett.* 571:45-49.
- He, M., Liu, M.Y., Wang, S., Tang, Q.S., Yao, W.F., Zhao, H.S., Wei, M.J., 2012. Research on EGCG improving the degenerative changes of the

- brain in AD model mice induced with chemical drugs. *Zhong. Yao. Cai.* 35(10):1641-1644.
- Hebert, L.E., Weuve, J., Scherr, P.A., Evans, D.A., 2013. Alzheimer disease in the United States (2010–2050) estimated using the 2010 Census. *Neurology* 80(19):1778–1783.
- Higgins, G.C., Beart, P.M., Shin, Y.S., Chen, M.J., Cheung, N.S., Nagley, P., 2010. Oxidative stress: emerging mitochondrial and cellular themes and variations in neuronal injury. *J. Alzheimers Dis.* 20 (Suppl 2):S453-473.
- Hoang Yen, T.P., Ngoc Khoi, N., Phuoc-An, D., 2014. Downregulation of CREB expressions in trimethyltin-induced hippocampus caused memory dysfunction in mice. *Bull. Env. Pharmacol. Life Sci.* 3(4):145-153.
- Hua, X., Lei, M., Zhang, Y., Ding, J., Han, Q., Hu, G., Xiao, M., 2007. Long-term D-galactose injection combined with ovariectomy serves as a new rodent model for Alzheimer's disease. *Life Sci.* 24;80(20):1897-1905.
- Jantzen, P.T., Connor, K.E., DiCarlo, G., Wenk, G.L., Wallace, J.L., Rojiani, A.M., 2002. Microglial activation and beta-amyloid deposit reduction caused by a nitric oxide-releasing non steroidal anti-inflammatory drug in amyloid precursor protein plus presenilin-1 transgenic mice. *J. Neurosci.* 22(6):2246-2254.
- Jung, E.Y., Lee, M.S., Ahn, C.J., Cho, S.H., Bae, H., Shim, I., 2013. The neuro protective effect of gugijihwang-tang on trimethyltin-induced memory dysfunction in the rat. *Evid. Based Complement Alternat. Med.* 2013(ID 542081):6.
- Kang, J.Y., Park, S.K., Guo, T.J., Ha, J.S., Lee, D.S., Kim, J.M., et al, 2016. Reversal of trimethyltin-induced learning and memory deficits by 3,5-dicaffeoylquinic acid. *Oxid. Med. Cell. Longev.* 2016(ID6981595):13.
- Kaur, R., Mehan, S., Khanna, D., Kalra, S., 2015. Ameliorative treatment with ellagic acid in scopolamine induced Alzheimer's type memory and cognitive dysfunction in rats. *Austin J. Clin. Neurol.* 2(6):1053.
- Kaur, S., and Nehru, B., 2013. Alteration in glutathione homeostasis and oxidative stress during the sequelae of trimethyltin syndrome in rat brain. *Biol. Trace. Elem. Res.* 153(1-3):299-308.
- Kaur, S., Chhabra, R., Nehru, B., 2013. Ginkgo biloba extract attenuates hippocampal neuronal loss and cognitive dysfunction resulting from trimethyltin in mice. *Phytomedicine* 20:178–186
- Kassed, C.A., Butler, T.L., Patton, G.W., Demesquita, D.D., Navidomskis, M.T., Memet, S., et al, 2004. Injury-induced NF-kappaB activation in the hippocampus: implications for neuronal survival. *FASEB. J.* 18(6):723–724.
- Kim, J., Yang, M., Son, Y., Jang, H., Kim, D., Kim, J., et al, 2014. Glial activation with concurrent up-regulation of inflammatory mediators in trimethyltin-induced neurotoxicity in mice. *Acta Histochem.* 116(8):1490-1500.

- Kim, J.K., Choi, S.J., Bae, H., Kim, C.R., Cho, H.Y., Kim, Y.J., et al, 2011. Effects of methoxsalen from *Poncirus trifoliata* on acetylcholinesterase and trimethyltin-induced learning and memory impairment. *Biosci Biotechnol Biochem.* 75(10):1984-9.
- Kim, S.J., Ahn, J.W., Kim, H., Ha, H.J., Lee, S.W., Kim, H.K., et al, 2013. Two β -strands of RAGE participate in the recognition and transport of amyloid- β peptide across the blood brain barrier. *Biochem. Biophys. Res. Commun.* 439:252–257.
- Klinkenberg, I., Blokland, A., 2010. The validity of scopolamine as a pharmacological model for cognitive impairment: A review of animal behavioral studies. *Nerosci. Biobehav. Rev.*34:1307-1350.
- Koczyk, D., 1996. How does trimethyltin affect the barain: facts and hypotheses. *Acta Neurobiol. Exp.* 56:587-596.
- Lattanzi, W., Corvino, V., Di-Maria, V., Michetti, F., 2013. Gene expression profiling as a tool to investigate the molecular machinery activated during hippocampal neurodegeneration induced by trimethyltin (tmt) administration. *Int. J. Sci.* 14:16817-16835.
- Laurijssens, B., Aujard, F., Rahman, R., 2013. Animal models of Alzheimer's disease and drug development. *Drug Discov. Today Technol.* 10(3):e319-327.
- Liaquat, L., Ahmad, S., Sadir, S., Batool, Z., Khaliq, S., Tabassum, S., et al, 2017. Development of AD like symptoms following co-administration of $AlCl_3$ and D-gal in rats: A neurochemical, biochemical and behavioural study. *Pak. J. Pharm. Sci.* 30(Suppl 2):647-653.
- Little, A.R., Miller, D.B., Li, S., Kashon, M.L., O'Callaghan, J.P., 2012. Trimethyltin-induced neurotoxicity: Gene expression pathway analysis, q-RT-PCR and immunoblotting reveal early effects associated with hippocampal damage and gliosis. *Neurotoxicol. Teratol.* 34:72–82.
- Luo, Y., Niu, F., Sun, Z., Cao, W., Zhang, X., Guan, D., et al, 2009. Altered expression of Ab metabolism-associated molecules from D-galactose/ $AlCl_3$ induced mouse brain. *Mech. Ageing Dev.* 130:248–252.
- Mailman, R.B., Krigman, M.R., Frye, G.D., Hanin, I., 1983. Effects of postnatal trimethyltin or triethyltin treatment on CNS catecholamine, GABA, and acetylcholine systems in the rat. *J. Neurochem.* 40(5):1423–1429.
- Malekzadeh, S., Edalatmanesh, M.A., Mehrabani, D., Shariati, M., 2017. Drugs induced Alzheimer's disease in animal model. *G.M.J.* 6(3):185-196.
- Moumen, R., Ait-Oukhatar, N., Bureau, F., Fleury, C., Bouglé, D., Arhan, P., et al, 2001. Aluminium increases xanthine oxidase activity and disturbs antioxidant status in the rat. *J. Trace Elem. Med. Biol.* 15(2-3): 89–93.
- McCance, K.L., and Huether, S.E., 2014. Pathophysiology: The Biologic Basis for disease in Adults and Children. 7th ed. Elsevier, Missouri.
- Middleton, F.A., Strick, P.L., 2000. Basal ganglia and cerebellar loops: motor and cognitive circuits. *Brain. Res. Brain. Res. Rev.* 31(2-3):236-50.

- Mo, J.Q., Hom, D.G., Andersen, J.K., 1995. Decreases in protective enzymes correlate with increased oxidant damage in the ageing mouse brain. *Mech. Ageing Dev.* 81: 73-82.
- Moran, M.A., Mufson, E.J., Gomez-Ramos, P., 1993. Colocalization of cholinesterases with b-amyloid protein in aged and Alzheimer's brain. *Acta Neuropathol.* 85:362-369.
- More, S.V., Kumar, H., Cho, D.-Y., Yun, Y.-S., Choi, D.-K., 2016. Toxin-induced experimental models of learning and memory impairment. *Int. J. Mol. Sci.* 17: 1447.
- Murakami, K., Murata, N., Noda, Y., Tahara, S., Kaneko, T., Kinoshita, N., et al, 2011. SOD1 (copper/zinc superoxide dismutase) deficiency drives amyloid β protein oligomerization and memory loss in mouse model of Alzheimer disease. *J. Biol. Chem.* 286(52): 44557-44568.
- Neha, Sodhi, R.K., Jaggi, A.S., Singh, N., 2014. Animal models of dementia and cognitive dysfunction. *Life Sci. J.* 109 (14): 73-86.
- Nikonenko, A.G., Radenovic, L., Andjus, P.R., Skibo, G.G., 2009. Structural feature of ischemic damage in the hippocampus. *Anat. Rec.* 292: 1914-1921.
- Nilsberth, C., Kostyszyn, B., Luthman, J., 2002. Changes in APP, PS1 and other factors related to Alzheimer's disease pathophysiology after trimethyltin-induced brain lesion in the rat. *Neurotox. Res.* 4: 625-636
- Nunomura, A., Perry, G., Aliev, G., Hirai, K., Takeda, A., Balraj, E.K., et al, 2001. Oxidative damage is the earliest event in Alzheimer disease. *J. Neuropathol. Exp. Neurol.* 60(8):759-767.
- Ohba, T., Yoshino, Y., Ishisaka, M., Abe, N., Tsuruma, K., Shimazawa, M., et al, 2015. Japanese Huperzia serrata extract and the constituent, huperzine A, ameliorate the scopolamine-induced cognitive impairment in mice. *Biosci. Biotechnol. Biochem.* 79(11):1838-1844.
- Park, S.K., Jin, D.E., Park, C.H., Seung, T.W., Guo, T.J., Song, J.W., et al, 2015. Ameliorating effects of ethyl acetate fraction from onion (*Allium cepa* L.) flesh and peel in mice following trimethyltin-induced learning and memory impairment. *Food Res. Int.* 75:53-60.
- Plassman, B.L., Langa, K.M., Fisher, G.G., Heeringa, S.G., Weir, D.R., Ofstedal, M.B., et al, 2007. Prevalence of dementia in the United States: The Aging, Demographics, and Memory Study. *Neuroepidemiology* 29(1-2):125-32.
- Querfurth, H. W., and LaFerla, F. M., 2001. Alzheimer's disease. *N. Engl. J. Med.* 362(4): 329-344.
- Quiroz-Baez, R., Rojas, E., and Arias, C., 2009. Oxidative stress promotes JNK-dependent amyloidogenic processing of normally expressed human APP by differential modification of α -, β - and γ -secretase expression. *Neurochem. Int.* 55 (7): 662-670.
- Qusti, S.Y., Elswawi, N., Albatati, R.S., Shaker, S.A., 2017. A pioneer study on the inflammatory activities of copper (I)-Nicotinate complex against Alzheimer disease. *Int. J. Pharm. Res.* 6(3):56-70.

- Reddy, P.H., 2017. A Critical assessment of research on neurotransmitters in Alzheimer's disease. *J. Alzheimers Dis.* 57:969-974.
- Rehman, S.U., Shah, S.A., Ali, T., Chung, J., Kim, M.O., 2017. Anthocyanins reversed D-Galactose-induced oxidative stress and neuroinflammation mediated cognitive impairment in adult rats. *Mol. Neurobiol.* 54:255–271.
- Reynolds, A., Laurie, C., Mosley, R.L., Gendelman, H.E., 2007. Oxidative stress and the pathogenesis of neurodegenerative disorders. *Int. Rev. Neurobiol.* 82(7): 297–325.
- Riedel, G., Kang, S., Choi, D., Platt, B., 2009. Scopolamine-induced deficits in social memory in mice: Reversal by donepezil. *Behav. Brain Res.* 204: 217–225.
- Rizzi, L., Rosset, I., Roriz-Cruz, M., 2014. Global epidemiology of dementia: Alzheimer's and vascular types. *Biomed. Res. Int.* 2014 (ID 908915): 8
- Robertson, D.G., Gray, R.H., de la Iglesia, F.A., 1987. Quantitative assessment of trimethyltin induced pathology of the hippocampus. *Toxicol. Pathol.* 15: (1):7-17.
- Rocca, W.A., Petersena, R.C., Knopman, D.S., Hebert, L.E., Evans, D.A., Hall, K.S., et al, 2011. Trends in the incidence and prevalence of Alzheimer's disease, dementia, and cognitive impairment in the United States. *Alzheimers Dement.* 7(1): 80–93.
- Ropper, A.H., and Brown, R.H., 2005. Adams and Victor's Principle of Neurology. McGraw-Hill. New York.
- Sadigh-Eteghad, S., Majdi, A., McCann, S.K., Mahmoudi, J., Vafae, M.S., Macleod, M.R., 2017. D-Galactose-induced brain ageing model: A systematic review and meta-analysis on cognitive outcomes and oxidative stress indices. *PLoS One* 12(8): e0184122.
- Safar M.M., Arab, H.H., Rizk, S.M., El-Maraghy, 2016. Bone marrow-derived endothelial progenitor cells protect against scopolamine induced Alzheimer-like pathological aberrations. *Mol Neurobiol.* 53(3):1403-1418.
- Sakhale, M.H., Soleimani, M., Pirhajati, V., Asl, S.S., Madjd, Z., Mehdizadeh, M., 2016. Coenzyme Q10 ameliorates trimethyltin chloride neurotoxicity in experimental model of injury in dentate gyrus of hippocampus: a histopathological and behavioral study. *Iran Red. Crescent Med. J.* 18(8):e30297.
- Schifilliti, D., Santamaria, L.B., Rosa, G., Di Nino, G., Mandal, P.K., Fodale, V., 2010. Cholinergic central system, Alzheimer's disease, and anesthetics liaison: A vicious circle?. *J. Alzheimers Dis.* 22: 35–41.
- Shen, C., Chen, Y., Liu, H., et al., 2008. Hydrogen peroxide promotes A β production through JNK-dependent activation of γ -secretase. *J. Biol. Chem.* 283 (25): 17721– 17730.
- Song, X., Bao, M., Li, D., Li, Y.M., 1999. Advanced glycation in D-galactose induced mouse aging model. *Mech. Ageing Dev.* 108: 239–251.

- Sultana, R., Piroddi, M., Galli, F., Butterfield, D.A., et al, 2008. Protein level and activity of some antioxidant enzymes in hippocampus of subjects with amnesic mild cognitive impairment. *Neurochem. Res.* 33:2540-2546.
- Ullaha, F., Alia, T., Ullah, N., Kim, M.O., 2015. Caffeine prevents d-galactose-induced cognitive deficits, oxidative stress, neuroinflammation and neurodegeneration in the adult rat brain. *Neurochem. Int.* 90: 114–124.
- Wang, Y., Kan, H., Yin, Y., et al, 2014. Protective effects of ginsenoside Rg1 on chronic restraint stress induced learning and memory impairments in male mice. *Pharmacol. Biochem. Behav.* 120:73–81.
- Wu, D.M., Lu, J., Zheng, Y.L., Zhou, Z., Shan, Q., Ma, D.F., 2008. Purple sweet potato color repairs d-galactose-induced spatial learning and memory impairment by regulating the expression of synaptic proteins. *Neurobiol. Learn. Mem.* 90(1):19-27.
- Wu, Y.-Y., Wang, X., Tan, L., Liu, D., Liu, X.-H., Wang, Q., 2013. Lithium attenuates scopolamine-induced memory deficits with inhibition of GSK-3 β and preservation of postsynaptic components. *J. Alzheimers Dis.* 37:515–527.
- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., et al, 2017. The protective effect of lavender essential oil and its main component linalool against the cognitive deficits induced by D-Galactose and aluminum trichloride in mice. *J. Evid. Based Complementary Altern. Med.* 2017(ID 7426538):11.
- Xu, Q.Q., Xu, Y.J., Yang, C., Tang, Y., Li, L., Cai, H.B., 2016. Sodium tanshinone IIA sulfonate attenuates scopolamine-induced cognitive dysfunctions via improving cholinergic system. *Biomed. Res. Int.* 2016 (ID 9852536): 9.
- Xiao, F., Li, X.-G., Zhang, X.-Y., Hou, J.-D., Lin, L.-F., Gao, Q., Luo, H.-M., 2011. Combined administration of D-galactose and aluminium induces Alzheimer-like lesions in brain. *Neurosci. Bull.* 27(3): 143–155.
- Yuliani, S., Mustofa, Partadiredja, G., 2017. Turmeric (*Curcuma longa* L.) extract may prevent the deterioration of spatial memory and the deficit of estimated total number of hippocampal pyramidal cells of trimethyltin-exposed rats. *Drug Chem. Toxicol.* 25:1-10.
- Yoo, C.I., Kim, Y., Jeong, K.S., Sim, C.S., Choy, N., Kim, J., Eum, J.B., Nakaiama, Y., Endo, Y., Kim, Y.J., 2007. A case of acute organotin poisoning. *J. Occup. Health* 49: 305–310.
- Zhang, Y., Pi, Z., Song, F., Liu, Z., 2016. Ginsenosides attenuate D-Galactose- and AlCl₃- induced spatial memory impairment by restoring the dysfunction of the neurotransmitter systems in the rat model of Alzheimer's disease.
- Zhao, Y., and Zhao, B., 2013. Oxidative stress and the pathogenesis of Alzheimer's disease. *Oxid. Med. Cell. Longev.* 2013(ID316523):1.