

## DAFTAR PUSTAKA

- [1] Hannan, M. Lipu, M. Hussain, A. and Mohamed, A. A review of lithium-ion battery state of charge estimation and management system in electric vehicle applications: Challenges and recommendations. *Renewable and Sustainable Energy Reviews* 78, Supplement C (2017), 834 – 854.
- [2] Berecibar, M. Gandiaga, I. Villarreal, I. Omar, N. Van Mierlo, J. and Van Den Bossche, P. Critical review of state of health estimation methods of Li-ion batteries for real applications. *Renewable and Sustainable Energy Reviews* 56 (2016), 572–587.
- [3] Widayat, S. A. Estimasi state of charge (soc) berdasar pada pemodelan baterai. *thesis, PROGRAM PASCASARJANA FAKULTAS TEKNIK UNIVERSITAS GADJAH MADA YOGYAKARTA, 2016.*
- [4] Ramadan, M. N. Estimasi state of charge (soc) dan state of health (soh) dengan algoritme kalman filter pada baterai lithium polymer. *thesis, PROGRAM PASCASARJANA FAKULTAS TEKNIK UNIVERSITAS GADJAH MADA YOGYAKARTA, 2016.*
- [5] Rijanto, E. Rozaqi, L. Nugroho, A. and Kanarachos, S. Rls with optimum multiple adaptive forgetting factors for soc and soh estimation of li-ion battery. In *2017 5th International Conference on Instrumentation, Control, and Automation (ICA) (Aug 2017), pp. 73–77.*
- [6] Putra, W. S. Perancangan algoritme current sensorless pada battery management system. *thesis, PROGRAM PASCASARJANA FAKULTAS TEKNIK UNIVERSITAS GADJAH MADA YOGYAKARTA, 2016.*

- [7] Gandolfo, D. Brandão, A. Patiño, D. and Molina, M. Dynamic model of lithium polymer battery – load resistor method for electric parameters identification. *Journal of the Energy Institute* 88, 4 (2015), 470 – 479.
- [8] Sari, W. E. Estimasi state of charge pada lithium polymer menggunakan interval type-2 fuzzy logic system. *thesis, PROGRAM PASCASARJANA FAKULTAS TEKNIK UNIVERSITAS GADJAH MADA YOGYAKARTA*, 2016.
- [9] Brandl, M. Gall, H. Wenger, M. Lorentz, V. Giegerich, M. Baronti, F. Fantechi, G. Fanucci, L. Roncella, R. Saletti, R. Saponara, S. Thaler, A. Cifrain, M. and Prochazka, W. Batteries and battery management systems for electric vehicles. *In 2012 Design, Automation Test in Europe Conference Exhibition (DATE) (March 2012)*, pp. 971–976.
- [10] Rahimi-Eichi, H. Ojha, U. Baronti, F. and Chow, M. Y. Battery management system: An overview of its application in the smart grid and electric vehicles. *IEEE Industrial Electronics Magazine* 7, 2 (June 2013), 4–16.
- [11] Hou, Z. Y. Lou, P. Y. and Wang, C. C. State of charge, state of health, and state of function monitoring for ev bms. *In 2017 IEEE International Conference on Consumer Electronics (ICCE) (Jan 2017)*, pp. 310–311.
- [12] Kim, Y. Yun, S. and Lee, J. Soc estimation and bms design of li-ion battery pack for driving. *In 2017 14th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI) (June 2017)*, pp. 216–218.
- [13] Ng, K. S. Moo, C. S. Chen, Y. P. and Hsieh, Y. C. Enhanced coulomb counting method for estimating state-of-charge and state-of-health of lithium-ion batteries. *Applied Energy* 86, 9 (2009), 1506 – 1511.
- [14] Birkel, C. R. Roberts, M. R. McTurk, E. Bruce, P. G. and Howey, D. A. Degradation diagnostics for lithium ion cells. *Journal of Power Sources* 341 (2017), 373 – 386.

- [15] Chaoui, H. and Ibe-Ekeocha, C. C. State of charge and state of health estimation for lithium batteries using recurrent neural networks. *IEEE Transactions on Vehicular Technology* 66, 10 (Oct 2017), 8773–8783.
- [16] Chen, L. Lü, Z. Lin, W. Li, J. and Pan, H. A new state-of-health estimation method for lithium-ion batteries through the intrinsic relationship between ohmic internal resistance and capacity. *Measurement*, 2018, vol. 116, pp. 586 — 595.
- [17] Chen, L. Lü, Z. Lin, W. Li, J. and Pan, H. A new state-of-health estimation method for lithium-ion batteries through the intrinsic relationship between ohmic internal resistance and capacity. *Measurement* 116 (2018), 586 – 595.
- [18] Chiang, Y.-H. Sean, W.-Y. and Ke, J.-C. Online estimation of internal resistance and open-circuit voltage of lithium-ion batteries in electric vehicles. *Journal of Power Sources* 196, 8 (2011), 3921 – 3932.
- [19] Ansean, D. Gonzalez, M. Viera, J. C. Garcia, V. M. Alvarez, J. C. and Blanco, C. Electric vehicle li-ion battery evaluation based on internal resistance analysis. In *2014 IEEE Vehicle Power and Propulsion Conference (VPPC)* (Oct 2014), pp. 1–6.
- [20] Dang, X. Yan, L. Jiang, H. Wu, X. and Sun, H. Open-circuit voltage-based state of charge estimation of lithium-ion power battery by combining controlled auto-regressive and moving average modeling with feedforward-feedback compensation method. *International Journal of Electrical Power and Energy Systems* 90 (2017), 27 – 36.
- [21] Duong, V.-H. Bastawrous, H. A. Lim, K. See, K. W. Zhang, P. and Dou, S. X. Online state of charge and model parameters estimation of the lifepo4 battery in electric vehicles using multiple adaptive forgetting factors recursive least-squares. *Journal of Power Sources* 296 (2015), 215 – 224.

- [22] Ghalkhani, M. Bahiraei, F. Nazri, G.-A. and Saif, M. Electrochemical–thermal model of pouch-type lithium-ion batteries. *Electrochimica Acta* 247 (2017), 569 – 587.
- [23] Haifeng, D. Xuezhe, W. and Zechang, S. A new soh prediction concept for the power lithium-ion battery used on hevs. In *2009 IEEE Vehicle Power and Propulsion Conference (Sept 2009)*, pp. 1649–1653.
- [24] Herdjunto, S. Estimation of open circuit voltage and electrical parameters of a battery based on signal processed by recursive least square method using two separate forgetting factors. In *2016 6th International Annual Engineering Seminar (InAES) (Aug 2016)*, pp. 67–71.
- [25] Hu, X. Li, S. and Peng, H. A comparative study of equivalent circuit models for li-ion batteries. *Journal of Power Sources* 198, Supplement C (2012), 359 – 367.
- [26] Ismail, M. Dlyma, R. Elrakaybi, A. Ahmed, R. and Habibi, S. Battery state of charge estimation using an artificial neural network. In *2017 IEEE Transportation Electrification Conference and Expo (ITEC) (June 2017)*, pp. 342–349.
- [27] Li, J. Zheng, Y. and Lin, Z. Recursive identification of time-varying systems: Self-tuning and matrix RLS algorithms. *Systems and Control Letters* 66, 1 (2014), 104–110.
- [28] Li, Z. Xiong, R. and He, H. An improved battery on-line parameter identification and state-of-charge determining method. *Energy Procedia* 103 (2016), 381 – 386. *Renewable Energy Integration with Mini/Microgrid – Proceedings of REM2016*.
- [29] Musoff, H. and Zarchan, P. Fundamentals of Kalman Filtering: A Practical Approach, 3 ed. vol. 232. American Institute of Aeronautics and Astronautics, 2009.

- [30] Nileshwar, P. R. McGordon, A. Ashwin, T. and Greenwood, D. Parametric optimization study of a lithium-ion cell. *Energy Procedia* 138 (2017), 829 – 834. *2017 International Conference on Alternative Energy in Developing Countries and Emerging Economies*.
- [31] Plett, G. L. Recursive approximate weighted total least squares estimation of battery cell total capacity. *Journal of Power Sources* 196, 4 (2011), 2319 – 2331.
- [32] Prasad, G. K. and Rahn, C. D. Model based identification of aging parameters in lithium ion batteries. *Journal of Power Sources* 232, Supplement C (2013), 79 – 85.
- [33] Ramadan, H. Becherif, M. and Claude, F. Extended kalman filter for accurate state of charge estimation of lithium-based batteries: a comparative analysis. *International Journal of Hydrogen Energy* 42, 48 (2017), 29033 – 29046.
- [34] Ren, D. Feng, X. Lu, L. Ouyang, M. Zheng, S. Li, J. and He, X. An electrochemical-thermal coupled overcharge-to-thermal-runaway model for lithium ion battery. *Journal of Power Sources* 364 (2017), 328 – 340.
- [35] Shi, Q. Zhang, C. Cui, N. and Zhang, X. Battery state-of-charge estimation in electric vehicle using elman neural network method. *In Proceedings of the 29th Chinese Control Conference (July 2010)*, pp. 5999–6003.
- [36] Stroe, D. I. Swierczynski, M. Kær, S. K. and Teodorescu, R. Degradation behavior of lithium-ion batteries during calendar ageing x2013; the case of the internal resistance increase. *IEEE Transactions on Industry Applications* PP, 99 (2017), 1–1.
- [37] Sun, B. and Wang, L. The soc estimation of nimh battery pack for hev based on bp neural network. *In 2009 International Workshop on Intelligent Systems and Applications (May 2009)*, pp. 1–4.

- [38] Tang, S.-X. Camacho-Solorio, L. Wang, Y. and Krstic, M. State-of-charge estimation from a thermal–electrochemical model of lithium-ion batteries. *Automatica* 83 (2017), 206 – 219.
- [39] Tian, Y. Li, D. Tian, J. and Xia, B. State of charge estimation of lithium-ion batteries using an optimal adaptive gain nonlinear observer. *Electrochimica Acta* 225 (2017), 225 – 234.
- [40] Vyroubal, P. and Kazda, T. Equivalent circuit model parameters extraction for lithium ion batteries using electrochemical impedance spectroscopy. *Journal of Energy Storage* 15 (2018), 23 – 31.
- [41] Wang, Y. Liu, C. Pan, R. and Chen, Z. Modeling and state-of-charge prediction of lithium-ion battery and ultracapacitor hybrids with a co-estimator. *Energy* 121 (2017), 739 – 750.
- [42] Wei, Z. Zou, C. Leng, F. Soong, B. H. and Tseng, K. J. Online model identification and state-of-charge estimate for lithium-ion battery with a recursive total least squares-based observer. *IEEE Transactions on Industrial Electronics* 65, 2 (Feb 2018), 1336–1346.
- [43] x-io Technologies. Serial oscilloscope, 2013.
- [44] Xu, D. Wang, L. and Yang, J. Research on li-ion battery management system. *In 2010 International Conference on Electrical and Control Engineering (June 2010), pp. 4106–4109.*
- [45] Xu, J. Li, S. and Cao, B. A novel current disturbance estimation method for battery management systems in electric vehicle. *Energy Procedia* 105, Supplement C (2017), 2837 – 2842. *8th International Conference on Applied Energy, ICAE2016, 8-11 October 2016, Beijing, China.*
- [46] Yang, D. Wang, Y. Pan, R. Chen, R. and Chen, Z. State-of-health estimation for the lithium-ion battery based on support vector regression. *Applied Energy* (2017).

- [47] Zhang, C. Li, K. Deng, J. and Song, S. Improved realtime state-of-charge estimation of lifepo<sub>4</sub> battery based on a novel thermoelectric model. *IEEE Transactions on Industrial Electronics* 64, 1 (Jan 2017), 654–663.
- [48] Zhu, M. Hu, W. and Kar, N. C. The soh estimation of lifepo<sub>4</sub> battery based on internal resistance with grey markov chain. In *2016 IEEE Transportation Electrification Conference and Expo (ITEC)* (June 2016), pp. 1–6.