

## BIBLIOGRAPHY

- Aung, M. N., Moolphate, S., Paudel, D., & Ph, M. J. (n.d.). Regional review global evidence directing regional preventive strategies in Southeast Asia for fighting TB / HIV.
- Aung, M., Oo, S., Boxshall, M., Swe, P., & Aung, T. (2010). Barriers to provider-initiated HIV testing and counselling ( PITC ) among TB patients in Myanmar, 20036.
- Bekker, L.-G., & Wood, R. (2010). The Changing natural history of Tuberculosis and HIV coinfection in an urban area of hyperendemicity. *Clinical Infectious Diseases*, 50(Suppl 3), S208-14. <https://doi.org/10.1086/651493>
- Carroll, C., Patterson, M., Wood, S., Booth, A., Rick, J., & Balain, S. (2007). A conceptual framework for implementation fidelity, 9, 1–9. <https://doi.org/10.1186/1748-5908-2-40>
- Department of Health Services. (2015). *Annual Report, Department of health services, Nepal*. Retrieved from <http://dohs.gov.np/wp-content/uploads/2016/06/Annual-report-FY2071-72.pdf>
- Department of Health Services. (2016). *Annual Report 2072/73 (2015/2016). Annual report, WHO* (Vol. 73). <https://doi.org/10.1039/C1DT90165F>
- Facha, W., Kassahun, W., & Workicho, A. (2016). Predictors of provider-initiated HIV testing and counselling refusal by outpatient department clients in Wolaita zone, Southern Ethiopia : a case-control study. *BMC Public Health*, 1–8. <https://doi.org/10.1186/s12889-016-3452-8>
- Grimshaw, Jeremy Eccles, Martin Thomas, Ruth MacLennan, BSc Ramsay, Craig Fraser, C. (2006). Toward evidence-based quality improvement. *Journal of General Internal Medicine*. <https://doi.org/10.1111/j.1525-1497.2006.00357.x>
- Jha, N., Khanal, B., P, P. K., Rijal, S., Deo, B. K., Khadka, D. K., & Malla, P. (2008). TB / HIV co-infection status among the newly diagnosed TB patients a study from Eastern Nepal. *Lung*.

- Kebede, W., Keno, F., Ewunetu, T., & Mamo, G. (2014). Acceptance of provider-initiated HIV testing and counselling among tuberculosis patients in East Wollega administrative zone, Oromia Regional State, Western Ethiopia. *Tuberculosis Research and Treatment*, 2014, 5–9.  
<https://doi.org/10.1155/2014/935713>
- Kranzer, K., Meghji, J., Bandason, T., Dauya, E., Mungofa, S., Busza, J., ... Ferrand, R. A. (2014). Barriers to provider-initiated testing and counselling for children in a high HIV prevalence setting: a mixed methods study. *PLoS Medicine*, 11(5), 1–9. <https://doi.org/10.1371/journal.pmed.1001649>
- Kwan, C., & Ernst, J. D. (2011). HIV and tuberculosis: A deadly human syndemic. *Clinical Microbiology Reviews*, 24(2), 351–376.  
<https://doi.org/10.1128/CMR.00042-10>
- Mahendradhata, Y., Ahmad, R. A., Lefèvre, P., Boelaert, M., & Van der Stuyft, P. (2008). Barriers for introducing HIV testing among tuberculosis patients in Jogjakarta, Indonesia: a qualitative study. *BMC Public Health*, 8, 385.  
<https://doi.org/10.1186/1471-2458-8-385>
- Mihalic, S. (2002). The Important of Implementation Fidelity. *Journal of Chemical Information and Modeling*, 1–16.  
<https://doi.org/10.1017/CBO9781107415324.004>
- Nansera, D., Bajunirwe, F., Kabakyenga, J., Asiimwe, P. K. J., & Mayanja-Kizza, H. (2010). Opportunities and barriers for implementation of integrated TB and HIV care in lower level health units: Experiences from a rural western Ugandan district. *African Health Sciences*, 10(4), 312–319.
- National Tuberculosis Program. (2013). *Implementation guidelines for TB and HIV-AIDS collaboration in Nepal*.
- National Tuberculosis Program. (2015). *Annual Report, National TB programme, Nepal*. <https://doi.org/10.1108/eb055690>
- National Tuberculosis Program. (2016). *Annual Report, National TB programme, Nepal*.

- Nunn, P., Reid, A., & De Cock, K. M. (2007). Tuberculosis and HIV infection: the global setting. *The Journal of Infectious Diseases*, 196 Suppl(Supplement 1), S5-14. <https://doi.org/10.1086/518660>
- Peters, D. H., Adam, T., Alonge, O., Agyepong, I. A., & Tran, N. (2014). Implementation research: what it is and how to do it. *British journal of sports medicine*, 48(8), 731–736. <https://doi.org/10.1136/bmj.f6753>
- Proctor, E., Silmere, H., Raghavan, R., Hovmand, P., Aarons, G., Bunger, A., ... Hensley, M. (2011). Outcomes for implementation research: Conceptual distinctions, measurement challenges, and research agenda. *Administration and policy in mental health and mental health services research*, 38(2), 65–76. <https://doi.org/10.1007/s10488-010-0319-7>
- Sk, S., Sc, V., Bhattarai, R., Bhandari, K., & Gk, B. (2015). Surveillance of HIV infection among patients with tuberculosis in Nepal, 25–30.
- Tiwari, B. R., Karki, S., Ghimire, P., Sharma, B., & Malla, S. (2012). Factors associated with high prevalence of pulmonary tuberculosis in HIV-infected people visiting for assessment of eligibility for highly active antiretroviral therapy in Kathmandu, Nepal.
- UNAIDS. (2016). *Global AIDS Update. UNAIDS*. <https://doi.org/10.1073/pnas.86.15.5781>
- Verma, S. C., Dhungana, G. P., Joshi, H. S., Kunwar, H. B., & Pokhrel, a K. (2012). Prevalence of pulmonary tuberculosis among HIV infected persons in Pokhara, Nepal. *Journal of Nepal Health Research Council*. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/22929634>
- Vijay, S., Swaminathan, S., Vaidyanathan, P., Thomas, A., Chauhan, L. S., Kumar, P., ... Dewan, P. K. (2009). Feasibility of provider-initiated HIV testing and counselling of tuberculosis patients under the TB control programme in two districts of South India. *PLoS ONE*, 4(11), 1–7. <https://doi.org/10.1371/journal.pone.0007899>
- World Health Organization. (2012). *WHO policy on collaborative TB/HIV activities*.

*Guidelines for national programmes and other stakeholders. World Health Organization Document.* <https://doi.org/23586124>

World Health Organization. (2014a). *Implementation Research Toolkit*. Retrieved from [http://www.who.int/tdr/publications/year/2014/9789241506960/workbook\\_eng.pdf](http://www.who.int/tdr/publications/year/2014/9789241506960/workbook_eng.pdf)

World Health Organization. (2014b). Service availability and readiness assessment (SARA): An annual monitoring system for service delivery, 208. Retrieved from [http://www.who.int/healthinfo/systems/sara\\_reference\\_manual/en/](http://www.who.int/healthinfo/systems/sara_reference_manual/en/)

World Health Organization. (2016). *Global Tuberculosis Report 2016. Cdc 2016.* [https://doi.org/ISBN 978 92 4 156539 4](https://doi.org/ISBN%20978%2092%204%20156539%204)

World Health Organization. (2017). *Global Tuberculosis Report 2017. Who.* <https://doi.org/WHO/HTM/TB/2017.23>

Yadeta, D., Alemseged, F., & Biadgilign, S. (2013). Provider-initiated HIV testing and counselling among tuberculosis patients in a hospital in the Oromia region of Ethiopia. *Journal of Infection and Public Health*, 6(3), 222–229. <https://doi.org/10.1016/j.jiph.2013.01.002>