

DAFTAR PUSTAKA

- Almas K, Dahlan A, M.A., 2001. Propolis as a natural remedy: An update. *Saudi Dental J*, 13(1), p.45–49.
- Almeida,B. E.,Cordosa C.J.,Lima A.K., 2013. The incorporation of Brazilian propolis into collagen-based dressing fi lms improves dermal burn healing. *Journal of Ethnopharmacology*, 147(2), p.419–425.
- Anon, 2010. Of mice and men – are mice relevant models for human disease ? *European Commission workshop*, (May), p.1–10.
- Armutcu, F., Akyol, S., Ustunsoy S.,Turan F.F., 2015. Therapeutic potential of caffeic acid phenethyl ester and its anti-inflammatory and immunomodulatory effects (Review). *Experimental and therapeutic medicine*, 9(5), p.1582–1588.
- Bai, X.C., Lu D.,Bai J.,Zheng H., 2004. Oxidative stress inhibits osteoblastic differentiation of bone cells by ERK and NF-κB. *Biochemical and Biophysical Research Communications*, 314(1), p.197–207.
- Bareil, R.P., Gauvin, R. & Berthod, F., 2010. Collagen-based biomaterials for tissue engineering applications. *Materials*, 3(3), p.1863–1887.
- Burr, D.B. & Allen, M.R., 2014. *Basic And Applied Bone Biology* 1st Ed., San Diego, USA: Elsevier Inc.,p.205-208
- Cameron, J.A.,Milner.,Derek J., Lee., 2012. Employing the Biology of Successful Fracture Repair to Heal Critical Size Bone Defects. In *Current Topics in Microbiology and Immunology*. Springer-Verlag Berlin Heidelberg 2012, p. 113–132.
- Carvalho, R., Baltazar, F. & Almeida-aguiar, C., 2015. Propolis : A Complex Natural Product with a Plethora of Biological Activities That Can Be Explored for Drug Development.Evidence-based complementary and alternative medicine, 2015,p.1-27.
- Chen, T.,Xu E.R., Lu H.J., Xu H., 2012. The influence of diabetes enhanced inflammation on cell apoptosis and periodontitis. *Advances in Bioscience and Biotechnology*, 2012(October), p.712–719.
- Cohen, N., Cohen, L.J., 2014. Healing processes following tooth extraction in orthodontic cases. *Journal of Dentofacial Anomalies and Orthodontics*, 17(3), p.304.

- Devlin, H., Garland, H., Sloan, P., 1996. Healing of tooth extraction sockets in experimental diabetes mellitus. *J Oral Maxillofac Surg*, 54(9), p.1087–1091.
- Effendi dan Waspadji, S., 2010. *Aspek biomolekular diabetes melitus*, jakarta: badan penerbit fakultas kedokteran universitas indonesia.,p.153-178
- El Sohaimy, S.A., Masry,S.H.D., 2012. Phenolic Content , Antioxidant and Antimicrobial Activities of Egyptian and Chinese Propolis. *American-Eurasian J. Agric. & Environ. Sci.*, 14(10), p.1116–1124.
- Erdem, M., Gulabi, D., Asci, M., 2014. The effects of melatonin and caffeic acid phenethyl ester (CAPE) on fracture healing under ischemic conditions. *Acta Orthopaedica et Traumatologica Turcica*, 48(3), p.339–345.
- Fawcett, D.W., 1994. *A Textbook of Histology* 12th Ed., Boston, Massachusetts: Chapman & Hall, Inc.,p.174-183
- Ferdiansyah, Rushadi, D. & Rantam, F.A., 2011. Regenerasi pada Massive Bone Defect dengan Bovine Hydroxyapatite sebagai Scaffold Mesenchymal Stem Cell (Regeneration of Massive Bone Defect with Bovine Hydroxyapatite as Scaffold of Mesenchymal Stem Cells), *JBP* , 13(3), p.179–195.
- Garrant, P.R.,2003 , Oral cells and tissues, Quintessence publishing Co., Illinois, p.195-227
- Gelse, K., Pöschl, E., Aigner, T., 2003. Collagens - Structure, function, and biosynthesis. *Advanced Drug Delivery Reviews*, 55(12), p.1531–1546.
- Göçer, H., Gülçin, I., 2011. Caffeic acid phenethyl ester (CAPE): correlation of structure and antioxidant properties. *International journal of food sciences and nutrition*, 62(8), p.821–5.
- Goldin, A., Joshua, A., Becham., Schmidt., 2006. Advanced glycation end products: sparking the development of diabetic vascular injury. *Circulation*, 114(6), p.597–605.
- Górecka K, A., Stojko, A.R., Górecki, M., 2014. Structure and antioxidant activity of polyphenols derived from propolis. *Molecules*, 19(1), p.78–101.
- Graves, D.T., Alblowi, J., Paglia, D.N., 2011. Impact of Diabetes on Fracture Healing. *Journal of Experimental & Clinical Medicine*, 3(1), p.3–8.
- Guney, A., Karaman, I., Oner ,M., Yerer , M.B., 2011. Effects of propolis on fracture healing: an experimental study. *Phytotherapy research : PTR*, 25(11), p.1648–52.

- Hajiaghaalipour, F., Khalilpourfarshbafi, M. & Arya, A., 2015. Modulation of Glucose Transporter Protein by Dietary Flavonoids in Type 2 Diabetes Mellitus. *International Journal of Biological Sciences*, 11(5), p.508–524.
- Halim, D., 2010. *Stem Cell dasar teori & aplikasi klinis* 1st ed. R. Astikawati, ed., Jakarta: PT Penerbit Erlangga.p.85
- Hamada, Y., Fujii, H., Fukagawa, M., 2009. Role of oxidative stress in diabetic bone disorder. *Bone*, 45(SUPPL. 1), p.S35–S38.
- Huang, S., Zhang, C.P. Wnag K., Li, G.Q., 2014. Recent Advances in the Chemical Composition of Propolis., *Molecule* 2014.,19 ,. p.19610–19632.
- Ivaska, K., 2005. *OSTEOCALCIN* Novel insights into the use of osteocalcin as a determinant of bone metabolism. Institute of Biomedicine, University of Turku, Turku, Finland, and The National Graduate School for Musculoskeletal Diseases (TULES).,p.24-31
- Jasprica, I., Mornar, A., Debeljak, Z., Bubalo, A.S., 2007. In vivo study of propolis supplementation effects on antioxidative status and red blood cells. *Journal of Ethnopharmacology*, 110(3), p.548–554.
- Kagel, E.M. & Einhorn, T. a, 1996. Alterations of fracture healing in the diabetic condition. *The Iowa orthopaedic journal*, 16, p.147–52.
- Kalfas, I. H., 2001. Principles of bone healing. *Neurosurgical focus*, 10(4), p.E1.
- Khullar S., Mittal A., Pankaj Datta, 2012. Healing of Tooth Extraction Socket. *Heal Talk*, 4(5), p.37–38.
- Kobayashi, T., 1990. Morphological studies on healing process Kobayashi, T. (1990). Morphological studies on healing process of fracture in rats with diabetes mellitus induced by streptozotocin. *Jpn.J.Oral Biol*, 32, p. 600–644.
- Kruger, T.E., Miller, A.H., Wang, J., 2013. Collagen Scaffolds in Bone Sialoprotein-Mediated Bone Regeneration. *The Scientific World Journal*, 2013(I), p.1–6.
- Kumar, V., 2014. Propolis in Dentistry and Oral Cancer Management. , (6). *North American Journal of Medical Sciences*, June 2014 (6), Issue 6, p.250-259

- Krell, R., 1996, Value-added product from beekeeping; FAO agricultural services bulletin no.124, Food and Agriculture Organization of The United Nation Rome, www.fao.org/docrep/w0076e/w0076e14.htm#_5,4,1, diakses tanggal 17 april 2015
- Lachin, T. & Reza, H., 2012. Anti Diabetic Effect of Cherries in Alloxan Induced Diabetic Rats. *Recent Patents on Endocrine, Metabolic & Immune Drug Discovery*, 6(1), p.67–72.
- Lai, C.H., Wu, Y.W., Yeh, S.D., Lin, Y.H., Tsai, Y.H., 2014, Effects of 6-Hydroxyflavone on Osteoblast Differentiation in MC3T3-E1 Cells, *Evidence-Based Complementary and Alternative Medicine*, ID.924560.
- Lemaire, V., Tobin, F.L., Greller, L.D., Cho, C.R., Suva, L.J., 2004. Modeling the interactions between osteoblast and osteoclast activities in bone remodeling, *Journal of Theoretical Biology*, 229, p.293–309.
- Li, Y., 2012. Effects of encapsulated propolis on blood glycemic control, lipid metabolism, and insulin resistance in type 2 diabetes mellitus rats. *Evidence-based complementary and alternative medicine : eCAM*, 2012, p.1-6.
- Lin, W., McCulloch, C.A.G., Cho, M., 1994. Differentiation of Periodontal Ligament Fibroblasts Into Osteoblasts During Socket Healing After Tooth Extraction in the Rat. , *The Anatomical Record* 506, p.492–506.
- Lindhe, J., 2003. *Clinical Periodontology and Implant Dentistry* 4th ed. T. Karring, N. P, & Lang, eds., Munksgaard: Blackwell Munksgaard.,p.867-876
- Lobmann ,R., Schultz, G P., Lehnert H ., 2005. Proteases and the Diabetic Foot Syndrome : Mechanisms and Therapeutic Implications. *Diabetes Care*, 28(2), p.461–471.
- Lotfy, M., 2006. Biological activity of bee propolis in health and disease. *Asian Pacific Journal of Cancer Prevention*, 7(1), p.22–31.
- Mahani, K., Nurjanah, N., 2011. *Keajaiban Propolis Trigona* Edisi 2. R. Dahlianti, ed., Jakarta: Pustaka Bunda, Grup Puspa Swara.,p.42
- Marsell, R., Einhorn, T.A., 2011. the Biology of Fracture Healing. *Injury*, 42(6), p.551–555.
- McCarthy, A.D., Uemura, T., Etcheverry, S.B., Cortizo, A.M., 2004. Advanced glycation endproducts interfere with integrin-mediated osteoblastic attachment to a type-I collagen matrix. *International Journal of Biochemistry and Cell Biology*, 36(5), p.840–848.

- Mescher, A.L., 2014. *Histologi Dasar Junqueira Teks & atlas* 12th ed. H. Hartanto, ed., Jakarta: Penerbit Buku Kedokteran EGC.,p.91-105
- Motyl, K. & McCabe, L.R., 2009. Streptozotocin , Type I Diabetes Severity and Bone. *Biological Procedures Online*, 11(1), p.296–315.
- Muchid, A., 2005. Pharmaceutical care untuk penyakit diabetes mellitus. *Departemen kesehatan RI*, p.1–89.
- Murray, R., Granner, D.K., Rodwell, P.A., 2003. *Biokimia Harper(Terj)* Cetakan 29., Jakarta: EGC.p.613-617
- Nakamura, H., 2007. Review Morphology, Function, and Differentiation of Bone Cells. *Journal of Hard Tissue Biology*, 16(1), p.15–22.
- Nakhaee, A., Bokaelan, M., Saravani, M., and Akbarzadeh, A, 2009, Attenuation of Oxidative Stress in Streptozotocin-Induced Diabetic Rats by Eucalyptus Globulus, *Indian Journal of Biochemistry*, 24(4): 419-425
- Natarajan, K., Singh, S., Burke T.R., 1996. Caffeic acid phenethyl ester is a potent and specific inhibitor of activation of nuclear transcription factor NF-kappa B. *Proceedings of the National Academy of Sciences of the United States of America*, 93(17), p.9090–5.
- Neve, A., Corrado, A., Cantatore, F.P., 2011. Osteoblast physiology in normal and pathological conditions. *Cell and Tissue Research*, 343(2), p.289–302.
- Nugroho, 2006, Review Hewan Percobaan Diabetes Mellitus: Patologi dan Mekanisme Aksi Diabetogenik, *Biodiversitas*, Vol. 7, No. 4, hal. 378-382
- Oda, M., 1993. Morphological Studies on Bone Metabolism Rats in Streptozotocin induced Diabetic. *Jpn J. Oral Biol*, 35, p.157–185.
- Okamoto, Y., Tobe, T., Ueda, K., Takada, T., Kojima, N., 2015. Oral administration of Brazilian propolis exerts estrogenic effect in ovariectomized rats. *Journal of toxicological sciences*, 40(2), p.235–242.
- Olczyk, P., Wisowski, G., Vassev, K.M., Stojko, J., Klimek, K. Olczyk, M., Kozma, E.M., 2013. Propolis modifies collagen types I and III accumulation in the matrix of burnt tissue. *Evidence-based Complementary and Alternative Medicine*, 2013.p.1-9
- Oryan A, Alidadi S, M.A., 2013. Current concerns regarding healing of bone defects. *Hard Tissue*, 2, p.13.
- Pollard, T.D., Earnshaw, W.G., Lippincott-Schwartz, W.J., *Cell biology*, 2nd .ed. Saunders Elsevier, p.583-597

- Parolia, A., Thomas, M.S., Kundabala, M., Mohan, M., 2010, Propolis and its potential uses in oral health, *international Journal of Medicine and Medical Sciences* vol.2(7) p.210-215
- Poli, P.S., 2015. *Komunikasi sel dalam biologi molekular* 1st ed. ., Penerbit Buku Kedokteran EGC.,Jakarta., pp.174-181
- Pramojanee, S.N., Phimpila, M., Chattipakorn, N., Chattipakorn, S.C., 2014. Possible roles of insulin signaling in osteoblasts. *Endocrine Research*, 39(4), p.144–151.
- Priyana, A., 2007. Peran pertanda tulang dalam serum pada tatalaksana osteoporosis. *Universa Medica*, 26(3),p.152-158
- Rao, L.G. & Rao, A. V, 2013. *Oxidative Stress and Antioxidants in the Risk of Osteoporosis - Role of the Antioxidants Lycopene and Polyphenols.*, In Tech.,p.117-120
- Retzepe, M. & Donos, N., 2010. The effect of diabetes mellitus on osseous healing. *Clinical Oral Implants Research*, 21(7), p.673–681.
- Richardson, C., Yan, S., Vestal, C.G., 2015. Oxidative stress, bone marrow failure, and genome instability in hematopoietic stem cells. *International Journal of Molecular Sciences*, 16(2), p.2366–2385.
- Ridwan, E., 2013. Etika Pemanfaatan Hewan Percobaan dalam Penelitian Kesehatan. *Indonesian Medic Association*, 63(3), p.112–116.
- Sandhu, S. V ., 2012. Collagen in Health and Disease. *Collagen in Health and Disease Journal of Orofacial Research J Orofac Res*, 22(33), p.153–159.
- Sheweita, S.A., Khoshhal, K.I., 2007. Calcium metabolism and oxidative stress in bone fractures: role of antioxidants. *Current drug metabolism*, 8(5), p.519–25.
- Siregar, H.C., Fuah, A.M., Octavianty, Y., 2011. *Propolis madu multikhasiat* I., Jakarta: Penebar Swadaya.,p.16
- Srivastana, S., Bankar, R., Roy, P., 2013, Assesment of The Role of Flavonoid for Inducing Osteoblast Differenciatiion in Isolated Mouse Bone Marrow Devided Mesenchymal Stem Cells, *J Phymed*; 03;001.
- Supranto, J., 2000., *Teknik sampling untuk survey dan eksperimen.*, Ed.2., Rineka cipta Jakarta.,p.99
- Soegondo, S., Soewondo, P., Subekti, I., 2015. *Penatalaksanaan diabetes melitus terpadu* 10th ed., Jakarta: Balai Penerbit FKUI jakarta,1995.,p.231

- Soepribadi, I., 2013. *Regenerasi dan penyembuhan untuk kedokteran gigi* 1st ed., Jakarta: Sagung Seto.,p.37
- Sood, A., Cunningham, C., Lin, S., 2013. The BB Wistar Rat as a Diabetic Model for Fracture Healing. *ISRN endocrinology*, 2013, p.349604.
- Stojanović, S., Spasić, M., Tijanić, M., 2011. Zarastanje ekstrakcione rane na eksperimentalnom modelu pacova Healing of Extraction Wound in An Experimental Model Of Rat. *Acta Stomatologica Naissi*, 27, p.1067–1076.
- Suryohudoyo, P., 2007. *Kapita selekta ilmu kedokteran molekular* , 2nd Ed., Jakarta: CV.Sagung Seto.,p.48-56
- Szkudelski, T., 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Experimental Biology and Medicine (Maywood, N.J.)*, 237(5), p.481–90.
- Tandelilin ,R.T.C., Sofro ,A.S., Santoso, A.S., Soesatyo, M., Asmara,W., 2006. The density of collagen fiber in alveolus mandibular bone of rabbit after augmentation with powder demineralized bone matrix post incisivus extraction., *Maj. Ked. Gigi. (Dent. J.)*, Vol. 39. No. 2 April–June 2006: 43–47
- Thrailkill, K.M., 2005. Bone Formation Is Impaired in a Model of Type 1 Diabetes., *Diabetes* , 54(October), p.2875–2881.
- Valero, A.M., 2007. Effects of diabetes on the osseointegration of dental implants. *Medicina oral, patología oral y cirugía bucal*, 12(1), 2007;12: E38-43.
- Vaya, J., Tamir, S., 2004. The relation between the chemical structure of flavonoids and their estrogen-like activities. *Current medicinal chemistry*, 11(10), p.1333–43.
- Viguet C., S., Garnero, P., Delmas, P.D., 2006. The role of collagen in bone strength. *Osteoporosis International*, 17(3), p.319–336.
- Wongdee, K., 2011. Osteoporosis in diabetes mellitus: Possible cellular and molecular mechanisms. *World Journal of Diabetes*, 2(3), p.41.
- Yamano, S., Kuo, W.P., Sukotjo, C., 2012. Downregulated gene expression of TGF- b s in diabetic oral wound healing. *Journal of Cranio-Maxillofacial Surgery*, p.1–7.
- Yang, B., Hongchen, L., Military, P., 2013. Original article : High Glucose Inhibit Osteogenic Differentiation Through The BMP Signaling Pathway In Bone. , (2009), p.584–597.

- Younis, W.H., Al-Rawi, N.H., Mohamed., Yassen, N.Y., 2013. Molecular events on tooth socket healing in diabetic rabbits. *British Journal of Oral and Maxillofacial Surgery*, 51(8), p.932–936.
- Zhu, W., Minli, C.,Shou.,Qiyang., Yinghua., 2011. Biological Activities of Chinese Propolis and Brazilian Propolis on Streptozotocin-Induced Type 1 Diabetes Mellitus in Rats. *Evidence-Based Complementary and Alternative Medicine*, 2011, p.1–8.