

DAFTAR PUSTAKA

- Ahmed, I., House, C.M., Nelson, W.B., 2009. Predictors of inotrope use in patients undergoing concomitant coronary artery bypass graft (CABG) and aortic valve replacement (AVR) surgeries at separation from cardiopulmonary bypass (CPB). *J. Cardiothorac. Surg.* 4, 24.
- Al-Naser, Y.F., Moh'd, A.F., Bkhoor, B.A., Shawabkah, Z.A., Tayyem, A., 2015. Low Cardiac Output Syndrome (LCOS) At Separation From Cardiopulmonary Bypass (CPB): Our Experience At Queen Alia Heart Institute, Amman Jordan. *Pak. Heart J.* 48.
- Al-Sarraf, N., Thalib, L., Hughes, A., Houlihan, M., Tolan, M., Young, V., McGovern, E., 2011. Cross-clamp time is an independent predictor of mortality and morbidity in low-and high-risk cardiac patients. *Int. J. Surg.* 9, 104–109.
- Andrade, I.N.G., de Moraes Neto, F.R., Andrade, T.G., 2014. Use of EuroSCORE as a predictor of morbidity after cardiac surgery. *Rev. Bras. Cir. Cardiovasc. Órgão Of. Soc. Bras. Cir. Cardiovasc.* 29, 9–15. <https://doi.org/10.5935/1678-9741.20140005>
- Barili, F., Pacini, D., Capo, A., Rasovic, O., Grossi, C., Alamanni, F., Di Bartolomeo, R., Parolari, A., 2013. Does EuroSCORE II perform better than its original versions? A multicentre validation study. *Eur. Heart J.* 34, 22–29. <https://doi.org/10.1093/eurheartj/ehs342>
- Bastin, A.J., Ostermann, M., Slack, A.J., Diller, G.-P., Finney, S.J., Evans, T.W., 2013. Acute kidney injury after cardiac surgery according to Risk/Injury/Failure/Loss/End-stage, Acute Kidney Injury Network, and Kidney Disease: Improving Global Outcomes classifications. *J. Crit. Care* 28, 389–396. <https://doi.org/10.1016/j.jcrc.2012.12.008>
- Biancari, F., Vasques, F., Mikkola, R., Martin, M., Lahtinen, J., Heikkinen, J., 2012. Validation of EuroSCORE II in patients undergoing coronary artery bypass surgery. *Ann. Thorac. Surg.* 93, 1930–1935. <https://doi.org/10.1016/j.athoracsur.2012.02.064>
- Boom, cindy E., 2013. Panduan Klinis Perioperatif Kardiovaskular Anestesia. Komisi Pendidikan Spesialis Anestesi Kardiovaskular (KAKV). Indonesia.
- Carnero-Alcázar, M., Silva Guisasola, J.A., Reguillo Lacruz, F.J., Maroto Castellanos, L.C., Cobiella Carnicer, J., Villagrán Medinilla, E., Tejerina Sánchez, T., Rodríguez Hernández, J.E., 2013. Validation of EuroSCORE II on a single-centre 3800 patient cohort. *Interact. Cardiovasc. Thorac. Surg.* 16, 293–300. <https://doi.org/10.1093/icvts/ivs480>

- Chen, S.-W., Chang, C.-H., Fan, P.-C., Chen, Y.-C., Chu, P.-H., Chen, T.-H., Wu, V.C.-C., Chang, S.-W., Lin, P.-J., Tsai, F.-C., 2016. Comparison of contemporary preoperative risk models at predicting acute kidney injury after isolated coronary artery bypass grafting: a retrospective cohort study. *BMJ Open* 6. <https://doi.org/10.1136/bmjopen-2015-010176>
- Cislaghi, F., Condemi, A.M., Corona, A., 2007. Predictors of prolonged mechanical ventilation in a cohort of 3,269 CABG patients. *Minerva Anesthesiol.* 73, 615–621.
- Dahlan, M., 2014. Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan, 2nd ed, Evidence Based Medicine. Sagung Seto, Jakarta.
- Di Dedda, U., Pelissero, G., Agnelli, B., De Vincentiis, C., Castelveccchio, S., Ranucci, M., 2013. Accuracy, calibration and clinical performance of the new EuroSCORE II risk stratification system. *Eur. J. Cardiothorac. Surg.* 43, 27–32. <https://doi.org/10.1093/ejcts/ezs196>
- Dorland, N., 2002. Kamus Kedokteran Dorland, 29th ed. WB Saunders Company, Philadelphia.
- Dupuis, J.-Y., Wang, F., Nathan, H., Lam, M., Grimes, S., Bourke, M., 2001. The Cardiac Anesthesia Risk Evaluation Score A Clinically Useful Predictor of Mortality and Morbidity after Cardiac Surgery. *J. Am. Soc. Anesthesiol.* 94, 194–204.
- Duthie, F.A., McGeehan, P., Hill, S., Phelps, R., Kluth, D.C., Zamvar, V., Hughes, J., Ferenbach, D.A., 2014. The utility of the additive EuroSCORE, RIFLE and AKIN staging scores in the prediction and diagnosis of acute kidney injury after cardiac surgery. *Nephron Clin. Pract.* 128, 29–38.
- Elsayad, M., Manaa, A., Elwakeel, A., Nasr, S., Sameh, M., Abdelfatah, E.M., 2014. EuroSCORE II as a Predictor of Need For Prolonged Mechanical Ventilation Following Valvular Heart Surgery in Egyptian Patients. *Editor. BOARD* 22, 1.
- Epting, C.L., McBride, M.E., Wald, E.L., Costello, J.M., 2016. Pathophysiology of Post-Operative Low Cardiac Output Syndrome. *Curr. Vasc. Pharmacol.* 14, 14–23.
- Gaies, M.G., Gurney, J.G., Yen, A.H., Napoli, M.L., Gajarski, R.J., Ohye, R.G., Charpie, J.R., Hirsch, J.C., 2010. Vasoactive–inotropic score as a predictor of morbidity and mortality in infants after cardiopulmonary bypass*: *Pediatr. Crit. Care Med.* 11, 234–238. <https://doi.org/10.1097/PCC.0b013e3181b806fc>

- García, J.L.C., Roque, ue F.J.V., Rodríguez, ez R.M., Yera, ra G.J.B., Bravo, vo E.C., Plana, na Y.M., García, N.L.C., ka González Ferrer, V., Fleites, es Y.Q., Cantero, ro J.L.V., Cruz, uz Y.L. de la, Borges, G., A, L., Hidalgo, go Á.L.L., Valerón, D.R., 2014. Temporary validation of EuroSCORE model for assessing the results of mitral valve replacement surgery. *CorSalud Rev. Enfermedades Cardiovasc.* 5, 170–175.
- Gillies, M., Bellomo, R., Doolan, L., Buxton, B., 2005. Bench-to-bedside review: Inotropic drug therapy after adult cardiac surgery -- a systematic literature review. *Crit. Care Lond. Engl.* 9, 266–279. <https://doi.org/10.1186/cc3024>
- Hirose, H., Inaba, H., Noguchi, C., Tambara, K., Yamamoto, T., Yamasaki, M., Kikuchi, K., Amano, A., 2009. EuroSCORE predicts postoperative mortality, certain morbidities, and recovery time. *Interact. Cardiovasc. Thorac. Surg.* 9, 613–617. <https://doi.org/10.1510/icvts.2009.210526>
- Hirose, H., Noguchi, C., Inaba, H., Tambara, K., Yamamoto, T., Yamasaki, M., Kikuchi, K., Amano, A., 2010. The role of EuroSCORE in patients undergoing off-pump coronary artery bypass. *Interact. Cardiovasc. Thorac. Surg.* 10, 771–776. <https://doi.org/10.1510/icvts.2009.226803>
- Huen, S.C., Parikh, C.R., 2012. Predicting acute kidney injury after cardiac surgery: a systematic review. *Ann. Thorac. Surg.* 93, 337–347. <https://doi.org/10.1016/j.athoracsur.2011.09.010>
- Iung, B., 2003. A prospective survey of patients with valvular heart disease in Europe: The Euro Heart Survey on Valvular Heart Disease. *Eur. Heart J.* 24, 1231–1243. [https://doi.org/10.1016/S0195-668X\(03\)00201-X](https://doi.org/10.1016/S0195-668X(03)00201-X)
- Kurki, T.S., Järvinen, O., Kataja, M.J., Laurikka, J., Tarkka, M., 2002. Performance of three preoperative risk indices; CABDEAL, EuroSCORE and Cleveland models in a prospective coronary bypass database. *Eur. J. Cardiothorac. Surg.* 21, 406–410. [https://doi.org/10.1016/S1010-7940\(02\)00007-6](https://doi.org/10.1016/S1010-7940(02)00007-6)
- London, M.J., Shroyer, L.A., Coll, J.R., MaWhinney, S., Fullerton, D.A., Hammermeister, K.E., Grover, F.L., 1998. Early Extubation following Cardiac Surgery in a Veterans Population. *J. Am. Soc. Anesthesiol.* 88, 1447–1458.
- Magovern, J.A., Sakert, T., Magovern, G.J., Benckart, D.H., Burkholder, J.A., Liebler, G.A., 1996. A model that predicts morbidity and mortality after coronary artery bypass graft surgery. *J. Am. Coll. Cardiol.* 28, 1147–1153.
- Miller, R.D., 2010. *Miller's Anesthesia*, 7th ed. churchill Livingstone/Elsevier, Philadelphia.

- Moura, E.B. de, Bernardes Neto, S.-C.G., Amorim, F.F., Viscardi, R.C., 2013. Correlation of the EuroSCORE with the onset of postoperative acute kidney injury in cardiac surgery. *Rev. Bras. Ter. Intensiva* 25, 233–238. <https://doi.org/10.5935/0103-507X.20130040>
- Müller, M., Junger, A., Bräu, M., Kwapisz, M.M., Schindler, E., Akintürk, H., Benson, M., Hempelmann, G., 2002. Incidence and risk calculation of inotropic support in patients undergoing cardiac surgery with cardiopulmonary bypass using an automated anaesthesia record-keeping system. *Br. J. Anaesth.* 89, 398–404.
- Najafi, M., 2014. Serum creatinine role in predicting outcome after cardiac surgery beyond acute kidney injury. *World J. Cardiol.* 6, 1006. <https://doi.org/10.4330/wjc.v6.i9.1006>
- Najafi, M., Sheikhvatan, M., Sheikhfathollahi, M., 2014. Discriminative Power of EuroSCORE in Predicting Morbidity and Prolonged Hospital Stay in an Iranian Sample Population. *J. Tehran Univ. Heart Cent.* 9, 15–19.
- Nashef, S.A., Roques, F., Michel, P., Gauducheau, E., Lemeshow, S., Salamon, R., 1999. European system for cardiac operative risk evaluation (EuroSCORE). *Eur. J. Cardio-Thorac. Surg. Off. J. Eur. Assoc. Cardio-Thorac. Surg.* 16, 9–13.
- Nashef, S.A.M., Roques, F., Sharples, L.D., Nilsson, J., Smith, C., Goldstone, A.R., Lockowandt, U., 2012. EuroSCORE II. *Eur. J. Cardiothorac. Surg.* 41, 734–745. <https://doi.org/10.1093/ejcts/ezs043>
- Nielsen, D.V., Hansen, M.K., Johnsen, S.P., Hansen, M., Hindsholm, K., Jakobsen, C.-J., 2014. Health outcomes with and without use of inotropic therapy in cardiac surgery: results of a propensity score-matched analysis. *Anesthesiology* 120, 1098–1108. <https://doi.org/10.1097/ALN.0000000000000224>
- Nishida, T., Sonoda, H., Oishi, Y., Tanoue, Y., Nakashima, A., Shiokawa, Y., Tominaga, R., 2014. The novel EuroSCORE II algorithm predicts the hospital mortality of thoracic aortic surgery in 461 consecutive Japanese patients better than both the original additive and logistic EuroSCORE algorithms. *Interact. Cardiovasc. Thorac. Surg.* 18, 446–450. <https://doi.org/10.1093/icvts/ivt524>
- Noyez, L., Kievit, P.C., van Swieten, H.A., de Boer, M.-J., 2012. Cardiac operative risk evaluation: The EuroSCORE II, does it make a real difference? *Neth. Heart J.* 20, 494–498. <https://doi.org/10.1007/s12471-012-0327-1>

- Peng, S.-Y., Peng, S.-K., 2008. Predicting adverse outcomes of cardiac surgery with the application of artificial neural networks. *Anaesthesia* 63, 705–713. <https://doi.org/10.1111/j.1365-2044.2008.05478.x>
- Pintor, P.P., Colangelo, S., Bobbio, M., 2002. Evolution of case-mix in heart surgery: from mortality risk to complication risk. *Eur. J. Cardio-Thorac. Surg. Off. J. Eur. Assoc. Cardio-Thorac. Surg.* 22, 927–933.
- Piotto, R.F., Ferreira, F.B., Colósimo, F.C., Silva, G.S. da, Sousa, A.G. de, Braile, D.M., 2012. Independent predictors of prolonged mechanical ventilation after coronary artery bypass surgery. *Rev. Bras. Cir. Cardiovasc.* 27, 520–528. <https://doi.org/10.5935/1678-9741.20120093>
- Puskas, J.D., Kilgo, P.D., Thourani, V.H., Lattouf, O.M., Chen, E., Vega, J.D., Cooper, W., Guyton, R.A., Halkos, M., 2012. The society of thoracic surgeons 30-day predicted risk of mortality score also predicts long-term survival. *Ann. Thorac. Surg.* 93, 26-33; discussion 33-35. <https://doi.org/10.1016/j.athoracsur.2011.07.086>
- Ranucci, M., Castelvechio, S., Menicanti, L., Frigiola, A., Pelissero, G., 2009. Risk of assessing mortality risk in elective cardiac operations: age, creatinine, ejection fraction, and the law of parsimony. *Circulation* 119, 3053–3061. <https://doi.org/10.1161/CIRCULATIONAHA.108.842393>
- Roques, F., Nashef, S.A., Michel, P., Gauducheau, E., de Vincentiis, C., Baudet, E., Cortina, J., David, M., Faichney, A., Gabrielle, F., Gams, E., Harjula, A., Jones, M.T., Pintor, P.P., Salamon, R., Thulin, L., 1999. Risk factors and outcome in European cardiac surgery: analysis of the EuroSCORE multinational database of 19030 patients. *Eur. J. Cardio-Thorac. Surg. Off. J. Eur. Assoc. Cardio-Thorac. Surg.* 15, 816-822; discussion 822-823.
- Rosner, M.H., Okusa, M.D., 2006. Acute Kidney Injury Associated with Cardiac Surgery. *Clin. J. Am. Soc. Nephrol.* 1, 19–32. <https://doi.org/10.2215/CJN.00240605>
- Saleh, H.Z., Shaw, M., Al-Rawi, O., Yates, J., Pullan, D.M., Chalmers, J.A.C., Fabri, B.M., 2012. Outcomes and predictors of prolonged ventilation in patients undergoing elective coronary surgery. *Interact. Cardiovasc. Thorac. Surg.* 15, 51–56. <https://doi.org/10.1093/icvts/ivs076>
- Salis, S., Mazzanti, V.V., Merli, G., Salvi, L., Tedesco, C.C., Veglia, F., Sisillo, E., 2008. Cardiopulmonary Bypass Duration Is an Independent Predictor of Morbidity and Mortality After Cardiac Surgery. *J. Cardiothorac. Vasc. Anesth.* 22, 814–822. <https://doi.org/10.1053/j.jvca.2008.08.004>
- Sastroasmoro, S., Ismael, S., 2014. *Dasar-Dasar Metodologi Penelitian Klinis*, 5th ed. Binarupa Aksara, Jakarta.

- Shahian, D.M., Edwards, F.H., Ferraris, V.A., Haan, C.K., Rich, J.B., Normand, S.-L.T., DeLong, E.R., O'Brien, S.M., Shewan, C.M., Dokholyan, R.S., Peterson, E.D., Society of Thoracic Surgeons Quality Measurement Task Force, 2007. Quality measurement in adult cardiac surgery: part 1-- Conceptual framework and measure selection. *Ann. Thorac. Surg.* 83, S3-12. <https://doi.org/10.1016/j.athoracsur.2007.01.053>
- Shahin, J., DeVarennes, B., Tse, C.W., Amarica, D.-A., Dial, S., 2011. The relationship between inotrope exposure, six-hour postoperative physiological variables, hospital mortality and renal dysfunction in patients undergoing cardiac surgery. *Crit. Care Lond. Engl.* 15, R162. <https://doi.org/10.1186/cc10302>
- Shin, S.R., Kim, W.H., Kim, D.J., Shin, I.-W., Sohn, J.-T., 2016. Prediction and Prevention of Acute Kidney Injury after Cardiac Surgery. *BioMed Res. Int.* 2016, 1–10. <https://doi.org/10.1155/2016/2985148>
- Siddiqui, M.-M.A., Paras, I., Jalal, A., 2012. Risk factors of prolonged mechanical ventilation following open heart surgery: what has changed over the last decade? *Cardiovasc. Diagn. Ther.* 2, 192–199. <https://doi.org/10.3978/j.issn.2223-3652.2012.06.05>
- Toumpoulis, I., Anagnostopoulos, C., Swistel, D., Derosejr, J., 2005. Does EuroSCORE predict length of stay and specific postoperative complications after cardiac surgery? *Eur. J. Cardiothorac. Surg.* 27, 128–133. <https://doi.org/10.1016/j.ejcts.2004.09.020>
- Tsaousi, G.G., Pitsis, A.A., Ioannidis, G.D., Pourzitaki, C.K., Yannacou-Peftoulidou, M.N., Vasilakos, D.G., 2015. Implementation of EuroSCORE II as an adjunct to APACHE II model and SOFA score, for refining the prognostic accuracy in cardiac surgical patients. *J. Cardiovasc. Surg. (Torino)* 56, 919–927.
- Wang, C., Zhang, G., Lu, F., Li, B., Zou, B., Han, L., Xu, Z., 2013. A local risk prediction model for prolonged ventilation after adult heart valve surgery in a Chinese single center. *Heart Lung J. Crit. Care* 42, 13–18. <https://doi.org/10.1016/j.hrtlng.2012.09.001>
- Wang, L., Han, Q.-Q., Qiao, F., Wang, C., Zhang, X.-W., Han, L., Xu, Z.-Y., 2014. Performance of EuroSCORE II in patients who have undergone heart valve surgery: a multicentre study in a Chinese population. *Eur. J. Cardiothorac. Surg.* 45, 359–364. <https://doi.org/10.1093/ejcts/ezt264>
- Wang, T.K.M., Harnos, S., Gamble, G.D., Ramanathan, T., Ruygrok, P.N., 2017. Performance of contemporary surgical risk scores for mitral valve surgery: Risk scores and mitral surgery. *J. Card. Surg.* 32, 172–176. <https://doi.org/10.1111/jocs.13107>

- Warner, C.D., Weintraub, W.S., Craver, J.M., Jones, E.L., Gott, J.P., Guyton, R.A., 1997. Effect of Cardiac Surgery Patient Characteristics on Patient Outcomes From 1981 Through 1995. *Circulation* 96, 1575–1579. <https://doi.org/10.1161/01.CIR.96.5.1575>
- Widyastuti, Yunita, Stenseth, R., Berg, K.S., Pleym, H., Wahba, A., Videm, V., 2012. Preoperative and intraoperative prediction of risk of cardiac dysfunction following open heart surgery. *Eur. J. Anaesthesiol.* 29, 143–151. <https://doi.org/10.1097/EJA.0b013e32834de368>
- Widyastuti, Y., Stenseth, R., Pleym, H., Wahba, A., Videm, V., 2012. Preoperative and intraoperative determinants for prolonged ventilation following adult cardiac surgery. *Acta Anaesthesiol. Scand.* 56, 190–199. <https://doi.org/10.1111/j.1399-6576.2011.02538.x>
- Wong, D.T., Cheng, D.C., Kustra, R., Tibshirani, R., Karski, J., Carroll-Munro, J., Sandler, A., 1999. Risk factors of delayed extubation, prolonged length of stay in the intensive care unit, and mortality in patients undergoing coronary artery bypass graft with fast-track cardiac anesthesia: a new cardiac risk score. *Anesthesiology* 91, 936–944.
- Zhang, G., Wang, C., Wang, L., Lu, F., Li, B., Han, L., Xu, Z., 2013. Validation of EuroSCORE II in Chinese Patients Undergoing Heart Valve Surgery. *Heart Lung Circ.* 22, 606–611. <https://doi.org/10.1016/j.hlc.2012.12.012>