

DAFTAR PUSTAKA

- Ali, A.S., M.T. Ibrahim., M.M. Mohammed., A.A. Elobied, and G. Luhken. Growth differentiation factor 9 gene variants in Sudanese desert sheep ecotypes. *S. Afr. J. Anim. Sci.* 46: 373-379.
- Anonim. 2012. Penetapan Rumpun Domba Sapudi. Keputusan Menteri Pertanian. bibit.ditjenpkh.pertanian.go.id/sites/default/files/Domba%20Sapudi.pdf (diakses tanggal 1 Agustus 2017).
- Anonim. 2012. Sapudi. <http://www.ppk-kp3k.kkp.go.id> (diakses tanggal 1 Agustus 2017).
- Anonim. 2013. Luas Wilayah Menurut Kecamatan di Kabupaten Sumenep. <https://sumenepkab.bps.go.id/linkTabelStatis/view/id/4> (diakses tanggal 1 Agustus 2017).
- Anonim. 2013. Statistik Peternakan dan Kesehatan Hewan. Direktorat Jenderal Peternakan dan Kesehatan Hewan, Kementerian Pertanian (diakses tanggal 1 Agustus 2017).
- Anonim. 2017. Kode pos Kabupaten Sumenep. <https://www.kodepos.co/kode-pos-kabupaten-sumenep/> (diakses tanggal 26 Agustus 2017).
- Bahrami, Y., S. Bahrami, H.R. Mohammadi., V.C. Azar, and S.A. 2014. Mousavizadeh. The polymorphism of GDF9 gene in Hisari sheep. *Biological Forum* 6: 46-52.
- Barakat, I.A.H., L.M. Salem., N.M. Daoud., W.K.B. Khalil., K.F. Mahrous. 2017. Genetic polymorphism of candidate genes for fecundity traits in Egyptian sheep breeds. *Biomed. Res.* 28: 851-857.
- Batubara, A. 2011. Studi Keragaman Fenotipik dan Genetik Beberapa Sub Populasi Kambing Lokal di Indonesia dan strategi Pemanfaatannya secara Berkelanjutan. Disertasi. Institut Pertanian Bogor.
- Bodensteiner, K.J., K.P. McNatty., C.M. Clay., C.L. Moeller, and H.R. Sawyer. 2000. Expression of growth and differentiation factor-9 in the ovaries of fetal sheep homozygous or heterozygous for the inverdale prolificacy gene (FeCX^l). *Biol. Reprod.* 62: 1479 – 1485.
- Bourdon, R.M. 2000. *Understanding Animal Breeding*. Prentice Hall Inc. Upper Saddle River, New Jersey. USA.
- Damayanti, E.U dan S. Rahayu. 2013. Analisa polimorfisme gen BMP-15 (*bone morphogenetic protein*) Sapi PO (*Bos Indicus*) dan hubungannya dengan keberhasilan Inseminasi Buatan. *Jurnal Biotropika* 1: 216 f– 220.
- Darmawan, H. dan N. Supartini. 2012. Heretabilitas dan Nilai Pemuliaan Domba Ekor Gemuk di Kabupaten Situbondo. *Buana Sains* 12: 51 – 62.

- Davis, G.H. 2004. Fecundity genes in sheep. *Anim. Repro. Sci.* 82-83: 247 – 253.
- Davis, G.H. 2005. Major genes effecting ovulation rate in sheep. *Genet. Sel. evol.* 37: S11 - S23.
- Davis, G.H., S.M. Galloway., I.K. Ross., S.M. Gregan., J.Ward., B.V. Nimbkar., P.M. Ghalsasi., C. Nimbkar., G.D. Gray., Subandriyo., I. Inounu., B. Tienamurti., E. Martyniuk., E. Eythorsdottir., P. Mulsant., F. Lecerf., J.P. Hanrahan., G.E. Bradford, and T. Wilson. 2002. DNA tests in prolific sheep from eight countries provide new evidence on origin of the Booroola (FecB) mutation. *Biol. Reprod.* 66: 1869 – 1874.
- Dong, J.W., D.F. Albertini., K. Nishimori., T.R. Kumar., N. Lu, and M.M. Matzuk. 1996. Growth differentiation factor 9 is required during early ovarian folliculogenesis. *Nature.* 383: 531 – 535.
- Dube, J.L., P. Wang., J. Elvin., K.M. Lyons., A.J. Celeste, and M.M. Matzuk. 1998. The bone morphogenetic protein 15 gene is X-linked and expressed in oocytes. *Mol. Endocrinol.* 12:1809 – 1817.
- Fahmy, M.H. 1996. Prolific sheep. CAB International. Wallingford. UK.
- Fatchiyah., E.L. Arumingtyas., S. Widyarti, dan S. Rahayu. 2010. *Biologi Molekuler Prinsip Dasar Analisis*. Penerbit Erlangga. Jakarta.
- Febriana, A., Sutopo, and E. Kurnianto. 2017. Identification of BMP15 exon 2 for fecundity traits by PCR-RFLP and nucleotide sequences in Kecobong goat. *J. Indonesia. Trop. Anim. Agric.* 42: 220-226.
- Fiky, Z.A., M.H. Gamal, and I.N. Mohamed. 2017. Genetic polymorphism detection in bone morphogenetic protein 15 (bmp15) gene related to fecundity in two egyptian sheep breeds. *Biotechnology in Animal Husbandry.* 33: 37-53.
- Franca, L.T.C., E. Carilho, and T.B.L. Kist. 2002. A review of DNA sequencing techniques. *Quarterly Reviews of Biophysics.* 35:169 – 200.
- Ghaderi, A., M.T.B. Nasiri., K.H. Mirzadeh., J. Fayazi, and A.S. Sadr. 2010. Identification of the GDF9 mutation in two sheep breeds by using polymerase chain reaction-restriction fragment length polymorphism (PCR-RFLP) technique. *American Journal of Biotechnology.* 9: 8020 – 8022.
- Ghaffari, M., A. Nejati-Javaremi, and G. Rahimi-Mianji. 2009. Lack of polymorphism in the oocyte derived growth factor (GDF9) gene in the shal breed of sheep. *South African J Anim Sci.* 39: 355 – 360.
- Guan, F., S.R. Lee., G.Q. Shi., J.T. Ai., D.G. Mao, and L.G. Yang. 2007. Polymorphism of FecB gene in nine sheep breeds or strains and its effects on litter size, lamb growth and development. *Anim. Reprod. Sci.* 99: 44-52.
- Handoyo, D dan A. Rudiretna. 2000. *Prinsip umum dan pelaksanaan polymerase chain reaction (PCR)*. Unitas 9: 17 – 29.

- Hanrahan, J.P., S.M. Gregan., P. Mulsant., M. Mullen., G.H. Davis., R. Powell, and S.M. Galloway. 2004. Mutations in the genes for oocyte-derived growth factors GDF9 and BMP15 are associated with both increased ovulation rate and sterility in Cambridge and belclare sheep. *Biol. Reprod.* 70: 900 – 909.
- Harris, H. 1994. *Dasar-Dasar Genetika Biokemis Manusia*. Edisi ketiga, diperbarui penerjemah: dr. Abdul Salam M Sufro, Ph.D. UGM Press, Yogyakarta.
- Hartatik, T. 2015. *Analisis Genetika Molekuler Sapi Madura*. UGM Press, Yogyakarta.
- Hartatik, T. 2016. *Pendekatan Praktis Deteksi Polimorfisme DNA Sapi Aceh*. UGM Press, Yogyakarta.
- Hasan. 2011. *Polimorfisme gen fekunditas(BMPR1B dan BMP15) pada kambing Kacang, Samosir dan Muara*. Thesis. Institut Pertanian Bogor.
- Hidayat, R. A., S.N. Depamede, dan Maskur. 2015. Identifikasi mutasi FecX pada gen BMP15 dan pengaruhnya terhadap sifat prolifik pada kambing lokal di Kabupaten Lombok Barat. *Jurnal Ilmu dan Teknologi Peternakan Indonesia*. 1: 1 – 7.
- Jamshidi, R., M.M. Kasiriyani, and H. Hafezeyan. 2009. Application of PCR-RFLP technique to determine BMP15 gene polymorphism in Sangsari breed of Iran. *Journal of Animal and Veterinary Advances*. 8: 1906 – 1910.
- Javanmard, A., N. Azadzadeh, and A.K. Esmailizadeh. 2011. Mutations in bone morphogenetic protein 15 and growth differentiation factor 9 genes are associated with increased litter size in fat-tailed sheep breeds. *Vet. Res. Commun.* 35: 157–167.
- Juengel, J.L. and K.P. McNatty. 2005. The role of proteins of the transforming growth factor-beta superfamily in the intraovarian regulation of follicular development. *Human Reproduction Update*. 11: 143 – 160.
- Juengel, J.L., N.L. Hudson., L. Whiting, and K.P. McNatty. 2004. Effects of immunization against bone morphogenetic protein 15 and growth differentiation factor 9 on ovulation rate, fertilization and pregnancy in ewes. *Biol. Reprod.* 70: 557 – 561.
- Kareta, W., K. Korman, and M. Cegla. 2006. Ovulation level and prolificacy in ewes depending on their age, birth type and percentage of prolific genotype. *Biol. Reprod.* 6: 73 – 78.
- Kasiriyani, M.M., S.H. Hafezian, and N. Hassani. 2011. Genetic polymorphism BMP15 and GDF9 genes in Sangsari sheep of Iran. *Int. J. Genet. Mol. Biol.* 3: 31-34.
- Khodabakhshzadeh, R., M.R. Mohammadabadi., A.K. Esmailizadeh., H.M. Shahrehabak., F. Bordbar, and S.A. Namin. 2016. Identification of point

mutations in exon 2 of GDF9 gene in Kermani sheep. *Pol. J. Vet. Sci.* 19:281 – 289.

Knight, P.G and C. Glister. 2006. TGF-beta superfamily members and ovarian follicle development. *Reproduction*. 132:191 – 206.

Kumar, B.R. 2012. DNA Representation. In: DNA Sequencing – Methods and Applications edited by Anjana Munshi. Intech. Croatia.

Lassoued, N., Z. Benkhilil, F. Woloszyn., A. Rejeb., M. Aouina., M. Rekik., S. Fabre and S. Bedhiaf-Romdhani. 2017. *FecX^{Bar}* a novel BMP15 mutation responsible for prolificacy and female sterility in Tunisian Barbarine sheep. *BMC genetics*. 18: 1 – 10.

Maharani, D. 2012. Candidate gene studies for fatty acid composition in livestock. Dissertation. Department of animal science graduate school Chungnam National University.

Maskur dan C. Arman. 2010. Identifikasi mutasi gen *Bmpr-1b* dan *Bmp15* pada Domba Ekor Gemuk. *JITV*. 15: 16 – 21.

Monteagudo, L.V., R. Ponz., M.T. Tejedor., A. Laviña, and I. Sierra. 2009. A 17 bp deletion in the Bone Morphogenetic Protein 15 (BMP15) gene is associated to increased prolificacy in the Rasa Aragonesa sheep breed. *Anim. Reprod. Sci.* 110: 139 – 146.

Moradband, F., G. Rahimi, and M. Gholizadeh. 2011. Association of polymorphisms in fecundity genes of GDF9, BMP15 and BMP15-1B with litter size in irian Baluchi sheep. *Asian-Aust. J. Anim. Sci.* 24: 1179-1183.

Nicol, L., S.C. Bishop., R. Pong-Wong., C. Bendixen., L.E. Holm., S.M. Rhind, and A.S. McNeilly. 2009. Homozygosity for a single base-pair mutation in the oocyte-specific GDF9 gene results in sterility in Thoka sheep. *Reproduction*. 138: 921 – 33.

Orisaka, M., S. Orisaka., J.Y. Jiang., J. Craig., Y. Wang., F. Kotsuji, and B.K. Tsang. 2006. Growth Differentiation factor 9 is antiapoptotic during follicular development from preantral to early antral stage. *Mol. Endocrinol.* 20: 2456 – 2468.

Otsuka, F and S. Shimasaki. 2002. A negative feedback system between oocyte bone morphogenetic protein 15 and granulosa cell kit ligand: its role in regulating granulosa cell mitosis. *Proc. Natl. Acad. Sci. USA.* 99: 8060 – 8065.

Otsuka, F., Z. Yao., T. Lee., S. Yamamoto., G.F. Erickson, and S. Shimasaki. 2000. Bone morphogenetic protein-15 Identification of target cells and biological function. *J. Biol. Chem.* 275: 39523 – 39539.

Pangestu, R.B. dan S.S. Mansjoer. 1996. Pemuliaan domba lokal. Di dalam: Materi Pelatihan Usaha Peternakan Ayam dan Domba Lokal di Pedesaan. Bogor:

Kerjasama Fakultas Peternakan IPB dengan Dinas Peternakan Kabupaten Bogor.

- Paquette, E.R., M.F. Bianchet, and D.W. Coltman. 2010. No inbreeding avoidance in an isolated population of bighorn sheep. *Animal Behaviour* 80: 865 - 871.
- Polley, S., S. De., B. Brahma., A. Mukherjee., P.V. Vinesh., S. Batabyal., J.S. Arora., S. Pan., A.K. Samanta., T.K. Datta, and S.L. Goswami. 2010. Polymorphism of BMPR1, BMP15 and GDF9 fecundity genes in prolific Garole sheep. *Trop. Anim. Health. Prod.* 42: 985 – 993.
- Polley, S., S. De., S. Batabyal., R. Kaushik., P. Yadav., J.S. Arora., S. Chattopadhyay., S. Pan., B. Brahma., T.K. Datta, and S.L. Goswami. 2009. Polymorphism of fecundity genes (BMPR1B, BMP15 and GDF9) in the Indian prolific black Bengal goat. *Small. Rum. Res.* 85: 122-129.
- Ratnayani, K., S.C. Yowani, dan L. Syane. 2009. Amplifikasi fragmen 0,4 kb daerah d-loop DNA mitokondria lima individu suku bali tanpa hubungan kekerabatan dengan metode PCR. *Jurnal kimia.* 3: 14 – 20.
- Reader, K.L., D.A. Heath., S. Lun., C.J. McIntosh., A.H. Western., R.P. Littlejohn., K.P. McNatty, and J.L. Juengel. 2011. Signalling pathways involved in the cooperative effects of ovine and murine GDF9+BMP15-stimulated thymidine uptake by rat granulosa cells. *Reproduction.* 142:123 – 131.
- Shodiq, A. 2010. Identifikasi sistim produksi dan keragaan produktivitas domba ekor gemuk di Kabupaten Brebes Propinsi Jawa Tengah. *Jurnal Agripet.* 10: 25 – 31.
- Silva, B.D.M., E.A. Castro., C.J.H. Souza., S.R. Paiva., R. Sartori., M.M. Franco., H.C. Azevedo., T.A.S.N. Silva., A.M.C. Vieira., J.P. Neves, and E.O. Melo. 2011. A new polymorphism in the Growth and Differentiation Factor 9 (GDF9) gene is associated with increased ovulation rate and prolificacy in homozygous sheep. *Anim. Genet.* 42: 89 – 92.
- Subandriyo, B. Setiadi., T.D. Soedjana, dan P. Sitorus. 1994. Produktivitas Usaha Usaha Ternak di Pedesaan. Progress Report.
- Sudewo, A.T.A., S.A. Santosa, dan A. Susanto. 2012. Produktivitas Kambing Peranakan Etawah Berdasarkan *Litter Size*, Tipe Kelahiran dan Mortalitas Di *Village Breeding Centre* Kabupaten Banyumas. Prosiding Seminar Nasional. Purwokerto.
- Sudoyo, H. 2004. Polimorfisme DNA Mitokondria dan Kedokteran Forensik dalam Mitochondria Medicine. Lembaga Biologi Molekuler Eijkman, Jakarta.
- Sumantri, C., D. Herdiana., A. Farajallah dan D. Rahmat. 2009. Polymorphism of pituitary-specific transcription factor-1 (Pit-1) gene at locus (Pit-1-Hinfl) and its effects on dam body weight and milk production of local sheeps. *JITV* 14: 222 – 229.

- Tasma, I.M., D. Satyawan dan H. Rijzaani. 2015. Pembentukan Pustaka Genom, Resekuensing, dan Identifikasi SNP Berdasarkan Sekuen Genom Total Genotipe Kedelai Indonesia. *Jurnal AgroBiogen* 11: 7 – 16.
- Tiesnamurti, B. dan S.A. Asmarasari. 2006. Pengelolaan dan Pemanfaatan Sumber Daya Genetik Domba Ekor Gemuk. Lokakarya Nasional Pengelolaan dan Perlindungan Sumber Daya Genetik di Indonesia: Manfaat Ekonomi untuk Mewujudkan Ketahanan Nasional. 221 – 228.
- Tomaszewska, M. W. 1983. Peningkatan Produktivitas Ternak Ruminansia Kecil melalui Sifat Reproduksi yang Lebih Efisien. *Produksi : Kambing dan Domba di Indonesia*. UNS Press, Surakarta.
- Yuwono, T. 2006. Teori dan Aplikasi Polymerase Chain Reaction. Penerbit Andi, Yogyakarta.
- Warwick, E.J., J.M. Astuti. dan W. Hardjosubroto. 1990. *Pemuliaan Ternak*. UGM Press, Yogyakarta.