

REFERENCES

- Adhikar, L. M., Dorji, T., Tshering, K., Bhujel, P., Dorji, U., & Namgay, P. (2013). Article title : A prospective Drug Resistance surveillance to determine prevalence and burden Multi-Drug resistance among smear-positive cases in Bhutan.
- Al-Abri, R., & Al-Balushi, A. (2014). Oman Medical Specialty Board Patient Satisfaction Survey as a Tool Towards Quality Improvement. *Oman Medical Journal*, 29(1), 3–73. <https://doi.org/10.5001/omj.2014.02>
- Bastian, I., & Colebunders, R. (1999). Treatment and Prevention of Multidrug-Resistant Tuberculosis, 58(4), 633–661.
- Bhutan, N. (2016). National Guidelines for the Management of Tuberculosis, 129.
- Brownson, R. C., Colditz, G. A., & Proctor, E. K. (2012). Dissemination and implementation research in health : translating science into practice. OXFORD UNIVERSITY PRESS.
- Carroll, C., Patterson, M., Wood, S., Booth, A., Rick, J., & Balain, S. (2007). A conceptual framework for implementation fidelity. *Implement Sci*, 2, 40. <https://doi.org/10.1186/1748-5908-2-40>
- CCM, B. (2017). TB - NTCP _ Bhutan CCM. Retrieved from <http://www.bhutanccm.org/bhutan-ccm-2/pr-info/ntcp-staff/>
- Codlin, A. J., Khowaja, S., Chen, Z., Rahbar, M. H., Qadeer, E., Ara, I., ... Khan, A. J. (2011). Gender Differences in Tuberculosis Notification in Pakistan, 85(November 2007), 514–517. <https://doi.org/10.4269/ajtmh.2011.10-0701>
- Dane, A. V., & Schneider, B. H. (1998). Program integrity in primary and early secondary prevention: Are implementation effects out of control? *Clinical Psychology Review*, 18(1), 23–45. [https://doi.org/10.1016/S0272-7358\(97\)00043-3](https://doi.org/10.1016/S0272-7358(97)00043-3)
- Darnal, J. B., & Swaddiwudhipong, W. (2013). Multidrug-resistant Tuberculosis Patients in Bhutan, August 2011 to July 2012, 6(3), 6–10.
- de Vries, S. G., Cremers, A. L., Heuvelings, C. C., Greve, P. F., Visser, B. J., B elard, S., ... Grobusch, M. P. (2017). Barriers and facilitators to the uptake of tuberculosis diagnostic and treatment services by hard-to-reach populations in countries of low and medium tuberculosis incidence: a systematic review of the qualitative literature. *The Lancet*

- Dendup, T., Dorji, T., Edgnton, M. E., Kumar, A. M. V., Wangchuk, D., Dophu, U., ... Rinzin, C. (2013). Childhood tuberculosis in Bhutan: profile and treatment outcomes. *Public Health Action*, 3(1), 11–4. <https://doi.org/10.5588/pha.12.0091>
- Fiseha, D., & Demissie, M. (2015). Assessment of Directly Observed Therapy (DOT) following tuberculosis regimen change in Addis Ababa, Ethiopia : a qualitative study. *BMC Infectious Diseases*, 1–9. <https://doi.org/10.1186/s12879-015-1142-2>
- Getahun, B., & Nkosi, Z. Z. (2017). Satisfaction of patients with directly observed treatment strategy in Addis Ababa, Ethiopia: A mixed-methods study. *Plos One*, 12(2), e0171209. <https://doi.org/10.1371/journal.pone.0171209>
- Gugssa Boru, C., Shimels, T., & Bilal, A. I. (2017). Factors contributing to non-adherence with treatment among TB patients in Sodo Woreda, Gurage Zone, Southern Ethiopia: A qualitative study. *Journal of Infection and Public Health*. <https://doi.org/10.1016/j.jiph.2016.11.018>
- Gupta, S. (2015). EVALUATION OF PATIENT SATISFACTION LEVEL UNDERGOING DOTS THERAPY IN MEERUT DISTRICT OF UTTAR PRADESH, 5(3), 34–37. <https://doi.org/10.4103/1658-5127.141993>
- Hasson, H. (2010). Systematic evaluation of implementation fidelity of complex interventions in health and social care. *Implementation Science*, 5(1), 1–10. <https://doi.org/10.1186/1748-5908-5-67>
- Health, P. (2016). NATIONAL GUIDELINE FOR THE MANAGEMENT Na on Tuberculosis Control Programme Department of Public Health.
- Health Bulletin, M. (2017). *Ministry of Health, Bhutan*. Bhutan: MoH Bhutan. Retrieved from <http://www.health.gov.bt/wp-content/uploads/ftps/annual-health-bulletins/Annual Health Bulletin-2017.pdf>
- Jasmer, R. M., Seaman, C. B., Gonzalez, L. C., Kawamura, L. M., Osmond, D. H., & Daley, C. L. (2004). Tuberculosis treatment outcomes: Directly observed therapy compared with self-administered therapy. *American Journal of Respiratory and Critical Care Medicine*, 170(5), 561–566. <https://doi.org/10.1164/rccm.200401-0950C>
- Kuensel. (2016). Rising multi-drug resistant TB cases – KuenselOnline. Retrieved from <http://www.kuenselonline.com/rising-multi-drug-resistant-tb-cases/>

- Lavôr, D. C. B. da S., Pinheiro, J. dos S., & Gonçalves, M. J. F. (2016). Evaluation of the implementation of the directly observed treatment strategy for tuberculosis in a large city. *Revista Da Escola de Enfermagem*, 50(2), 245–252. <https://doi.org/10.1590/S0080-623420160000200010>
- Massaut, Sara, Jacques ven den Broek, A. ven der kwaak. (2007). QUOTE TB LIGHT. Retrieved from http://www.challengetb.org/publications/tools/ua/Quote_TB_Light.pdf
- McBride, N., Farrington, F., & Midford, R. (2002). Implementing a school drug education programme: Reflections on fidelity. *International Journal of Health Promotion and Education*, 40(2), 40–50. <https://doi.org/10.1080/14635240.2002.10806196>
- Mihalic, S. (2002). The Important of Implementation Fidelity. *Journal of Chemical Information and Modeling*, 1–16. <https://doi.org/10.1017/CBO9781107415324.004>
- Ministry of Health. (2016). *Annual Health Bulletin 2016. RGoB*. <https://doi.org/10.1093/bja/aet535>
- Nezenega, Z. S., Gacho, Y. H., & Tafere, T. E. (2013). Patient satisfaction on tuberculosis treatment service and adherence to treatment in public health facilities of Sidama zone, South Ethiopia. *BMC Health Services Research*, 13(1), 110. <https://doi.org/10.1186/1472-6963-13-110>
- Nirupa, C., Sudha, G., Santha, T., Ponnuraja, C., Fathima, R., Chandrasekharam, V., ... Narayanan, P. (2005). Evaluation of Directly Observed Treatment Providers in the Revised National Tuberculosis Control Programme. *Indian Journal of Tuberculosis*, 52, 73–77.
- O’Cathain, A., Murphy, E., & Nicholl, J. (2008). The quality of mixed methods studies in health services research. *Journal of Health Services Research & Policy*, 13(2), 92–98. <https://doi.org/10.1258/jhsrp.2007.007074>
- Obermeyer, Z., Abbott-Klafter, J., & Murray, C. J. L. (2008). Has the DOTS strategy improved case finding or treatment success? An empirical assessment. *PLoS ONE*, 3(3). <https://doi.org/10.1371/journal.pone.0001721>
- Onyeonoro, U. U., Chukwu, J. N., Nwafor, C. C., Meka, A. O., Omotowo, B. I., Madichie, N. O., ... Duru, C. B. (2015). Evaluation of Patient Satisfaction with Tuberculosis Services in Southern Nigeria. *Health Services Insights*, 8, 25–33. <https://doi.org/10.4137/HSI.S27177>
- Palha, P. F., da Silva, L. M., Wysocki, A. D., Andrade, R. L., Protti, S. T., Scatena, L. M., & Villa, T. C. (2012). [Access to healthcare services for tuberculosis: analysis of patient

- Parida, A., Bairy, K. L., Chogtu, B., Magazine, R., & Vidyasagar, S. (2014). Comparison of Directly Observed Treatment Short Course (DOTS) with Self-Administered Therapy in Pulmonary Tuberculosis in Udupi District of Southern India. *Journal of Clinical and Diagnostic Research : JCDR*, 8(8), HC29-31.
<https://doi.org/10.7860/JCDR/2014/8865.4721>
- Peters, D. H., Adam, T., Alonge, O., Agyepong, I. A., & Tran, N. (2014). Republished research: Implementation research: what it is and how to do it. *British Journal of Sports Medicine*, 48(8), 731–736. <https://doi.org/10.1136/bmj.f6753>
- Portela, M. C., Lima, S. M. L., Brito, C., Ferreira, V. M. B., Escosteguy, C. C., & Vasconcellos, M. T. L. de. (2014). Tuberculosis Control Program and patient satisfaction, Rio de Janeiro, Brazil. *Revista de Saúde Pública*, 48(3), 497–507. <https://doi.org/10.1590/S0034-8910.2014048004793>
- Probandari, A., Utarini, A., & Hurtig, A. K. (2008). Achieving quality in the Directly Observed Treatment Short-course (DOTS) strategy implementation process: A challenge for hospital public-private mix in Indonesia. *Global Health Action*, 1(1).
<https://doi.org/10.3402/gha.v1i0.1831>
- Queiroz, E. M. de, De-La-Torre-Ugarte-Guanilo, M. C., Ferreira, K. R., & Bertolozzi, M. R. (2012). Tuberculosis: limitations and strengths of Directly Observed Treatment Short-Course. *Revista Latino-Americana de Enfermagem*, 20(2), 369–377.
<https://doi.org/10.1590/S0104-11692012000200021>
- The ranking, world H. (2017). Health Profile Bhutan. *World Life Expectancy*. Retrieved from <http://www.worldlifeexpectancy.com/country-health-profile/bhutan>
- Reis-Santos, B., Pellacani-Posses, I., Macedo, L. R., Golub, J. E., Riley, L. W., & Maciel, E. L. (2015). Directly observed therapy of tuberculosis in Brazil: associated determinants and impact on treatment outcome. *The International Journal of Tuberculosis and Lung Disease : The Official Journal of the International Union against Tuberculosis and Lung Disease*, 19(10), 1188–93. <https://doi.org/10.5588/ijtld.14.0776>
- The report, A. (2017). 2 | Bending the Curve -ending TB. Retrieved from <http://apps.who.int/iris/bitstream/10665/254762/1/978929022584-eng.pdf?ua=1>
- Review, E. (2006). National Tuberculosis Control Programme Bhutan, (May).

- Royal Government of Bhutan. (2008). *The Constitution of the Kingdom of Bhutan*.
<https://doi.org/10.1017/S0165070X0001202X>
- Shalini Srivastay, H. M. (2014). Satisfaction levels among patients availing DOTS services in Bundelkhand Region (UP), India: Evidence from patient exit-interviews. *Bundelkhand Region (UP), India: Annals of Tropical M.*
- Sofaer, S., Shire, A., & Fortin, J. (2010). Evaluation Brief, *36*(7), 1–8.
- Solomon Sisay a*, Belete Mengistu b, Woldargay Erku c, D. W. d. (2016). Ten years ' experience of Directly Observed Treatment Short-course (DOTS) in Gambella Regional State, Ethiopia : An evaluation of tuberculosis control program. *International Journal of Mycobacteriology*, *5*, S117–S118. <https://doi.org/10.1016/j.ijmyco.2016.11.003>
- Sugiharto, J. (2012). Assessing the Perceived Quality of Care.
- Thomas, C. (2002). Best dissertation section. *Journal of Management in Medicine*, *16*(5), 371–400. <https://doi.org/10.1108/02689230210446544>
- Training, W. H. O. on behalf of the S. P. for R. and, & in Tropical Diseases. (2014). *Implementation Research Toolkit*, 188.
- Wangdi, K., & Gurung, M. R. (2012). The epidemiology of tuberculosis in Phuentsholing General Hospital: a six-year retrospective study. *BMC Research Notes*, *5*, 311. <https://doi.org/10.1186/1756-0500-5-311>
- WHO. (n.d.). Tb. [https://doi.org/ISBN 978 92 4 156539 4](https://doi.org/ISBN%20978%2092%204%20156539%204)
- WHO. (2017). WHO _ Tuberculosis_factsheets 2017.
- Who, & The World Health Organization. (2010). Treatment of tuberculosis: guidelines. *4Th Edition*, 160. <https://doi.org/10.1164/rccm.201012-1949OC>
- Wikipedia. (2017). Phuntsholing - Wikipedia. Retrieved from <https://en.wikipedia.org/wiki/Phuntsholing>
- World Health Organisation. (2017). *Guidelines for treatment of tuberculosis*. Retrieved from <http://www.who.int/tb/publications/2010/9789241547833/en/>
- World Health Organization. (2015). *Tuberculosis in women*. Retrieved from http://www.who.int/tb/challenges/hiv/tb_women_factsheet.pdf?ua=1