

TABLE OF CONTENTS

DECLARATION	iii
ACKNOWLEDGEMENT	iv
LIST OF TABLE	viii
LIST OF FIGURE.....	ix
ABSTRACT	xi
CHAPTER 1 INTRODUCTION	
1.1 Background	1
1.2 Study Area.....	2
1.3 Problem Statement	3
1.4 Objective of Study.....	3
1.5 Research Limitation	3
1.6 Research Benefit	4
CHAPTER 2 LITERATURE REVIEW	
2.1 General	5
2.2 Hydrologic Cycle	5
2.3 Rainfall Intensity	6
2.4 Flood and Design Flood	6
2.5 Hydrological Modeling	7
2.6 Hydraulic Modeling	7
2.7 Hydrograph.....	7
2.8 Flood Early Warning System	9
CHAPTER 3 THEORETICAL BACKGROUND	
3.1 Rainfall Analysis	10
3.2 Frequency Analysis	11

3.2.1 Statistic Parameters.....	11
3.2.2 Probability Distribution	12
3.2.3 Statistic Test	15
3.3 Design Rainfall.....	15
3.4 Rainfall-Runoff Modeling by using HEC-HMS	15
3.5 Hydraulic Modeling by using HEC-RAS.....	17
3.6 Unsteady Flow Equation in Hydraulic Models	17
3.7 Manning Coefficient	18
3.8 Simulation of Potential Warning Time by Using HEC-HMS	19
 CHAPTER 4 METHODOLOGY	
4.1 Data Collection.....	20
4.2 Research Location	20
4.3 Research Stages.....	22
4.4 Analysis of Mean Rainfall.....	23
4.5 Frequency Analysis	24
4.6 Analysis of Rainfall Distribution	24
4.7 HEC-HMS Modeling	24
4.7 HEC-RAS Modeling	27
4.8 Analysis of Potential Warning Time	29
 CHAPTER 5 RESULT AND DISCUSSION	
5.1 Rainfall Analysis	30
5.1.1 Mean Daily Rainfall in Kelantan Catchment	30
5.1.2 Frequency Analysis for 3 Days Daily Rainfall.....	33
5.1.3 Rainfall Distribution Analysis for 3 Days Daily Rainfall	34
5.1.4 Design Rainfall for 3 Days Daily Rainfall	36
5.2 Simulation of Rainfall-Runoff by Using HEC-HMS	37

5.2.1 Calibration of Parameters in Kelantan Catchment	37
5.2.2 Simulation of HEC-HMS	40
5.3 Simulation of Runoff by Using HEC-RAS	41
5.3.1 Calibration of Parameters in Kelantan Catchment	41
5.3.2 Simulation of HEC-RAS	43
5.4 Simulation of Potential Warning Time	44
5.4.1 Maximum Capacity of The River at Kuala Krai (RS 7,800).....	44
5.4.2 Analysis of Potential Warning Time Based on Cumulative Rainfall	45
5.4.3 Analysis of Potential Warning Time Based on Intensity of Rainfall	47
5.5 Operational of Early Warning System	50
5.6 Flood Disaster Preparedness in Malaysia.....	51
 CHAPTER 6 CONCLUSION AND RECOMMENDATION	
6.1 Conclusion.....	53
6.2 Recommendation.....	53
REFERENCES.....	55
APPENDIX.....	57

LIST OF TABLE

	PAGE
Table 2.1 Classification of Rainfall Based on Rainfall Intensity.....	-6-
Table 3.1: Simulation Method in HEC-HMS Software.....	-16-
Table 4.1: Simulation Model of HEC-HMS.....	-24-
Table 5.1: Area of polygon and weighting coefficient in Galas sub-catchment.....	-29-
Table 5.2: Area of polygon and weighting coefficient in Lebir sub-catchment.....	-30-
Table 5.3: Area of polygon and weighting coefficient in Sg Kelantan sub-catchment.....	-30-
Table 5.4: Maximum 3 days rainfall in Galas sub-catchment.....	-30-
Table 5.5: Maximum 3 days rainfall in Lebir sub-catchment.....	-31-
Table 5.6: Maximum 3 days rainfall in Sg. Kelantan sub-catchment.....	-32-
Table 5.7: Return Period in Every Sub-Catchment.....	-34-
Table 5.8: Design Rainfall in Galas.....	-36-
Table 5.9: Design Rainfall in Lebir.....	-36-
Table 5.10: Design Rainfall in Sg Kelantan.....	-37-
Table 5.11: Percentage Difference of Calibration Process.....	-38-
Table 5.12: Hydrological Parameters (Calibration's Result).....	-39-
Table 5.13: Calibration Result.....	-42-
Table 5.14: Cumulative of Rainfall Depth.....	-46-
Table 5.15: Analysis Result of Potential Warning Time in Kuala Krai, Kelantan....	-47-
Table 5.16: Maximum Potential Time Warning Based on Rainfall Intensity.....	-48-
Table 5.17: Analysis Result of Potential Time Warning Based on Rainfall Intensity.....	-49-
Table 5.18: Description of Warning Level in Kuala Krai.....	-51-

LIST OF FIGURE

	PAGE
Figure 1.1: Flood and Inundation on December 2014, Kuala Krai.....	-1-
Figure 1.2: Area of Study in Kuala Krai.....	-2-
Figure 2.1: The Hydrologic Cycle.....	-6-
Figure 2.2: Hydrograph Components.....	-8-
Figure 3.1: Thiessen Polygon.....	-10-
Figure 4.1: Catchment Area in Kelantan.....	-21-
Figure 4.2: Flow Chart of Research Stage.....	-22-
Figure 4.3: HEC-HMS Model in Kelantan catchment.....	-25-
Figure 4.4: Calibration's Flow Chart.....	-26-
Figure 4.5: Schematic of Geometric Data in HEC-RAS.....	-28-
Figure 4.6: Schematic of Warning Level in Kelantan Catchment.....	-29-
Figure 5.1: Rainfall Distribution in Galas Sub-Catchment.....	-35-
Figure 5.2: Rainfall Distribution in Lebir Sub-Catchment.....	-36-
Figure 5.3: Rainfall Distribution in Sg Kelantan Sub-Catchment.....	-36-
Figure 5.4: Comparison of Flood Hydrograph.....	-39-
Figure 5.5: Simulated Flood Hydrograph in Galas Sub-Catchment.....	-41-
Figure 5.6: Simulated Flood Hydrograph in Lebir Sub-Catchment.....	-41-
Figure 5.7: Inundation Map on December 2014.....	-42-
Figure 5.8: Simulated Design Flood Hydrograph at RS 7,800 (Kuala Krai).....	-44-
Figure 5.9: Simulated Design Water Surface Level at RS 7,800 (Kuala Krai).....	-45-
Figure 5.10: Maximum Capacity at RS 7,800.....	-46-
Figure 5.11: 50 Cumulative Depth of Rainfall versus Discharge.....	-47-



Figure 5.12: Schematic Diagram of Distribution Warning Time in Kuala Krai.....	48-
Figure 5.13: Flood Hydrograph Based on Intensity of Rainfall.....	49-
Figure 5.14: Schematic Diagram of Warning Level in Kuala Krai.....	51-
Figure 5.15: Malaysia Disaster Management Structure.....	53-