UNIVERSITAS
GADJAH MADA
EFFECT OF CENTELLA ASIATICA (L.) URBAN EXTRACT ON THE EXPRESSION OF GLUTATHIONE PEROXIDASE-1 MRNA IN KIDNEY OF DIABETIC NEPHROPATHY WISTAR RAT MODEL
ATHA KHALILULLAH L, dr. Dwi Aris Agung N, M.Sc., Ph.D ; Dr. dr. Woro Rukmi P, M.Kes., Sp.PD
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Akbarzadeh, A., Norouzian, D., Mehrabi, M. R., Jamshidi, S., Farhangi, A., Verdi, A. A., … Rad, B. L. (2007). Induction of diabetes by Streptozotocin in rats. *Indian J Clin Biochem Nutr*, *22*(2),

Ali, T. M., Esawy, B. E., & Elaskary, A. (2017). Effect of paricalcitol on pancreatic oxidative stress, inflammatory markers, and glycemic status in diabetic rats. *Ir J Med Sci (1971 -)*.

Association, A. D. (2014, January 01). Diagnosis and Classification of Diabetes Mellitus. Retrieved December 13, 2017, from http://care.diabetesjournals.org/content/37/Supplement_1/S81

Ayodele, O. E., Alebiosu, C. O., & Salako, B. L. (2004). Diabetic nephropathy--a review of the natural history, burden, risk factors and treatment. *J Natl Med Assoc*, *96*(11), 1445–1454.

Bellisola, G., Guidi, G., Cinque, G., Galassini, S., Liu, N.-Q., Moschini, G., … Lupo, A. (1996). Selenium Status and Plasma Glutathione Peroxidase in Patients with IgA Nephropathy. *J Trace Elem Med Biol*, *10*(3), 189–196.

Cavanagh, P. R., Ulbrecht, J. S., & Caputo, G. M. (2000). New developments in the biomechanics of the diabetic foot. *Diabetes Metab Res Rev*, *16*(S1).

Chambers, I., Frampton, J., Goldfarb, P., Affara, N., McBain, W. & Harrison, P. R. (1986) The structure of the mouse glutathione peroxidase gene: the selenocysteine in the active site is encoded by the 'termination' codon, TGA. EMBO J. 5: 1221-1227.

Finch JL, Suarez EB, Husain K, Ferder L, CardemaMC, GlennDJ et al (2012) Effect of combining an ACE inhibitor and a VDR activator on glomerulosclerosis, proteinuria, and renal oxidative stress in uremic rats. Am J Physiol Renal Physiol 302(1):F141–F149

Gross, J. L., Azevedo, M. J. D., Silveiro, S. P., Canani, L. H., Caramori, M. L., & Zelmanovitz, T. (2004). Diabetic Nephropathy: Diagnosis, Prevention, and Treatment. *Diabetes Care*, *28*(1), 164–176.

Husain K, Suarez E, Isidro A, Ferder L (2010) Effects of paricalcitol and enalapril on atherosclerotic injury in mouse aortas. Am J Nephrol 32(4):296–304

Hansen, K., Nyman, U., Smitt, U.W., Adsersen, A., Gudiksen, L., Rajasekharan, S., and Pushpangadan, P., 1995. In vitro screening of traditional medicines for anti-hypertensive effect based on inhibition of the angiotensin converting enzyme (ACE). *J Ethnopharmacol*, 48:43-51.

UNIVERSITAS
GADJAH MADA
EFFECT OF CENTELLA ASIATICA (L.) URBAN EXTRACT ON THE EXPRESSION OF GLUTATHIONE PEROXIDASE-1 MRNA IN
KIDNEY OF DIABETIC NEPHROPATHY WISTAR RAT MODEL
ATHA KHALILULLAH L, dr. Dwi Aris Agung N, M.Sc., Ph.D ; Dr. dr. Woro Rukmi P, M.Kes., Sp.PD
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Jayashree, G., Muraleedhara, G. K., Sudarslal, S., & Jacob, V. (2003). Anti-oxidant activity of Centella asiatica on lymphoma-bearing mice. *Fitoterapia*, *74*(5), 431–434.

Kabir, A. U., Samad, M. bin, D'Costa, N. M., Akhter, F., Ahmed, A., & Hannan, J. (2014). Anti-hyperglycemic activity of Centella asiatica is partly mediated by carbohydrase inhibition and glucose-fiber binding. *BMC Complement Altern Med*, *14*.

Leahy, Jack L. (2005). "Pathogenesis Of Type 2 Diabetes Mellitus". *Arch Med Res* 36.3, 2005, 197-209. Web. 1 June 2017.

Lei, W.-Y., Wang, T.-E., Chen, T.-L., Chang, W.-H., Yang, T.-L., & Wang, C.-Y. (2007). Insulinoma Causing Hypoglycemia in a Patient with Type 2 Diabetes. *J Formos Med Assoc*, *106*(5), 392–396.

Lei, X. G., Evenson, J. K., Thompson, K. M. & Sunde, R. A. (1995) Glutathione peroxidase and phospholipid hydroperoxide glutathione peroxidase are differentially regulated in rats by dietary sele nium. *J. Nutr*. 125: 1438-1446.

Longo AF, Vine DJ, King LE, Oakes M, Weber RJ, Huey LG, Russell AG, Ingall ED (2016) Composition and oxidation state of sulfur in atmospheric particulate matter. *Atmos Chem Phys* 16: 13389–13398. doi:10.5194/acp-16-13389-2016

Martín-Gallán, P., Carrascosa, A., Gussinyé, M., & Domínguez, C. (2007). Oxidative stress in childhood type 1 diabetes: Results from a study covering the first 20 years of evolution. *Free Radic Res*, *41*(8), 919–928.

Matough FA, Budin SB, Hamid ZA, Alwahaibi N, Mohamed J (2012) The role of oxidative stress and antioxidants in diabetic complications. *Sultan Qaboos Univ Med J* 12(1):5–18

Maulidiani, Abas, F., Khatib, A., Perumal, V., Suppaiah, V., Ismail, Hamid, M., Shaari, K., Lajis, N. (2016). Metabolic Alteration In Obese Diabetes Rats Upon Treatment With Centella Asiatica Extract. *Journal Ethnopharmacol,* 180, 60-69.

Miyamoto, Y., Koh, Y. H., Park, Y. S., Fujiwara, N., Sakiyama, H., Misonou, Y., … Taniguchi, N. (2003). Oxidative Stress Caused by Inactivation of Glutathione Peroxidase and Adaptive Responses. *J Biol Chem*, *384*(4).

Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S., & Devasagayam, T. P. A. (2007). Recent Advances in Indian Herbal Drug Research Guest Editor: Thomas Paul Asir Devasagayam Indian Herbs and Herbal Drugs Used for the Treatment of Diabetes. *J Clin Biochem Nutr*, *40*(3), 163–173.

UNIVERSITAS
GADJAH MADA
EFFECT OF CENTELLA ASIATICA (L.) URBAN EXTRACT ON THE EXPRESSION OF GLUTATHIONE PEROXIDASE-1 MRNA IN
KIDNEY OF DIABETIC NEPHROPATHY WISTAR RAT MODEL
ATHA KHALILULLAH L, dr. Dwi Aris Agung N, M.Sc., Ph.D ; Dr. dr. Woro Rukmi P, M.Kes., Sp.PD
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Primer-Blast results. Retrieved December 13, 2017, from https://www.ncbi.nlm.nih.gov/tools/primer-blast/primertool.cgi?ctg_time=1513205012&job_key=DQfSSeE87JTLrvqr98vemY3Qz6ugw9S2oQ

Riset Kesehatan Dasar 2013. (2013). Badan Penelitian dan Pengembangan Kesehatan Kementrian Kesehatan RI.

Roett, M. A., Liegl, S., & Jabbarpour, Y. (2012, May 1). Diabetic Nephropathy--The Family Physician's Role. Retrieved December 13, 2017, from https://www.aafp.org/afp/2012/0501/p883.html

Sengupta, P. (2013). The Laboratory Rat: Relating Its Age With Human's. *Int J Prev Med*, *4*(6), 624–630.

Shieh, J., Carter, M. (2015). Guide To Research Techniques In Neuroscience - (Second Edition). Molecular Cloning and Recombinant DNA Technology, 219-237. *Sciencedirect.com*. N.p., 2017. Web.

Sood, A., Cunningham, C., & Lin, S. (2013). The BB Wistar Rat as a Diabetic Model for Fracture Healing. *ISRN Endocrinol*, *2013*, 1–6.

Szkudelski, T. (2012). Streptozotocin–nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp Biol Med*, *237*(5), 481–490.

Tesch, G. H., & Allen, T. J. (2007). Rodent models of streptozotocin-induced diabetic nephropathy (Methods in Renal Research). *Nephrology*, *12*(3), 261–266.

Type-1 Diabetes : Overview. Retrieved December 13, 2017, from https://www.nhs.uk/conditions/type-1-diabetes/

Wang, Z., Liu, J., & Sun, W. (2013). Effects of asiaticoside on levels of podocyte cytoskeletal proteins and renal slit diaphragm proteins in adriamycin-induced rat nephropathy. *Life Sci*, *93*(8), 352–358.

What is diabetes. Retrieved December 13, 2017, from https://www.idf.org/about-diabetes/what-is-diabetes.html

Webster, C. and Merry, A., 1997. The standard deviation and the standard error of the mean.

Weiss, S. L., Evenson, A. K., Thompson, K. M., & Sunde, R. A. (1996). The Selenium Requirement for Glutathione Peroxidase mRNA Leevel is Half of the Selenium Requirement for Glutathione Peroxidase Activity in Female Rats. *Nutrient Requirements and Interaction, American Institute of Nutrition*, 2260–2267.

UNIVERSITAS
GADJAH MADA
EFFECT OF CENTELLA ASIATICA (L.) URBAN EXTRACT ON THE EXPRESSION OF GLUTATHIONE PEROXIDASE-1 MRNA IN KIDNEY OF DIABETIC NEPHROPATHY WISTAR RAT MODEL
ATHA KHALILULLAH L, dr. Dwi Aris Agung N, M.Sc., Ph.D ; Dr. dr. Woro Rukmi P, M.Kes., Sp.PD
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Zainol, M.K., Abd-Hamid, A., Yusof, S. and Muse, R., 2003. Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. *Food Chem*, 81(4), p.575-581.