

DAFTAR PUSTAKA

- Ashley, E. A., Dhorda, M., Fairhurst, R. M., Amaratunga, C., Lim, P., Suon, S., Sreng, S., Anderson, J. M., Mao, S., Sam, B., Sopha, C., Chuor, C. M., Nguon, C., Sovannaroeth, S., Pukrittayakamee, S., Jittamala, P., Chotivanich, K., Chutasmit, K., Suchatsoonthorn, C., Runcharoen, R., Hien, T. T., Thuy-Nhien, N. T., Thanh, N. V., Phu, N. H., Htut, Y., Han, K. T., Aye, K. H., Mokuolo, O. A., Olaosebikan, R. R., Folaranmi, O. O., Mayxay, M., Khanthavong, M., Hongvanthong, B., Newton, P. N., Onyamboko, M. A., Fanello, C. I., Tshefu, A. K., Mishra, N., Valecha, N., Phyto, A. P., Nosten, F., Yi, P., Tripura, R., Borrmann, S., Bashraheil, M., Peshu, J., Faiz, M. A., Ghose, A., Hossain, M. A., Samad, R., Rahman, M. R., Hasan, M. M., Islam, A., Miotto, O., Amato, R., MacInnis, B., Stalker, J., Kwiatkowski, D. P., Bozdech, Z., Jeeyapant, A., Cheah, P. Y., Sakulthaew, T., Chalk, J., Intharabut, B., Silamut, K., Lee, S. J., Vihokhern, B., Kunasol, C., Imwong, M., Tarning, J., Taylor, W. J., Yeung, S., Woodrow, C. J., Flegg, J. A., Das, D., Smith, J., Venkatesan, M., Plowe, C. V., Stepniewska, K., Guerin, P. J., Dondorp, A. M., Day, N. P., White, N. J., 2014, Spread of Artemisinin Resistance in *Plasmodium falciparum* Malaria. *Engl. J. Med.* 371, 411-423.
- Baelsmans, R., Deharo, E., Munoz, V., sauvin, M., Ginsburg, H., 2000, Experimental condition for testing the inhibitory activity of chloroquine on the formation of b-hematin. *Exp. Parasitol.*, 96 (4), 243-248.
- Bano, S., Javed, K., Ahmad, S., Rathish, I. G., Singh, S., Chaitanya, M., Arunasree, K. M., dan Alam, M.S., 2013, Synthesis of Some Novel Chalcones, Flavanones and Flavones and Evaluation of Their Anti-Inflammatory Activity, *Eur. J. Med. Chem.*, 65, 51-59.
- Barnes, E. C., Choomuenwai, V., Andrews, K. T., Quinna, R. J. and Davis, R. A., 2012, Design and Synthesis of Screening Libraries Based on the Muurolane Natural Product Scaffold, *Org. Biomol. Chem.*, 10, 4015-4023.
- Basilico, N., Pagani, E., Monti, D., Olliaro, P. and Taramelli, D., 1998, A Microtitrebased Method for Measuring the Haem Polymerization Inhibitory Activity (HPIA) of Antimalarial Drugs. *J. Antimicrob. Chemother.*, 42, 55-60.
- Bukhari, S. N. A., Jasamai, M., Jantan, I., 2012, Synthesis and Biological Evaluation of Chalcones Derivatives (Mini Review), *Mini review in Med. Chem.*, 12, 1394-1403.
- Chairil, A., Prasetyo, Y. D., Matsjeh, S., Haryadi, W., Sholikhah, E. N and Nendrowati, 2018, Synthesis of Chalcone Derivatives and Their *in vitro* Anticancer Test against Breast (T47D) and Colon (WiDr) Cancer Cell. Line, *Indones. J. Chem.*, 18 (1), 102-107.
- Chaudary, K. K., Kannoja, P., Mishra, N., 2015, Chalcones as Antimalarials: *in silico* and Synthetic Approach. *The Battle Against Microbial Pathogens: Basic Science, Technological Advances and Educational Program* (A. Mendez-Vilas, Ed.), 512-525.
- Chen, M., Theander, T. G., Christensen, S. B., Hviid, L., Zhai, L., Kharazmi, A., 1994, Licochalcone A, a New Antimalarial Agent, Inhibits *in vitro* Growth

- of the Human Malaria Parasite *Plasmodium falciparum* and Protects Mice from *P. yoeli* Infection. *Antimicrob. Agents Chemother.*, 38, 1470-1475.
- Grotewold, E., 2006, The Science of Flavanoids, USA: Springer Science+Business Media, Inc.
- Guetzoyan, L., Yi, X., Ramiandrasoa, F., Pethem S., Rogier, C., Pradines, B., Cresteil, T., Perre-Fauvet, M dan Mahy, J., 2009, Antimalarial Acridines: Synthesis *in vitro* Activity Against *P. falciparum* and Interaction with Hematin, *Bioorganic & Medicinal Chemistry*, 17, 8032-8039.
- Gupta, R., Gupta, N. and Jain, A., 2010, Improved Synthesis of Chalcones and Pyrazolines Under Ultrasonic Irradiation, *Indian Journal of Chemistry*, Vol. 49B, 351-355.
- Harbone, J. B. and Williams, C. A., 2001, Anthocyanins and Other Flavanoids, *Nat. Prod. Rep.*, 18, 310-333.
- Huy, Nt., Maeda, A., Uyen, D.T., Trang, D. T. X., Sasai, M., Shiono, T., 2007, Alcohols Induce Beta-Hematin Formation via The Dissociation of Aggregated Hem and Reduction on Interfacial Tension of The Solution, *Actatropica*, 101, 130-138.
- Jarag, K. J., Pinjari, D. V., Pandit, A. B., Shankarling, G. S., 2011, Synthesis of Chalcone (3-(4-fluorophenyl)-1-(4-methoxyphenyl) prop-2-en-1-one) : Advantage of Sonochemical Method Over Conventional Method, *Ultrason. Sonochem.*, 18, 617-623.
- Krogstad, D. J., 1996, Malaria as Reemerging Disease. *Epidemiologic. Rev.*, 1, 77-89.
- Kshatriya, R. B., Macchi, J.K., dan Nazerrudin, G. M., 2014, Novel Methodology and Process Optimization for Synthesis of Flavones, *Int. J. Curr. Res.*, Rev, 3 (2), 47-57. Kumar, S., Guha, M., Choubey, V., Maity, P dan Bandyopaddhay, U., 2007, Antimalarial Drugs Inhibiting Hemozoin (Beta-Hematin) Formation: A Mechanistic, *Update life Sciences*, 80, 813-828.
- Kumar, S. and Pandey, A. K., 2013, Chemistry and Biological Activities of Flavanoids: An Overview, *The Scientific World Journal*, Article ID 162750, <http://dx.doi.org/10.1155/2013/162750>.
- Kurosawa, Y., Dorn, A., Kitsuji-Shirane, M., Shimada, H., Satoh, T., Matile, M., et al., 2003, Hematin Polymerization Assay as a High-throughput Screening for Identification of New Antimalarial Pharmacophores, *Antimicrobial Agents and Chemotherapy*, 44 (10): 2638-2644.
- Kuter, D., Streltsov, V., Davydova, N., Venter, G. A., Naidoo, K. J. and Egan, T. J., 2016, Simulation Structure of Chloroquine-Ferrieme Complexes Modeled Using MD Simulation and Investigated by EXAFS Spectroscopy, *Journal of Inorganic Biochemistry*, 154, 114-125.
- Lim, S. S., Kim, H. S., Lee, D. U., 2007, *In vitro* Antimalarial Activity of Flavonoids and Chalcones. *Bull. Korean Chem. Soc.*, Vol. 28, No. 12. pp. 2495-2497.
- Liu, M., Wilairat, P., Croft, S. L., Tan, A. L. C., Go, M. L., 2003, Structure-Activity Relationships of Antileishmanial and Antimalarial Chalcones, *Bioorg. Med. Chem.*, 11, 2729-2739.

- Matsjeh, S. Kimia Hasil Alam Senyawa Metabolit Sekunder Tumbuhan Flavanoid, Terpenoid dan Alkaloid, 2013, Yogyakarta: Gre Publishing.
- Maude, R. J., Pontavornpinyo, W., Saralamba, S., Aguas, R., Yeung, S., Dondorp, A. m., Day, N. P. J., White, N. J., dan White, L. J., 2009, The last man standing is the most resistant: eliminating artemisinin-resistant malaria in Cambodia, *Malar. J.*, 8, 31.
- Matin, A., Gavande, N., Kim, M. S., Yang, N. X., Salam, N. K., Hanrahan, J. R., Roubin, R. H. and Hibbs, D. E., 2009, 7-Hydroxy-Benzopyran-4-one Derivatives: A Novel Pharmacophore of Piroxisome of Proliferator-Activated Reseptor α and γ (PPAR α and γ) Dual Agonist. *J. Med. Chem.*, 52, 6835-6850.
- Mondal, R., Gupta, A. D. and Malik, A. K., 2011, Synthesis of Flavanones by Use of Anhydrous Potassium Carbonate as an Inexpensive, Safe and Efficient Basic Catalyst, *Tetrahedron Lett*, 52, 5020-5024.
- Murthy, Y. L., Viswanath, I. V dan Pandit, E. N., 2010, Synthesis, Characterization & Antibacterial Activity of 7,4'-dihydroxy-3'-methoxy Flavones. *Int J. Chem. Tech. Rec.*, 2 (2), 1097-1101.
- Mustofa, Sholikhak, E. N., Wahyuono, S. 2007, *In vitro* and *in vivo* Antiplasmodial Activity and Cytotoxocity of Extracts of *Phyllanthus niruri* L., Herbs Traditionally Used to Threat Malaria in Indonesia, *South East Asian Journal of Tropical Medicine Public Health*, 38(4):609-615.
- Nagaraj, V. A., Sundaram, B., Varadarajan, N. M., Subramani, P. A., Kalappa, D. M., Ghosh, S. K. and Padmanaban, G., 2013, Malaria Parasite-Synthesized Heme is Essential in the Mosquito and Liver Stages and Complements Host Heme in the Blood Stages of Infection, *Plos Pathog*, 9(8): e1003522.
- Ncokazi, K. K. dan Egan, T. J., 2005, A Colorimetric High-throughput beta-Hematin Inhibition Screening Assay for Use in the Search for Antimalarial Compounds, *Analytical Biochemistry*, 338: 306-319.
- Ngambut, K dan Sila, O., 2013, Faktor Lingkungan dan Perilaku Masyarakat Tentang Malaria di Kecamatan Kupang Timur Kabupaten Kupang. *Jurnal Kesehatan Masyarakat Nasional*, Vol. 7 No. 6, 271-278.
- Neto, A. G., Lavarda, F. C., 2014, The Correlation Between Electronic Structure and Antimalarial Activity of Alkoxylyated and Hydroxylated Chalcones. *Med. Chem. Res.*, 23, 580-586.
- Pagola, S., Stephens, P. W., Bohle, D. S., Kosar, A. D. and Madsen, S. K., 2000, The Structure of Malaria Pigment β -haematin, *Nature*, Vol 404, 307-310.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., Vyvyan, J. R., 2009, *Introduction to Spectroscopy*, Fourth Edition, Thomson Learning Inc., USA.
- Peterson, J. J., Beecher, G. R., Bhagwat, S. A., Dwyer, J. T., Gebhardt, S. T., Haytowitz, D. V. and Holde, M. J., 2006, Flavanones in Grapefruit, Lemons and Limes: A compilation and Review of the Data From the Analytical Literature, *J. Food Compos Anal.*, 19, S74-S80.
- Pribadi, W. dan Sungkar, S., 1994, Malaria. Jakarta : Balai Penerbit FK UI.
- Purba, I. E., Hadi, U. K. dan Hakim, L., 2016, Analisis Pengendalian Malaria di Provinsi Nusa Tenggara Timur dan Rencana Stategis untuk Mencapai Eliminasi Malaria, *Spirakel*, Vol. 8 No. 2, 18-26.

- Rosenthal, P. J., 2003, Review of Malaria Parasites: New Targets for Chemotherapy, *Emerging Infectious Disease*, 4 (1): 49-57.
- Shabriah, A. D., 2017, Synthesis of chalcone and flavone from veratraldehyde and 2-hydroxyacetophenone and the activity assay as an antimalarial. *Thesis*. Departemen Kimia, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Silaghi-Dumitrescu, R., Bischin, C., Deac, F., Kis, Z., Mot, A and Makarov, S. V., 2009, Unusual Metal Oxidation States in Metalloproteins and Related Complexes: from Degenerate Orbitals to Apoptosis, *Proc. of 9th Int. Symp. of Roumanian Academy-Branch Cluj-Napoca and Branch Timișoara, October 16-17, Cluj-Napoca, Roumania*, 174-182.
- Simanjuntak, C. H. dan Arbani, P. R., 1995, Status Malaria di Indonesia, *Cermin Dunia Kedokteran*, 55 : 3-11.
- Snow, R. W., Guerra, C. A., Noor, A. M., Myint, H. Y., Hay, S. I. 2005. Global Distribution of Clinical Episodes of *Plasmodium falciparum* Malaria, *Nature* 434:214-217.
- Suslick, K. S. and Price, G. J., 1999, Application of Ultrasound to Materials Chemistry, *Annu. Rev. Mater. Sci.*, 29: 295-326.
- Syahri, J, 2017, Desain dan Sintesis Senyawa Antimalaria dari Turunan Khalkon, *Disertasi*, Departemen Kimia, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Syahri, J., Yuanita, E., Nurohmah, B. A., Armunanto, R., Purwono, B., 2017, Chalcone Analogue as Potent Anti-malarial Compounds Against *Plasmodium falciparum*: Synthesis, Biological Evaluation and Docking Simulation Study. *Asian Pasific Journal of Tropical Biomedicine*, 7 (8), 675-679.
- Waako, P. J., Gumedde, B., Smith, P., and Folb, P. I., 2005, The *in vitro* and *in vivo* Antimalarial Activity of *Cardiospermum halicacabum* L. and *Momordica foetida* Schumch. Et. Thoon., *J. Ethnopharmacol*, 99, 137-143.
- Wiser, M. F., 2009, Cellular and Molecular Biology of *Plasmodium*, diakses 18 April 2018, <http://tulane.edu/~wiser/malaria/cmb.html>.
- World Health Organization, 2005, World Malaria Report 2005, Geneva: WHO Press.
- World Health Organization, 2011, World Malaria Report 2011, Geneva: WHO Press.
- World Health Organization, 2017, World Malaria Report 2017, Geneva: WHO Press.
- Yadav, N., Dixit, S. K., Bhattacharya, A., Mishra, L. C., Sharma, M., Awasthi, S. K., Bhasin, V. K, 2012, Antimalarial Activity of Newly Chalcone Derivatives *In Vitro*, *Chem Biol Drug.*, 80: 340-347.
- Zhang, X., Khalidi, O., Kim, S. Y., Wang, R., Schultz, V., Cress, B. F., Gross, R. A., Koffas, M. A. G. and Linhardt, R. J., 2016, Synthesis and Biological Evaluation of 5,7-dihydroxyflavanone Derivatives as Antimicrobial Agents, *Bioorganic & Medicinal Chemistry Letter*, 26, 3089-3092.
- Ziegler, J., Linck, R. and Wright, D. W., 2001, Heme Aggregation Inhibitors: Antimalarial Drugs Targeting an Essential Biomineralization Process, *Current Medicinal Chemistry*, 8, 171-189.