

## DAFTAR PUSTAKA

- Adenuga, W., Obembe, T., Odebunmi, K., Asuzu, M. 2017. Prevalence and determinants of stunting among primary school children in rural and urban communities in Obafemi Owode Local Government area, Southwestern Nigeria. *Ann Ibadan Postgrad Med*, 15(1): 7–15.
- Agostoni, C., Decsi, T., Fewtrell, M., Goulet, O., Kolacek, S., Koletzko, B., *et al.* 2008. Complementary feeding: A commentary by the ESPGHAN committee on nutrition. *J Pediatr Gastroenterol Nutr*, 46(1): 99–110.
- Al-rahmad, A.H., Miko, A., Hadi, A. 2013. Kajian stunting pada anak balita ditinjau dari pemberian ASI eksklusif, MP-ASI, status imunisasi dan karakteristik keluarga di Kota Banda Aceh. *J Kesehat Ilm Nasuwakes*, 6(2): 169–184.
- Anugraheni, H.S., Kartasurya, M.I. 2012. Faktor risiko kejadian stunting pada anak usia 12-36 bulan di Kecamatan Pati, Kabupaten Pati. *J Nutr Coll*, 1(1): 30–37.
- Aramico, B., Sudargo, T., Susilo, J. 2013. Hubungan sosial ekonomi, pola asuh, pola makan dengan stunting pada siswa sekolah dasar di Kecamatan Lut Tawar, Kabupaten Aceh Tengah. *J Gizi dan Diet Indones*, 1(3): 121–130.
- Aryastami, N.K., Shankar, A., Kusumawardani, N., Besral, B., Jahari, A.B., Achadi, E. 2017. Low birth weight was the most dominant predictor associated with stunting among children aged 12–23 months in Indonesia. *BMC Nutr*, 3(1): 16.
- Badan Penelitian dan Pengembangan Kesehatan Kemenkes RI. 2013. Riset Kesehatan Dasar (Riskesdas).
- Badan Pusat Statistik. 2010. *Peraturan Kepala Badan Pusat Statistik Nomor 37 Tahun 2010 tentang Klasifikasi Perkotaan dan Pedesaan*. Jakarta.
- Caulfield, L.E., Richard, S.A., Rivera, J.A., Musgrove, P., Black, R.E. 2002. Stunting, Wasting, and Micronutrient Deficiency Disorders. *Dis Control Priorities Dev Ctries*, 28: 551–567.

- Christian, P., Lee, S.E., Angel, M.D., Adair, L.S., Arifeen, S.E., Ashorn, P., *et al.* 2013. Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low-and middle-income countries. *Int J Epidemiol*, 42: 1340–1355.
- Cueto, S., León, J., Miranda, A., Dearden, K., Crookston, B.T., Behrman, J.R. 2016. Does pre-school improve cognitive abilities among children with early-life stunting? A longitudinal study for Peru. *Int J Educ Res*, (75): 102–114.
- Danaei, G., Andrews, K.G., Sudfeld, C.R., Fink, G., McCoy, D.C., Peet, E., *et al.* 2016. Risk factors for childhood stunting in 137 developing countries: a comparative risk assessment analysis at global, regional, and country levels. *PLoS Med*, 13(11): 1–18.
- Dekker, L.H., Mora-Plazas, M., Marín, C., Baylin, A., Villamor, E. 2010. Stunting associated with poor socioeconomic and maternal nutrition status and respiratory morbidity in Colombian schoolchildren. *Food Nutr Bull*, 31(2): 242–250.
- El, S., Kearney, J. 2014. Six months of exclusive breastfeeding recommendation: how applicable is the universal exclusive breastfeeding recommendation policy. *African J Food, Agric Nutrition Dev*, 14(4): 9071–84.
- Esfarjani, F., Roustae, R., Mohammadi, F., Esmailzadeh, A. 2013. Determinants of stunting in school - aged children of Tehran , Iran. *Int J Prev Med*, 4(2): 173–179.
- Fikadu, T., Assegid, S., Dube, L. 2014. Factors associated with stunting among children of age 24 to 59 months in Meskan district, Gurage Zone, South Ethiopia: a case-control study. *BMC Public Health*, 14(1): 800.
- Fund, U.N.C. 2013. Improving Child Nutrition: The Achievable Imperative for Global Progress. *New York*.
- Hidayah, F. 2013. *ASI eksklusif sebagai faktor risiko kejadian stunting pada anak usia 6-24 bulan di Kota Yogyakarta*. Universitas Gadjah Mada.
- Hijra, Muis, S.F., Irene, M. kartasurya. 2016. Inappropriate complementary feeding practice increases risk of stunting in children aged 12-24 months.

*Universa Medicana*, 35(3): 146–155.

Jayant, D., Phalke, D.B., Bangal, V.B., Peeyuusha, D., Sushen, B. 2011. Maternal risk factors for low birth weight neonates : a hospital based case-control study in rural area of Western Maharashtra, India. *Natl J Community Med*, 2(3): 394–398.

Kementerian Kesehatan RI. 2014. Situasi dan analisis ASI eksklusif. *Pus Data dan Inf Kementeri Kesehat RI*: 1–7.

Khasanah. 2016. Waktu pemberian makanan pendamping ASI ( MP-ASI ) berhubungan dengan kejadian stunting anak usia 6-23 bulan di Kecamatan Sedayu. *J Gizi dan Diet Indones*, 4(2): 105–111.

Kuchenbecker, J., Jordan, I., Reinbott, A., Herrmann, J., Jeremias, T., Kennedy, G., *et al.* 2015. Exclusive breastfeeding and its effect on growth of Malawian infants: results from a cross-sectional study. *Paediatr Int Child Health*, 35(1): 14–23.

Kusharisupeni, Putra, W.K.Y., Achmad, E.K. 2013. Anthropometric measurement for detecting low birth weight. *Paediatr Indones*, 53(3): 177–180.

Lemeshow, S., Hosmer, D.W., Klar, J., Lwanga, S.K. 1997. *Besar Sampel Dalam Penelitian Kesehatan*. Yogyakarta: Gadjah Mada University Press.

Masitha, T., Soekirman, Martianto, D. 2005. Hubungan pola asuh makan dan kesehatan dengan status gizi anak batita di desa mulya harja. *Media Gizi dan Kel*, 29(2): 29–39.

Meilyasari, F., Isnawati, M. 2014. Faktor risiko kejadian stunting pada balita usia 12 bulan di Desa Purwokerto, Kecamatan Patebon, Kabupaten Kendal. *J Nutr Coll*, 3(2): 16–25.

Mushtaq, M.U., Gull, S., Khurshid, U., Shahid, U., Shad, M.A., Siddiqui, A.M. 2011. Prevalence and socio-demographic correlates of stunting and thinness among Pakistani primary school children. *BMC Public Health*, 11(1): 790.

Nabuasa, CD, Juffrie, M, Huriyati, E. 2013. Riwayat pola asuh, pola makan, asupan zat gizi berhubungan dengan terhadap kejadian stunting pada anak usia 24–59 bulan di Kecamatan Biboki Utara Kabupaten Timor Tengah Utara Provinsi Nusa Tenggara Timur. *J Gizi dan Diet Indones*, 1(3): 31–43.

- Nasution, D. 2014. *Hubungan antara BBLR dengan kejadian stunting pada anak usia 6-24 bulan di Kota Yogyakarta*. Universitas Gadjah Mada.
- Negrato, C., Gomes, M. 2013. Low birth weight: causes and consequences. *Diabetol Metab Syndr*, 5(49): 1–8.
- Norliani. 2005. *Tingkat sosial ekonomi, tinggi badan orang tua dan panjang badan lahir dengan tinggi badan anak baru masuk sekolah di Kota Palangkaraya*. Universitas Gadjah Mada.
- de Onis, M., Branca, F. 2016. Childhood stunting: a global perspective. *Matern Child Nutr*, 12 Suppl 1(Suppl Suppl 1): 12–26.
- Peng, Y., Huang, B., Biro, F., Feng, L., Guo, Z., Slap, G. 2005. Outcome of low birthweight in China: A 16-year longitudinal study. *Acta Paediatr*, 94(7): 843–849.
- Perignon, M., Fiorentino, M., Kuong, K., Burja, K., Parker, M., Sisokhom, S., et al. 2014. Stunting, Poor Iron Status and Parasite Infection Are Significant Risk Factors for Lower Cognitive Performance in Cambodian School-Aged Children. *PLoS One*, 9(11): 1–11.
- Picauly, I., Toy, S.M. 2013. Analisis determinan dan pengaruh stunting terhadap prestasi belajar anak sekolah di Kupang dan Sumba Timur, NTT. *J Gizi dan Pangan*, 8(1): 55–62.
- Prakash, S. 2017. Anthropometric Dimensions on Nutritional Grade among School Children. *J Nutr Heal Food Eng*, 6(3).
- Prawirohartono, E.P., Nurdianti, D.S., Hakimi, M. 2016. Prognostic factors at birth for stunting at 24 months of age in rural Indonesia. *Paediatr Indones*, 56(1): 48–56.
- Preedy, V.R. 2012. Handbook of Anthropometry: Physical Measures of Human Form in Health and Disease. In *Handbook of Anthropometry: Physical Measures of Human Form in Health and Disease*. 1–3107.
- Prendergast, A.J., Humphrey, J.H. 2014. The stunting syndrome in developing countries. *Paediatr Int Child Health*, 34(4): 250–265.
- Rachmi, C.N., Agho, K.E., Li, M., Baur, L.A. 2016. Stunting, underweight and overweight in children aged 2.0-4.9 years in Indonesia: Prevalence trends

- and associated risk factors. *PLoS One*, 11(5): 1–17.
- Rahman, M.S., Howlader, T., Masud, M.S., Rahman, M.L. 2016. Association of low-birth weight with malnutrition in children under five years in Bangladesh: Do mother's education, socio-economic status, and birth interval matter? *PLoS One*, 11(6): 1–16.
- Reinhard, I., Wijayaratne, K.B.S. 2000. The Use of Stunting and Wasting as Indicators for Food Insecurity and Poverty. *Integr Foof Secur Program Trincomalee*, 27: 1–15.
- Salimar, Kartono, D., Fuada, N., Budi, S., Setyawati, B. 2013. Stunting Anak Usia Sekolah Di Indonesia Menurut Karakteristik Keluarga. *Penelit Gizi dan Makanan*, 36(2): 121–126.
- Schaible, U.E., Kaufmann, S.H. 2007. Malnutrition and Infection: Complex Mechanism and Global Impacts. *PLoS Med*, 4(5): 806–12.
- Semba, R.D., Bloem, M.W. 2008. *Nutrition and Health in Developing Countries*. 2nd editio. Totowa: Humana Press.
- Semba, R.D., de Pee, S., Sun, K., Sari, M., Akhter, N., Bloem, M.W. 2008. Effect of parental formal education on risk of child stunting in Indonesia and Bangladesh: a cross-sectional study. *Lancet (London, England)*, 371(9609): 322–8.
- Senbanjo, I.O., Oshikoya, K.A., Odusanya, O.O., Njokanma, O.F. 2011. Prevalence of and Risk factors for Stunting among School Children and Adolescents in Abeokuta , Southwest Nigeria. , 29(4): 364–370.
- Sharma, A.K., Baig, V.N., Yadev, A.K., Bharadwaj, A., Singh, R. 2016. Prevalence and risk factors for stunting among tribal under-five children at South-west, Rajasthan, India. *Natl J Community Med*, 7(6): 461–7.
- Smithers, L.G., Gibson, R.A., McPhee, A., Makrides, M. 2008. Effect of long-chain polyunsaturated fatty acid supplementation of preterm infants on disease risk and neurodevelopment: a systematic review of randomized controlled trials. *Am J Clin Nutr*, 87(4): 912–20.
- Srivastava, A., Mahmood, S.E., Srivastava, P.M., Shrotriya, V.P., Kumar, B. 2012. Nutritional status of school-age children - A scenario of urban slums in

India. *Arch Public Heal*, 70(1): 8.

Sulastri, D. 2012. Faktor determinan kejadian stunting pada anak usia sekolah di kecamatan lubuk kilangan kota padang. *Maj Kedokt Andalas*, 36(1): 39–50.

El Taguri, A., Betilmal, I., Mahmud, S.M., Monem Ahmed, A., Goulet, O., Galan, P., Hercberg, S. 2009. Risk factors for stunting among under-fives in Libya. *Public Health Nutr*, 12(8): 1141.

Yasmin, G. 2014. *Faktor risiko stunting pada anak usia sekolah*. Institut Pertanian Bogor.

Yulidasari, F. 2013. *MP-ASI sebagai faktor risiko kejadian stunting pada anak usia 6-24 bulan di Kota Yogyakarta*. Universitas Gadjah Mada.