

DAFTAR PUSTAKA

- A.H., A. H., A.K., A., & M., M. (2012). Predictors of 6-month functional outcome in first ever stroke patient: Malaysian perspective. *International Journal of Collaborative Research on Internal Medicine and Public Health*, 4(9), 1642–1650. Retrieved from <http://www.iomcworld.com/ijcrimph/files/v04-n09-04.pdf%5Cnhttp://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=2012587138>
- Aleman, A. I. (2017). Comparative Study of the Prognosis of Ischemic Cerebral Stroke Subtypes, 7, 80–84.
- American Diabetes Association. (2004). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 27(Supplement 1), S5–S10. <https://doi.org/10.2337/diacare.27.2007.S5>
- Badan Penelitian dan Pengembangan Kesehatan. (2013). Riset Kesehatan Dasar (RISKESDAS) 2013. *Laporan Nasional 2013*, 1–384. <https://doi.org/10.2337/diacare.27.2007.S5> Desember 2013
- Borlaug, B. A. (2017). Heart failure with preserved and reduced ejection fraction : different risk profiles for different diseases, (November), 1393–1395. <https://doi.org/10.1093/eurheartj/ehz117>
- Chen, R., Ovblagele, B., & Feng, W. (2016). Diabetes and Stroke: Epidemiology, Pathophysiology, Pharmaceuticals and Outcomes. <https://doi.org/10.1002/jmri.23741>.Proton
- Damhudi, D., & Irawaty, D. (2012). Efektifitas metode nihss dan ess dalam membuat diagnosa keperawatan aktual pada pasien stroke berat fase akut. *Jurnal Keperawatan Indonesia*, 15(1), 7–12.
- Deb, P., Sharma, S., & Hassan, K. M. (2010). Pathophysiologic mechanisms of acute ischemic stroke : An overview with emphasis on therapeutic significance beyond thrombolysis. *Pathophysiology*, 17(3), 197–218. <https://doi.org/10.1016/j.pathophys.2009.12.001>
- Feigin, V. L., Roth, G. A., Naghavi, M., Parmar, P., Krishnamurthi, R., Chugh, S., ... Forouzanfar, M. H. (2016). Global burden of stroke and risk factors in 188 countries, during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. *The Lancet Neurology*, 15(9), 913–924. [https://doi.org/10.1016/S1474-4422\(16\)30073-4](https://doi.org/10.1016/S1474-4422(16)30073-4)
- Fisher, M., Paganini-Hill, A., Martin, A., Cosgrove, M., Toole, J. F., Barnett, H. J. M., & Norris, J. (2005). Carotid plaque pathology: Thrombosis, ulceration, and stroke pathogenesis. *Stroke*, 36(2), 253–257. <https://doi.org/10.1161/01.STR.0000152336.71224.21>
- Florkowski, C. (2013). HbA1c as a diagnostic test for diabetes mellitus - Reviewing the evidence. *Clinical Biochemist Reviews*, 34(2), 75–83.

- Freudenberger, R. S., Cheng, B., Mann, D. L., Thompson, J. L. P., Sacco, R. L., Buchsbaum, R., ... Homma, S. (2016). The first prognostic model for stroke and death in patients with systolic heart failure. *Journal of Cardiology*, *68*(2), 100–103. <https://doi.org/10.1016/j.jjcc.2015.09.014>
- Fuster, V., & Walsh, R. A. (2011). *Pathophysiology of Heart Failure* (13th edisi).
- Hasanah, M., & Paryono. (2013). Uji Reliabilitas NIHSS (National Institutes of Health Stroke Scales) versi Indonesia untuk Menilai Derajat Defisit Neurologis pada Pasien Stroke Iskemik. Laporan Penelitian, FK UGM, Yogyakarta.
- Hauser, S. L., & Josephson, S. A. (2013). *Harrison's Neurology in Clinical Medicine* (3rd Editio). McGraw-Hill Education, LLC.
- Hebert, K., Kaif, M., Tamariz, L., Gogichaishvili, I., Nozadze, N., Delgado, M. C., & Arcement, L. M. (2011). Prevalence of Stroke in Systolic Heart Failure. *Journal of Cardiac Failure*, *17*(1), 76–81.
- Jing, J., Pan, Y., Zhao, X., Zheng, H., Jia, Q., Li, H., ... Wang, Y. (2016). Prognosis of Ischemic Stroke with Newly Diagnosed Diabetes Mellitus According to Hemoglobin A1c Criteria in Chinese Population. *Stroke*, *47*(8), 2038–2044. <https://doi.org/10.1161/STROKEAHA.116.013606>
- John J. V. McMurray, M. D. (2016). Systolic Heart Failure. *New England Journal of Medicine*, *362*(3), 228–38. <https://doi.org/10.1002/9781118484784.ch12>
- Kajimoto, K., Minami, Y., Sato, N., & Kasanuki, H. (2016). Etiology of Heart Failure and Outcomes in Patients Hospitalized for Acute Decompensated Heart Failure With Preserved or Reduced Ejection Fraction. *The American Journal of Cardiology*, *118*(12), 1881–1887. <https://doi.org/10.1016/j.amjcard.2016.08.080>
- Kammersgaard, L. P., Jørgensen, H. S., Reith, J., Nakayama, H., Pedersen, P. M., & Olsen, T. S. (2004). Short- and long-term prognosis for very old stroke patients. The Copenhagen Stroke Study. *Age and Ageing*, *33*(2), 149–154. <https://doi.org/10.1093/ageing/afh052>
- Kanchanaraksa, S. (2008). Cohort Studies. *Bloomberg School of Public Health*.
- Koton, S., Molshatzki, N., Bornstein, N. M., & Tanne, D. (2012). Low cholesterol, statins and outcomes in patients with first-ever acute ischemic stroke. *Cerebrovascular Diseases*, *34*(3), 213–220. <https://doi.org/10.1159/000342302>
- Kumagai, N., Origasa, H., Nagao, T., Takekawa, H., Okuhara, Y., & Yamaguchi, T. (2013). Prognostic significance of smoking in patients with acute ischemic stroke within 3 months of onset. *Journal of Stroke and Cerebrovascular Diseases : The Official Journal of National Stroke Association*, *22*(6), 792. Retrieved from <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=cctr&NE>

WS=N&AN=CN-00982918

- Kwah, L. K., & Diong, J. (2014). National Institutes of Health Stroke Scale (NIHSS). *Journal of Physiotherapy*, *60*(1), 61.
<https://doi.org/10.1016/j.jphys.2013.12.012>
- Lee, J.-H., Lee, J. Y., Ahn, S. H., Jang, M. U., Oh, M. S., Kim, C.-H., ... Lee, B.-C. (2015). Smoking is Not a Good Prognostic Factor following First-Ever Acute Ischemic Stroke. *Journal of Stroke*, *17*(2), 177–191.
<https://doi.org/10.5853/jos.2015.17.2.177>
- Lilly, L. S. (2011). *Pathophysiology of Heart Disease 5th Ed.* (Fifth edit). Boston: Wolters Kluwer. <https://doi.org/10.7196/SAMJ.2017.v107i1.12148>
- Lyden, P. (2017). Using the National Institutes of Health Stroke Scale.
- Macciocchi, S. N., Diamond, P. T., Alves, W. M., & Mertz, T. (1998). Ishaemic stroke: relation of age, lesion location, and intial neurologic deficit to functional outcome. *Arch Phys Med Rehabil*, *79*, 1255–1257.
- Mahaffey, K. W., Harrington, R. A., Simoons, M. L., Granger, C. B., Graffagnino, C., Alberts, M. J., ... Califf, R. M. (1999). Stroke in Patients With Acute Coronary Syndromes Incidence and Outcomes in the Platelet Glycoprotein IIb/IIIa in Unstable Angina: Receptor Suppression Using Integrilin Therapy (PURSUIT) Trial. *Circulation*.
<https://doi.org/10.1161/01.CIR.0000070596.30552.8B>
- Manabe, Y., Kono, S., Tanaka, T., Narai, H., & Omori, N. (2009). High blood pressure in acute ischemic stroke and clinical outcome. *Neurology International*, *1*(1), e1. <https://doi.org/10.4081/ni.2009.e1>
- Mcmanus, M. (2016). Blood Pressure in Acute Ischemic Stroke, *12*(2), 137–146.
- McMurray, J. J. V., Adamopoulos, S., Anker, S. D., Auricchio, A., Bohm, M., Dickstein, K., ... Ponikowski, P. (2012). ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart. *European Heart Journal*, *33*(14), 1787–1847.
<https://doi.org/10.1093/eurheartj/ehs104>
- Musuka, T. D., Wilton, S. B., Traboulsi, M., & Hill, M. D. (2015). Diagnosis and management of acute ischemic stroke: speed is critical. *CMAJ*, *187*(12), 887–893.
- Olsen, F. J., Pedersen, S., Jensen, J. S., & Biering-Sørensen, T. (2016). Global longitudinal strain predicts incident atrial fibrillation and stroke occurrence after acute myocardial infarction. *Medicine*, *95*(44), e5338.
<https://doi.org/10.1097/MD.0000000000005338>
- Pan, S. L., Wu, S. C., Wu, T. H., Lee, T. K., & Chen, T. (2006). Location and size

of infarct on functional outcome of noncardioembolic ischemic stroke. *Disability and Rehabilitation*, 28(16), 977–983.
<https://doi.org/10.1080/09638280500404438>

Parmar, P., Sumaria, S., & Hashi, S. (2011). Stroke: classification and diagnosis.

Payabvash, S., Taleb, S., Benson, J. C., & Mckinney, A. M. (2017). Acute Ischemic Stroke Infarct Topology : Association with and Discharge.

Phillips, S. J. (1994). Pathophysiology and management of hypertension in acute ischemic stroke [clinical conference]. *Hypertension*, 23(1), 131–136.
<https://doi.org/10.1161/01.HYP.23.1.131>

Rasmussen, D., Köhler, O., Worm-Petersen, S., Blegvad, N., Jacobsen, H. L., Bergmann, I., ... Nielsen, N. T. (1992). Computed tomography in prognostic stroke evaluation. *Stroke (00392499)*, 23, 506–511.

Riyadina, W., & Rahajeng, E. (2013). Determinan Penyakit Stroke. *Kesmas: National Public Health Journal*, 7(7), 324.
<https://doi.org/10.21109/kesmas.v7i7.31>

Rtf, C. (2014). A Systematic Approach to the Definition of Stroke, 1(5).

Sacco, R. L. (1995). Risk factors and outcomes for ischemic stroke. *Neurology*, 45(2 Suppl 1), S10-4. Retrieved from
<http://www.ncbi.nlm.nih.gov/pubmed/7885584>

Sacco, R. L., Kasner, S. E., Broderick, J. P., Caplan, L. R., Connors, J. J., Culebras, A., ... Vinters, H. V. (2013). An updated definition of stroke for the 21st century: A statement for healthcare professionals from the American heart association/American stroke association. *Stroke*, 44(7), 2064–2089.
<https://doi.org/10.1161/STR.0b013e318296aeca>

Sastroasmoro, S., & Ismael, S. (2014). *Dasar-dasar Metodologi Penelitian Klinis* (5th ed). Jakarta: Sagung Seto.

Scherbakov, N., Haeusler, K. G., & Doehner, W. (2015). Ischemic stroke and heart failure : facts and numbers, 1–4. <https://doi.org/10.1002/ehf2.12026>

Semplicini, A., Maresca, A., Boscolo, G., Sartori, M., Rocchi, R., Giantin, V., ... Pessina, A. C. (2003). Hypertension in Acute Ischemic Stroke. *Archives of Internal Medicine*, 163(2), 211. <https://doi.org/10.1001/archinte.163.2.211>

Siegler, J. E., Albright, K. C., George, A. J., Boehme, A. K., Gillette, M. A., Kumar, A. D., & Martin-schild, S. (2017). Time to Neurological Deterioration in Ischemic Stroke. *Med Student Res*, 972, 18–24.
<https://doi.org/10.15404/msrj/03.2016.0005.Time>

Smilowitz, N. R., Devanabanda, A. R., Zakhem, G., Iqbal, S. N., Slater, W., & Coppola, J. T. (2017). Comparison of Clinical and Electrocardiographic Predictors of Ischemic and Nonischemic Cardiomyopathy During the Initial Evaluation of Patients With Reduced ($\leq 40\%$) Left Ventricular Ejection

Fraction. *The American Journal of Cardiology*, 119(10), 1650–1655.
<https://doi.org/10.1016/j.amjcard.2017.02.014>

Stapleton, P. A., Goodwill, A. G., James, M. E., Brock, R. W., & Frisbee, J. C. (2010). Hypercholesterolemia and microvascular dysfunction: interventional strategies. *Journal of Inflammation*, 7(1), 54. <https://doi.org/10.1186/1476-9255-7-54>

Torpy, J. M., Gorbacheva, F. E., Natiashkina, G. M., & Mink, B. J. (2010). Hemorrhagic Stroke. *Feldsher I Akusherka*, 303(22), 2312.
<https://doi.org/10.1001/jama.303.22.2312>

Waxman, S. G. (2012). *Clinical Neuroanatomy Guide*. Retrieved from
<http://vanat.cvm.umn.edu/mLocLesGui/clinAnat.html>

WHO. (2004a). Global burden of stroke. *The Atlas of Heart Disease and Stroke*, 15, 50–51. <https://doi.org/10.1016/B978-1-4160-5478-8.10019-3>

WHO. (2004b). Risk factor : blood pressure. *The Atlas of Heart Disease and Stroke*, 1.

WHO. (2014). Global status report on noncommunicable diseases 2014. *World Health*, 176. <https://doi.org/ISBN 9789241564854>

Wu, W., Huo, X., Zhao, X., Liao, X., Wang, C., Pan, Y., ... Liu, J. (2016). Relationship between Blood Pressure and Outcomes in Acute Ischemic Stroke Patients Administered Lytic Medication in the TIMSChina Study. *PLoS ONE*, 11(2), 1–11. <https://doi.org/10.1371/journal.pone.0144260>

Young, F. B., Weir, C. J., & Lees, K. R. (2005). Comparison of the National Institutes of Health Stroke Scale with disability outcome measures in acute stroke trials. *Stroke*, 36(10), 2187–2192.
<https://doi.org/10.1161/01.STR.0000181089.41324.70>