

DAFTAR PUSTAKA

- Abdel-Fattah, G. M., dan Abo-Hamed, N. A. (2002). Bioconversion of poultry wastes I - Factors influencing the assay and productivity of crude uricase by three uricolytic filamentous fungi. *Acta Microbiologica et Immunologica Hungarica*, **49**(4): 445–454.
- Abdullah, S. K. dan Flayyih, M. T. (2015). Study the Effect of Purified Uricase From *P.Aeruginosa* on Hyperuricemia in Vivo. *International Journal of Biological & Pharmaceutical Research*, **6**(6): 469–472.
- Adachi, T., Tanimura, A., dan Asahina, M. (1963). A colorimetric determination of orotic acid. *The Journal Of Vitaminology*, **9**: 217–226.
- Alamillo, J. M., Franco, A. R., Cifirdenas, J., dan Pineda, M. (1998). Urate-mediated regulation of urate oxidase in *Chlamydomonas reinhardtii*, *Protoplasma*, **202**:17-22.
- Ali, U. F., dan Ibrahim, Z. M. (2013). Effect of irradiation on uricase produced by two strains of *Asperigillus niger*. *Life Science Journal*, **10**(1): 962–967.
- Almaas, H., Cases, A. L., Devold, T. G., Holm, H., Langsrud, L., dan Vegarud, G. E. (2006). In vitro digestion of bovine and caprine milk by human gastric and duodenal enzymes. *International Dairy Journal*, **16**(9): 961–968.
- Aly, M., Tork, S., Al-Garni, S., dan Allam, R. (2013). Production and characterization of uricase from *Streptomyces exfoliatus* UR10 isolated from farm wastes. *Turkish Journal of Biology*, **37**(5): 520–529.
- Amirthanathan, A., dan Subramaniyan, V. (2012). Studies on uricase production by marine *Bacillus cereus* and its optimum conditions. *International Journal and Medical Bioscience*, **1**(3), 5–12.
- Annuk, H., Shchepetova, J., Kullisaar, T., Songisepp, E., Zilmer, M., dan Mikelsaar, M. (2003). Characterization of intestinal *Lactobacilli* as putative probiotic candidates. *Journal of Applied Microbiology*, **94**(3): 403–412.
- Atalla, M. M., dan Nehad, E. A. (2009). Optimum conditions for uricase enzyme production by *Gliomastix gueg*. *Malaysian Journal of Microbiology*, **5**(1): 45–50.
- Azab, E., Ali, M., dan Fareed, M. (2005). Studies on uricase induction in certain bacteria. *Egyptian Journal of Biology*, **7**(1987), 44–54.

- Bachrach, B. Y. U. (1957). The Aerobic Breakdown by Certain *Pseudomonads*. *Journal of General Microbiology*, **16**(3): 1–11.
- Bergmeyer, H.U. (1974). *Methods of Enzymatic Analysis*. Ed 2. New York
- Bongaerts, G.P.A., Uitzetter, J., Brouns, R., dan Vogels, G. D. (1978). Uricase of *Bacillus fastidiosus* properties and regulation of synthesis. *Biochimica et Biophysica Acta*, **527**: 348–358.
- Bongaerts, G. P. A., dan Vogels, G. D. (1976). Uric acid degradation by *Bacillus fastidiosus* strains. *Journal of Bacteriology*, **125**(2): 689–697.
- Bongaertts, G.P.A., Sin, I.L., Peters, A.L.J., dan Vogenls, G. D. (1977). Purine degradation in pseudomonas a e ruginosa a n d pseudonionas t e s t o s t e r o n i. *Biochimica et Biophysica Acta*, **499**: 111–118.
- Brulé, D., Sarwar, G., dan Savoiet, L. (1988). Purine content of selected canadian food products. *Journal of Food Composition and Analysis*, **1**(2): 130–138.
- Carevic, M., Vukasinovic-Sekulic, M., Grbavcic, S., Stojanovic, M., Mihailovic, M., Dimitrijevic, A., dan Bezbradica, D. (2015). Optimization of β -galactosidase production from lactic acid bacteria. *Hemijska Industrija*, **69**(3): 305–312.
- Chen, X. B., dan Gomes, M. J. (1992). Estimation of microbial protein supply to sheep and cattle basid on urinary excretion of purine derivatives-an overview of the technical details. *Ocasional Publication. Buchsburnd, Aberdeen: Ed. Rowett Research Institute*, (September 1995), p.21.
- Coiffier, B., Mounier, N., Bologna, S., Fermen, C., Tilly H., Sonet, A., Christian, B., Casasnovas, O., Jourdan, E., Belhadj, A., dan Herbrecht, R. (2003). Efficacy and safety of rasburiscase (recombinant urate oxidase) for the prevention and treatment of hyperuricemia during induction chemotherapy of aggressive non Hodgkin's lymphoma: Result of the GRAAL1 (Groupe d'ettude des lymphomes de l'adulte trial of the rasburicase activity in adult lymphoma) Study. *Journal of Clinical Oncology*, **21**(23): 4402-4406.
- Colloc'h, N., Hajji, M., Bachet, B., L'Hermite, G., Schiltz, M., Prange, T., Castro, B., dan Mornon, J. (1997). Crystal structure of the protein drug urate oxidase-inhibitor complex at 2.05 Å resolution. *Nature*, **4**: 686–689.
- Colloc'h, N., Gabison, L., Monard, G., Altarsha, M., Chiadmi, M., Marassio, G., dan Prangé, T. (2008). Oxygen pressurized X-ray crystallography: Probing the dioxygen binding site in cofactorless urate oxidase and implications for its catalytic mechanism. *Biophysical Journal*, **95**(5): 2415–2422.

- Cotter, P. D dan Hill, C. (2003). Surviving the Acid Test: Responses of Gram-Positive Bacteria to Low pH. *Microbiology and Molecular Biology Reviews*, **67**(3): 429–453.
- Dalbeth, N., dan Palmano, K. (2011). Effects of dairy intake on hyperuricemia and gout. *Current Rheumatology Reports*, **13**(2): 132–137.
- Diallinas, G., dan Scazzocchio, C. (1989). A gene coding for the uric acid-xanthine permease of *Aspergillus nidulans*: inactivational cloning, characterization, and sequence of a cis-acting mutation. *Genetics*, **122**, 341-350.
- Dianati, N. (2015). Gout and hyperuricemia. *J.Majority*, **4**(3): 82–89.
- Dwivedi, H., Agrawal, K., dan Saraf, S. A. (2012). Evaluation of Factors Affecting Uricase Production by the Screened Wild / Natural Microbes Quantitative Estimation of Uricase Enzyme by Enzyme Assay Kit Procedure for Quantitative Estimation of Uricase by Assay Kit. *E-Journal of Chemistry*, **9**(4): 2287–2296.
- Fatimah, A. N., dan Wardani, A. K. (2014). Ekstraksi dan karakterisasi enzim protease dari daun kelor (*Moringa oliefera*. Lamk.) Jurnal Teknologi Pertanian, **15**(3):191-200.
- Fijan, S. (2014). Microorganisms with claimed probiotic properties: An overview of recent literature. *International Journal of Environmental Research and Public Health*, **11**(5): 4745–4767.
- Fitrotin, U., Utami, T., Hastuti, P., dan Santoso, U. (2015). Antioxidant Properties of Fermented Sesame Milk Using *Lactobacillus plantarum* Dad 13. *Research Journal of Biological Sciences*, **4**(6): 56–61.
- Fuhrmann, G., dan Leroux, J.-C. (2014). Improving the Stability and Activity of Oral Therapeutic Enzymes-Recent Advances and Perspectives. *Pharmaceutical Research*, **31**(5), 1099–1105.
- Gabison, L., Prangé, T., Colloc'h, N., El Hajji, M., Castro, B., dan Chiadmi, M. (2008). Structural analysis of urate oxidase in complex with its natural substrate inhibited by cyanide: Mechanistic implications. *BMC Structural Biology*, **8**: 1–8.
- Geweely, N. S., dan Nawar, L. S. (2011). Production, optimization, purification and properties of uricase isolated from some fungal flora in Saudi Arabian soil. *Australian Journal of Basic and Applied Sciences*, **5**(10): 220–230.

- Hafez, R. M., Abdel-Rahman, T. M., dan Naguib, R. M. (2017). Uric acid in plants and microorganisms: Biological applications and genetics - A review. *Journal of Advanced Research*, 8(5), 475–486.
- Hu, M., dan Tomlinson, B. (2008). Febuxostat in the management of hyperuricemia and chronic gout: A review. *Therapeutics and Clinical Risk Management*, 4(6), 1209–1220.
- Hujanen, M., Linko, S., Linko, Y. Y., dan Leisola, M. (2001). Optimisation of media and cultivation conditions for L(+)(S)-lactic acid production by *Lactobacillus casei* NRRL B-441. *Applied Microbiology and Biotechnology*, 56: 126–130.
- Hur, S. J., Lim, B. O., Decker, E. A., dan McClements, D. J. (2011a). In vitro human digestion models for food applications. *Food Chemistry*, 125(1): 1–12.
- Hur, S. J., Seon Tea Joo, Beong Ou Lim, Eric A Decker, dan McClements, J.D. (2011b). Impact of salt and lipid type on in vitro digestion of emulsified lipids. *J. of Food Chemistry* 126: 1559-1564.
- Ihler, G., Lantzy, A., Purpura, J., dan Glew, R. H. (1975). Enzymatic degradation of uric acid by uricase-loaded human erythrocytes. *The Journal of Clinical Investigation*, 56(3): 595–602.
- Imhoff, R. D., Power, N. P., Borrok, M. J., dan Tipton, P. A. (2003). General Base Catalysis in the Urate Oxidase Reaction: Evidence for a Novel Thr - Lys Catalytic Diad †. *Biochemistry*, 42: 4094–4100.
- Iswantini, D., Nurhidayat, N., Trivadila, dan Mardiah, E. (2009). Aktivitas urikase yang dihasilkan *Lactobacillus plantarum* dan parameter kinetiknya (Uricase activity and determination of kinetics parameter of various cells of *Lactobacillus plantarum*). *Jurnal Ilmu Pertanian Indonesia*, 14(3): 163–169.
- Iswantini, D., Nurhidayat, N., Trivadia dan Widiyatmoko, O. (2013). Activity and stability of uricase from *Lactobacillus plantarum* immobilized on natural zeolite for uric acid biosensor. *Pakistan J. of Biological Sciences*, 31:1-14
- Jagathy, K., Ronald, J., dan Pushparaj, A. (2016). Optimization and production of uricase enzyme from *Aspergillus niger* isolated from Mangrove sediment, 3(7): 1–11.
- Jagathy, K., Pushparaj, A., dan Ronald, J. (2016b). International Journal of Advanced Research in Biological Sciences Uricase production from *Bacillus subtilis* isolated from Poultry waste. *International J. Adv. Res. Biol.*, 3(6), 255–

262.

- Kai, L., Ma, X.-H., Zhou, X.-L., Jia, X.-M., Li, X., dan Guo, K.-P. (2007). Purification and characterization of a thermostable uricase from *Microbacterium sp.* strain ZZJ4-1. *World Journal of Microbiology and Biotechnology*, **24**(3): 401–406.
- Kilstrup, M., Hammer, K., Jensen, P. R., dan Martinussen, J. (2005). Nucleotide metabolism and its control in lactic acid bacteria. *FEMS Microbiology Reviews*, **29**: 555-590.
- Kimoto-Nira, H., Mizumachi, K., Nomura, M., Kobayashi, M., Fujita, Y., Okamoto, T., dan Ohmomo, S. (2007). *Lactococcus sp.* as potential probiotic lactic acid bacteria. *Japan Agricultural Research Quarterly*, **41**(3): 181–189.
- Kutzing, M. K., dan Firestein, B. L. (2008). Altered Uric Acid Levels and Disease States. *Pharmacology and Experimental Therapeutics*, **324**(1): 1–7.
- Larson, B. L., dan Hegarty, H. M. (1979). Orotic-Acid in Milks of Various Species and Commercial Dairy-Products. *Journal of Dairy Science*, **62**(10): 1641–1644.
- Lee, S. J., dan Terkeltaub, R. A. (2006). New developments in clinically relevant mechanisms and treatment of hyperuricemia. *Current Rheumatology Reports*, **8**(3): 224–230.
- Li, M., Yang, D., Mei, L., Yuan, L., Xie, A., dan Yuan, J. (2014). Screening and characterization of purine nucleoside degrading lactic acid bacteria isolated from chinese sauerkraut and evaluation of the serum uric acid lowering effect in hyperuricemic rats. *PLoS ONE*, **9**(9):1-13.
- Lotfy, W. (2008). Production of a thermostable uricase by a novel *Bacillus thermocatenulatus* strain. *Bioresource Technology*, **99**(4): 699–702.
- Machida, Y., dan Nakanishi, T. (1980). Purification and properties of uricase from *Enterobacter cloacae*. *Agricultural and Biological Chemistry*, **44**(12): 2811–2815.
- Machida, Y., dan Nakanishi, T. (2016). Purification and Properties of Uricase from *Enterobacter cloacae*. *Agric. Biol. Chem.*, **1369**(April): 2811–2815.
- Malanovic, N., dan Lohner, K. (2016). Gram-positive bacterial cell envelopes: The impact on the activity of antimicrobial peptides. *Biochimica et Biophysica Acta - Biomembranes*, **1858**(5): 936–946.

- Martini E.C., Wei-Jin, L.; Harlander, S.K., Berrada, N.M., Antoine, J.M. dan Savaiano, D. (1991). Strains and species of lactic acid bacteria in fermented milks(Yogurts): Effect on in-vivo lactose. *American Journal of Clinical Nutrition*, **54**: 1041–1046.
- Marya, D. T., Nurliyani, Widodo, W., dan Sunarti. (2017). Characterization and antioxidant activity of fermented milk produced with a starter combination. *Pakistan Journal of Nutrition*, **16**(6): 451–456.
- Maynes, J. T., Yuan, R. G., dan Snyder, F. F. (2000). Identification, expression, and characterization of *Escherichia coli* guanine deaminase. *J. Bacteriol.* **182**:4658–4660.
- Meraj, M., Rahman, K., Jamil, A., Ashraf, M., Rajoka, M., Javed, S., dan Jahan, N. (2012). *Bacillus subtilis* Improvement through UV and Chemical Mutagenesis for Indigenously Hyperproduced Urate oxidase. *Pakistan Journal of Life and Social Sciences*, **10**(2): 123–129.
- Nahm, B. H., dan Marzluf, G. A. (1987). Induction and de novo synthesis of uricase, a nitrogen-regulated enzyme in *Neurospora crassa*. *Journal of Bacteriology*, **169**(5): 1943–1948.
- Nanda, P., Jagadeeshbabu, P. E., Fernandes, J., Hazarika, P., dan Dhabre, R. (2012). Studies on Production, Optimization and Purification of Uricase from *Gliocladium viride*. *Research in Biotechnology*, **3**(4): 35–46.
- Ngatirah, Harmayani, E; Rahayu, E.S; dan Utami, T. (2000). Seleksi bakteri asam laktat sebagai agensia probiotik yang perpotensi menurunkan kolesterol. *Prosiding Seminar Nasional Industri Pangan*, Surabaya, 10-11 Oktober 2000.
- Nishimura, H., Yoshida, K., Yokota, Y., Matsushima, A., dan Inada, Y. (1982). Physicochemical properties and states of sulfhydryl groups of uricase from *Candida utilis*. *Journal of Biochemistry*, **91**(1): 41–48.
- Nuraida, L; dan Susanti, H. (2007). Lactic Acid Bacteria and Bifidobacteria Profile of Human Breast Milk and Their Potency as Probiotics. 10th ASEAN Food Conference Food for Mankind-Contribution of Science and Technology, 21-23 August, Kualalumpur, Malaysia.
- O’Connel, S., dan Walsh, G. (2007). Purification and Properties of a β - Galactosidase With Potential. *Applied Biochemistry and Biotechnology*, **141**(1): 1–13.
- Ogawa, J. (2006). Analysis of Microbial Purine Metabolism and Its Application for

Hyperuricemia Prevention. *Noda Institute for Scientific Reaseacrch Grand*, 32–34.

Papakostas, K., dan Frillingos, S. (2012). Substrate selectivity of YgfU, a uric acid transporter from *Escherichia coli*. *Journal of Biological Chemistry*, **287**(19): 15684–15695.

Pineda, M., dan Cardenas, J. (1985). The urate uptake system in *Chlamydomonas reinhardtii*. *Biochimica et Biophysica Acta*, **820**: 95–99.

Potrikus, C. J., dan Breznak, J. A. (1980). Anaerobic degradation of uric acid by gut bacteria of termites *Applied and Environmental Microbiology* **40** (1): 125–132.

Rahayu, E.S., dan Purwandhani, S. N. (2004). Suplementasi *Lactobacillus acidophillus* SNP-2 pada tape dan pengaruhnya pada relawan (Supplementation of *Lactobacillus acidophillus* SNP-2 into tape and its effect to the volunteer). *Jurnal Teknologi Dan Industri Pangan*, **XV**(2):129–134.

Rahayu, E. S. (2003). Lactic acid bacteria in fermented foods of Indonesian origin. *Agritech*, **23**(2): 75–84.

Rahayu, E. S., Cahyanto, M. N., Windiarti, L., Sutriyanto, J., Kandarina, T., dan Utami, T. (2016). Effect of consumption of fermented milk containing indigenous probiotic *Lactobacillus plantarum* Dad-13 on the fecal microbiota of healthy Indonesian volunteers. *International Journal of Probiotics and Prebiotics*, **11**(2): 91–98.

Rahayu, E. S., Yogeswara, A., dan Utami, T. (2011). Indigenous Probiotic Strains of Indonesia and Their Application for Fermented Food. The 12th Asean Food Conference. BITEC, Bangna, Bangkok, Thailand, 16-18 June, 2011.

Rahayu, E. S., Yogeswara, Mariatun dan L. Windiarti. (2015). Molecular characteristic of indigenous probiotic strains from Indonesia. *International Journal of Probiotics and Prebiotics*, **10**(4):109–116.

Ratkowsky, D. A., D.A., Olley, J., McMeekin, A dan Ball, A. (1982). Relationship between temperature and growth rate of bacterial culture. *J. of Bacteriology*, **149**(1): 1-5.

Rice, K. C., dan Bayles, K. W. (2008). Molecular control of bacterial death and lysis. *Microbiology and Molecular Biology Reviews*, **72**(1): 85–109.

Saeed, H., Yousry, Y., Gohar, M., dan Elbaz, M. (2004). Purification and characterization of extracellular *Pseudomonas aeruginosa* urate oxidase Enzyme. *Polish Journal of Microbiology*, **53**(1): 45–52.

- Sanna, M. G., Mangia, N. P., Garau, G., Murgia, M. A., Massa, T., Franco, A., dan Deiana, P. (2005). Selection of folate-producing lactic acid bacteria for improving fermented goat milk. *Italian Journal of Food Science*, **17**(2): 143–154.
- Sarkono, Faturrahman, dan Sofyan, Y. (2010). Isolation and identification of lactic acid bacteria from abalone (*Haliotis asinina*) as a potential candidate of probiotic. *Nusantara Bioscience*, **2**(1): 38–42.
- Schultz, A. C., Nygaard, P., dan Saxild, H. H. (2001). Functional analysis of 14 genes that constitute the purine catabolic pathway in *Bacillus subtilis* and evidence for a novel regulon controlled by the PucR transcription activator. *Journal of Bacteriology*, **183**(11): 3293–3302.
- Sherman, M. R., Saifer, M. G. P., dan Perez-Ruiz, F. (2008). PEG-uricase in the management of treatment-resistant gout and hyperuricemia. *Advanced Drug Delivery Reviews*, **60**(1): 59–68.
- Sudarmadji, S., B. Haryono, dan Suhardi. (1997). *Prosedur Analisis untuk Bahan Makanan dan Pertanian*. Liberty, Yogyakarta.
- Sujaya, I. N., Nocianitri, K. A., dan Asano, K. (2010). Diversity of bacterial flora of Indonesian ragi tape and their dynamics during the tape fermentation as determined by PCR-DGGE. *International Food Research Journal*, **17**(2): 239–245.
- Sujiman, I. Handayani, dan B. Sustriawan. (2014). Isolasi bakteri asam laktat dari pangan tradisional Indonesia berpotensi sebagai probiotik. *Prosiding Seminar Nasional Pengembangan Sumber Daya Pedesaan dan Kearifan Lokal Berkelanjutan*. Unsoed Purwokerto.
- Sulistyo, J., Cahyaningsih, Ho, E., Sri, Betty dan Jenny, L. (2014). Application of lactic acid bacteria to control microbial contaminants during fermentation. *International Journal of Research In Agriculture and Food Sciences*, **2**(5): 16–24.
- Susanti, S., Kusumaningtyas, R.W., dan Illaningsy, F. (2007). Uji sifat probiotik bakteri asam laktat sebagai kandidat bahan pangan fungsional. *J. Teknologi Dan Industri Pangan*, **XVIII**(2): 89–95.
- Tanaka, A., Yamamura, M., Kawamoto, S., dan Fukui, S. (1977). Production of uricase by *Candida tropicalis* using n-alkane as a substrate. *Applied and Environmental Microbiology*, **34**(4): 342–346.

- Tari, A. I. N., Handayani, C. B., dan Sudami. (2016). Potensi probiotik indigenus *Lactobacillus plantarum* Dad 13 pada yogurt dengan suplementasi ekstrak ubi jalar ungu untuk penurun diare dan radikal bebas. *Agritech*, **36**(1): 7–14.
- Tashiro, Y. (1983). Subcellular compartments and protein topogenesis. *Cell Structure and Function*, **8**(2): 91–107.
- Utami, E.R., S. (2012). Pengaruh pemberian teh kombucha terhadap kestabilan pH serum daran *Rattus norvegicus*. *UNESA Journal of Chemistry*, **1**(2):26-30.
- Vogt, B. (2005). Urate oxidase (rasburicase) for treatment of severe tophaceous gout. *Nephrology Dialysis Transplantation*, **20**(2): 431–433.
- Wardani, S. K., Cahyanto, M. N., Rahayu, E. S., dan Utami, T. (2017). The effect of inoculum size and incubation temperature on cell growth, acid production and curd formation during milk fermentation by *Lactobacillus plantarum* Dad 13. *International Food Research Journal*, **24**(3): 921–926.
- Watanabe, Y. (1971). Studies on the formation of uricase by *Streptomyces*. Part III. The effect of incubation with or without purines. *Agriculture Biol. Chem.*, **35**(13): 2008–2014.
- Watanabe, Y., dan Ohe, T. (1973). Effect of endogenous and exogenous urate on the uricase formation by *Streptomyces sp.* *Agricultural and Biological Chemistry*, **37**(7): 1525–1530.
- Watanabe, Y., Ohe, T., dan Morita, M. (1976). Control of the formation of uricase in *Streptomyces sp.* by nitrogen and carbon sources. *Agricultural and Biological Chemistry*, **40**(1): 131–139.
- Watanabe, Y., Yano, M., dan Fukumoto, J. (1972). Studies on the formation of uricase by *Streptomyces*. *Agricultural and Biological Chemistry*, **36**(1): 1–10.
- Xi, H., Schneider, B. L., dan Reitzer, L. (2000). Purine catabolism in *Escherichia coli* and function of xanthine dehydrogenase in purine salvage. *Journal of Bacteriology*, **182**(19): 5332–5341.
- Yazdi, M. T., Zarrini, G., Mohit, E., Faramarzi, M. A., Setayesh, N., Sedighi, N., dan Mohseni, F. A. (2006). *Mucor hiemalis*: A new source for uricase production. *World Journal of Microbiology and Biotechnology*, **22**(4): 325–330.
- Yuan, P., Meng, K., Wang, Y., Luo, H., Shi, P., Huang, H., dan Yao, B. (2012). A protease-resistant exo-polygalacturonase from *Klebsiella sp.* Y1 with good

- activity and stability over a wide pH range in the digestive tract. *Bioresource Technology*, **123**: 171–176.
- Yulvizar, C. (2013). Isolasi dan identifikasi bakteri probiotik pada *Rastrelliger sp.* (Isolation and identification of probiotic bacteria in *Rastrelliger sp.*). *Biospecies*, **6**(2): 1–7.
- Zhou, X. L., Ma, X. H., Sun, G. Q., Li, X., dan Guo, K. P. (2005). Isolation of a thermostable uricase-producing bacterium and study on its enzyme production conditions. *Process Biochemistry*, **40**(12), 3749–3753.
- Zhao, J., Shi, P., Luo, H., Yang, P., Zhao, H., Bai, Y., dan Yao, B. (2010). An acidophilic and acid-stable mannanase from *Phialophora sp.* P13 with high mannan hydrolysis activity under simulated gastric conditions. *Journal of Agricultural and Food Chemistry*, **58**(5): 3184–3190.
- Zhao, Y., Wang, Y., Song, Z., Shan, C., Zhu, R., dan Liu, F. (2016). Development of a simple, low-cost and eurytopic medium based on *Pleurotus eryngii* for lactic acid bacteria. *J. AMB. Aexpr*, **6**(65): 1-8.