

DAFTAR PUSTAKA

- Allen, R.P., Montplaisir, J., Ulfberg, J., 2002. Restless legs new insight. United Kingdom: Rafael bokforlag.
- Allen, R.P., Auerbach, S., Bahrain, H., Auerbach, M., Earley, C.J., 2013. The prevalence and impact of restless legs syndrome on patients with iron deficiency anemia. *Am J Hematol*; 88:261-4.
- Alper, A.B., Shenava, R.G., Young, B.A., *et al.*, 2016. Uremia. Section of Nephrology and Hypertension, Department of Medicine, *Tulane University School of Medicine*.
- Alsaedi, A., Alshammari, F., 2005. Restless legs syndrome and periodic limb movements in sleep: a review for family physicians. *Middle East Journal of Family Medicine*, 3, pp. 1-10.
- Aminoff, M.J., 1995. Neurological dysfunction and kidney disease, In: *Neurology and general medicine*, N.H.Raskin (Ed.), pp. 303-319, Churchill Livingstone, Philadelphia.
- Arnold, R., Issar, T., Krishnan, A.V., Pussell, B.A., 2016. Neurological complications in chronic kidney disease. *Journal of the Royal Society of Medicine Cardiovascular Disease* (5): 1-13.
- Arya, A., Aggarwal, S., Yadav, H.N., 2010. Pathogenesis of diabetic nephropathy. *International Journal of Pharmacy and Pharmaceutical Sciences* 2(4): 24-29.
- Astuti, I.W., 2015. Dyspneu et causa Suspect Edema Pulmonal dan Anemia Berat tipe Normokromik Normositik dan Hiperkalemia pada Chronic Kidney Disease stage V: Laporan kasus Penyakit Dalam. Fakultas Kedokteran Universitas Mataram.
- Barton, B., Zauber, E., Goetz, C.G., 2009. Movement disorders caused by medical disease. *Semin Neurol* (29): 97-110.
- Benito-Leon, J., Bermejo-Pareja, F., Morales-Gonzalez, J.M., *et al.*, 2004. Incidence of parkinson disease and parkinsonism in three elderly populations of central Spain. *Neurology*; 62: 734-41.
- Brouns, R., De Deyn, P.P., 2004. Neurological complications in renal failure: a review. *Clinical Neurology and Neurosurgery*; 107(1): 1-16.
- Bucurescu, G., 2008. Uremic Encephalopathy. Available from : <http://emedicine.com>
- Bucurescu, G., 2014. Neurological Manifestations of Uremic Encephalopathy. Available from : <http://www.medscape.com>
- Burn, D.J., Bates, D., 1998. Neurology and the kidney. *J. Neurol. Neurosurg. Psychiatry* Vol.65, No.6 810-821.
- CDC, 2013. National Chronic Kidney Disease Fact Sheets. CDC.
- Chen, R., 1996. Metabolic encephalopathies. In: Baillere's clinical neurology Bolton C.F., Young G.B. p. 577 Balliere Tindall.
- Chini, L.S.N., Assis, L.I.S, Lugon, J.R., 2017. Relationship between uric acid levels and risk of chronic kidney disease in a retrospective cohort of Brazilian workers. *Brazilian Journal of Medical and Biological Research* 50(9): e6048.

- Collad-Seidel, V., Kohnen, R., Samtleben, W., Hillebrand, G.F., Oertel, W.H., Trenkwalder, C., 1998. Clinical and biochemical findings in uremic patients with and without restless legs syndrome. *Am J Kidney Dis* 31:324-328.
- Cozzi, A., Santambrogio, P., Privitera, D., Broccoli, V., Rotundo, L.I., Garavaglia, B., Benz, R., Altamura, S., Goede, J.S., Muckenthaler, M.U., Levi, S., 2013. Human L-ferritin deficiency is characterized by idiopathic generalized seizures and atypical restless legs syndrome. *J. Exp. Med.*, 210 (9). Pp. 1779-179.
- Cupidi, C., Piccoli, F., La Bella, V., 2005. Acute reversible parkinsonism in a diabetic-uremic patient (Case Report). *Clinical Neurology and Neurosurgery* 108 (2006) 601-603.
- D'Hooge, R., Manil, J., Colin, F., De Deyn, P.P., 1991. Guanidinosuccinic acid inhibits excitatory synaptic transmission in CA1 region of rat hippocampal slices. *Ann. Neurol.* Vol. 30, No.4 622-623.
- D'Hooge, R., Pei, Y.Q., Manil, J., De Deyn, P.P., 1992a. The uremic guanidino compound guanidinosuccinic acid induces behavioral convulsions and concomitant epileptiform electrocorticographic discharges in mice. *Brain Res.* Vol. 598, No.1-2 316-320.
- D'Hooge, R., Pei, Y.Q., Marescau, B., De Deyn, P.P., 1992b. Convulsive action and toxicity of uremic guanidino compounds: behavioral assessment and relation to brain concentration in adult mice. *J. Neurol. Sci.* Vol. 112, No.1-2 96-105
- Dahlan, M.S., 2014. Menentukan Besar Sampel. Membuat Proposal Penelitian Bidang kedokteran dan Kesehatan. Hal: 79-94.
- Dahlan, M.S., 2014. Statistik Untuk kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat, Jakarta: Epidemiologi Indonesia.
- Dandona, P., Aljada, A., Chaudhuri, A., Mohanty, P., Garg, R., 2005. Metabolic syndrome: a comprehensive perspective based on interactions between obesity, diabetes, and inflammation. *Circulation*, 111(11): 1448-1454.
- Daugirdas, J.T., Blake, P.B., Ing, T.S., 2007. Handbook of dialysis 4th edition. Philadelphia: Lippincott Williams and Wilkins.
- De Deyn, P.P., Macdonald, R.L., 1990. Guanidino compounds that are increased in cerebrospinal fluid and brain of uremic patients inhibit GABA and glycine responses on mouse neurons in cell culture. *Ann. Neurol.* Vol. 28, No.5 627-633.
- De Deyn, P.P., Saxena, V.K., Abts, H., Borggreve, F., D'Hooge, R., Marescau, B., Crols, R., 1992. Clinical and pathophysiological aspects of neurological complications in renal failure. *Acta Neurol. Belg.* Vol. 92, No.4 191-206.
- De Deyn, P.P., D'Hooge, R., Van Bogaert, P.P., Marescau, B., 2001. Endogenous guanidino compounds as uremic neurotoxins. *Kidney Int. Suppl* Vol. 78, S77-S83.
- De Deyn, P.P., Vanholder, R., Elout, S., 2009. Guanidino compounds as uremic (neuro)toxins. *Semin Dial*; 22(4):340-5.
- Deguchi, T., Isozaki, K., Yousuke, K., Terasaki, T., Otagiri, M., 2006. Involvement of organic anion transporters in the efflux of uremic toxins across the blood-brain barrier. *J Neurochem*; 96(4):1051-9.
- Depner, T., 2013. Factors that Affect Postdialysis Rebound in Serum Urea Concentration, Including the Rate of Dialysis: Result from Hemo study. *Journal of the American Society of Nephrolog.*

de Souza, A., 2013. Movement disorders and the osmotic demyelination syndrome. *Parkinsonism Relat Disord* 19: 709–716.

Dewi, S.P., 2015. Hubungan lamanya hemodialisa dengan kualitas hidup pasien gagal ginjal di RS PKU muhammadiyah Yogyakarta[skripsi]. Yogyakarta: Sekolah tinggi Ilmu Kesehatan 'Aisyiyah [diunduh 04 Mei 2018]. Tersedia dari: <http://opac.unisayogya.ac.id>.

Dharma, P.S., 2014. Penyakit Ginjal Deteksi Dini dan Pencegahan. Yogyakarta: CV Solusi Distribusi.

Dreyfus, P., 1965. The regional distribution of transketolase in the normal and the thiamine deficient nervous system. *J. Neuropathol. Exp. Neurol.* Vol. 24, 119-129.

Engeli, S., Schling, P., Gorzelniak, K., 2003. The adipose-tissue renin-angiotensin-aldosterone system: role in the metabolic syndrome. *Int J Biochem Cell Biol.*35(6): 807-825.

Enomoto, A., Takeda, M., Taki, K., Takayama, F., Noshiro, R., Niwa, T., Endou, H., 2003. Interactions of human organic anion as well as cation transporters with indoxyl sulfate. *Eur. J. Pharmacol.* Vol. 466, No.1-2 13-20.

ESRD, 2012. ESRD Patients in 2012 A Global Perspective. Germany: Fresenius Medical Care.

Fowler, M.J., 2011. The Diabetes Treatment Trap: Hypoglycemia. *Clin Diab*;29:1.

Gilroy, J., 2000. Basic Neurology, 3rd edition. New York: McGraw-Hill.

Giovannetti, S., Biagini, M., Balestri, P.L., Navalesi, R., Giagnoni, P., De, M.A., Ferro-Milone, P., Perfetti, C., 1969. Uraemia-like syndrome in dogs chronically intoxicated with methylguanidine and creatinine. *Clin. Sci.* Vol. 36, No.3 445-452.

Gotch, F.A., Sargent, J.A., 1985. A mechanistic analysis of the National Cooperative Dialysis Study (NCDS). *Kidney Int.* Vol. 28, No.3 526-534.

Henri, P., Lobbedez, T., Lecouf, A., Ficheux, M., Hurault, L.B., Ryckelynck, J.P., 2008. Is rapid initiation of peritoneal dialysis feasible in unplanned dialysis patients? A single-centre experience. *Nephrol Dial Transplant* 23(10): 3290-4.

Henry Ford Health System, 2011. National Center for Health Statistics. National Health and Nutrition Examination Survey (NHANES) Analytic Guidelines.

Himmelfarb, J., Ikizler, T.A., 2010. Hemodialysis. *N Engl J Med* 363:1833-45.

Hochberg, M.C., Smolen, J.S., Weinblatt, M.E., 2003. *Rheumatology*; 3. New York: Mosby.

Hosten, A.O., 1990. Clinical Methods: The History, Physical, and Laboratory Examinations. 3rd edition. Butterworth Publishers, a division of Reed Publishing.

Hsu, C., Mcculloch, C.E., Curhan, G.C., 2002. Epidemiology of anemia associated with chronic renal insufficiency among adults in the Unites States: results from the third national health and nutrition examination survey. *J Am Soc Nephrol*; 13:504-10.

Hsu, C., Mcculloch, C.E., Darbinian, J., Go, A.S., Tribarren, C., 2005. Elevated blood pressure and risk of end stage renal disease in subjects without baseline kidney disease, *Arch Intern Med*, 165:923-928.

Hui, D.S., Wong, T.Y., Ko, F.W., *et al.*, 2000. Prevalence of sleep disturbances in Chinese patients with end-stage renal failure on continuous ambulatory peritoneal dialysis. *Am J Kidney Dis* 36:783-788.

- Huqi, Q., Shan, L., Mingcai, Q., 2000. Restless legs syndrome (RLS) in uremic patients is related to the frequency of hemodialysis session. *Nephron* 86:540 (letter).
- Huizen, J., 2016. What are BUN Levels and What Do They Measure?. American Association for Clinical Chemistry. National Kidney Foundation.
- Ida, L., 2015. Naskah Publikasi: Asuhan Keperawatan pada Tn.S dengan Gangguan Sistem Perkemihan : Chronic Kidney Disease di RSUD Sukoharjo. Fakultas Kesehatan Universitas Muhammadiyah Surakarta.
- Jamal, Y., Siddiqui, U.A., Raza, A., Abbas, K., 2014. Restless legs syndrome in end stage renal disease patients undergoing maintenance hemodialysis. *Pak Armed Forces Med J*; 64 (4):600-4.
- Jorgensen, H.S., et al., 1994. Stroke in patients with diabetes, (The Copenhagen Stroke Study) stroke. 25:1977-198.
- Kallenbach, J., Gutch, C.F., Stoner, M.H., Corea, A.I., 2011. Review of Hemodialysis for nurses and dialysis personnel 7th edition. St. Louis MO : Mosby.
- KDIGO, 2013. Clinical practice guideline for the evaluation and management of chronic kidney disease. Appendix 1. New York: Kidney Disease: Improving Global Outcomes; Jan. 7 p.
- KDOQI N., 2002. Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification, and Stratification. Executive Summaries of 2000 Updates. National Kidney Foundation Inc.
- KDOQI N., 2015. Clinical Practice Guideline for Hemodialysis Adequacy: 2015 update. National Kidney Foundation. *Am J Kidney Dis*. 66(5):884-930.
- Kementerian Kesehatan RI., 2013. Riset Kesehatan Dasar. Jakarta: Kementerian Kesehatan RI.
- Kershaw, E.E., Flier, J.S., 2004. Adipose tissue as an endocrine organ. *J Clin Endocrinol Metabolism*. 89(6): 2548-2556.
- Khan, S., Floris, M., Pani, A., Rosner, M.H., 2016. Sodium and Volume Disorders in Advanced Chronic Kidney Disease. *Advances in Chronic Kidney Disease*, Vol 23, No 4 (July); pp 240-246.
- Kim, J.M., Kwon, H.M., Lim, C.S., Kim, Y.S., Lee, S.J., Nam, H., 2008. Restless Legs Syndrome in Patients on Hemodialysis: Symptom Severity and Risk Factors. *J Clin Neurol*; 4:153-157.
- Kiryluk, K., Khan, F., Valeri, A., 2008. Acute Chorea And Bilateral Basal Ganglia Lesions In A Hemodialysis Patient. *Kidney Int* 73(9): 1087-1091.
- Knopman, D., Boland, L. L., Mosley, T., Howard, G., Liao, D., Szklo, M., 2001. Cardiovascular risk factors and cognitive decline in middle-aged adults. *Neurology* 56(1): 42-48.
- Krauss, A.G., Hakk, D.L., 2000. Chronic Kidney Disease. In Textbook of Therapeutic Drug and Disease Management, by E.T Herfindal dan D.R. Gourley; pp. 448-452, 462-472. Philadelphia: Lippincott Williams and Wilkins.
- Krishnan, A.V., Kiernan, M.C., 2009. Neurological complications in chronic kidney disease. *Nat. Rev. Neurol*. 5, 542-551.
- Kurella, M., Lo, J.C., Chertow, G.M., 2005. The metabolic syndrome and the risk for chronic kidney disease among nondiabetic adults. *J Am Soc Nephrol* 16: 2134-2140.

LaGow, B., *et al.*, eds. 2007. PDR Lab Advisor. A Comprehensive Point-of-Care Guide for Over 600 Lab Tests. First ed. Montvale, NJ: Thomson PDR.

Levey, A.S., Eckardt, K.U., Tsukamoto, Y., 2005. Definition and classification of chronic kidney disease: A position statement from kidney disease: Improving global outcomes (KDIGO) *Kidney Int* 67(6): 2089–2100.

Levey, A.S., Stevens, L.A., Schmid, C.H., Zhang, Y., Castro, A.F., Feldman, H.I., Kusek, J.W., Eggers, P., Lente, F.V., Greene, T., dan Coresh, J. 2009. A New Equation to Estimate Glomerular Filtration Rate. *Ann Intern Med* 150 (9): 604-612.

Levin, A., Hemmelgarn, B., Culeton, B., Tobe, S., McFarlane, P., Ruzicka, M., Burns, K., Manns, B., White, C., Madore, F., Moist, L., Klarenbach, S., Barrett, B., Foley, R., Jindal, K., Senior, P., Pannu, N., Shurraw, S., Akbari, A., Cohn, A., Reslerova, M., Deved, V., Mendelssohn, D., Nesrallah, G., Kappel, J., Tonelli, M., dan Canadian Society of Nephrology. 2008. Guidelines for the management of chronic kidney disease. *CMAJ*. 179 (11): 1154-1162.

Lewis, R., 2009. The pathophysiology underlying chronic kidney disease. *Prim Care Cardiovasc J* 2009; Special Issue: Chronic Kidney Disease: 11–13.

Lin, H.L., Lin, H.C., Chen, Y.H., 2012. Increased risks of parkinsonism in the 3 years after chronic renal failure. *International Journal of Clinical Practice* 66 (5): 499-503.

Lin, S.Y., Lin, C.Y., Hsu, W.H., Yeh, H.C., Lin, C.C., Lin, C.H., Tseng, C.H., 2016. Association between acute kidney injury and risk of parkinson disease. *European Federation of Internal Medicine* 0953-6205.

Lohr, J.W., Pradeep A., Gupta A., Golzy, M., Patel N., Carter R.L., Jalal, K., 2016. Proton pump inhibitors are associated with increased risk of development of chronic kidney disease. *BMC Nephrol* 17: 112.

Lonergan, E.T., Semar, M., Sterzel, R.B., Treser, G., Needle, M.A., Voyles, L., Lange, K., 1971. Erythrocyte transketolase activity in dialyzed patients. A reversible metabolic lesion of uremia. *N. Engl. J. Med.* Vol. 284, No.25 1399-1403.

Macdougall, I.C., Walker, R., Provenzano, R., Alvaro, F., Locay, H.R., Nader, P.C., et al., 2008. Corrects anemia in patients with chronic kidney disease not on dialysis: results of randomized clinical trial. *Clin J Am Soc Nephrol*; 3: 337-47.

Mao, S., Shen, H., Huang, S., Zhang, A., 2014. Restless legs syndrome in dialysis patients: a meta-analysis. *Sleep Medicine* 1389-9457.

Marsden, P.A., 2009. Treatment of anemia in chronic kidney disease-strategies based on evidence. *N Engl J Med*; 261(21):2089-90.

Matsumoto, M., Kobayashi, K., Kishikawa, H., Mori, A., 1976. Convulsive activity of methylguanidine in cat and rabbits. *IRCS Med. Sci.* Vol. 4, 65.

McCandless, D.W., 2009. Metabolic encephalopathy. North Chicago: Springer.

McClellan, W.M., Flanders, W.D., 2003, Risk Factor for progressive chronic kidney disease; *J Ant Soc Nephrol*; 14:65-70.

McClellan, W.M., Aronoff, S.L., Bolton, W.K., 2004. The prevalence of anemia in patients with chronic kidney disease. *Curr Med Res Opin*; 20:1501-10.

Merlino, G., Lorenzuti, S., Romano, G., Sommaro, M., Fontana, A., Montanaro, D., Valente, M., Gigli, G.L., 2012. Restless legs syndrome in dialysis patients: a

comparison between hemodialysis and continuous ambulatory peritoneal dialysis. *Neurol Sci* 33:1311–1318.

- Minot, A.S., Dodd, K., 1933. Guanidine intoxication: a complicating factor in certain clinical conditions in children. *Am. J. Dis. Child* Vol. 43, No.3 522-542.
- Mori, A., 1987. Biochemistry and neurotoxicology of guanidino compounds. History and recent advances. *Pavlov J Biol Sci.* 22(3):85-94.
- Nagandla, K., De, S., 2013. Restless legs syndrome: pathophysiology and modern management. *Postgrad Med J*, 89, pp. 402-410.
- National Center for Health Statistics, 2008. Centers for Disease Control and Prevention. Analytic and reporting guidelines: The Third National Health and Nutrition Examination Survey, NHANES III (1988-1994).
- National Cholesterol Education Program (NCEP), 2001. ATP III Guidelines At-A-Glance Quick Desk Reference. NIH Publication No. 01-3305.
- National Kidney Foundation, 2002. K/DOQI clinical practice guidelines for chronic kidney disease: Evaluation, classification, and stratification. *Am J Kidney Dis*; 39(2 Suppl 1):S1–266.
- National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), 2009. Hemodialysis. National Institutes of Health.
- Nitta, K., 2011. Review Article: Possible Link between Metabolic Syndrome and Chronic Kidney Disease in the Development of Cardiovascular Disease. *Cardiol Res Pract.* 10: 1-7.
- Nugrahani, A., 2007. Hubungan Asupan Protein Terhadap Kadar Urea Nitrogen Kreatinin dan Albumin Darah Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RSUP Sardjito Yogyakarta. Yogyakarta: Fakultas Kedokteran UGM.
- Nyoman, P.A., Ketut, S., Gede, R.W., 2010. Hubungan antara beberapa parameter anemia dan laju filtrasi glomerulus pada penyakit ginjal kronik pradiagnosis. *Peny Dalam, Volume 11 Nomor 3 September 2010.*
- O’Keefe, S.T., 2005. Secondary causes of restless legs syndrome in older people. *Age and Ageing*, 34, pp. 349-352.
- Obrador, G.T., 2010. Epidemiology of chronic kidney disease and screening recommendation. *J Clin Epidemiology.*
- Obrador, G.T., 2009. Chronic Renal Failure & the Uremic Syndrome Chapter 17. Current Diagnosis & Treatment: Nephrology & Hypertension. The McGraw-Hill Companies.
- Ohno, I., 2011. Relationship Between Hyperuricemia and Chronic Kidney Disease. *Nucleosides, Nucleotides and Nucleic Acids*, 30:1039–1044.
- Owen, W.F., Jr., Lew, N.L., Liu, Y., Lowrie, E.G., Lazarus, J.M., 1993. The urea reduction ratio and serum albumin concentration as predictors of mortality in patients undergoing hemodialysis. *N. Engl. J. Med.* Vol. 329, No.14 1001-1006.
- Pagana, K., Pagana, T.J., eds., 2014. Mosby's Manual of Diagnostic and Laboratory Tests. 5th Ed. St. Louis, Missouri.
- Palmer, S.C., Hanson, C.S., Craig, J.C., Strippoli, G.F., Ruospo, M., Campbell, K., Johnson, D.W., Tong, A., 2015. Dietary and fluid restrictions in CKD: a thematic synthesis of patient views from qualitative studies. *Am J Kidney Dis*;65(4):559-73.

- Pan, J.C., Pei, Y.Q., An, L., Lai, L., D'Hooge, R., De Deyn, P.P., 1996. Epileptiform activity and hippocampal damage produced by intrahippocampal injection of guanidinosuccinic acid in rat. *Neurosci. Lett.* Vol. 209, No.2 121-124.
- Pengurus Besar Perkumpulan Endrokinologi Indonesia, 2004. (PB.PERKENI). Petunjuk praktis penatalaksanaan dislipidemia. Jakarta.
- Pengurus Besar Perkumpulan Endrokinologi Indonesia, 2011. (PB.PERKENI). Konsensus pengelolaan diabetes melitus di Jakarta. Indonesia.
- Perhimpunan Nefrolog Indonesia (PERNEFRI), 2012. 5th Report of Indonesian Renal Registry. Jakarta: Perhimpunan Nefrolog Indonesia.
- Pirklbauer, M., Mayer, G., 2011. The exchangeable calcium pool: physiology and pathophysiology in chronic kidney disease. *Nephrol Dial Transplant* (2011) 0: 1–7.
- Pranoto, I., 2010. Hubungan antara lama hemodialisis dengan terjadinya perdarahan intraserebral (skripsi). Surakarta: Fakultas Kedokteran Universitas Sebelas Maret.
- Pranandari, R., Supadmi, W., 2015. Faktor risikp gagal ginjal kronik di unit hemodialisis RSUD Wates Kulon Progo. Yogyakarta: Majalah Farmaseutik, Vol. 11 No. 2.
- Price, S.A., Wilson, L.M., 2003. Patofisiologi Konsep Klinis Proses-Proses Penyakit Edisi 6. Penerjemah: Pendit BU et al., Jakarta: Penerbit Buku Kedokteran EGC.
- Price, S.A., Wilson, L.M., 2006. Patofisiologi Konsep Klinis Proses-Proses Penyakit Edisi 10. Jakarta: Penerbit Buku Kedokteran EGC.
- Prodjosudjadi, W., Suhardjono, A., 2009. End Stage Renal Disease in Indonesia: Treatment and Development. *Ethn Dis* 19 [Suppl 1]:S1-33–S1-36).
- Pusorowati, N., 2002. Manajemen data, analisis data kesehatan, pelatihan analisis data kesehatan. Jogjakarta: Clinical Epidemiology and Biostatistic Unit, Fakultas Kedokteran Universitas Gadjah Mada.
- Rahardjo, Suhardjono. 2009. Buku ajar ilmu penyakit dalam. Hemodialisis. Edisi ke-5. Jakarta: Pusat Penerbitan Departemen IPD FKUI. hlm. 590-1.
- Rahman, M.T.S.A., Kaunang, T.M.D., Elim, C., 2016. Hubungan antara lama menjalani hemodialisis dengan kualitas hidup pasien yang menjalani hemodialisis di Unit Hemodialisis. *Jurnal e-Clinic (eCI)*. 4(1):36-40.
- Reviati, I., 2013. Gagal Ginjal Kronik : Artikel. Public Hospital Blambangan.
- Riset Kesehatan Dasar (RISKESDAS), 2013. Pusat Data dan Informasi Kementerian Kesehatan RI.
- Rivara, M.B., Adams, S.V., Kuttykrishnan, S., Kalantar-Zadeh, K., Arah, O.A., Cheung, A.K., Katz, R., Molnar, M.Z., Ravel, V., Soohoo, M., Streja, E., Himmelfarb, J., Mehrotra, R., 2016. Extended-hours hemodialysis is associated with lower mortality risk in patients with end-stage renal disease. *Kidney Int.* Dec;90(6):1312-1320.
- Rizzo, M.A., Frediani, F., Granata, A., Ravasi, B., Cusi, D., Gallieni, M., 2011. Neurological complications of hemodialysis: state of the art. *J Nephrol* 2012; 25(02): 170-182.
- Rocco, M.V., Depner, T.A., Daugirdas, J.T., Inrig, J., Mehrotra, R., Suri, R.S., Weiner, D.E., Greer, N., Ishani, A., MacDonald, R., Olson, C., 2015. KDOQI Clinical Practice Guideline for Hemodialysis Adequacy: 2015 Update. *American Journal of Kidney Diseases*, 66(5), 884-930.

- Rodwell, V.W., Harper, H.A., Mayes, P.A., 1999. Biokimia (Review of physiological chemistry). Alih bahasa: M. Muliawan. Los Altos, California: Lange Medical Publications.
- Ropper, A.H., Brown, R.H., 2005. Adams and Victor's Principles of Neurology 8th edition. New York USA: McGraw-Hill Company.
- Ruster, C., Wolf, G., 2006. Renin-angiotensin-aldosterone system and progression of renal disease. *J Americ Soc Nephrol*. 17(11): 2985-2991.
- Sari, D.K., 2017. Hubungan lama menjalani terapi hemodialisis dengan kualitas hidup pasien penyakit ginjal kronik di Instalasi Hemodialisis RSUD Abdul Moeloek. Bandar Lampung: Skripsi Fakultas Kedokteran Universitas Lampung.
- Sastroasmoro, Sudigdo, Ismael, S., 2002. Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: CV Sagung Seto.
- Seguchi, C., Shima, T., Misaki, M., Takarada, Y., Okazaki, T., 1992. Serum erythropoietin concentration and iron status in patients on chronic hemodialysis. *Clin.Chem*: 38(2):199-203.
- Sherwood, L., 2012. Essentials of Physiology fourth Edition, 224:405-406.
- Shibasaki, H., 1995. Pathophysiology of Negative Myoclonus and Asterixis. *Adv Neurology* 67: 199-209.
- Siddiqui, S., Kavanagh, D., Traynor, J., Mak, M., Deighan, C., Geddes, C., 2005. Risk factors for restless legs syndrome in dialysis. *Nephron clinical practice* 101: c155-c160.
- Smeltzer, S.C., Bare, B.G., Hinkle, J.L., Kerry, H., 2008. Chronic kidney disease: An overview: Early and aggressive treatment is vital. Philadelphia: Lippincott Williams & Wilkins.
- Smith, G.L., Shlipak, M.G., Havranek, E.P., Foody, J.M., Masoudi, F.A., Rathore, S.S., Krumholz, H.M., 2006. Serum Urea Nitrogen, Creatinine, and Estimators of Renal Function : Mortality in Older Patients With Cardiovascular Disease. *Arch Intern Med*; 166:1134-1142.
- Sprangers, B., Evenepoel, P., dan Vanrenterghem, Y. 2006. Late Referral of Patients With Chronic Kidney Disease: No Time to Waste. *Mayo Clin Proc*. 81(11):1487-1494.
- Sterling, L.R., Behets, G.J., Spasovski, G., 2016. Methodologic Approach to the 2016 KDIGO CKD-MBD. National Kidney Foundation Inc.
- Sterzel, R.B., Semar, M., Lonergan, E.T., Treser, G., Lange, K., 1971. Relationship of nervous tissue transketolase to the neuropathy in chronic uremia. *J. Clin. Invest* Vol. 50, No.11 2295-2304.
- Stevens, L.A., Viswanathan, G., Weiner, D.E. 2011. CKD and ESRD in the Elderly: Current Prevalence, Future Projections, and Clinical Significance. *Adv Chronic Kidney Dis*. 17(4): 293-301.
- Sue, E., Huether., 2003. Altertion of Hormonal Regulation. www.mosby.com/MERLIN/Huether. Chapter 18 : 483 -4 91, diakses pada tanggal 04 Mei 2018.
- Susalit, E., 2003. Rekomendasi Baru Penatalaksanaan Penyakit Ginjal Kronik. In: Penyakit Ginjal Kronik & Glomerulonepati: Aspek Klinik & Patologi Ginjal Pengelolaan Hipertensi Saat Ini. Perhimpunan Nefrologi Indonesia. Jakarta: 1-8.

- Suwitra, K., 2006. Penyakit Ginjal Kronik. Dalam Buku Ajar Penyakit Dalam Jilid I Edisi IV pp. 581-584. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI.
- Suwitra, K., 2009. Penyakit Ginjal Kronik. In A.W.Sudoyo, B.Setiyohadi, I.Alwi, S.M.K, & S.Setiati, Buku Ajar Ilmu Penyakit Dalam (pp. 1034-1037). Jakarta: Interna Publishing.
- Takaki, J., Nishi, T., Nangaku, M., Shimoyama, H., Inada, T., Matsuyama, N., Kumano, H., Kuboki, T., 2003. Clinical and Psychological Aspects of Restless Legs Syndrome in Uremic Patients on Hemodialysis. National Kidney Foundation, Inc.
- Theresia, I., 2011. Peranan Hemodialisis Dalam Upaya Menurunkan Kadar Ureum dan Kreatinin Pada Pasien Gagal Ginjal Kronik di Ruang Hemodialisis RSUP Dr. Wahidin Sudirohusodo Makassar. Skripsi tidak diterbitkan. Makassar.
- Thomas, M., Cholongitas, E., Shusang, V., Marelli, L., Nair, D., Patch, D., 2007. Review article: renal function assessment in cirrhosis - difficulties and alternative measurements. *Aliment Pharmacol Ther* (26): 969–78.
- Tilong, A.D., 2014. Waspada penyakit-penyakit mematikan tanpa gejala menyolok. Jogjakarta: Buku Biru.
- Topczewska-Bruns, J., Pawlak, D., Chabielska, E., Tankiewicz, A., Buczek, W., 2002. Increased levels of 3-hydroxykynurenine in different brain regions of rats with chronic renal insufficiency. *Brain Res. Bull.* Vol. 58, No.4 423-428.
- UU RI No.23, 2002. Undang-undang no. 23 tentang Perlindungan Anak pasal 1 ayat (1).
- Van Dijck, A., Van Daele, W., De Deyn, P.P., 2012. Uremic Encephalopathy. University of Antwerp Belgium. Source: InTech.
- Vanholder, R., De Smet, R., 1999. Pathophysiologic effects of uremic retention solutes. *J. Am. Soc. Nephrol.* Vol. 10, No.8 1815-1823.
- Vanholder, R., Argiles, A., Baurmeister, U., Brunet, P., Clark, W., Cohen, G., De Deyn, P.P., Deppisch, R., Descamps-Latscha, B., Henle, T., Jorres, A., Massy, Z.A., Rodriguez, M., Stegmayr, B., Stenvinkel, P., Wratten, M.L., 2001. Uremic toxicity: present state of the art. *Int. J. Artif. Organs* Vol. 24, No.10 695-725.
- Vanholder, R., De Smet, R., Glorieux, G., Argiles, A., Baurmeister, U., Brunet, P., Clark, W., Cohen, G., De Deyn, P.P., Deppisch, R., Descamps-Latscha, B., Henle, T., Jorres, A., Lemke, H.D., Massy, Z.A., Passlick-Deetjen, J., Rodriguez, M., Stegmayr, B., Stenvinkel, P., Tetta, C., Wanner, C., Zidek, W., 2003a. Review on uremic toxins: classification, concentration, and interindividual variability. *Kidney Int.* Vol. 63, No.5 1934-1943.
- Vanholder, R., De, S.R., Glorieux, G., Argiles, A., Baurmeister, U., Brunet, P., Clark, W., Cohen, G., De Deyn, P.P., Deppisch, R., Descamps-Latscha, B., Henle, T., Jorres, A., Lemke, H.D., Massy, Z.A., Passlick-Deetjen, J., Rodriguez, M., Stegmayr, B., Stenvinkel, P., Tetta, C., Wanner, C., Zidek, W., 2003b. Review on uremic toxins: classification, concentration, and interindividual variability. *Kidney Int.* Vol. 63, No.5 1934-1943.
- Walsh, M., Keating, P.T., Ribic, C.M., Brimble, K.S., 2014. The impact of patient preference on dialysis modality and hemodialysis vascular access. *BMC Nephrol*; 15: 38.

- Wang, I.K., Lin, C.L., Wu, Y.Y., Chou, C.Y., Lin, S.Y., Liu, J.H., Yen, T.H., Huang, C.C., Sung, F.C., 2014. Increased risk of parkinson's disease in patients with end-stage renal disease: a retrospective cohort study. *Neuroepidemiology* 42: 204-210.
- Weisberg, L.S., Kurnik, P.B., Kurnik, B.R.C., 1992. Radiocontrast-induced nephropathy in humans: Role of renal vasoconstriction. *Kidney International*, Vol. 41, pp. 1408—1415.
- Widmann, F.K., 1995. Tinjauan klinis atas hasil pemeriksaan laboratorium. Edisi 9. Jakarta : EGC.
- YDGI. 2007. *Bagaimana mengetahui kualitas dialysis?* <http://www.ydgi.org/kidney-disease/dialisis/bagaimana-dikatakan-dokter-mengetahui-bahwa-proses-dialisis-berjalan-dengan-baik.html>
- Yokoi, I., Toma, J., Mori, A., 1984. The effect of homoarginine on the EEG of rats. *Neurochem. Pathol.* Vol. 2, No.4 295-300.
- Yonezawa, T., Iwanami, H., 1966. An experimental study of thiamine deficiency in nervous tissue, using tissue culture technics. *J. Neuropathol. Exp. Neurol.* Vol. 25, No.3 362-372.