

- Ahmed, I. 1988. Predictive value of the electroencephalogram in acute hemispheric lesions. *Clinical Electroencephalography* 19(4)
- Ambrose, L.T., Eng, J.J., 2015. Exercise Training and Recreational Activities to Promote Executive Functions in Chronic Stroke : a proof-of-concept study. *J Stroke Cerebrovasc Dis* 24: 130-7.
- Andraus, M.E., Andraus, C.F. et al., 2012. Periodic EEG patterns: importance of their recognition and clinical significance. *Arq Neuropsiquiatr* 70: 145-151.
- Arboix, A., Comes, E., Massons, J., 1996. Relevance of early seizures for in-hospital mortality in acute cerebrovascular disease. *Neurology* 47(6):1429-35.
- Bauer, G., Bauer, R. 2016. EEG, Drug Effects, and Central Nervous System Poisoning. Available at www.neuropsychykey.com
- Beckham, J.D., Tyler, K.L., 2012. Neuro-Intensive Care of Patients with Acute CNS Infections. *Neurotherapeutics*; 9: 124–138.
- Bhardwaj, A. 2006. Neurological impact of vasopressin dysregulation and hyponatremia. *Ann Neurol* 59:229-236.
- Bhattarai, S., Ning, Z.X. et al., 2014. EEG and SPECT Changes in Acute Ischemic Stroke. *J Neurol Neurophysiol* 5: 190.
- Bogousslavsky, J., Martin, R. Et al., 1992. Persistent Worsening of Stroke Sequelae after Delayed Seizures. *Arch Neurol* 49: 385-388
- Boone, M., Chillon, J.M., Garcia, P.Y., Canaple, S., Lamy, C., Godefroy, O. Bugnicourt, J., 2012. NIHSS and acute complications after anterior and posterior circulation strokes. Therapeutics and Clinical Risk Management.
- Brouns, R., De Deyn, P.P., 2009. The complexity of neurobiological processes in acute ischemic stroke. *Clinical neurology and neurosurgery* 111(6): 483-495
- Buck, B.H., Liebeskind, D.S. et al., 2008. Early neutrophilia is associated with volume of ischemic tissue in acute stroke. *Stroke* 39(2): 355-360
- Buckingham, S.C., Campbell, S.L. et al. 2011. Glutamate release by primary brain tumors induces epileptic activity. *Nat Med* 17(10): 1269-1274
- Castillo, J., Davalos, A. et al., 1997. Progression of ischaemic stroke and excitotoxic amino acids. *Lancet* ; 349: 79–83
- Castillo, J., 1999. Deteriorating Stroke : Diagnostic Criteria, Predistors, Mechanism and Treatment. *Cerebrovasc Dis* 9(3):1–8
- Chobanian, A.V., Bakris, G.L., Black, H., 2003. The seventh report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: The JNC 7 report.
- Choi, K., Kim, J. et al., 2009. Oxidative stressinduced necrotic cell death via mitochondiradependent burst of reactive oxygen species. *Current Neurovascular Research* 6: 213-222.
- Claassen J, Mayer SA, Kowalski RG et al., 2004. Detection of electrographic seizures with continuous EEG monitoring in critically ill patients. *Neurology* 62(10):1743–8.
- Cuspidena, E., Machado, C. et al., 2007. QEEG Prognostic Value in Acute Stroke. *Clinical eeg and neuroscience* 38(3)
- Cuzzocrea, S., Riley, D.P. et al., 2001. Antioxidant therapy: a new pharmacological approach in shock, inflammation, and ischemia/reperfusion injury. *Pharmacological reviews* 53: 135–159
- da Silva, F.H.L., 1996. The generation of electric and magnetic signals of the brain by local networks. *Comprehensive Human Physiology*. Germany



- Davalos, A., Castillo, J., 1997. Potential mechanisms of worsening. *Cerebrovasc Dis* 7(5):19–24
- Degraba, T.J., Hallenbeck, J.M. et al., 1999. Progression in acute stroke : value of the NIH stroke scale score on patient stratification in future trials. *Stroke* 30(6):1208-12.
- Donnelly, E.M., Blum, A.S., 2007. Focal and Generalized Slowing, Coma, and Brain Death. In Blum, A.S., Rutkove, S.B., (Eds.), *The Clinical Neurophysiology Primer* (pp. 127 – 140). Totowa, NJ: Humana Press Inc.
- Dostovic, Z., Dostovic, E., Smajlovic, D., et al., 2016. Brain edema after ischemic stroke. *Med Arch* 70(5): 339-341
- Faught E. Current role of electroencephalography in cerebral ischemia. *Stroke* 1993; 24: 609-13
- Finnigan, S., Wong, A. et al., 2015. Defining abnormal slow EEG activity in acute ischemic stroke : delta/alpha ratio as an optimal qEEG index. *Clinical Neurophysiology*
- Fisher M, Paganini-Hill A, Martin A, Cosgrove M, Toole JF, Barnett HJ, N., 2005. Carotid plaque pathology: thrombosis, ulceration, and stroke pathogenesis. *Pathophysiology*.
- Frankel, M.R., Morgenstern, L.B. et al., 2000. Predicting prognosis after stroke: a placebo group analysis from the National Institute of Neurological Disorders and Stroke rt-PA Stroke Trial. *Neurology* 55: 952.
- Frykholm, P., 2002. Cerebral ischemia studied with PET and microdialysis. *Comprehensive Summaries Uppsala Dissertations* 91: 5319-5328
- Guo, Y., Li, P. et al., 2013. Pathophysiology and Biomarkers in Acute Ischemic Stroke – A Review. *Trop J Pharm Res* 12 (6): 1098
- Hanisch, U.K., Kettenmann, H., 2007. Microglia: active sensor and versatile effector cells in the normal and pathologic brain. *Nat Neurosci* 10:1387–94
- Jalil, C.E., 2009. Injury and repair mechanisms in ischemic stroke: considerations for the development of novel neurotherapeutics. *Curr Opin Investig Drugs* 10:644–54
- Jordan, K.G., 2004. Emergency EEG and continuous EEG monitoring in acute ischemic stroke. *J Clin Neurophysiol* 21(5): 341–52
- Kaminski, M., Blinowska, K.J. et al., 1997. Topographic analysis of coherence and propagation of EEG activity during sleep and wakefulness. *Electroenceph. Clin. Neurophys.*; 102: 216–227
- Kang , D., Latour, L. et al., 2003. Early Ischemic Lesions Recurrence within a Week after Acute Ischemic Stroke. *Ann Neurol* 54: 66-74
- Kanyal, N., 2015. The Science of Ischemic Stroke: Pathophysiology & Pharmacological Treatment. *International Journal of Pharma Research & Review* 4(10): 65-84
- Khan, M., Baird, G.L., Goddeau Jr, R.P., et al., 2017. Alberta stroke program early CT score infarct location predicts outcome following M2 occlusion. *Front Neurol* 8:98.
- Kulshreshtha, A., Anderson, L.M. et al., 2012. Stroke in South Asia: A systematic review of epidemiologic literature from 1980 to 2010. *Neuroepidemiology* 38: 123-129.
- Kwan, J., Hand, P.J. et al. 2006. Distinguishing between stroke and mimic at the bedside : the brain attack study. *Stroke* 37(3):769-75.
- Louis, S., Erik, K. et al., 2016. Electroencephalography (EEG): An Introductory Text and Atlas of Normal and Abnormal Findings in Adults, Children, and Infants. *American Epilepsy Society Society*
- Manford M., 2003. Practical Guide to epilepsy. Butterworth Heinemann. Burlington.
- Mapulanga, M., Nzala, S. et al., 2014. The-Socio Economic Impact of Stroke on Households in Livingstone District, Zambia : A Cross Sectional Study. *Ann Med Health Sci Res* 4:123-127
- Marsh, E.B., Lawrence, E. et al. 2016. The NIH stroke scale has limited utility in accurate daily monitoring of neurologic status. *The Neurohospitalist* 6(3): 97-101



ABNORMALITAS GELOMBANG ELEKTROENSEFALOGRAFI SEBAGAI PREDIKTOR PERBURUKAN DEFISIT NEUROLOGIS PADA STROKE ISKEMIK AKUT

AJENG PUTRI T, Dr. dr. Ahmad Asmedi, M.Kes, Sp.S(K).; dr.Paryono, Sp.S(K)

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Menta, S.L., Manhas, N. et al., 2007. Molecular targets in cerebral ischemia for developing novel therapeutics. *Brain Research Reviews* 54: 34-66.
- Modrego, P., Pina, M. et al., 2000. Type, causes, and prognosis of stroke recurrence in the province of Teruel, Spain. A Five-year Analysis. *Neurol Sci* 21:355- 360
- Mozzafarian, D., Benjamin, E.J. et al., 2016. Heart disease and stroke statistics—2016 update: a report from the American Heart Association. *Circulation*, 133(4), pp.38–360
- Muir, K.W., Weir, C.J. et al., 1996. Comparison of neurological scales and scoring systems for acute stroke prognosis. *Stroke*. **27**: 1817–1820.
- Nardone, R., Brigo, F. et al. 2016. Acute Symptomatic Seizures Caused by Electrolytes Disturbances. *J Clin Neurol* 12(1): 12-33
- Noachtar, S., Remi, J., 2009. The role of EEG in epilepsy: A critical review. *Epilepsy Behav* 15:22–33.
- Paolucci, S., 2008. Epidemiology and Treatment of Post-Stroke Depression. *Neuropsychiatr Dis Treat* 4(1): 145-154
- Pfurtscheller, G., da Silva, F.H.L., 1999. Event-Related Desynchronization (ERD) Handbook of Electroencephalography. *Clin. Neurophysiol* 6
- Poothrikovil, R.P., Gujjar, A.R., Al-Asmi, A. et al., 2015. Predictive value of short term EEG recording in critically ill adult patient. *Neurodiagn J* 55(3): 157-68
- Roquer, J., Campello, A.R. et al., 2008. Acute stroke unit care and early neurological deterioration in ischemic stroke. *J Neurol* 255: 1012
- Ryu, W.S., Schellingerhout, D. et al. 2016. Association between serum lipid profiles and early neurological deterioration in acute ischemic stroke. *J Stroke Cerebrovascular Dis*
- Sastroasmoro, S., Ismael, S., 2011. Dasar-dasar Metodologi Penelitian Klinis. Sagung Seto, Jakarta
- Schild, M.S., Albright, K.C. et al., 2011. Zero on the NIHSS does not equal the absence of stroke". *Ann Emerg Med*. **57**: 42–5
- Schneider, A.L., Jordan, K.G., 2005. Regional attenuation without delta (RAWOD): a distinctive EEG pattern that can aid in the diagnosis and management of severe acute ischemic stroke. *Am J Electroneurodiagnostic Technol* 45: 102-117.
- Setyopranoto, I., 2012. Odem Otak Akut Pada Pasien Stroke Akut, Badan Penerbit FK UGM
- Sharanreddy, M., Kulkarni, P.K. 2013. Can EEG tests helps in identifying brain tumors?. *International Journal of Medical, Health, Biomedical, Bioengineering and Pharmaceutical Engineering* 7:11
- Sheorajpanday, R.V., Nagels, G. et al., 2010. Additional value of quantitative EEG in acute anterior circulation syndrome of presumed ischemic origin. *Clin Neurophysiol*;121: 1719-25
- Sheorajpanday, R. V., Nagels, G. Et al., 2011. Quantitative EEG in ischemic stroke : correlation with functional status after 6 months. *Clin Neurophysiol*;122: 874-883
- Sim, J. and Wright, C. C. (2005) 'The Kappa Statistic in Reliability Studies : Use, Interpretation, and', 85(3), pp. 257-268
- Smith, S. 2005. EEG in the Diagnosis, Classification and Management of Patients with Epilepsy. *J Neurol Neurosurg Psychiatry* 76: ii2-ii7
- Specogna, A.V., Patten, S.B. et al. 2013. The Reliability and Sensitivity of the National Institutes of Health Stroke Scale for Spontaneous Intracerebral Hemorrhage in an Uncontrolled Setting. *Plos One* 8(12): e84702
- Steriade, M., Gloor, P. et al. 1990. Report of IFCN Committee on Basic Mechanisms: Basic mechanisms of Cerebral Rhythmic Activities, Electroencephalography and Clinical Neurophysiology 76: 481-508
- Sumer, M.M., Ozdemir, I. et al., 2003. Predictors of outcome after acute ischemic stroke. *Acta Neurol Scand* 107: 276.



ABNORMALITAS GELOMBANG ELEKTROENSEFALOGRAFI SEBAGAI PREDIKTOR PERBURUKAN DEFISIT NEUROLOGIS PADA STROKE ISKEMIK AKUT

AJENG PUTRI T, Dr. dr. Ahmad Asmedi, M.Kes, Sp.S(K).; dr.Paryono, Sp.S(K)

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Syeban, Z., Octaviana, F. et al., 2014. EEG Praktis. *Badan Penerbit Fakultas Kedokteran Universitas Indonesia*. hal 1-17
- Toni, D., Fiorelli, M. et al. 1998. Early Spontaneous Improvement and Deterioration of Ischemic Stroke Patients: A Serial Study With Transcranial Doppler Ultrasonography. *Stroke* 29:1144-1148
- Vogt, G., Laage, R. et al., 2012. Initial lesion volume is an independent predictor of clinical stroke outcome at day 90 : an analysis of the Virtual International Stroke Trials Archive (VISTA) Database. *Stroke* ; 1266
- Wang, J., Chen, L. et al., 2010. Correlation study of cerebral blood flow and EEG feature based on CO2 stimulation. *Proc Intl Soc Mag Reson Med* 18: 1.
- Weimar, C., König, I.R. et al., 2004. Age and National Institutes of Health Stroke Scale Score within 6 hours after onset are accurate predictors of outcome after cerebral ischemia: development and external validation of prognostic models. *Stroke* 35:158.
- WHO, 1997. *Cerebrovascular Disorders: A Clinical and Research Classification*. Geneva, World Health Organization
- Wolf, M.E., Ebert, E.D. et al., 2016. The use of routine EEG in acute ischemic stroke patients without seizures : Generalized but not focal EEG pathology is associated with clinical deterioration. *International Journal of Neuroscience* : 1543-1566
- Woodruff, T.M., Thundyil, J. et al., 2011. Pathophysiology, treatment, and animal and cellular models of human ischemic stroke. *J Molecular Neurodegeneration* 6: 11
- Wu, J., Srinivasan, R. et al., 2016. Utility of EEG measures of brain function in patients with acute stroke . *J. Neurophysiol* 115: 2399–2405
- Yang, Y., Estrada, E.Y. et al., 2006. Matrix metalloproteinase-mediated disruption of tight junction proteins in cerebral vessels is reversed by synthetic matrix metalloproteinase inhibitor in focal ischemia in rat. *Journal of Cerebral Blood Flow & Metabolism* 27(4): 697-709.
- Young, F.B., Weir, C.J., Lees, K., 2005. Comparison of the National Institutes of Health Stroke Scale With Disability Outcome Measures in Acute Stroke Trials. *Journal of The American Heart Association*.