UNIVERSITAS
GADJAH MADA
SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCE

Adinugraha, M.P., Marseno, D.W., and Haryadi, 2005, Synthesis and Characterization of Sodium Carboxymethyl Cellulose from Cavendish Banana Pseudo Stem (*Musa cavendishii LAMBERT*), *Carbohyd. Polym.*, 62(2), 164–169.

Aro, T., and Fatehi, P., 2017, Production and Application of Lignosulfonates and Sulfonated Lignin, *Chem. Sus. Chem.*, 1-19.

Anonim, 2017, *Oil and Gas in Indonesia,* Investment and taxation guide, 8th Ed. www.pwc.com/id.

Aziz, M.M., Rachmadi, H., Wintoko, J., Yuliansyah, A.T., Hasokowati, W., Purwono, S., Rochmadi., and Murachman, B., 2017, On the Use of Sodium Lignosulphonate for Enhanced Oil Recovery, *Earth Environ. Sci.*, 1-8.

Barnes, J., Smit, J.R., Smit, P., Shpakoff, K., Raney,, and Puerto, M., 2008, Development of Surfactants for Chemical Flooding at Difficult Reservoir Conditions, *Proceeding Symposium on Improved Oil Recovery*, Tulsa, Oklahoma, USA.

Bataweel, M.A., 2011, Enhanced Oil Recovery in High Salinity High Temperature Reservoir by Chemical Flooding, *Dissertation*, King Fahad University of Petroleum and Minerals.

Bera, A., Ojha, K., and Mandal, A., 2011, Interfacial Tension and Phase Behavior of Surfactant-Brine-Oil System, *Colloid Surface A*., 383, 114-119.

BPMIGAS., 2009, Spesifikasi Teknis Surfaktan untuk Aplikasi EOR, Jakarta.

Bryan, J., and Kantzas, A., 2007, Enhanced Heavy-Oil Recovery by Alkaline-Surfactant Flooding, *Proceeding Symposium on Improved Oil Recovery*, Anaheim, California, USA.

Bykov, I., 2008, Characterization of Natural and Technical Lignins Using FTIR spectroscopy, *Thesis*, Lulea University of Technology.

Carey, F.A., and Sudenberg, R.J., 2007, *Advanced Organic Chemistry: Reactions and Synthesis*, 5th Ed., Springer.

Carvajal, J.C., Gomez, A., and Cardona,C.A., 2016, Comparison of Lignin Extraction Processes: Economic and Environmental Assessment, *Bioresource Technol.*, 214, 468–476.

Chakar, F.S., and Ragauskas, A.J., 2004, Review of Current and Future Softwood Kraft Lignin Process Chemistry, *Ind. Crops Prod.*, 20 (2), 131–141.

Chen, G., Zhang, B., Zhao, J., and Chen, H., 2013, Improved Process for the Production of Cellulose Sufate Using Sulfuric Acid/Ethanol Solution, *Carbohyd. Polym.*, 95, 332-337

SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED
OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, H.Z., and Liu, L.Y., 2007, Unpolluted Fractionation of Wheat Straw by Steam Explosion and Ethanol Extraction, *Bioresource Technol.*, 98 (3), 666–676.

Ciolacu, D., Ciolacu, F., and Popa, V., 2010, Amorphous Cellulose-Structure and Characterization, *Cellulose Chem. Technol.*, 45, 13-21.

Cotana, F., Cavalaglio, G., Nicolini, A., Gelosia, M., Coccia, V., and Petrozzi, A., 2014, Lignin as Co-Product of Second Generation Bioethanol Production from Ligno - Cellulosic Biomass, *Enrgy. Proced.*, 45, 52–60.

Doherty, W.O.S., and Mousavioun, P., 2011, Value-adding to Cellulosic Ethanol: Lignin Polymers, *Ind. Crops Prod.*, 33(2), 259–276.

El-Sakhawy, M., and Hassan, M.L., 2007, Physical and Mechanical Properties of Microcrystalline Cellulose Prepared from Agricultural Residues, *Carbohyd. Polym.*, 67(1), 1–10.

Fatwa, N.D., 2010, Pembuatan Sodium Lignosulfonat (SLS) dari Isolat Lignin Tandan Kosong Kelapa Sawit (TKKS) dengan Katalis NaOH pada Proses Sulfonasi, *Thesis*, Teknik Kimia Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.

Fengel, D., dan Wegener, G., 1995, *Kayu Kimia Ultra Struktur dan Reaksi*, diterjemahkan oleh Hardjono Sastrohamidjojo, UGM Press, Yogyakarta.

Froass, P.M., Ragauskas, A.J., and Jiang, J., 1996, Chemical Structure of Residual Lignin from Kraft Pulp, *J. Wood Chem. Technol.*, 16 (4), 347-365.

Glennie, D.W., and McCarthy, J. L., 1962, *Chemistry of lignin In Pulp and Paper Science and Technology*, McGraw-Hill, New York.

Godec, M., Kuuskraa, V., Van L.T., Melzer, L.S., and Wildgust, N., 2011, CO_2 Storage in Depleted Oil fields: The Worldwide Potential for Carbon Dioxide Enhanced Oil Recovery, *Enrgy. Proced.*, 4, 2162–2169.

Gratzl, J.S., and Chen, C.L., 2000, Chemistry of pulping: Lignin reactions, *ACS Symposium Series*, 742, 392–421.

Green, D.W., and Willhite G.P., 1998, *Enhanced Oil Recovery*, SPE textbook series, Society of Petroleum Engineers, Richardson, Texas, 6, 239-251.

Gullichsen, J., 2000, *Chemical Pulping*, TAPPI Press, USA.

Habibi, Y., Lucia, L.A., and Rojas, O.J., 2010, Cellulose Nanocrystals: Chemistry Self Assembly and Applications, *Chem. Rev.*, 110, 3479-3500.

Harkin, J.M., 1969. Lignin and its uses.
http://www.fpl.fs.fed.us/documnts/fplrn/fplr0206.pdf

Heinze, T., and Liebert, T., 2012, *Carbohydrate-Based Polymer Building Block and Biopolymers Celluloses and Polyoses/Hemicelluloses*, 1st Ed, Reinhold publishing Crop, New York.

UNIVERSITAS
GADJAH MADA
SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hettrich, K., Wagenknecht,W., Volkert, B., and Fischer, S., 2008, New Possibility of the Acetosulfation of Cellulose, *Macromol. Sy.*, 262, 162 – 169.

Horta, J.F., Simoes, F.J., and Mateus, A., 2017, Study of Wood-Plastic Composites with reused High Density Polyethylene and Wood Sawdust, *Procedia Manufacturing.*, 12, 221-229.

Inwood, J.P.W., 2014, Sulfonation of Kraft Lignin to water soluble Value Added Products, *Thesis*, Lakehead University, Ontario.

Jiang, M., Zhao, M.M., Zhou, Z.W., Huang, T., Chen, X.L., and Wang, Y., 2011, Isolation of Cellulose with Ionic Liquid From Steam Exploded Rice Straw, *Ind. Crops Prod*., 33 (3), 734–738.

Jingjing, L., 2011, Isolation of Lignin from Wood, *Thesis,* Saimaa University Of Applied Sciences, Imatra.

Jonglertjunya, W., Juntong, T., Pakkang, N., Srimarut, N., and Sakdaronnarong, C., 2014, Properties of Lignin Extracted from Sugarcane Bagasse and Its Efficacy in Maintaining Postharvest Quality of Limes During Storage, *LWT Food Sci. Technol.*, 57, 116-125.

Kalfoglou, G., 1975, US Patent No. 4006779.

Kim, J., and Netravali, A.N., 2013, Fabrication of advanced "green" composites using Potassium hydroxide (KOH) treated liquid crystalline (LC) cellulose fibers, *J. Mater. Sci.,* 48 (11), 3950–3957.

Kirk, R.E., and Othmer, D.F., 1983, *Encyclopedia of Chemical Technology*, Vol 8-9, 3rd Ed, John Wiley & Sons, New York.

Klemm, D., Heublein, B., Fink, H.P., and Bohn, A., 2005, Cellulose: Fascinating Biopolymer and Sustainable Raw Material, *Angew. Chem Int. Ed. Engl.*, 44, 3358–3393.

Kouisni, L., Hindle, P., Maki, K., and Paleologou, M., 2012, The Lignoforce System: A New Process for the Production of High Quality Lignin From Black Liquor, *J. Sci. Technol. Prod.*, 2(4), 6-10.

Lake, L.W., 1989, *Enhanced Oil Recovery*, 1st Ed, Prentice Hall, New Jersey.

Lake, L., Johns, R.T., Rossen, W.R., and Pope, G.A., 2015, Fundamentals of Enhanced Oil Recovery, *Proceeding Symposium on Improved Oil Recovery*, Richardson, USA.

Li, Z., and Ge, Y., 2012, Antioxidant Activities of Lignin Extracted from Sugarcane Bagasse Via Different Chemical Procedures, *Int. J. Biol. Macromol.*, 51 (5), 1116–1120.

Lu, J., Liyanage, P.J., Solairaj, S., Adkins, S., Arachchilage, G.P., Kim, D.H., Britton, C., Weerasooriya, U., and Pope, G.A., 2014, New Surfactant Developments for Chemical Enhanced Oil Recovery, *J. Pet. Sci. Eng.*, 120, 94–101.

UNIVERSITAS
GADJAH MADA
SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Mandal, A., and Chakrabarty, D., 2011, Isolation of Nanocellulose from Waste Sugarcane Bagasses (SCB) and Its Characterization, *Carbohyd. Polym.*, 86, 1291-1299.

McMurry, J., 2008, *Organic Chemistry*, 7th Ed, Thomson Brooks Cole.

Mohtar, S.S., Busu, M.T.Z.N.T., Noor, M.M.A., Shaari, N., and Mat, H., 2017, An Ionic Liquid Treatmen and Fractionation of Cellulose, Hemicellulose, and Lignin from Oil Palm Empty Fruit Bunch, *Carbohyd. Polym.*, 166, 291-299.

Monica, E.K., Gellerstedt, G., and Henriksson, G., 2009, *Wood Chemistry and Biotechnology*, Sweden.

Neale, G., Hornof, V., and Chiwetelu, C., 1981, Importance of Lignosulfonates in Petroleum Recovery Operations, *Can. J. Chem.*, 59, 1938 – 1943.

Neetu, B.P.K., Gupta., and Naithani, S., 2008, Preparation of Cellulose Sulfate from Lantana Camara by Direct Esterification Method, *J. Appl. Polym. Sci.*, 108, 2895-2901.

O'Brien, B.M., 1982, Enhanced Oil Recovery Chemical Needs, *J. Am. Chem. Soc.*, 59, 839-852.

Osman, S.O., Ahmed,H.A., and Yaseen, A.A., 2015, Study the Effect of Age On Wood Chemical Compounds of Eucalyptus Camaldulensis and Populus Nigra Growing in Erbil Governorates, *International Journal of Life Sciences Research.*, 3 (4), 61-66.

Pario, J.C., Alonso, J.V., and Santos, V., 1995, Kinetics of Catalyzed Organosolv Processing of Pine Wood, *Ind. Eng. Chem. Res.*, 12, 4333–4342.

Pashley, R.M., and Karaman, M.E., 2004, *Applied Colloid and Surface Chemistry*, John Wiley & Sons, England.

Pushpamalar, V., Langford, S.J., Ahmad, M., and Lim, Y.Y., 2006, Optimization of Reaction Conditions for Preparing Carboxymethyl Cellulose from Sago Waste, *Carbohyd. Polym.*, 64(2), 312–318.

Rachtanapun, P., Luangkamin, S., Tanprasert, K., and Suriyatem, R., 2012, Carboxymethyl Cellulose Film from Durian Rind, *LWT Food Sci. Technol.*, 48 (1), 52–58.

Reddy, N., and Yang, Y.Q., 2006, Properties of High-Quality Long Natural Cellulose Fibers from Rice Straw, *J. Agr. Food Chem.*, 54(21), 8077–8081.

Robles, J.D., Sanchez, R., Espinosa, E., Savy, D., Mazzei, P., Piccolo, A., and Rodriguez, A., 2017, Isolation and characterization of Gramineae and Fabaceae Sod Lignins, *Int. J. Mol. Sci.*, 18 (327), 1-17.

Sandersen, S.B., 2012, Enhanced Oil recovery with surfactant Flooding, *Thesis*, Department of chemical and biochemical engineering technical university of Denmark, Kongens Lyngby.

SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED
OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Schlumberger, 2015, Primary recovery. http://www.glossary.oilfield.slb.com/en/Terms/p/primary_recovery.aspx.

Silva, D.A., de Paula, R.C.M., Feitosa, J.P.A., de Brito, A.C.F., Maciel, J.S., and Paula, H.C.B., 2004, Carboxymethylation of Cashew Tree Exudate Polysaccharide, *Carbohyd. Polym.*, 58(2), 163–171.

Sipponen, M.H., Lapierre, C., Méchin, V., and Baumberger, S., 2013, Isolation of Structurally Distinct Lignin Carbohydrate Fractions from Maize Stem by Sequential Alkalinene Extractions and Endoglucanase Treatment, *Bioresour. Technol.*, 133, 522–530.

Siro, I., and Plackett, D., 2010, Microfibrillated Cellulose and New Nanocomposite Materials: A Review, *Cellulose.*, 17, 459-494.

Sjostrom, E., 1993, *Wood Chemistry Fundamentals and Applications*, 2nd Ed, CA: Academic Press, San Diego.

Suchy, M., and Argyropoulos, D.S., 2002, Catalysis and Activation of Oxygen and Peroxide Delignification of Chemical Pulps: A Review, *Tappi Journal.*, 2, 1-8.

Sugihardjo, 2002, Formulasi Optimum Campuran Surfaktan, Air, dan Minyak, *Lembaran Publikasi Lemigas.*, 36, 37-42.

Sukriya, I.N.M., 2011, Formulasi Surfaktan untuk Screening Test Awal Chemical Flooding pada EOR (Enhanced Oil Recovery), *Skripsi*, fakultas Teknik kimia, universitas Indonesia, Depok.

Sun, Y., and Cheng, J.Y., 2002, Hydrolysis of Lignocellulosic Materials for Ethanol Production, *Bioresource Technol.*, 83,1-11.

Sun, J.X., Sun, X.F., Zhao, H., and Sun, R.C., 2004, Isolation and Characterisaton of Cellulose from Sugarcane Bagasse, *Polym. Degrad. Stabil.*, 84, 331-339.

Sun, J.X., Xu, F., Geng, Z. C., Sun, X. F., and Sun, R. C., 2005, Comparative Study of Cellulose Isolated by Totally Chlorine-Free Method from Wood and Cereal Straw, *J. Appl. Polym. Sci.*, 97(1), 322–335.

Tejado,A., Pen,C., Labidi, J., Echeverria, J.M., and Mondargon, I., 2007, Physico-Chemical Characterization of Lignins from Different Sources for use In Phenol–Formaldehyde Resin Synthesis, *Bioresour.Technol.*, 98,1655–1663.

Togrul, H., and Arslan, N., 2003, Production of Carboxymethyl Cellulose from Sugar Beet Pulp Cellulose and Rheological Behaviour of Carboxymethyl Cellulose, *Carbohyd. Polym.*, 54(1), 73–82.

Tsuboi, M., 1957, Infrared Spectrum and Crystal Structure of Cellulose, *J. Polym. Sci.*, 25, 159-171.

UNIVERSITAS
GADJAH MADA
SYNTHESIS OF OCTYL LIGNOSULFONIC ACID AND CELLULOSE SULFATE AS SURFACTANT FROM SAWDUST FOR ENHANCED
OIL RECOVERY APPLICATION
FADRI FADILA, Sugeng Triono, S.Si, M.Si ; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Van't, V.K., and Phillips, O.R., 2010, The Economics of Enhanced Oil Recovery: Estimating Incremental Oil Supply and CO2 Demand In The Powder River Basin, *J. Energy.*, 31-55.

Vaz, D.A., Gudina, E.J., Alameda, E.J., Teixeira, J.A., and Rodrigues, L.R., 2012, Performance of a Biosurfactant Produced by a Bacillus Subtilis Strain Isolated from Crude Oil Samples as Compared to Commercial Chemical Surfactants, *Colloids Surf. B.*, 89, 167–174.

Vershinina, K.Y., Kuznetsov, G.V., and Strizhak, P.A., 2017, Sawdust as Ignition Intensifier of Coal Water Slurries Containing Petrochemical, *Energy.*, 140, 69-77.

Wang, Z.M., Li, L., Zheng, B.S., Normakhamatov, N., and Guo, S.Y., 2007, Preparation and Anticoagulation Activity of Sodium Cellulose Sulfate, *Int. J. Biol. Macromol.*, 41, 376–382.

Watkins, D., Nuruddin, Md., Hosur, M., Nartech, A.T., and Jeelani, S., 2014, Extraction and Characterization of Lignin from Different Biomass Resourcess, *J. Mater. Res. Technol.*, 4 (11), 26-32.

Wu, Y., Shuler, P., Blanco, M., Tang, Y., and Goddard, W.A., 2005, A Study Of Branched Alcohol Propoxylate Sulfate Surfactants for Improved Oil Recovery, *Proceeding Symposium on Improved Oil Recovery*, Dallas, Texas.

Xie, Y.L., Wang, M.J., and Yao, S.J., 2009, Preparation and Characterization of Biocompatible Microcapsules of Sodium Cellulose Sulfate/Chitosan by Mean of Layer By Layer Self Assembly, *Langmuir.*, 25 (16), 8999-9005.

Yao, S.J., 2000, An Improved Process For The Preparation Of Sodium Cellulose Sulfate, *Chem. Eng. J.*, 78 (2-3), 199 – 204.

Zakzeski, J., Bruijnincx, P.C.A., Jongerius, A.L., and Weckhuysen, B.M., 2010, The Catalytic Valorization of Lignin for the Production of Renewable Chemicals. *Chem. Rev.*, 6, 3552–3599.

Zeng, X., Danquah, M.K., Potumarthi, R., Cao, J., Chen, X.D., and Lu, Y., 2012, Characterization of Sodium Cellulose Sulphate/Poly-Dimethyl-Diallyl-Ammoniumchloride Biological Capsules for Immobilized Cultivation of Microalgae, *J. Chem. Technol. Biotechnol.*, 185-192.

Zerpa, L.E., and Queipo, N.V., 2004, An Optimization Methodology of Alkaline-Surfactant Polymer Flooding Processes Using Field Scale Numerical Simulation and Multiple Surrogates *Proceeding Symposium on Improved Oil Recovery*, Dallas, Texas.

Zhu, L.Y., Lin, D.Q., and Yao, S.J., 2010, Biodegradation of Polyelectrolyte Complex Films Composed of Chitosan and Sodium Cellulose Sulfate as the Controllable Release Carrier, *Carbohyd. Polym.*, 82 (2), 323-328.