

REFERENCE

- Adinugraha, M.P., Marseno, D.W., and Haryadi, 2005, Synthesis and Characterization of Sodium Carboxymethyl Cellulose from Cavendish Banana Pseudo Stem (*Musa cavendishii* LAMBERT), *Carbohydr. Polym.*, 62(2), 164–169.
- Aro, T., and Fatehi, P., 2017, Production and Application of Lignosulfonates and Sulfonated Lignin, *Chem. Sus. Chem.*, 1-19.
- Anonim, 2017, *Oil and Gas in Indonesia*, Investment and taxation guide, 8th Ed. www.pwc.com/id.
- Aziz, M.M., Rachmadi, H., Wintoko, J., Yuliansyah, A.T., Hasokowati, W., Purwono, S., Rochmadi., and Murachman, B., 2017, On the Use of Sodium Lignosulphonate for Enhanced Oil Recovery, *Earth Environ. Sci.*, 1-8.
- Barnes, J., Smit, J.R., Smit, P., Shpakoff, K., Raney., and Puerto, M., 2008, Development of Surfactants for Chemical Flooding at Difficult Reservoir Conditions, *Proceeding Symposium on Improved Oil Recovery*, Tulsa, Oklahoma, USA.
- Bataweel, M.A., 2011, Enhanced Oil Recovery in High Salinity High Temperature Reservoir by Chemical Flooding, *Dissertation*, King Fahad University of Petroleum and Minerals.
- Bera, A., Ojha, K., and Mandal, A., 2011, Interfacial Tension and Phase Behavior of Surfactant-Brine-Oil System, *Colloid Surface A.*, 383, 114-119.
- BPMIGAS., 2009, Spesifikasi Teknis Surfaktan untuk Aplikasi EOR, Jakarta.
- Bryan, J., and Kantzas, A., 2007, Enhanced Heavy-Oil Recovery by Alkaline-Surfactant Flooding, *Proceeding Symposium on Improved Oil Recovery*, Anaheim, California, USA.
- Bykov, I., 2008, Characterization of Natural and Technical Lignins Using FTIR spectroscopy, *Thesis*, Lulea University of Technology.
- Carey, F.A., and Sundenberg, R.J., 2007, *Advanced Organic Chemistry: Reactions and Synthesis*, 5th Ed., Springer.
- Carvajal, J.C., Gomez, A., and Cardona, C.A., 2016, Comparison of Lignin Extraction Processes: Economic and Environmental Assessment, *Bioresource Technol.*, 214, 468–476.
- Chakar, F.S., and Ragauskas, A.J., 2004, Review of Current and Future Softwood Kraft Lignin Process Chemistry, *Ind. Crops Prod.*, 20 (2), 131–141.
- Chen, G., Zhang, B., Zhao, J., and Chen, H., 2013, Improved Process for the Production of Cellulose Sulfate Using Sulfuric Acid/Ethanol Solution, *Carbohydr. Polym.*, 95, 332-337

- Chen, H.Z., and Liu, L.Y., 2007, Unpolluted Fractionation of Wheat Straw by Steam Explosion and Ethanol Extraction, *Bioresource Technol.*, 98 (3), 666–676.
- Ciolacu, D., Ciolacu, F., and Popa, V., 2010, Amorphous Cellulose-Structure and Characterization, *Cellulose Chem. Technol.*, 45, 13-21.
- Cotana, F., Cavalaglio, G., Nicolini, A., Gelosia, M., Coccia, V., and Petrozzi, A., 2014, Lignin as Co-Product of Second Generation Bioethanol Production from Ligno - Cellulosic Biomass, *Enrgy. Proced.*, 45, 52–60.
- Doherty, W.O.S., and Mousavioun, P., 2011, Value-adding to Cellulosic Ethanol: Lignin Polymers, *Ind. Crops Prod.*, 33(2), 259–276.
- El-Sakhawy, M., and Hassan, M.L., 2007, Physical and Mechanical Properties of Microcrystalline Cellulose Prepared from Agricultural Residues, *Carbohyd. Polym.*, 67(1), 1–10.
- Fatwa, N.D., 2010, Pembuatan Sodium Lignosulfonat (SLS) dari Isolat Lignin Tandan Kosong Kelapa Sawit (TKKS) dengan Katalis NaOH pada Proses Sulfonasi, *Thesis*, Teknik Kimia Fakultas Teknik Universitas Gadjah Mada, Yogyakarta.
- Fengel, D., dan Wegener, G., 1995, *Kayu Kimia Ultra Struktur dan Reaksi*, diterjemahkan oleh Hardjono Sastrohamidjojo, UGM Press, Yogyakarta.
- Froass, P.M., Ragauskas, A.J., and Jiang, J., 1996, Chemical Structure of Residual Lignin from Kraft Pulp, *J. Wood Chem. Technol.*, 16 (4), 347-365.
- Glennie, D.W., and McCarthy, J. L., 1962, *Chemistry of lignin In Pulp and Paper Science and Technology*, McGraw-Hill, New York.
- Godec, M., Kuuskraa, V., Van L.T., Melzer, L.S., and Wildgust, N., 2011, CO₂ Storage in Depleted Oil fields: The Worldwide Potential for Carbon Dioxide Enhanced Oil Recovery, *Enrgy. Proced.*, 4, 2162–2169.
- Gratzl, J.S., and Chen, C.L., 2000, Chemistry of pulping: Lignin reactions, *ACS Symposium Series*, 742, 392–421.
- Green, D.W., and Willhite G.P., 1998, *Enhanced Oil Recovery*, SPE textbook series, Society of Petroleum Engineers, Richardson, Texas, 6, 239-251.
- Gullichsen, J., 2000, *Chemical Pulping*, TAPPI Press, USA.
- Habibi, Y., Lucia, L.A., and Rojas, O.J., 2010, Cellulose Nanocrystals: Chemistry Self Assembly and Applications, *Chem. Rev.*, 110, 3479-3500.
- Harkin, J.M., 1969. Lignin and its uses.
<http://www.fpl.fs.fed.us/documnts/fplrn/fplr0206.pdf>
- Heinze, T., and Liebert, T., 2012, *Carbohydrate-Based Polymer Building Block and Biopolymers Celluloses and Polyoses/Hemicelluloses*, 1st Ed, Reinhold publishing Crop, New York.

- Hettrich, K., Wagenknecht, W., Volkert, B., and Fischer, S., 2008, New Possibility of the Acetosulfation of Cellulose, *Macromol. Sy.*, 262, 162 – 169.
- Horta, J.F., Simoes, F.J., and Mateus, A., 2017, Study of Wood-Plastic Composites with reused High Density Polyethylene and Wood Sawdust, *Procedia Manufacturing.*, 12, 221-229.
- Inwood, J.P.W., 2014, Sulfonation of Kraft Lignin to water soluble Value Added Products, *Thesis*, Lakehead University, Ontario.
- Jiang, M., Zhao, M.M., Zhou, Z.W., Huang, T., Chen, X.L., and Wang, Y., 2011, Isolation of Cellulose with Ionic Liquid From Steam Exploded Rice Straw, *Ind. Crops Prod.*, 33 (3), 734–738.
- Jingjing, L., 2011, Isolation of Lignin from Wood, *Thesis*, Saimaa University Of Applied Sciences, Imatra.
- Jonglertjanya, W., Juntong, T., Pakkang, N., Srimarut, N., and Sakdaronnarong, C., 2014, Properties of Lignin Extracted from Sugarcane Bagasse and Its Efficacy in Maintaining Postharvest Quality of Limes During Storage, *LWT Food Sci. Technol.*, 57, 116-125.
- Kalfoglou, G., 1975, US Patent No. 4006779.
- Kim, J., and Netravali, A.N., 2013, Fabrication of advanced “green” composites using Potassium hydroxide (KOH) treated liquid crystalline (LC) cellulose fibers, *J. Mater. Sci.*, 48 (11), 3950–3957.
- Kirk, R.E., and Othmer, D.F., 1983, *Encyclopedia of Chemical Technology*, Vol 8-9, 3rd Ed, John Wiley & Sons, New York.
- Klemm, D., Heublein, B., Fink, H.P., and Bohn, A., 2005, Cellulose: Fascinating Biopolymer and Sustainable Raw Material, *Angew. Chem Int. Ed. Engl.*, 44, 3358–3393.
- Kouisni, L., Hindle, P., Maki, K., and Paleologou, M., 2012, The Lignoforce System: A New Process for the Production of High Quality Lignin From Black Liquor, *J. Sci. Technol. Prod.*, 2(4), 6-10.
- Lake, L.W., 1989, *Enhanced Oil Recovery*, 1st Ed, Prentice Hall, New Jersey.
- Lake, L., Johns, R.T., Rossen, W.R., and Pope, G.A., 2015, Fundamentals of Enhanced Oil Recovery, *Proceeding Symposium on Improved Oil Recovery*, Richardson, USA.
- Li, Z., and Ge, Y., 2012, Antioxidant Activities of Lignin Extracted from Sugarcane Bagasse Via Different Chemical Procedures, *Int. J. Biol. Macromol.*, 51 (5), 1116–1120.
- Lu, J., Liyanage, P.J., Solairaj, S., Adkins, S., Arachchilage, G.P., Kim, D.H., Britton, C., Weerasooriya, U., and Pope, G.A., 2014, New Surfactant Developments for Chemical Enhanced Oil Recovery, *J. Pet. Sci. Eng.*, 120, 94–101.

- Mandal, A., and Chakrabarty, D., 2011, Isolation of Nanocellulose from Waste Sugarcane Bagasses (SCB) and Its Characterization, *Carbohyd. Polym.*, 86, 1291-1299.
- McMurry, J., 2008, *Organic Chemistry*, 7th Ed, Thomson Brooks Cole.
- Mohtar, S.S., Busu, M.T.Z.N.T., Noor, M.M.A., Shaari, N., and Mat, H., 2017, An Ionic Liquid Treatment and Fractionation of Cellulose, Hemicellulose, and Lignin from Oil Palm Empty Fruit Bunch, *Carbohyd. Polym.*, 166, 291-299.
- Monica, E.K., Gellerstedt, G., and Henriksson, G., 2009, *Wood Chemistry and Biotechnology*, Sweden.
- Neale, G., Hornof, V., and Chiwetelu, C., 1981, Importance of Lignosulfonates in Petroleum Recovery Operations, *Can. J. Chem.*, 59, 1938 – 1943.
- Neetu, B.P.K., Gupta., and Naithani, S., 2008, Preparation of Cellulose Sulfate from Lantana Camara by Direct Esterification Method, *J. Appl. Polym. Sci.*, 108, 2895-2901.
- O'Brien, B.M., 1982, Enhanced Oil Recovery Chemical Needs, *J. Am. Chem. Soc.*, 59, 839-852.
- Osman, S.O., Ahmed, H.A., and Yaseen, A.A., 2015, Study the Effect of Age On Wood Chemical Compounds of Eucalyptus Camaldulensis and Populus Nigra Growing in Erbil Governorates, *International Journal of Life Sciences Research.*, 3 (4), 61-66.
- Pario, J.C., Alonso, J.V., and Santos, V., 1995, Kinetics of Catalyzed Organosolv Processing of Pine Wood, *Ind. Eng. Chem. Res.*, 12, 4333–4342.
- Pashley, R.M., and Karaman, M.E., 2004, *Applied Colloid and Surface Chemistry*, John Wiley & Sons, England.
- Pushpamalar, V., Langford, S.J., Ahmad, M., and Lim, Y.Y., 2006, Optimization of Reaction Conditions for Preparing Carboxymethyl Cellulose from Sago Waste, *Carbohyd. Polym.*, 64(2), 312–318.
- Rachtanapun, P., Luangkamin, S., Tanprasert, K., and Suriyatem, R., 2012, Carboxymethyl Cellulose Film from Durian Rind, *LWT Food Sci. Technol.*, 48 (1), 52–58.
- Reddy, N., and Yang, Y.Q., 2006, Properties of High-Quality Long Natural Cellulose Fibers from Rice Straw, *J. Agr. Food Chem.*, 54(21), 8077–8081.
- Robles, J.D., Sanchez, R., Espinosa, E., Savy, D., Mazzei, P., Piccolo, A., and Rodriguez, A., 2017, Isolation and characterization of Gramineae and Fabaceae Sod Lignins, *Int. J. Mol. Sci.*, 18 (327), 1-17.
- Sandersen, S.B., 2012, Enhanced Oil recovery with surfactant Flooding, *Thesis*, Department of chemical and biochemical engineering technical university of Denmark, Kongens Lyngby.

- Schlumberger, 2015, Primary recovery.
http://www.glossary.oilfield.slb.com/en/Terms/p/primary_recovery.aspx.
- Silva, D.A., de Paula, R.C.M., Feitosa, J.P.A., de Brito, A.C.F., Maciel, J.S., and Paula, H.C.B., 2004, Carboxymethylation of Cashew Tree Exudate Polysaccharide, *Carbohyd. Polym.*, 58(2), 163–171.
- Sipponen, M.H., Lapierre, C., Méchin, V., and Baumberger, S., 2013, Isolation of Structurally Distinct Lignin Carbohydrate Fractions from Maize Stem by Sequential Alkaline Extractions and Endoglucanase Treatment, *Bioresour. Technol.*, 133, 522–530.
- Siro, I., and Plackett, D., 2010, Microfibrillated Cellulose and New Nanocomposite Materials: A Review, *Cellulose.*, 17, 459-494.
- Sjostrom, E., 1993, *Wood Chemistry Fundamentals and Applications*, 2nd Ed, CA: Academic Press, San Diego.
- Suchy, M., and Argyropoulos, D.S., 2002, Catalysis and Activation of Oxygen and Peroxide Delignification of Chemical Pulps: A Review, *Tappi Journal.*, 2, 1-8.
- Sugihardjo, 2002, Formulasi Optimum Campuran Surfaktan, Air, dan Minyak, *Lembaran Publikasi Lemigas.*, 36, 37-42.
- Sukriya, I.N.M., 2011, Formulasi Surfaktan untuk Screening Test Awal Chemical Flooding pada EOR (Enhanced Oil Recovery), *Skripsi*, fakultas Teknik kimia, universitas Indonesia, Depok.
- Sun, Y., and Cheng, J.Y., 2002, Hydrolysis of Lignocellulosic Materials for Ethanol Production, *Bioresource Technol.*, 83,1-11.
- Sun, J.X., Sun, X.F., Zhao, H., and Sun, R.C., 2004, Isolation and Characterisation of Cellulose from Sugarcane Bagasse, *Polym. Degrad. Stabil.*, 84, 331-339.
- Sun, J.X., Xu, F., Geng, Z. C., Sun, X. F., and Sun, R. C., 2005, Comparative Study of Cellulose Isolated by Totally Chlorine-Free Method from Wood and Cereal Straw, *J. Appl. Polym. Sci.*, 97(1), 322–335.
- Tejado, A., Pen, C., Labidi, J., Echeverria, J.M., and Mondargon, I., 2007, Physico-Chemical Characterization of Lignins from Different Sources for use In Phenol–Formaldehyde Resin Synthesis, *Bioresour. Technol.*, 98, 1655–1663.
- Togrul, H., and Arslan, N., 2003, Production of Carboxymethyl Cellulose from Sugar Beet Pulp Cellulose and Rheological Behaviour of Carboxymethyl Cellulose, *Carbohyd. Polym.*, 54(1), 73–82.
- Tsuboi, M., 1957, Infrared Spectrum and Crystal Structure of Cellulose, *J. Polym. Sci.*, 25, 159-171.

- Van't, V.K., and Phillips, O.R., 2010, The Economics of Enhanced Oil Recovery: Estimating Incremental Oil Supply and CO₂ Demand In The Powder River Basin, *J. Energy.*, 31-55.
- Vaz, D.A., Gudina, E.J., Alameda, E.J., Teixeira, J.A., and Rodrigues, L.R., 2012, Performance of a Biosurfactant Produced by a *Bacillus Subtilis* Strain Isolated from Crude Oil Samples as Compared to Commercial Chemical Surfactants, *Colloids Surf. B.*, 89, 167–174.
- Vershinina, K.Y., Kuznetsov, G.V., and Strizhak, P.A., 2017, Sawdust as Ignition Intensifier of Coal Water Slurries Containing Petrochemical, *Energy.*, 140, 69-77.
- Wang, Z.M., Li, L., Zheng, B.S., Normakhamatov, N., and Guo, S.Y., 2007, Preparation and Anticoagulation Activity of Sodium Cellulose Sulfate, *Int. J. Biol. Macromol.*, 41, 376–382.
- Watkins, D., Nuruddin, Md., Hosur, M., Nartech, A.T., and Jeelani, S., 2014, Extraction and Characterization of Lignin from Different Biomass Resources, *J. Mater. Res. Technol.*, 4 (11), 26-32.
- Wu, Y., Shuler, P., Blanco, M., Tang, Y., and Goddard, W.A., 2005, A Study Of Branched Alcohol Propoxylate Sulfate Surfactants for Improved Oil Recovery, *Proceeding Symposium on Improved Oil Recovery*, Dallas, Texas.
- Xie, Y.L., Wang, M.J., and Yao, S.J., 2009, Preparation and Characterization of Biocompatible Microcapsules of Sodium Cellulose Sulfate/Chitosan by Mean of Layer By Layer Self Assembly, *Langmuir.*, 25 (16), 8999-9005.
- Yao, S.J., 2000, An Improved Process For The Preparation Of Sodium Cellulose Sulfate, *Chem. Eng. J.*, 78 (2-3), 199 – 204.
- Zakzeski, J., Bruijninx, P.C.A., Jongerius, A.L., and Weckhuysen, B.M., 2010, The Catalytic Valorization of Lignin for the Production of Renewable Chemicals. *Chem. Rev.*, 6, 3552–3599.
- Zeng, X., Danquah, M.K., Potumarthi, R., Cao, J., Chen, X.D., and Lu, Y., 2012, Characterization of Sodium Cellulose Sulphate/Poly-Dimethyl-Diallyl-Ammoniumchloride Biological Capsules for Immobilized Cultivation of Microalgae, *J. Chem. Technol. Biotechnol.*, 185-192.
- Zerpa, L.E., and Queipo, N.V., 2004, An Optimization Methodology of Alkaline-Surfactant Polymer Flooding Processes Using Field Scale Numerical Simulation and Multiple Surrogates *Proceeding Symposium on Improved Oil Recovery*, Dallas, Texas.
- Zhu, L.Y., Lin, D.Q., and Yao, S.J., 2010, Biodegradation of Polyelectrolyte Complex Films Composed of Chitosan and Sodium Cellulose Sulfate as the Controllable Release Carrier, *Carbohydr. Polym.*, 82 (2), 323-328.