

DAFTAR PUSTAKA

- Aires, V.A., Hinsch, K.D., Muller-Schlosser, F., Bongers, K., Mullerschlosser, S., Hinsch, E. (2003). In vitro and in vivo comparison of egg yolk based and soya bean based extenders for cryopreservation of bovine semen. *Theriogenology* 60: 269-279.
- Aitken, R. J. (1997). Molecular mechanisms regulating human sperm function. *Molecular Human Reproduction* 3(3): 169–173.
- Akhter, S., Ansari, M. S., Andrabi, S. M. H., Rakha, B. A. Ullah, N. and Khalid, M. (2011). Soya-lecithin in Extender Improves the Freezability and Fertility of Buffalo (*Bubalus bubalis*) Bull Spermatozoa. *Reproduction in domestic animals = Zuchthygiene* 47: 815.
- Anonymous. (2012). *Cryopreservation*. <http://www.cryogenetics.com/products-and-services/cryopreservation/>. Diakses pada tanggal 11 April 2018.
- Ansari, M.S., Rakha, B.A., Andrabi, S.M. and Akhter, S. (2010). Usefulness of powdered and fresh egg yolk for cryopreservation of Zebu bull spermatozoa. *Reproductive Biology* 10: 235-240.
- Ansari, M.S., Rakha, B.A., Ullah, N., Andrabi, S.M.H. and Akhtar, S. (2012). Glutathione addition in Tris-citric egg yolk extender improves the quality of cooled buffalo (*Bubalus bubalus*) bull semen. *Pakistan Journal of Zoology* 43: 49-55.
- Astuti, M. (2004). Potensi Dan Keragaman Sumberdaya Genetik Sapi Peranakan Ongole (PO). *Lokakarya Nasional Sapi Potong 2004*. 31.
- Attaran, M., Pasqualotto, E., Falcone, T. et al. (2000). The effect of follicular fluid reactive oxygen species on the outcome of *in vitro* fertilization. *International Journal of Fertility and Women's Medicine* 45(5): 314–320.
- Attia, Y.A., And El- Hamid, A. E., de Oliveira, M.C., Kamel, K.I. Qota, E.M., Al-Harhi, M.A. and Sadaka, T.A. (2018). Soya lecithin and season affect the productive performance, nutrient digestibility, and blood constituents of growing rabbits, *Journal of Animal and Feed Sciences* 27: 36-43.
- Bailey, J., Morrier, A. and Cormier, N. (2003). Semen cryopreservation: Successes and persistent problems in farm species. *Canadian Journal of Animal Science* 83: 393-401.

- Bansal, A.K. and Bilaspuri, G.S., (2011). Impacts of Oxidative Stress and Antioxidants on Semen Functions. *Veterinary Medicine International 2011*: 1-7.
- Baracaldo, M.I., Barth, A.D. dan Bertrand, W. (2007). Steps for Freezing Bovine Semen: From Semen Collection to the Liquid Nitrogen Tank. *IVIS Reviews in Veterinary Medicine 30*: 7.
- Barszcz K., Wiesetek D., Wąsowicz M. and Kupczyńska M. (2012). Bull Semen Collection and Analysis for Artificial Insemination. *Journal of Agricultural Science 4(3)*: 1-10.
- Bearden, H.J., Fuquay, J.W. and Willard, ST. (2004). *Applied Animal Reproduction Sixth Edition*. Pearson. United States of America. 173.
- Bencharif, D., Amirat, L., Anton, M., Schmitt, E., Desherces, S. Delhomme, G., Langlois, M.-L., Barriere, P., Larrat, M. and Tainturier, D. (2008). The advantages of LDL (Low Density Lipoproteins) in the cryopreservation of canine semen. *Theriogenology 70*: 1478-1488.
- Bergeron, A., Crete, M.H., Brindle, Y., Manjunath, P. (2004). Low-density lipoprotein fraction from hen's egg yolk decreases the binding of the major proteins of bovine seminal plasma to sperm and prevents lipid efflux from the sperm membrane. *Reproductive Biology 70*: 708-717.
- Bergeron, A. and Manjunath, P. (2006). New insights towards understanding the mechanisms of sperm protection by egg yolk and milk. *Molecular Reproduction and Development 73*: 1338-1344.
- Bousseau, S., Brillard, J.P., Guienne, M., Guerin, B., Camus, A. and Lechat, M. (1998). Comparison of bacteriological qualities of various egg yolk sources and the in vitro and in vivo fertilizing potential of bovine semen frozen in egg yolk or lecithin-based diluents. *Theriogenology 50*: 699-706.
- Brouwers, J. F., Silva, P. F., and Gadella B. M. (2005). New assays for detection and localization of endogenous lipid peroxidation products in living boar sperm after BTS dilution or after freeze–thawing. *Theriogenology 63*: 458-469.
- Chelucci, S., Pasciu, V., Succu, S., Addis, D., Leoni, G. G., Manca, M. E., Naitana, S., Berlinguer, F. (2015). Soybean Lecithin-Based Extender Preserves Spermatozoa Membrane Integrity and Fertilizing Potential During Goat Semen Cryopreservation, *Theriogenology 83(6)*: 1064–1074.
- Crespilho, A.M., Sa Filho, M.F., Dell'Aqua, J.A., Nichi, Jr. M., Monteiro, G.A., Avanzi, B.R., Martins, A., Papa, F.O. (2012). Comparison of in vitro and in

vivo fertilizing potential of bovine semen frozen in egg yolk or new lecithin based extenders. *Livestock Science* 149: 1–6.

Cunningham, J.G. and Klein, B.G. (2007). *Textbook of Veterinary Physiology Fourth Edition*. Saunders Elsevier. Missouri. USA. 520-521.

Dalmazzo, A., Losano, J. D. A., Rocha, C. C., Tsunoda, R. H., Angrimani, D. S. R., Mendes, C. M., D'Ávila Assumpção, M. E. O., Nichi, M. and Barnabe, V. H. (2017). Effects of Soy Lecithin Extender on Dog Sperm Cryopreservation, *Animal Biotechnology*: 174-182.

Dejarnette, J. M., Barnes, D. A. and Marshall, C. E. (2000). Effects of pre-and post-thaw thermal insults on viability characteristic of cryopreserved bovine semen. *Theriogenology* 53(6): 1225 – 1238.

Dejarnette, J. M. and Marshall, C. E. (2005). Straw-thawing method interacts with sire and extender to influence sperm motility and conception rates of dairy cows. *Journal of Dairy Science* 88(11): 3868 – 3875.

Devireddy, R. V., Swanlund, D. J., Alghamdi, A. S., Duoos, L. A., Troedsson, M. H., Bischof, J. C. and Roberts K. P. (2002). Measured effect of collection and cooling conditions on the motility and the water transport parameters at subzero temperatures of equine spermatozoa. *Reproduction* 124: 643-648.

Desai, N. R., Mahfouz, R., Sharma, R., Gupta, S., and Agarwal, A. (2010). Reactive oxygen species levels are independent of sperm concentration, motility, and abstinence in a normal, healthy, proven fertile man: a longitudinal study. *Fertility and Sterility* 94(4): 1541–1543.

Dhami, A. J., Sahni, K. L. and Mohan, G. (1992). Effect of various cooling rates (from 30 degrees to 5 degrees C) and thawing temperatures on the deep-freezing of *Bos taurus* and *Bos bubalis* semen. *Theriogenology* 38(3): 565–574.

El-Sisy, G. A., El- Nattat, W. S., El- Sheshtawy, R.I. and El- Maaty, A. M. A. (2016). Substitution of egg yolk with different concentrations of soybean lecithin in tris- based extender during bulls' semen preservability, *Asian Pacific Journal of Reproduction* 5(6): 514-518.

Flesh, F.M. and Gadella, B.M. (2000). Dynamics of the mammalian sperm membrane in the process of fertilization. *Biochimica et Biophysica Acta* 1469: 197–235.

Foulkes, JA. (1977). The separation of lipoproteins from egg yolk and their effect on the motility and the integrity of bovine spermatozoa. *Journal of Reproduction and Fertility* 49: 228-277.

- Frandsen, R.D., Lee Wilke, W. and Fails, A.D. (2009). *Anatomy and Physiology of Farm Animals Seventh Edition*, Wiley- Blackwell. Colorado. 416-417.
- Gadella M., Flesch F. M., van Golde L. M., Colenbrander B. (1999). Dynamics in the membrane organization of the mammalian sperm cell and functionality in fertilization. *Veterinary Quarterly* 21(14): 2– 6.
- Gangwar, C., Saxena, A., Patel, A., Singh, S.P., Yadav S., Kumar, R. and Singh V. (2018). Effect Of Reduced Gluthathione Supplementation On Cryopreservation Induced Sperm Cryoinjuries In Murrah Bull Semen. *Animal Reproduction Science* 192: 171-178.
- Graham, J.K. and Foote, R.H. (1987). Effect of several lipids, fatty acyl chain length, and degree of unsaturation on the motility of bull spermatozoa after cold shock and freezing. *Cryobiology* 24: 42-52.
- Hafez, E. S. E. and Hafez, B. (Eds.) (2000). *Reproduction in Farm Animals Seventh Edition*. Lippincott Williams and Wilkins. Maryland. 367.
- Hafez, E.S.E. (2004). Anatomia da reprodução masculina. In: Hafez, E.S.E, Hafez, B. (Eds.). *Reprodução animal*. São Paulo Manole. 3-12.
- Hartati, Muladno, Jakaria, Priyanto, R., Gunawan A., Aryogi, and Talib, C. (2015). Heritability estimation and non- genetic factors affecting production traits of Indonesian Ongole Cross. *Jurnal Ilmu Ternak dan Veteriner* 20(3): 168-174.
- Hardjosubronto. (1994). *Aplikasi Pemuliabiakan Ternak di Lapangan*. Grasindo. Jakarta.
- Hasbullah, E.J. (2003). Kinerja Pertumbuhan dan Reproduksi Sapi Persilangan Simmental Dengan Peranakan Ongole dan sapi Peranakan Ongole di Kabupaten Bantul. DIY. Tesis. Fakultas Pascasarjana Universitas Gadjah Mada. Yogyakarta.
- Holt, W.V. (2000). Basic aspects of frozen storage of semen. *Animal Reproduction Science* 62: 3-22.
- Hu, J.H., Jiang, Z.L., Lv, R.K., Li, Q.W., Zhang, S.S. and Zan, L.S., *et al.* (2011). The advantages of low-density lipoproteins in the cryopreservation of bull semen. *Cryobiology* 62: 83-87.
- Kaproth, M. T., Rycroft, H. E., Gilbert, G. R., Abdel-Azim, G., Putnam, B. F., Schnell, S. A., Everett, R. W. and Parks, J. E. 2005. Effect of semen thaw method on conception rate in four large commercial dairy heifer herds. *Theriogenology* 63(9): 2535 – 2549.

- Kmenta, I., Strohmayr, C., Muller-Schlosser, F. and Schafer-Somi, S. (2011). Effects of a lecithin and catalase containing semen extender and a second dilution with different enhancing buffers on the quality of cold-stored canine spermatozoa. *Theriogenology* 75: 1095-1103.
- Kumar, U., Gawande, A.P., Sahatpure, S.K., Patil, M.S., Lakde C.K., Bonde, S.W., Borkar, P.L., Poharkar, A.J. and Ramteke B.R. (2015). Assessment of semen quality in pure and crossbred Jersey bulls, *Veterinary World* 8(10): 1266-1272.
- Ladha, S. (1998). Lipid heterogeneity and membrane fluidity in a highly polarized cell, the mammalian spermatozoon. *The Journal of Membrane Biology* 165:1-10.
- Lamirande, E. D., Leclerc, P. and Gagnon, C. (1997). Capacitation as a regulatory event that primes spermatozoa for the acrosome reaction and fertilization. *Molecular Human Reproduction* 3(3): 175-194.
- Layek, S.S., Mohanty, T.K., Kumaresan, A. and Parks, J.E. (2016). Cryopreservation of bull semen: Evolution from egg yolk based to soybean-based extenders. *Animal Reproduction Science* 172: 1-9.
- Manjunath, P., Nauc, V., Bergeron, A. and Menard, M. (2002). Major proteins of bovine seminal plasma bind to the low-density lipoprotein fraction of hen's egg yolk. *Reproductive Biology* 67: 1250-1258.
- Masoudi, R., Sharafi, M., Shahneh, A.Z., Towhidi, A., Kohram, H. and Esmaili, V.A. (2016). Fertility and flow cytometry study of frozen thawed sperm in cryopreservation medium supplemented with soybean. *Cryobiology* 73: 69-72.
- Monintja, M. Y., Oley, F. S., Sondakh, B. F. dan Oroh, F. N. S. (2015). Analisis Keuntungan Peternak Sapi Peranakan Ongole (PO) yang Menggunakan Inseminasi Buatan (IB) di Kecamatan Tompaso Barat. *Jurnal ZooteK* 35(2): 201-209.
- Moussa, M., Martinet, V., Trimeche, A., Tainturier, D. and Anton, M. (2002). Low density lipoproteins extracted from hen egg yolk by an easy method: cryoprotective effect on frozen-thawed bull semen. *Theriogenology* 57: 1695-1706.
- Nolan, J. P. and Hammerstedt, R. H. (1997). Regulation of membrane stability and the acrosome reaction in mammalian sperm. *The FASEB Journal* 11: 670-682.

- Nor- Ashikin, M.N.K. and Abdullah, R.B. (2011). Comparison between tris- citric acid yolk, yolk albumin citrate and skimmed milk extenders on sperm motility, livability and mass movement in frozen- thawed goat sperm. *Biomedical Research* 22(3): 285-288.
- Nur, Z., Dogan, I., Soylu, M. K. and Ak, K. (2003). Effect of different thawing procedures on the quality of bull semen. *Revue de Medecine Veterinaire* 154(7): 487 – 490.
- Nur, Z., Dogan, I., Gunay, U. and Soylu, M. K. (2005). Relationships between Sperm Membrane Integrity and Other Semen Quality Characteristics of the Semen of Saanen Goat Bucks, *Bulletin of the Veterinary Institute in Pulawy* 49: 183-187.
- Panjono. (2012). *Bangsa- Bangsa Sapi*. PT Citra Aji Parama. Yogyakarta. 18.
- Putra, A. (2012). Pemanfaatan tris sari kedelai sebagai bahan pengencer semen cair kambing Peranakan Etawah. *Skripsi*. Program Studi Kedokteran Hewan. Fakultas Kedokteran Hewan. Universitas Gadjah Mada. Yogyakarta.
- Ramu, S. and Jeyendran, R.S. (2013). The Hypo-osmotic Swelling Test for Evaluation of Sperm Membrane Integrity. In: *Spermatogenesis: Methods and Protocols*, Methods in Molecular Biology 927. Douglas T. Carrell and Kenneth I. Aston. Springer Science+Business Media. LLC. 21-22.
- Reed, M.L., Ezeh, P.C., Hamic, A., Thompson, D.J. and Caperton, C.L. (2009). Soya lecithin replaces egg yolk for cryopreservation of human sperm without adversely affecting post thaw motility, morphology, sperm DNA integrity, or sperm binding to hyaluronate. *Fertility and Sterility* 92: 1787-1790.
- Rizal, M. (2002). Fertilitas Spermatozoa Ejakulat Epididimis Domba Garut Hasil Kriopreservasi Menggunakan Modifikasi Pengencer Tris dengan Berbagai Krioprotektan dan Antioksidan. *Skripsi*. Institut Pertanian Bogor. Bogor.
- Seki, S. and Mazur, P. (2009). The dominance of warming rate over cooling rate in the survival of mouse oocytes subjected to a vitrification procedure. *Cryobiology* 59(1): 75 – 82.
- Shannon, P. and Vishwanath, R. (1995). The effect of optimal and suboptimal concentrations of sperm on the fertility of fresh and frozen bovine semen and a theoretical model to explain the fertility differences. *Animal Reproduction Science* 39: 1–10.
- Sikka, S. C., Rajasekaran, M., and Hellstrom, W. J. G. (1995). Role of oxidative stress and antioxidants in male infertility. *Journal of Andrology* 16(6): 464–468.

- Srivastava, N., Jerome, A., Srivastava, S. K., Ghosh, S. K. and Amit, K. (2013). Bovine seminal PDC-109 protein: An overview of biochemical and functional properties. *Animal Reproduction Science* 138: 1-13.
- Supartoyo, A. (2001). Indeks fertilitas induk sapi Peranakan Ongole (PO) di Sentra IB Kabupaten Jombang 1999-2000. Skripsi. Fakultas Peternakan. Universitas Brawijaya. Malang.
- Susilawati, T. (2004). *Sapi Lokal Indonesia (Jawa Timur dan Bali)*. UB Press. Indonesia. 88-91.
- Tamuli, M. K. and Watson, P.F. (1992). Effect of temperature of incubation on the development of resistance to cold stress and hypoosmotic stress in boar spermatozoa incubated for up to 24 hours. *Proceedings of 12th International Congress of Animal Reproduction*: 1484-1486.
- Therien, I., Moreau, R., and Manjunath, P. (1999). Major proteins of bovine seminal plasma and high-density lipoprotein induce cholesterol efflux from epididymal sperm. *Reproductive Biology* 59: 768-776.
- Thun, R., Hurtado, M. and Janett, F. (2002). Comparison of biociphos-plus® and Tris-egg yolk extender for cryopreservation of bull semen. *Theriogenology* 57(3): 1087-1094.
- Vick, M., Bateman, H. and Swanson, W. (2010). Improved cryopreservation of domestic cat spermatozoa in a soy lecithin-based extender. *Reproduction, Fertility and Development* 23: 153-154.
- Wall, R.J. and Foote, R.H. (1999). Fertility of bull sperm frozen and stored in clarified egg yolk-Tris-glycerol extender. *Journal of Dairy Science* 82: 817-821.
- Zubair, M., Ahmad, M. and Jamil, H. (2014). Review on the screening of semen by hypo- osmotic swelling test. *Andrologia*: 1-7.