

DAFTAR PUSTAKA

- Atlas of Living Australia. *Xenopsylla cheopis*. [cited 2018 May 21]. Available at: <https://bie.ala.org.au/species/urn:lsid:biodiversity.org.au:afd.taxon:7daf8ca7-304b-456e-9145-47793bcd24fb#classification>
- Aung, A.K., Spelman, D.W., Murray, R.J., Graves, S., 2014. Rickettsial infections in Southeast Asia: implications for local populace and febrile returned travelers. *Am. J. Trop. Med. Hyg.* 91(3):451–60.
- Azad, A.F., Traub, R., 1985. Transmission of murine typhus *Rickettsiae* by *Xenopsylla cheopis*, with notes on experimental infection and effects of temperature. *Am. J. Trop. Med. Hyg.* 34:555–63.
- Azad, A., 1986. *Mites of public health importance and their control*. Department of Microbiology and Immunology, University of Maryland, School of Medicine, Baltimore.
- Azad, A., 1990. Epidemiology of murine typhus. *Annu Rev Entomol* 35:553–69.
- Barbara, K.A., Farzeli, A., Ibrahim, I.N., Antonjaya, U., Yunianto, A., Winoto, I., *et al.*, 2010. Rickettsial infections of fleas collected from small mammals on four islands in Indonesia. *Journal of Medical Entomology* 47(6):1173–8.
- Behan-Pelletier, V., *et al.*, 2009. *A manual of acarology*. 3rd ed. G.W. Krantz dan D. E. Walter (Eds.). Texas Tech University Press, Texas.
- Berger, S., 2017. *Endemic typhus group: global status*. GIDEON Informatics Inc., Los Angeles, California, USA.
- Bitam, I., Dittmar, K., Parola, P., Whiting, M.F., Raoult, D., 2010. Fleas and flea-borne diseases. *International Journal of Infectious Diseases* 14(8):667–76.
- Blanton, L.S., Walker, D.H., 2017. Flea-borne rickettsioses and *Rickettsiae*. *Am. J. Trop. Med. Hyg.* 96(1):53–6.
- BPS Kabupaten Banjarnegara, 2017. *Kabupaten Banjarnegara dalam angka 2017*, Badan Pusat Statistik Kabupaten Banjarnegara, Banjarnegara.
- Buchholz, M.J., Dick, C.W., 2017. Ecology of rodent-ectoparasite associations in South-Central Kentucky. *Northeastern Naturalist* 24(2):97–109.
- CDC, 1946. *Pictorial keys to arthropods, reptiles, birds, and mammals of public health significance*. Georgia, Atlanta.
- CDC, 2017. Fleas. [cited 2018 May 21]. Available at: <https://www.cdc.gov/dpdx/fleas/index.html>
- Changbunjong, T., Weluwanarak, T., Chamsai, T., Sedwisai, P., Ngamloephochit, S., Suwanpakdee, S., *et al.*, 2010. Occurrence of ectoparasites on rodents in Sukhothai province, Northern Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health* 41(6):1324–30.
- Chapman, A.S., Bakken, J.S., Folk, S.M., Paddock, C.D., Bloch, K.C., Krusell, A., *et al.*, 2006. Diagnosis and management of tickborne Rickettsial diseases: Rocky Mountain Spotted Fever, Ehrlichioses, and Anaplasmosis. [cited 2017 October 4]. Available from: <https://www.cdc.gov/mmwr/preview/mmwrhtml/rr5504a1.htm>
- Chareonviriyaphap, T., Leepitakrat, W., Lerdthusnee, K., Chao, C.C., Ching, W.M., 2014. Dual exposure of *Rickettsia typhi* and *Orientia tsutsugamushi*

- in the field-collected Rattus rodents from Thailand. *Journal of Vector Ecology* 39(1):182–9.
- Choi, Y., Lee, E., Park, J., Lee, K., Han, S., Kim, J., *et al.*, 2007. Molecular detection of various *Rickettsiae* in mites (Acari : Trombiculidae) in Southern Jeolla Province, Korea. *Microbiol. Immunol.* 51(3):307–12.
- Christou, C., Psaroulaki, A., Antoniou, M., Toumazos, P., Ioannou, I., 2010. *Rickettsia typhi* and *Rickettsia felis* in *Xenopsylla cheopis* and *Leptopsylla segnis* parasitizing rats in Cyprus. *Am. J. Trop. Med. Hyg* 83(6):1301–04.
- Comer, J.A., Paddock, C.D., Childs, J.E., 2001. Urban zoonoses caused by *Bartonella*, *Coxiella*, *Ehrlichia*, *Ehrlichia*, and *Rickettsia* Species. *Vector Borne Zoonotic Dis* 1(2): 91–118.
- Cotte, V., Gasqui, P., Abrial, D., Barnouin, J., Boulouis, H., Vayssier-taussat, M., 2010. Ecological factors characterizing the prevalence of bacterial tick-borne pathogens in Ixodes ricinus ticks in Pastures. *Applied and Environmental Microbiology* 76(13):4413–20.
- Dennis, D., Hadi, T., Brown, R., Sukaeri, S., Leksana, B., Cholid, R., 1981. A survey of scrub and murine typhus in the Ancol section of Jakarta, Indonesia. *Southeast Asian J. Trop. Med. Public Health* 12(4):574–80.
- Derne, B., Weinstein, P., Musso, D., Lau, C., 2014. Distribution of rickettsioses in Oceania: past patterns and implications for the future. *Acta Tropica* 143:121-33.
- Eisen, R.J., Gage, K.L., 2012. Transmission of flea-borne zoonotic agents. *Annual Review of Entomology* 57(1): 61–82.
- Encyclopedia of Life. *Stivalius cognatus*. [cited 2018 May 21]. Available at: <http://eol.org/pages/1229940/overview>
- Eremeeva, M.E., Warashina, W.R., Sturgeon, M.M., Buchholz, A.E., Olmsted, G.K., Park, S.Y., *et al.*, 2008. *Rickettsia typhi* and *R. felis* in rat fleas (*Xenopsylla cheopis*), Oahu, Hawaii. *Emerging Infectious Diseases* 14(10):1613–6.
- Eremeeva, M.E., Dasch, G.A., 2015. Challenges posed by tick-borne rickettsiae: eco-epidemiology and public health implications. *Front Public Health* 3:1–17.
- Farhang-Azad, A., Traub, R., Baqar, S., 1985. Transovarial transmission of murine typhus Rickettsiae. *Science* 227(4686):543–5.
- Gasem, M.H., Wagenaar, J.F.P., Goris, M.G.A., Adi, M.S., Isbandrio, B.B., Hartskeerl, R.A., 2009. Murine typhus and leptospirosis as causes of acute undifferentiated fever, Indonesia. *Emerging Infectious Diseases* 15(6):975–7.
- Gholipoury, M., Rezai, H.M., Namroodi, S., Khazaeli, F.AR-AB., 2016. Zoonotic and non-zoonotic parasites of Wild Rodents in Turk-man Sahra, Northeastern Iran. *Iran J Parasitol* 11(3):350–7.
- Hadi, T.R., Supalin, Annie, C., 1986. A survey of murine typhus in Mulyorejo Village, Way Abung III transmigration scheme, Lampung Utara, Sumatera, Indonesia. *Bul. Penelit. Kesehatan.* 14(3):1–3.
- Hadi, T., Ima, N., Ristiyanto, Nina, N., 1991. Jenis-jenis ektoparasit pada tikus di Pelabuhan Tanjung Mas Semarang. *Proceeding Seminar Biologi VII.*

Pandaan Jawa Timur.

- Hartini, S., 1985. Pola infestasi parasit Arthropod pada tikus di Kebun Raya Purwodadi, Jawa Timur. *Berita Biologi* 3(3):108–10.
- Hopkins, G., Rothschild, M. (1953). *An illustrated catalogue of the Rothschild collection of fleas (Siphonaptera) in the British museum. Volume I Tungidae and Pulicidae.* The Trustees of the British Museum, London.
- Iannino, F., Sulli, N., Maitino, A., Ilaria, P., Guglielmo, P., Salucci, S., 2017. Fleas of dog and cat: species, biology and flea-borne diseases. *Veterinaria Italiana* 53(4):277–88.
- Ibrahim, I.N., Okabayashi, T., Ristiyanto, Lestari, E.W., Yanase, T., Muramatsu, Y., *et al.*, 1999. Serosurvey of wild rodents for Rickettsioses (spotted fever, murine typhus and Q fever) in Java Island, Indonesia. *Eur. J. Epidemiol.* 15(1):89–93.
- Jiang, J., Soeatmadji, D.W., Henry, K.M., Bangs, M.J., Richards, A.L., 2006. *Rickettsia felis* in *Xenopsylla cheopis*, Java, Indonesia. *Emerg. Infect. Dis.* 12(8):1281–3.
- Joharina, A.S., Mulyono, A., Sari, T.F., Rahardianingtyas, E., Bagus, D., Putro, W., Pracoyo, N.E., 2016. *Rickettsia* pada pinjal tikus (*Xenopsylla cheopis*) di daerah Pelabuhan Semarang, Kupang dan Maumere. *Bul. Penelit. Kesehat.* 44(4):237–44.
- Krasnov, B.R., Stanko, M., Morand, S., 2006. Age-dependent flea (Siphonaptera) parasitism in rodents: a host's life history matters. *Journal of Parasitology* 92(2):242–8.
- Kuo, C., Huang, C., Wang, H., 2011. Identification of potential hosts and vectors of scrub typhus and tick-borne spotted fever group rickettsiae in eastern Taiwan. *Med. Vet. Entomol.* 25:169–77.
- Kuo, C.C., Huang, J.L., Lin, T.E., Wang, H.C., 2012. Detection of *Rickettsia* spp. and host and habitat associations of fleas (Siphonaptera) in eastern Taiwan. *Med. Vet. Entomol.* 26(3):341–50.
- Kuo, C., Lee, P., Chen, C., Wang, H., 2015. Surveillance of potential hosts and vectors of scrub typhus in Taiwan. *Parasites & Vectors*, 8:611.
- Laudisoit, A., Falay, D., Amundala, N., Akaibe, D., de Bellocq, J.G., Houtte, N.V., *et al.*, 2014. High prevalence of *Rickettsia typhi* and *Bartonella* species in rats and fleas, Kisangani, Democratic Republic of the Congo. *Am. J. Trop. Med. Hyg.* 90(3):463–8.
- Leulmi, H., Socolovschi, C., Laudisoit, A., Houemenou, G., Davoust, B., Bitam, I., *et al.*, 2014. Detection of *Rickettsia felis*, *Rickettsia typhi*, *Bartonella* Species and *Yersinia pestis* in fleas (Siphonaptera) from Africa. *PLoS Negl Trop Dis* 8(10):e3152.
- Lewis, R.E., 1993. Flea (Siphonaptera) in R. P. Lane dan R. W. Crosskey (Eds.). *Medical insect and arachnids.* Springer, Dordrecht.
- Liat, L.B., Sustriyayu, N., Hadi, T.R., Bang, Y.H., 1980. A study of small mammals in the Ciloto field station area, West Java, Indonesia, with special reference to vectors of plague and scrub typhus. *Southeast Asian J Trop Med Public Healt.* 11(1):71–80.
- Liu, D., 2015. Rickettsia. In *Molecular Medical Microbiology.* Elsevier Ltd.

- Available from:
<http://linkinghub.elsevier.com/retrieve/pii/B9780123971692001116>.
- Mahajan, S.K., 2012. Rickettsial diseases. *JAPY* 60:37–60.
- Manea, S., Sasaki, D., Ikeda, J., Bruno, P., 2001. Clinical and epidemiological observations regarding the 1998 Kauai murine typhus outbreak. *Hawaii Med. J.* 60(1):7-11.
- Martin, J., 1977. *The insects and arachnids of Canada Part 1: collecting, preparing, and preserving insects, mites and spiders*. Supply and Services Canada Hull, Quebec, Canada.
- Merhej, V., Angelakis, E., Socolovschi, C., Raoult, D., 2014. Infection, genetics and evolution genotyping, evolution and epidemiological findings of *Rickettsia* species. *Infection, Genetics and Evolution* 25:122–37.
- Minichova, L., Hamsikova, Z., Mahrikova, L., Slovak, M., Kocianova, E., Kazimirova, M., *et al.*, 2017. Molecular evidence of *Rickettsia* spp. in ixodid ticks and rodents in suburban, natural and rural habitats in Slovakia. *Parasites & Vectors* 10:158.
- Mit'ková, K., Berthová, L., Kalúz, S., Kazimírová, M., Burdova, L., Kocianova, E., 2015. First detections of *Rickettsia helvetica* and *R. monacensis* in ectoparasitic mites (Laelapidae and Trombiculidae) infesting rodents in south-western Slovakia. *Parasitol. Res.* 114(7):2465-72.
- Moncayo, A.C., Cohen, S.B., Fritzen, C.M., Huang, E., Yabsley, M. J., Freye, J.D., *et al.*, 2010. Absence of *Rickettsia rickettsii* and occurrence of other Spotted Fever Group Rickettsiae in ticks from Tennessee. *Am. J. Trop. Med. Hyg.* 83(3):653–7.
- Oliveira, F.S. de, 2014. Assessing the effectiveness of 30% sodium chloride aqueous solution for the preservation of fixed anatomical specimens: a 5-year follow-up study. *J. Anat.* 225:118–21.
- Parola, P., Raoult, D., 2006. Tropical rickettsioses. *Clinics in Dermatology* 24:191–200.
- Peniche Lara, G., Dzul-Rosado, K.R., Zavala Velázquez, J.E., Zavala-Castro, J., 2012. Murine typhus: clinical and epidemiological aspects. *Colombia Medica* 43(2):175–80.
- Prendini, L., Hanner, R., DeSalle, R., 2002. Obtaining, storing and archiving specimens and tissue samples for use in molecular studies. In W. W. DeSalle R., Giribet G., ed. *Techniques in Molecular Systematics and Evolution. Methods and Tools in Biosciences and Medicine*. Basel, Birkhäuser.
- Priyanto, D., Ningsih, D.P., 2014. Identification of endoparasites in rats of various habitats. *Health Science Indones.* 5(1):49–53.
- Raharjo, J., 2018. Penambahan koleksi spesies tikus. Balai Litbang P2B2 Banjarnegara.
- Reeves, W.K., Loftis, A.D., Szumlas, D.E., Abbassy, M.M., Helmy, I.M., Hanafi, H.A., Dasch, G.A., 2007. Rickettsial pathogens in the tropical rat mite *Ornithonyssus bacoti* (Acari : Macronyssidae) from Egyptian rats (*Rattus* spp.). *Exp. Appl. Acarol.* (3):101–7.
- Reeves, W.K., Wolf, S., Rabago, R., Gutierrez, T., Nunn, P., Johnson, J., Vice,

- D., 2012. Invertebrate vectors, parasites, and Rickettsial agents in Guam. *Micronesica* 43(2):225–36.
- Reeves, W.K., Utter, C.M., Durden, L., 2012. Rickettsial pathogens and arthropod vectors of medical and veterinary significance on Kwajalein Atoll and Wake Island. *Micronesica* 43(1):107–13.
- Regnery, R.L., Spruill, C.L., Plikaytis, B.D., 1991. Genotypic identification of *Rickettsiae* and estimation of intraspecies sequence divergence for portions of two Rickettsial genes. *Journal of Bacteriology*, 173(5):1576–89.
- Richards, A.L., Rahardjo, E., Soeatmadji, D.W., 1995. Rickettsial disease: risk for Indonesia. *Bul. Penelit. Kesehatan*. 23(3):78–89.
- Richards, A., Soeatmadji, D., Widodo, M., Sardjono, T., Yanuwadi, B., Hernowati, T., *et al.*, 1997. Seroepidemiologic evidence for murine and scrub typhus in Malang, Indonesia. *Am. J. Trop. Med. Hyg.* 57(1):91–5.
- Richards, A.L., Rahardjo, E.K.O., Rusjdi, A.F., Kelly, D.J., Dasch, G.A., Church, C.J., Bangs, M.J., 2002. Evidence of *Rickettsia typhi* and the potential for murine typhus in Jayapura, Irian Jaya, Indonesia. *Am. J. Trop. Med. Hyg.* 66(4):431–4.
- Richards, A.L., Ratiwayanto, S., Rahardjo, E.K.O., Kelly, D.J., Dasch, G.A., Fryauff, D.J., Bangs, M.J., 2003. Serologic evidence of infection with ehrlichiae and spotted fever group rickettsiae among residents of Gag Island, Indonesia. *Am. J. Trop. Med. Hyg.* 68(4):480–4.
- Richards, A.L., 2012. Worldwide detection and identification of new and old rickettsiae and rickettsial diseases. *FEMS Immunol. Med. Microbiol.* 64:107–10.
- Ristiyanto, Yuliadi, Sustriayu, N., 2007. *Kunci identifikasi pinjal*. Balai Besar Penelitian dan Pengembangan Vektor dan Reservoir Penyakit, Salatiga.
- Ristiyanto, Handayani, F.D., Boewono, D.T., Heriyanto, B., 2014. *Penyakit Tular Rodensia*. Gadjah Mada University Press, Yogyakarta.
- Tay, S., Mokhtar, A., Low, K., Mohdzain, S., Jeffery, J., Aziz, N.A., Kho, K., 2014. Identification of rickettsiae from wild rats and cat fleas in Malaysia. *Med. Vet. Entomol.*, 28 Suppl 1:104–8.
- Telmadarraiy, Z., Vatandoost, H., Mohammadi, S., Akhavan, A.A., Abai, M.R., Rafinejad, J., *et al.*, 2007. Determination of rodent ectoparasite fauna in Sarpole-Zahab District, Kermanshah Province, Iran, 2004-2005. *Journal of Arthropod-Borne Diseases* 1(1):58–62.
- Tipton, V.J., 1960. *The Genus Laelaps with a review of the Laelaptinae and a new subfamily Alphalaelaptinae (Acarina: Laelaptidae)*. University of California Press, Berkeley and Los Angeles.
- Todar, K., 2012. Rickettsial diseases, including typhus and rocky mountain spotted fever. [cited 2017 August 10]. Available from: <http://textbookofbacteriology.net/Rickettsia.html>
- Torina, A., Blanda, V., Antoci, F., Scimeca, S., D'Agostino, R., Scariano, E., *et al.*, 2013. A molecular survey of *Anaplasma* spp., *Rickettsia* spp., *Ehrlichia canis* and *Babesia microti* in foxes and fleas from Sicily. *Transboundary and Emerging Diseases* 60(SUPPL.2):125–30.
- Traub, R., 1972. The Gunong Benom expedition, 1967, II: notes on

- zoogeography, convergent evolution, and taxonomy of fleas (Siphonaptera), based on collections from Gunong Benom and elsewhere in South-East Asia, I: new Taxa (Pygiopsyllidae: Pygiopsyllinae). *Bulletin of the British Museum (Natural History), Zoology* 23(9):201–305.
- Turner, R.W., Padmowirjono, S., Martoprawiro, S., 1975. Dynamics of the plague transmission cycle in Central Java (ecology of mammalian hosts with special reference to *Rattus exulans*). *Bulletin Penelitian Kesehatan* 3:41–71.
- Vinarski, M.V., Korralo-Vinarskaya, N.P., 2017. An annotated catalogue of the gamasid mites associated with small mammals in Asiatic Russia. The family Haemogamasidae (Acari: Mesostigmata: Gamasina). *Zootaxa* 4111(3):223–45.
- Walker, D.H., 1989. Rickettsioses of the spotted fever group around the world. *Journal of Dermatology* 16(3):169–77.
- Walker, D.H., Ismail, N., 2008. Emerging and re-emerging rickettsioses: endothelial cell infection and early disease events. *Nature Reviews Microbiology* 6(5):375–86.
- Walter, G., Botelho-Nevers, E., Socolovschi, C., Raoult, D., Parola, P., 2012. Murine typhus in returned travelers: a report of thirty-two cases. *Am J Trop Med Hyg* 86:1049–53.
- Webb, L., Carl, M., Malloy, D.C., Dasch, G.A., Azad, A.F., 1990. Detection of murine typhus infection in fleas using polymerase chain reaction. *Journal of Clinical Microbiology* 28(3):530–4.
- Widayan, H.A., Susilowati, S., 2014. Identifikasi tikus dan cecurut di Kelurahan Argasoka dan Kutabanjarnegara Kecamatan Banjarnegara Kabupaten Banjarnegara tahun 2014. *BALABA* 10(1):27–30.
- Widiastuti, D., Sunaryo, Djati, A.P., Kesuma, A.P., 2017. *Faktor risiko infeksi murine typhus di Kota Semarang*. Laporan Penelitian. Balai Litbang P2B2 Banjarnegara, Banjarnegara.
- Widjaja, S., Williams, M., Winoto, I., Farzeli, A., Stoops, C.A., Barbara, K.A., et al., 2016. Geographical assessment of rickettsioses in Indonesia. *Vector-Borne and Zoonotic Diseases* 16(1):20–5.
- Williams, J.E., Hudson, B.W., Turner, R.W., Saroso, J.S., Cavanaugh, D.C., 1980. Plague in Central Java, Indonesia. *Bulletin of the World Health Organization* 58(3):459–68.
- Wood, H., Artsob, H., 2012. Spotted fever group rickettsiae: a brief review and a Canadian perspective. *Zoonoses Public Health* 59 Suppl 2:65–79.
- Yu, X., Walker, D.H., 2012. *Rickettsia and rickettsial diseases*. S. Morse, ed., InTech. Available from: <http://www.intechopen.com/books/bioterrorism/rickettsia-and-bioterrorism>.