

References

- Ã, S.E. & Walley, J., 2005. Listening to those on the frontline: Lessons for community-based tuberculosis programmes from a qualitative study in Swaziland. , 61, pp.1701–1710.
- Abdel-all, M. et al., 2017. Effectiveness of community health worker training programmes for cardiovascular disease management in countries: a systematic review. , pp.1–12.
- Adewole, O.O. et al., 2015. A randomized controlled study comparing community based with health facility based direct observation of treatment models on patients' satisfaction and TB treatment outcome in Nigeria. , pp.783–792.
- Ait-Khaled et al., 2010. Management of Tuberculosis sixth edit., Disease, International Union Against Tuberculosis and Lung.
- Arora, V.K., Singla, N. & Gupta, R., 2003. Community medicated domiciliary dots execution – a study from new delhi. , pp.26–29.
- Arshad, A. et al., 2014. Community based interventions for the prevention and control of tuberculosis.
- Babikako, H.M. et al., 2011. Patient satisfaction, feasibility and reliability of satisfaction questionnaire among patients with pulmonary tuberculosis in urban Uganda: a cross-sectional study.
- Balogun, M. et al., 2015. Trained Community Volunteers Improve Tuberculosis Knowledge and Attitudes Among Adults in a Periurban Community in Southwest Nigeria. , 92(3), pp.625–632.
- Bam, T.S. et al., 2006. Factors affecting patient adherence to DOTS in urban Kathmandu, Nepal. , 10(9517), pp.270–276.
- Boru, C.G., Shimels, T. & Bilal, A.I., 2017. Factors contributing to non-adherence with treatment among TB patients in Sodo Woreda, Gurage Zone, Southern Ethiopia: A qualitative study. *Journal of Infection and Public Health*. Available at: <http://dx.doi.org/10.1016/j.jiph.2016.11.018>.

- Care, M., 2006. *Annals of Internal Medicine* Improving Patient Care Systematic Review : Impact of Health Information Technology on.
- Carroll, C. et al., 2007. A conceptual framework for implementation fidelity. , 9, pp.1–9.
- Chaulk, C.P. et al., 2015. Eleven Years of Community-Based Directly Observed Therapy for Tuberculosis.
- Core group, 2013. *Community-Based Tuberculosis Prevention and Care : Why and how to get involved.*
- Curtale, F. et al., 1995. *Pergamon* Improving skill and utilization of community health volunteers in Nepal. , 40(8), pp.1117–1125.
- Datiko, D.G. et al., 2015. Exploring providers ' perspectives of a community based TB approach in Southern Ethiopia : implication for community based approaches. *BMC Health Services Research*, pp.1–9. Available at: <http://dx.doi.org/10.1186/s12913-015-1149-9>.
- Delamater, A.M., 2006. *Improving Patient Adherence.* , 24(2).
- Dobler, C.C. et al., 2015. Success of community-based directly observed anti-tuberculosis treatment in Mongolia. , 19(February), pp.657–662.
- DoHS, 2015. *Annual Report*,
- Dudley, L. et al., 2003. Evaluation of community contribution to tuberculosis control in Cape Town , South Africa. , 7(9), pp.48–55.
- Dusenbury, L. et al., 2003. A review of research on fidelity of implementation : implications for drug abuse prevention in school settings. , 18(2), pp.237–256.
- Eccles, M.P. & Mittman, B.S., 2006. *Welcome to Implementation Science.* , 3, pp.1–3.
- Fiseha, D. & Demissie, M., 2015. Assessment of Directly Observed Therapy (DOT) following tuberculosis regimen change in Addis Ababa , Ethiopia : a qualitative study. *BMC Infectious Diseases*, pp.1–9. Available at: <http://dx.doi.org/10.1186/s12879-015-1142-2>.
- Glenton, C. et al., 2010. *Social Science & Medicine* The female community health volunteer programme in Nepal : Decision makers ' perceptions of volunteerism ,

- payment and other incentives. *Social Science & Medicine*, 70(12), pp.1920–1927.
Available at: <http://dx.doi.org/10.1016/j.socscimed.2010.02.034>.
- Hadley, M. & Maher, D., 2000. Community involvement in tuberculosis control : lessons from other health care programmes. , 4(January), pp.401–408.
- Janeiro, R. De, 2014. Tuberculosis Control Program and patient satisfaction, Rio de Janeiro. , 48(3), pp.497–507.
- John E. Ware, J., 1977. The measurement and meaning of patient satisfaction: a review of the literature.
- Khalid F A, Frah E AM, Osman A, A.T., 2015. Stigma Towards Tuberculosis patients in Kassala , Sudan Stigma Towards Tuberculosis Stigma Towards Tuberculosis patients in Kassala , Sudan. , (January).
- Khan, M.A. et al., 2005. Tuberculosis patient adherence to direct observation : results of a social study in Pakistan. , (September).
- Kim, S.S. et al., 2015. Assessing implementation fidelity of a community- based infant and young child feeding intervention in Ethiopia identifies delivery challenges that limit reach to communities : a mixed-method process evaluation study. , pp.1–14.
- Lienhardt, C. & Rustomjee, R., 2005. Improving tuberculosis control : an interdisciplinary approach. , pp.949–950.
- Lwilla, F. et al., 2003. Evaluation of efficacy of community-based vs . institutional-based direct observed short-course treatment for the control of tuberculosis in Kilombero district , Tanzania. , 8(3), pp.204–210.
- Mafigiri, D.K. et al, 2013. Task shifting for tuberculosis control: A qualitative study of community-based directly observed therapy in urban Uganda. , 7(3), pp.270–284.
- Management Sciences for Health, 2015. Community- Based DOTS.
- Mesfin, M.M. et al., 2009. Quality of tuberculosis care and its association with patient adherence to treatment in eight Ethiopian districts. , 44(August), pp.457–466.
- Mihalic, S., 2002. The importance of fidelity. , pp.1–16.
- Mirzoev, T.N. et al., 2008. Cost Effectiveness and Resource Community-based DOTS

- and family member DOTS for TB control in Nepal : costs and cost-effectiveness. , 8, pp.1–8.
- Mishra, P. et al., 2006. Adherence is associated with the quality of professional – patient interaction in Directly Observed Treatment Short-course , DOTS. , 63, pp.29–37.
- MOHF India, 2013. NIKSHAY- A web based solution for monitoring of TB patient,
- MOHP, 2015. Nepal health sector programme-ii (nhsp -ii) 2010 – 2015. , pp.2010–2015.
- Ndege, S. and G.S.K., 2007. Community-Based DOTS : Report from a Rapid Assessment in Kenya ,
- Ndimba, S.D. et al., 2015. Supervision of community health workers in Mozambique : A qualitative study of factors influencing motivation and program. Supervision of community health workers in Mozambique : a qualitative study of factors influencing motivation and programme implementation. *Human Resources for Health*, (October). Available at: <http://dx.doi.org/10.1186/s12960-015-0063-x>.
- Newell, J.N. et al., 2006. Family-member DOTS and community DOTS for tuberculosis control in Nepal : cluster-randomised controlled trial. , pp.903–909.
- Nishita Padmanabhan, P.S., 2016. A study to assess the stigma related to tuberculosis among directly observed treatment short-course (DOTS) providers and patients on DOTS therapy attending DOTS centres of Mandya City, Karnataka, India.
- NTC, 2016. Community Based DOTS program.
- NTP, 2017. NTP implementation guideline local level,
- Onyeonoro, U.U. et al., 2015. Evaluation of Patient Satisfaction with Tuberculosis Services in Southern Nigeria. , pp.25–33.
- Peters, D.H., Adam, T. & Alonge, O., 2013. Implementation research : what it is and how to do it. , 6753(November), pp.1–7.
- Report, A., 2017. National Tuberculosis Program. , 74.
- Ritu, K.C. et al., 2015. Stigma among Tuberculosis Patients under Directly Observed Treatment , Short Course at Urban Setting of Western Nepal. , 5(May), pp.357–

363.

- S. K. Tripathy, P. Kumar, K. D. Sagili, D.A.E., 2013. Effectiveness of a community-based observation of anti-tuberculosis treatment in Bangalore City, India, 2010–2011. , I(3), pp.230–234.
- Schwarz, D. et al., 2014. Strengthening Nepal ’ s Female Community Health Volunteer network : a qualitative study of experiences at two years. , pp.1–6.
- Steyn M, van der Merwe N, Dick J, Borchers R, W.R., 1997. Communication with TB patient.
- Tadesse, T. et al., 2013. Long distance travelling and financial burdens discourage tuberculosis DOTs treatment initiation and compliance in Ethiopia : a qualitative study.
- Tandon, V.R., 2016. Directly Observed Therapy: Current Challenges. , 18(2), p.1800001.
- TB, S., 2006. THE STOP TB.
- Thapa, B. et al., 2017. Adding Sputum Collection and Transportation Services for Early Identification TB Cases in Hard-to-Reach Difficult Terrain — Will It Help ? , pp.220–228.
- USAID, 2012. Assessment of Provider Adherence to TB Evidence-based Standards and Guidelines in Bangladesh Funded by United States Agency for International Development,
- USAID, 2015. Community health worker incentives in Malawi ;,
- USAID, T.C.I., 2013a. Adherence with Evidence-based TB Standards and Guidelines in Selected Health Facilities in Kenya,
- USAID, T.C.I., 2013b. Assessment of Provider Adherence to TB Evidence-based Standards and Guidelines in Zambia. , (April).
- Vareilles, G. et al., 2017. Understanding the performance of community health volunteers involved in the delivery of health programmes in underserved areas : a realist synthesis. , pp.1–12.
- WHO, 2015. Empowering communities,

- WHO, 2014. End TB strategy.
- WHO, 2017. *Tuberculosis*,
- WHO, 2005. Tuberculosis : DOTS treatment success. *WHO*, (reference 1).
- WHO/TDR, 2014. *Implementation Research Toolkit*,
- Witt, P.A., 2012. Assessing Program Implementation : What It Is, Why It is important, and How to Do It. , 50(1), pp.1–8.
- Wright, C.M. et al., 2015. Community-based directly observed therapy (DOT) versus clinic DOT for tuberculosis : a systematic review and meta-analysis of comparative effectiveness., pp.1–11.
- Zhang, H. et al., 2016. Impact of Community-Based DOTS on Tuberculosis Treatment Outcomes : A Systematic Review and Meta-Analysis. , 11, pp.1–19.