

BIBLIOGRAPHY

Ahmed, F. (2000) 'Anaemia in Bangladesh: a review of prevalence and aetiology', *Public Health Nutrition*, 3(4), pp. 385–393. doi: 10.1017/S136898000000446.

American, P., Organization, H., Hotez, P. J., Brindley, P. J., Bethony, J. M., King, C. H., Pearce, E. J., Jacobson, J., de Moraes Neto, A. H. a, Pereira, A. P. M. F., Alencar, M. D. F. L., Souza, P. R. B.,

Dias, R. C., Fonseca, J. G., Santos, C. P., Almeida, J. C. a, Crompton, D. W., Savioli, L. and Brooker, S. (2010) 'Prevalence of intestinal parasites versus knowledge, attitudes, and practices of inhabitants of low-income communities of Campos dos Goytacazes, Rio de Janeiro State, Brazil.', *Parasitology research*, 107(2), pp. 295–307. doi: 10.1007/s00436-010-1861-7.

APIR (2016) 'REPORT (APIR) 2013 IMPLEMENTATION REPORT (APIR)', (September 2013).

Bangladesh Bureau of Statistics (2015) *Statistical Pocketbook of Bangladesh-2015*.

Bieri, F. a, Gray, D. J., Williams, G. M., Raso, G., Li, Y.-S., Yuan, L., He, Y., Li, R. S., Guo, F.-Y., Li, S.-M. and McManus, D. P. (2013) 'Health-education package to prevent worm infections in Chinese schoolchildren.', *The New England Journal of Medicine*, 368(17), pp. 1603–12. doi:10.1056/NEJMoal204885.

Bishwajit, G., Yaya, S., Tang, S., Hossain, A., Fan, Y., Akter, M. and Feng, Z. (2016) 'Association of Living Arrangement Conditions and Socioeconomic Differentials with Anemia Status among Women in Rural Bangladesh', *BioMed Research International*, 2016. doi: 10.1155/2016/4571686.

Bureau of Health Education, 2014, Health Education & Promotion Directorate General of Health Services, accessed 9 July, 2017 from <http://bhe.dghs.gov.bd/?p=39>

Das, S. and Gulshan, J. (2017) 'Different forms of malnutrition among under five children in Bangladesh: a cross sectional study on prevalence and determinants', *BMC Nutrition*. BMC Nutrition,3(1), p. 1. doi: 10.1186/s40795-016-0122-2.

Dunn, J. C., Turner, H. C., Tun, A. and Anderson, R. M. (2016) 'Epidemiological surveys of, and research on, soil-transmitted helminths in Southeast Asia: a systematic review.', *Parasites & vectors*. Parasites & Vectors, 9, p. 31. doi: 10.1186/s13071-016-1310-2.

Farzan, M. S. A., Zerin, I., Kabir, M. A., Pavel, M. S. R. and Hossain, M. S. (2013) 'Health Education Intervention on Hand Washing in a selected Primary School Children', *Bangladesh Journal of Dental Research & Education*, pp. 7–11.

FHI 360 (2014) 'Technical Briefs Assessing progress in fighting STHs in'.

Hafiz, I., Berhan, M., Keller, A., Haq, R., Chesnaye, N., Koporc, K., Rahman, M., Rahman, S. and Mathieu, E. (2015) 'School-based mass distributions of mebendazole to control soil-transmitted helminthiasis in the Munshiganj and Lakshmipur districts of Bangladesh: An evaluation of the treatment monitoring process and knowledge, attitudes, and practices of the population', *Acta Tropica*. Elsevier B.V., 141(Part B), pp. 385–390. doi: 10.1016/j.actatropica.2013.12.010.

Halim, F. Bin and Haider, M. Z. (2017) 'Prevalence and economic costs of diarrheal illness among adult slum dwellers in Khulna City , Bangladesh', 120, pp. 83–

98. doi: 10.19204/2017/prv17.

Salam, S. and Islam, M. A. (2013) 'Condition of Child Health and Child Morbidity in Bangladesh', 1(3), pp. 44–51.

Jhanker. M Yeakuty, Huda H Naz, U. R. (2010) 'Prevalence of Anemia in Khulna, Bangladesh and Comparative study among Available Hematinic preparation.', pp. 3–4.

Johnston, E. A., Teague, J. and Graham, J. P. (2015) 'Challenges and opportunities associated with neglected tropical disease and water, sanitation and hygiene intersectoral integration programs', *BMC Public Health*. BMC Public Health, 15(1), p. 547. doi: 10.1186/s12889-015-1838-7.

Menzies, S. K., Rodriguez, A., Chico, M., Sandoval, C., Broncano, N., Guadalupe, I. and Cooper, P. J. (2014) 'Risk Factors for Soil-Transmitted Helminth Infections during the First 3 Years of Life in the Tropics; Findings from a Birth Cohort', *PLoS Neglected Tropical Diseases*, 8(2). doi: 10.1371/journal.pntd.0002718.

Ministry of Health & Family Welfare, G. of B. (2010) 'A Situation Analysis : Neglected Tropical Diseases in Bangladesh', (December).

Montresor, A., Crompton, D. W. T., Gyorkos, T. W. and Savioli, L. (2002) 'Helminth control in school-age children', *Geneva: World Health Organization*, pp. 19–20.

Muznebin, F., Khanum, H. and Hossain, A. (2009) 'Incidence of Nematode Infections among the Children brought to ICDDR, B Hospital, Dhaka, Bangladesh', *Journal of Bio-Science*, 15(0), pp. 159–164. doi: 10.3329/jbs.v15i0.2157.

Nancy Perrin, A. G. R. D. H. S. E. G. L. J. L. S. A. C. F. D. M. M. (2015) 'Implementation challenges and successes of a population-based colorectal cancer screening program: A qualitative study of stakeholder perspectives (PDF Download Available). Available from: https://www.researchgate.net/publication/274732574_Implementation_', *Implementation Science*, p.16.

Nasr, N. A., Al-Mekhlafi, H. M., Ahmed, A., Roslan, M. A. and Bulgiba, A. (2013) 'Towards an effective control programme of soil-transmitted helminth infections among Orang Asli in rural Malaysia. Part 1: prevalence and associated key factors', *Parasit Vectors*, 6, p. 27. doi: 10.1186/1756-3305-6-27.

Pandav, C. S. (2014) 'HandWashing: Timeless wisdom',

Prichard, R. K., Basáñez, M. G., Boatin, B. A., McCarthy, J. S., García, H. H., Yang, G. J., Sripa, B. and Lustigman, S. (2012) 'A research agenda for helminth diseases of humans: Intervention for control and elimination', *PLoS Neglected Tropical Diseases*, 6(4). doi: 10.1371/journal.pntd.0001549.

Rizvi, Z. A. L. I. (2015) 'Educational Intervention on Hand Washing among the School Children in a Rural Area of Bangladesh', II(10), pp. 13935–13946.

Save the Children (2010) 'School Health and Nutrition Manual: A guide for program planning and implementation in Bangladesh.', (January).

Snehalatha, M., Fonseca, C., Rahman, M., Uddin, R., Ahmed, M. and Sharif, A. J. (2015) 'School WASH Programmes in Bangladesh: how much does it cost?', (March). STH and Filariasis control program (2016) *Helminths Control Program*. WFP and IFAD (2012) 'Undernutrition Maps of Bangladesh'.

WHO (2016) 'WHO guideline development group meeting – the control of soil-

transmitted helminths in high-risk groups: preventive chemotherapy in preschool children, school-age children and women of childbearing age’.

Borra, S. T. *et al.* (2003) ‘Developing health messages: Qualitative studies with children, parents, and teachers help identify communications opportunities for healthful lifestyles and the prevention of obesity’, *Journal of the American Dietetic Association*. doi: 10.1053/jada.2003.50140.

Bussing, R. *et al.* (2016) ‘Feasibility of School-Based ADHD Interventions: A Mixed- Methods Study of Perceptions of Adolescents and Adults Regina’.

Butzer, B. *et al.* (2015) ‘School-based Yoga Programs in the United States: A Survey’, *Adv Mind Body Med.*, 29(4), pp. 18–26.

Curtis, D. F. *et al.* (2006) ‘Teacher Perceptions of Classroom Interventions for Children with ADHD: A Cross-Cultural Comparison of Teachers in the United States and New Zealand’, *School Psychology Quarterly*, 21(2), pp. 171–196.

Fawole, I. O. *et al.* (1999) ‘A school-based AIDS education programme for secondary school students in Nigeria: a review of effectiveness’, *HEALTH EDUCATION RESEARCH Theory & Practice Pages*, 14(5), pp. 675–683.

Feldstein, A. C. and Glasgow, R. E. (2008) ‘A practical, robust implementation and sustainability model (PRISM) for integrating research findings into practice’, *Joint Commission Journal on Quality and Patient Safety*. doi: 10.1016/S1553-7250(08)34030-6.

Gao, X. *et al.* (2012) ‘Effectiveness of School-based Education on HIV/AIDS Knowledge, Attitude, and Behavior among Secondary School Students in Wuhan, China’, *PLoS ONE*. doi: 10.1371/journal.pone.0044881.

Hall, W. J. *et al.* (2014) ‘School factors as barriers to and facilitators of a preventive intervention for pediatric type 2 diabetes’, *Translational Behavioral Medicine*. doi: 10.1007/s13142-013-0226-z.

Haque, S. E. *et al.* (2014) ‘The effect of a school-based educational intervention on menstrual health: An intervention study among adolescent girls in Bangladesh’, *BMJ Open*. doi: 10.1136/bmjopen-2013-004607.

Hasan, A. T. M. H. *et al.* (2013) ‘Influence of socio-demographic factors on awareness of HIV/AIDS among Bangladeshi garment workers’, *SpringerPlus*. doi: 10.1186/2193-1801-2-174.

He, F. J. *et al.* (2015) ‘School based education programme to reduce salt intake in children and their families (School-EduSalt): cluster randomised controlled trial’, *BMJ*. doi: 10.1136/bmj.h770.

Hesketh, K. *et al.* (2005) ‘Healthy eating, activity and obesity prevention: A qualitative study of parent and child perceptions in Australia’, *Health Promotion International*. doi: 10.1093/heapro/dah503.

Hoelscher, D. M. *et al.* (2004) ‘School-based health education programs can be maintained over time: Results from the CATCH Institutionalization study’, *Preventive Medicine*. doi: 10.1016/j.ypmed.2003.11.017.

Khan, K. *et al.* (2015) ‘Evaluation of an elementary school-based educational intervention for reducing arsenic exposure in Bangladesh’, *Environmental Health Perspectives*. doi: 10.1289/ehp.1409462.

Kigaru, D. M. D. *et al.* (2015) 'Nutrition knowledge, attitude and practices among urban primary school children in Nairobi City, Kenya: a KAP study', *BMC Nutrition*. doi: 10.1186/s40795-015-0040-8.

Krentel, A. *et al.* (2006) 'Using knowledge, attitudes and practice (KAP) surveys on lymphatic filariasis to prepare a health promotion campaign for mass drug administration in Alor District, Indonesia', *Tropical Medicine and International Health*. doi: 10.1111/j.1365-3156.2006.01720.x.

McGowan, L. *et al.* (2016) 'The influence of socio-demographic, psychological and knowledge-related variables alongside perceived cooking and food skills abilities in the prediction of diet quality in adults: A nationally representative cross-sectional study', *International Journal of Behavioral Nutrition and Physical Activity*. doi: 10.1186/s12966-016-0440-4.

Mondal, M. N. *et al.* (2014) 'Socio-demographic factors affecting knowledge level of tuberculosis patients in Rajshahi city, Bangladesh', *African Health Sciences*. doi: 10.4314/ahs.v14i4.13.

Moshki, M., Zamani-Alavijeh, F. and Mojadam, M. (2017) 'Correction: Efficacy of peer education for adopting preventive behaviors against head lice infestation in female elementary school students: A randomised controlled trial (PLoS ONE (2017) 12:1 (e0169361) DOI: 10.1371/journal.pone.0169361)', *PLoS ONE*. doi: 10.1371/journal.pone.0185299.

Muznebin, F., Khanum, H. and Hossain, A. (2009) 'Incidence of Nematode Infections among the Children brought to ICDDR, B Hospital, Dhaka, Bangladesh', *Journal of Bio-Science*, 15(0), pp. 159–164. doi: 10.3329/jbs.v15i0.2157.

Nandha, B. and Krishnamoorthy, K. (2007) 'School-based health education campaign - A potential tool for social mobilization to promote the use of DEC-fortified salt towards elimination of lymphatic filariasis', *Health Education Research*. doi: 10.1093/her/cyl116.

Nandha, B. and Krishnamoorthy, K. (2012) 'Impact of education campaign on community-based vector control in hastening the process of elimination of lymphatic filariasis in Tamil Nadu, South India', *Health Education Research*. doi: 10.1093/her/cyr045.

Obuku, E. A. *et al.* (2012) 'Socio-demographic determinants and prevalence of Tuberculosis knowledge in three slum populations of Uganda', *BMC Public Health*. doi: 10.1186/1471-2458-12-536.

Rai, C. *et al.* (2009) 'Field Actions Science Reports Improving children's health and education by working together on school health and nutrition (SHN) programming in Nepal Improving children's health and education by working together on school health and nutrition (SHN) programming in Nepal MPH Save the Children, Nepal', *Field Actions Science Reports [Online]*, 3(3). Available at: <http://factsreports.revues.org/306>.

Renju, J. *et al.* (2010) 'Scaling up a school-based sexual and reproductive health intervention in rural Tanzania: A process evaluation describing the implementation realities for the teachers', *Health Education Research*. doi: 10.1093/her/cyq041.

Roofe, N. L. (2010) 'The impact of nutrition and health education intervention on kindergarten students' nutrition and exercise knowledge'. Available at: <http://lib.dr.iastate.edu/etd>.

Shrestha, R. M. *et al.* (2016) 'A school health project can uplift the health status of school children in Nepal', *PLoS ONE*. doi: 10.1371/journal.pone.0166001.

Vijayapushpam, T. *et al.* (2010) 'Nutrition and health education intervention for student volunteers: Topic-wise assessment of impact using a non-parametric test', *Public Health Nutrition*. doi: 10.1017/S1368980009990255.

WHO (2016) 'WHO guideline development group meeting – the control of soil-transmitted helminths in high-risk groups: preventive chemotherapy in preschool children, school-age children and women of childbearing age'.

Zhao, Q. *et al.* (2009) 'Knowledge and attitude on maternal health care among rural-to-urban migrant women in Shanghai, China', *BMC Women's Health*. doi: 10.1186/1472-6874-9-5.