

DAFTAR PUSTAKA

- Agarwal, M., Chauhan, G., Chaurasia, S. P., and Singh, K., 2012, Study of Catalytic Behavior of KOH as Homogeneous and Heterogeneous Catalyst for Biodiesel Production, *J. Taiwan. Inst. Chem. Eng.*, 43(1), 89–94.
- Agustian E., Ghozali, M., Savitri, and Wuryaningsih S.R., 2012, Biodiesel Production of *Jatropha Curcas* oil by Bentonite as Catalyst, *Proceeding of ICSEEA*, 35-40
- Ahmad, N., Hussain, S.T., Muhammad, B., Abbas, S.M., Zulfiqar, A, and Nisar, A., 2013, Zr-Pillared Montmorillonite Supported Cobalt Nanoparticles for Fischer–Tropsch Synthesis, *Progress. Nat. Sci. :Materials Int.*, 23(4), 374–381.
- Alves, H. J., da Rocha, A.M., Monteiro, M.R., Moretti, C., Cabrelon, M.D., Schwenger, C.A., and Milinsk, M.C., 2014, Treatment of Clay with KF: New Solid Catalyst for Biodiesel Production, *Appl. Clay Sci.*, 91–92, 98–104
- Anisia, K. S., and Kumar, A., 2007, Oxidation of Cyclohexane with Molecular Oxygen in Presence of Characterized Macrocyclic Heteronuclear FeCu Complex Catalyst Ionically Bonded to Zirconium Pillared Montmorillonite Clay, *J. M. Catal. A: Chem.*, 271: 164-179.
- Azcan N, Danisman A. 2008, Microwave Assisted Transesterification of Rapeseed Oil, *Fuel* ;87:1781–1788.
- Augustine, R. L., 1997, *Heterogeneous Catalysis for the Synthetic Chemistry*, Dekker Inc, New York.
- Awate S.V., Waghmode, S. B., and Agashe, M.S., 2004, Synthesis, Characterization and Catalytic Evaluation of Zirconia-pillared Montmorillonite for Linear Alkylation of Benzene, *Catal. Commun.* 5, 407–411.
- Bahranowski, K., Sior, M. G., Kielski, A., Podohiqaki, I., Serwicka, E.M., Vartkian, L.A., and Wodricka, K., 1998, Physico-Chemical Characterization and Catalytic Properties of Copper-Doped Alumina-Pillared Montmorillonites, *Clays Clay Miner.*, 46(1), 98-102.
- Bergaya, F., 1995, The Meaning Of Surface Area and Porosity Measurements of Clay and Pillared Clays, *J. Porous Mater.*, 2, 91-96.
- Bineesh, K.V., Kim, D.K., Cho, H.J., and Park, D.W., 2010., Synthesis of Metal-Oxide Pillared Montmorillonite Clay for the Selective Catalytic Oxidation of H₂S, *J. Ind. Eng. Chem.*, 16, 593-597
- Borges, M. E, Díaz, L., Alvarez-Galván, M.C, Brito, A., 2012, High Performance Heterogeneous Catalyst for Biodiesel Production from Vegetable and Waste Oil at Low Temperature, *Appl. Catal. B: Environmental*, 102, 310–5.

- Boz, N., Nebahat, D., Dihan, M., and Kalyon, 2013, Transesterification of Canola oil to Biodiesel using Calcium Bentonite Functionalized with K Compounds, *Appl. Catal. B: Environmental*, 138–139, 236–242.
- Brigatri, M.F., Galan, E., and Theng, B.K.G., 2006, Structures and Mineralogy of Clay Minerals. In: Bergaya, F., Theng, B.K.G., Lagaly, G. (Eds.), *Handbook of Clay Science: Developments in Clay Science*, vol. 1. Elsevier, Amsterdam, pp., 19–86.
- Brown, W.H., Iverson, L.B., Anslyn, V.E., Foote, S.C., and Nova, M.B., 2014, *Organic Chemistry*, 7th Ed, Brooks/Cole, Cengage Learning, Belmont.
- Bueno, F.D.R., Rodrigues, A.G., Arjona, A.M., Caballero, F. J. D. R. P., 1995., Acidity of monmorillonite-(ce or Zr) phosphate cross-linked compounds, *Clays Clay Miner*, Vol. 43, No.5, 554-561.
- Canizares, P., Valverde, J.L., Kov, M.R.S., and Molina, C.B., 1999, Synthesis and Characterization of PILCs With Single and Mixed Oxide Pillar Prepared from Two Different Bentonites, *Microporous Mesoporous Mater.*, 29, 267-281.
- Cheng, L., and Yang, R.T., 1995, *Ind. Eng. Chem.Res.*, 34, 2021-2028.
- Chen, M., Qi, L., Fan, L., Zhou, R., and Zheng, X., 2008, Zirconium-Pillared Montmorillonite and Their Application in Supported Palladium Catalysts for Volatile Organic Compounds Purification, *Mater.Lett.*, 62, 3646–3648.
- Chen, W.-K., Tseng, H.-H., Wei, M.-C., Su, E.-C., and Chiu, I.-C., 2014, Transesterification of Canola oil as Biodiesel over Na/Zr-SBA-15 Catalysts: Effect of Zirconium Content. *Int. J. Hydrogen Energy*, 39(34), 19555–19562.
- Chen, Kang-Shin., Lin, Yuan-Chung, Hsu, Kuo-Hsiang., and Wang Hsin-Kai., 2011, Improving Biodiesel Yields from Waste Cooking Oil by Using Sodium Methoxide and a Microwave Heating System, *Bioresour. Technol*, 38, 151-156.
- Choy, J.H., Yoon, J.B., Jang, H., Park, J.H., 2003, Structural Evolution Of SiO₂-ZrO₂ nano-sol intercalated clays upon pillaring reaction, *J. Mater.Chem.*, 13, 557-562.
- Ciupara, D., Ensuque, A., Shafeev, G., and Bozon-Verdurax, F., 2000, Synthesis and Apparent Bandgap of Nanophase Zirconia, *J. Mat. Sci. Let.*, 19, 931-933.
- Cool, P., and Vansant, E.F, 1998, Pillared Clays Preparation, Characterization and Application, Laboratory of Inorganic Chemistry, University of Antwerp (USA), Universiteplein I Belgia.
- Crozier, P.A., Pan, M., Bateman, C., Alcaraz, J.J., and Holmgren, J.S., 1999, Direct Imaging of Zirconia Pillars in Montmorillonite by Analytical Electron Microscopy, *Clays clay Miner.*, Vol.47. No. 6, 683-687.

- Dang, T.P., Chen, B.H., and Lee, D.J., 2013, Application of Kaolin-Based Catalysts in Biodiesel Production Via Transesterification of Vegetable Oils in Excess Metanol, *Bioresour. Tech.*, 145, 175–181.
- de Andre´s A.M., Merino, J., Galva´n, J.C., and Hitzky, E.R., 1999, Synthesis of Pillared Clays Assisted by microwaves, *Mater.Res. Bull.*, 34(4), 641– 651
- Devitria, R., Nurhayati dan Anita, S., 2013, Sintesis Biodiesel dengan Katalis Heterogen Lempung Cengar yang Diaktivasi dengan NaOH; Pengaruh Waktu Reaksi dan Rasio Molar Minyak:metanol, *J. Ind. Chem. Acta*, Vol.3(2), 39-44
- De Leon, A.T., Nunes, D.G., and Rubio, J., 2003, Adsorption of Cu Ions Onto a 1.10 Phenanthroline-Grafted Brazilian Bentonite, *Clays .Clay Miner.*, 5, 64.
- de Oliveira, A.D.N., da Silva Costa, L.R., de Oliveira Pires, L.H., do Nascimento, L.A.S., Angélica, R.S., da Costa, C.E.F., Zamian, J.R., and da Rocha Filho, G.N., 2012, Microwave-Assisted Preparation of a New Esterification Catalyst from Wasted Fint kaolin. *Fuel*.
- Ding, Z., Klopongge, J.T., and Frost, R.L., 2001, Porous Clay and Pillared Clay-Based Catalysts part 2: A Review of the Catalytic and Molecular Sieve Applications, *J. Porous. Mater.*, 8, 273-293.
- Di Serio, M., Tesser, R., Pengmei, L., Santacesaria, E., 2008, Heterogeneous catalysts for biodiesel production, *Energy Fuels*, 22, 207–217.
- Düz, M.Z., Saydut, A. & Öztürk, G. (2011). Alkali catalyzed transesterification of safflower seed oil assisted by microwave irradiation. *Fuel Process.Technol.*, Vol. 92, pp. 308-313
- Efremov, D., Kuznetsova, T., Doronin, V., and Sadykov, V., 2005, Models of (ZrO₂)_n Complexes Intercalated into Montmorillonite, *J. Phys. Chem. B.*, 109, 7451-7459.
- Fatimah, I dan Wijaya, K., 2005, Prosiding Seminar Nasional Kimia XIV, ISSN : 1410-8313, 167-178
- Fatimah, I., Wijaya, K., and Setyawan, K.H., 2008, Synthesis ZrO₂ - Montmorillonite and Application as Catalyst in Catalytic Cracking of Heavy Fraction of Crude Oil, *Bull. Chem. React. Catal.*, 3(1-3), 9-13
- Fatimah, I., dan Wijaya, K., 2011, Pengaruh Metode Preparasi Terhadap Karakter Fisikokimiawi Montmorilonit Termodifikasi ZrO₂, *Akta Kimindo*, Vol.1 No.2, 87-92
- Fatimah I., Rubiyanto, D., and Huda, T., 2014, Effect of Sulfation on Zirconia-Pillared Montmorillonite to the Catalytic Activity in Microwave-Assisted Citronellal Conversion, *Int. J. Chem. Eng.*, Vol. 2014.
- Farfan-Torres E.M, Sham, E., Grange, P., 1992, Pillared Clays: Preparation and Characterization of Zirconium Pillared Montmorillonite, *Catal. Today*, 15, 515–526.

- Figueras, F., 1988, Pillared Clays as Catalyst, *Catal. Rev. Sci. Eng.*, 30(3), 457-499.
- Fetter, G., Herna'ndez, V., Rodri'guez, V., Valenzuela, M.A., Lara, V.H., and Bosch.,P., 2003, Effect of Microwave Irradiation Time on the Synthesis of Zirconia Pillared Clays, *Mat. Lett.*, 57, 1220-1223.
- Furuta, S., Matsushashi, H., and Arata, K., 2006, Biodiesel Fuel Production with Solid Amorphous-Zirconia Catalysis in Fixed Bed Reactor, *Biomass. Bioenergy*, 30, 870-873.
- Gao, L., Teng, G, Xiao, G., and Wei, R., Biodiesel from Palm Oil via Loading KF/Ca-Al Hydrotalcite Catalyst, *Biomass. Bioenergy.*, 34, 1283-1288.
- Gandi'a, L.M., Vicente, M.A., and Gil, A., 2002, Complete Oxidation of Aceton Over Manganese Oxide Catalyst Supported on Alumina and Zirconia Pillared Clay, *Appl. Catal, B*, 38, 95-107.
- Gandi'a, L.M., Toranzo, R., Vicente, M.A., and Gil, A., 1999, Non-Aggressive Pillaring of Clays with Zirconium Acetate Comparison with Alumina Pillared Clays, *Appl. Catal. A*, 183, 23-33.
- Ghiaci, M., Aghabarari, B., and Gil, A., 2011, Production of Biodiesel by Esterification of Natural Fatty Acids over Modified Organoclay Catalysts, *Fuel*, 90, 3382-3389.
- Gil, A., Vicente, M.A. and Gandia, L.M., 2000, Main Factors Controlling The Texture of Zirconia and Alumina Pillared Clays, *Microporous Mesoporous Mater.*, 34, 115-125.
- Gil.,A., Assis, F.C.C., Albeniz, S., and Koril, S.A., 2011, Removal of Dyes from Wastewaters by Adsorption on Pillared Clay, *Chem. Eng..J.*, 168, 1032-1040.
- Goto, S., Oguma, M., and Chaloo, N., 2010, *EAS-ERIA Biodiesel Fuel Trade Handbook*, Economic Research Institute for Asean and East Asia (ERIA).
- Gude, V.G., Patil, P., Guerra, E.M., Deng, S., and Nirmalkhandann N., 2013 *Microwave Energy Potential For Biodiesel Process*, *J. Sustain. Chem.*, University of Missisipi.
- Guerra, D. L., Claudio, A., Vanda, P. Lemos, Romulo, S., and Angelica, 2008, Adsorptive, Thermodynamic and Kinetic Performances of Al/Ti and Al/Zr-Pillared Clays from the Brazilian Amazon Region for Zinc Cation Removal, *J. Hazard. Mater.*, 155, 230-242.
- Gyftopoulou, M.E., Millan, M., Bridgwater, A.V., Dugwell, D., Kandiyoti, R., and Hriljac, J.A., 2005, Pillared Clays as Catalysts for Hydrocracking of Heavy Liquid Fuels, *Appl. Catal. A: General*, 282, 205-214.
- Hegedus, L.L., 1987, *Catalysts Design Progress and Perspectives*, John Wiley and Sons, New York.

- Hernando J, Leton P, Matia MP, Novella JL, Alvarez Builla J., 2007, Biodiesel and FAME synthesis assisted by microwaves: homogeneous batch and flow processes. *Fuel* ;86(10-11):1641–1644.
- Intarapong, P., Jindavat, C., Luengnaruemitchai, A., and Samai,J-I., 2014, The Transesterification of palm oil Using KOH Supported on Bentonite in a Continuous Reactor, *Int. J. Green Energy*, 11, 987–1001.
- Ishisaki, K., Komarmeni, S., and Nanko, M., 1998, Porous Material Process Technology and Aplication, *Kluwer Academic Publisher*, London.
- Jimenez-Morales, I., Santamaria-Gonzalez, J., Maireles-Torres, P., and Jimenez-Lopez, A., 2010, Zirconium Doped MCM-41 Supported WO₃ Solid Acid Catalysts for the Esterification of Oleic Acid with Metanol, *Appl. Catal. A:General*, 379, 61-68.
- Ilgem, O., and Akin, A.N., 2009, Development of Alumina Supported Alkaline Catalysts Used for Biodiesel Production, *Turk. J. Chem*, 33, 281-287.
- Jeenpadiphat, S., and Nuntasri, D., 2013, Acid-Activated Pillar Bentonite as a Novel Catalyst for the Esterification of High FFA oil, *J. Powder. Technol.*, 237, 634–640.
- Jeenpadiphat, S., and Tungasmita, D. N., 2014, Esterification of Oleic acid and high acid Content Palm Oil Over an Acid-Activated Bentonite Catalyst, *Appl. Clay Sci.*, 87, 272–277.
- Jin, L., Zhang, Y., Dombrowski, J.P., Chen, C., Pravatas, A., Xu, L., Perkins, C. & Suib, S.L., 2011, ZnO/La₂O₂CO lapis ed composite: A new heterogeneous catalyst for the efficient ultra-fast *microwave*biofuel production. *Appl. Catal. B: Environmental*.
- Kansedo J., Lee, K .T., 2012, Transesterification of Palm Oil and Crude Sea Mango (*Cerbera odollam*) oil: The Active Role of Simplified Sulfated Zirconia Catalyst, *Biomass . Bioenerg.*, 40, 96-104.
- Katdare S.P., Ramaswamy, V., Ramaswamy, A.V., 2000, Factors Affecting the Preparation of Alumina Pillared Montmorillonite Employing Ultrasonics, *Microporous Mesoporous Mater.*, 37, 329– 336.
- Katdare, S.P., Ramaswamy, V., Ramaswamy, A.V., 1999, Ultrasonication: a Competitive Method of Intercalation for the Preparation of Alumina Pillared Montmorillonite Catalyst, *Catal. Today*, 49, 313-320.
- Katikaneni, S. P. R., Adjaye, J.D., and Bakhsh, N.N., 1995, Catalytic Conversion of Canola Oil to Fuels and Chemicals Over Various Cracking Catalysts, *The Canadian J. Chem.Eng.*, Vol. 73.
- Kim, H. J., Kang, B. S., Kim, M. J., Park, Y. M., Kim, D. K., Lee, J. S., and Lee, K. Y., 2004, Transesterification of Vegetable Oil to Biodiesel using Heterogeneous Base Catalyst. *Catal. Today*, 93-95, 315–320.

- Kim, M.J., Kim, M.Y., Kwon, O. Z., and Seo, G., 2011, Transesterification of Vegetable Oils over a Phosphazanium Hydroxide Catalyst Incorporated onto Silica. *Fuel Process. Technol.*, 92:126–31.
- Kim, M., Salley, S.O., Ng, S.K.Y., 2008. Transesterification of Glycerides using a Heterogeneous Resin Catalyst Combined With a Homogeneous Catalyst. *Energy Fuels.*, 22,:3594–3599.
- Knapczyk. M., Motak, M., Suprun, W., Papp, H., and Grzybek, T., 2011, Catalytic Aspects of Biodiesel Fuel Byproduct Valorisation, *Catal. Today*, 176, 331–335.
- Kloprogge, J.T., 1998, Synthesis of Smectites and Porous Pillared Clay Catalysts: a review, *J. Porous Mater.*, 5, 5-41.
- Kloprogge, J. T., Duong, L. V., and Frost, R. L., 2005, A Review of the Synthesis and Characterisation of Pillared Clays and Related Porous Materials for Cracking of Vegetable Oils to Produce Biofuels. *Environ. Geol*, 47, 967–981.
- Kooli, F., and Jones, W., 1997, Suystemic Comparison of Saponite Clay Pillared with Al dan Zr Metal Oxide, *Chem. Mater.*, 9, 2913-2920.
- Köse, Ö., Tüter M. & Aksoy, H.A. (2002). Immobilized *Candida antarctica* lipase-catalyzed alcoholysis of cotton seed oil in a solvent-free medium. *Bioresour. Technol*, Vol. 83, No. 2, pp. 125-129.
- Knothe, G., Sharp, C.A., and Ryan, T.W., 2005, Exhaust Emissions of Biodiesel, Petrodiesel, Neat Methyl Esters, and Alkanes in a New Technology Engine, *Energy Fuels.*, 20, 403-408.
- Kuwahara, Y., Fujitani, T., and Yamashita, T., 2014, Esterification of Levulinic Acid with Ethanol over Sulfated Mesoporouszirconosilicates: Influences of The Preparation Conditions on Thestructural Properties and Catalytic Performances. *Catal. Today*, 237, 18-28.
- Kou, M.R. S., Mendioroz. S. dan Murozt, V., 2000, Evaluation of The Acidity of Pillared Montmorillonites by Pyridine Adsorption, *Clay clay Miner.*, 48(5), 528-535.
- Lertsathapornsuk V, Pairintra R, Aryusuk K, Krisnangkura K. *Microwave* assisted in continuous biodiesel production from waste frying Palm oil and its performance in a 100 kW diesel generator. *Fuel Process Technol* 2008;89:1330–6.
- Lestari, S dan Aryanto, Y.,Prosiding Seminar Nasional Kimia XIV, ISSN:1410-8313, 164-172
- Leung, D.Y.C., Wu, X., Leung, M.K.H., 2010, A Review on Biodiesel Production using Catalyzed Transesterification, *Appl. Energy*, 87, 1083–1095.
- Liu, S., Huang, S., Guan, L., Li, J., Zhao, N., Wei, W., and Sun, Y., 2007, Preparation of a Novel Mesoporous Solid Base Na–ZrO₂ with Ultra High Thermal Stability, *Micropor. Mesopor. Mat*, 102, 304–309.

- Li, Y.C., Yang, P.M., Chen, S.C, and Lin, J.F., 2013, Improving Biodiesel Yields from Waste Cooking Oil Using Ionic Liquids as Catalysts with a *Microwave Heating System*, *Fuel Process Technol.*, 115, 57–62.
- Lowell, S., Shield, J. E., 1984, Powder Surface Area and Porosity, 2nd ed, *Chapman and Hall Ltd*, London.
- Lidström P, Tierney J, Wathey B, Westman J. 2001, *Microwave assisted organic synthesis – a review*. *Tetrahedron* 2001;57:9225–83.
- Ma, F., and Hanna, M. A., 1999, Biodiesel Production:A review, *Bioresour.Technol.*, 70, 11-15.
- Mandal, V., Dewanje, S., Mandal, S.C., 2009, *Microwave Assisted Extraction of Total Bioactive Saponin Fraction from Gymnema Sylvestre with Reference to Gymnemagenin*, *Phytochem. Anal.*, 491-497.
- Martin, R.T., Bailey, S.W., Eberl, D.D., Fanning, D.S., Guggenheim, S., Kodama, H., Pevear, D. R., Srodon, J., and Wicks, F.J., 1991, Report of The Clay Minerals Society Nomenclature Committee: Revised Classification of Clay Materials. *Clays Clay Miner.*, 39 (3), 333–335.
- Melero, J. A., Bautista, L. F., Iglesias, J., Morales, G., and Sánchez-vazquez, R., 2013, Production of Biodiesel from Waste Cooking oil in a Continuous Packed Bed Reactor with an Agglomerated Zr-SBA-15/Bentonite Catalyst. *Appl.Catal. B: Environmental*.
- Meher LC, Dharmagadda VSS, Naik S.N., 2006, Optimization of alkali-catalyzed transesterification of Pongamia pinnata oil for production of biodiesel, *Bioresour Technol.*, 97:1392–7.
- Meher, L.C., Sagar, D.V., and Naik, S.N., 2006, Technical Aspects of Biodiesel Production by Transesterification—a review, *Renew.Sust. Energ. Rev.*, 10, 248-268.
- Mishra, B. G., and Rao, G. R., 2004, Physicochemical and Catalytic Properties of Zr-Pillared Montmorillonite with Varying Pillar Density, *Microporous Mesoporous Mater.*, 70, 43–50.
- Muhammad, Y., Mohd, W., Wan, A., and Aziz, A. R. A., 2014, Applied Catalysis A : General Activity of Solid Acid Catalysts for Biodiesel Production : A Critical review. *Appl.Catal.A: General* 470, 140–161.
- Murray, H., 2000, Traditional and New Applications for Kaolin, Smectite and Polygonskite: a General Overview, *Appl. Clay. Sci.*, 17, 207-221.
- Nagendrappa, G., 2002, Organic Synthesis using Clay Catalysts (Clays for 'Green Chemistry'), *Resonance*, 7(Januari), 64-77.
- Nagendrappa, G., 2011, Organic Synthesis Using Clay and Clay-Supported Catalysts, *Appl. Clay Sci.*, 53, 106–138.

- Ngamcharussrivichai, C., Nunthasanti, P., Tanachai, S., and Bunyakiat, K., 2010, Biodiesel Production Through Transesterification over Natural Calciums. *Fuel Process. Technol.*, 91(11), 1409–1415.
- Noiroj, K., Intarapong, P., Luengnaruemitchai, A., and Jai-In, S., 2009, A Comparative Study of KOH/Al₂O₃ and KOH/NaY Catalysts for Biodiesel Production via Transesterification from Palm Oil. *J. Renewable Energy*, 34(4), 1145–1150.
- Ohgushi, T., 2001, Mechanism of Microwave Heating of Zeolite A, *J. Porous Mat.*, 8, 23–35.
- Ohtsuka, K., 1997, Preparation and Properties of Two Dimensional Microporous Pillared Interlapis Solid, *Chem. Mater*; 9, 2039-2052.
- Ogawa, M., 1992, Preparation of Clay-Organic Intercalation Compound by Solid-Solid Reaction and Their Application to Photo-functional Material, *Dissertation, Waseda University, Tokyo*.
- Omar, W. N. N., and Amin, N. A. S., 2011, Biodiesel Production from Waste Cooking Oil over Alkaline Modified Zirconia Catalyst. *Fuel Process. Technol.*, 92(12), 2397–2405.
- Patel, A., Brahmkhatri, V., and Singh, N., 2013, Biodiesel Production by Esterification of Free Fatty Acid Over Sulfated Zirconia, *J. Renewable Energy*, 51, 227–233.
- Petchmala, A., Laosiripojana, N., Jongsomjit, B., Got, M., Panpranot, J., and Mekasuwandumrong, O., 2010, Transesterification of Palm Oil and Esterification Palm Fatty Acid in Near- and Super-Critical Methanol with SO₄-ZrO₂ catalysts. *Fuel*, 89, 2387–3239.
- Pinnavaia, T. J., 1983, Intercalated Clay Catalyst, *Science*, 220(4595), 365-371.
- Pires João, 2014, Nanoporous Materials: Pillared Clays and Regular Silicas as an Example of Synthesis and Their Porosity Characterization by X-Ray Diffraction, *Quim. Nova*, 37(1), 168-170.
- Qiu, F., Li, Y., Yang, D., Li, X., and Sun, P., 2011, Biodiesel Production from Mixed Soybean Oil and Rapeseed oil, *Appl. Energy*, 88, 2050-2055.
- Ramos, M.J., Fernandez, C.M., Casa, A., Rodriguez, L., and Perez, A., 2009, Influence of Fatty Acid Composition of Raw Material on Biodiesel Properties, *Biores Technol*, 100, 261-268.
- Rashtizadeh, E., Farzaneh, F., and Ghandi, M., 2010, A Comparative Study of KOH Loaded on Double Aluminosilicate Lapis s, Microporous and Mesoporous Materials as Catalyst for Biodiesel Production via Transesterification of Soybean oil. *Fuel*, 89(11), 3393–3398.

- Refaat AA, El Sheltawy ST, Sadek K. U, 2008, Optimum reaction time, performance and exhaust emissions of biodiesel produced by *microwave irradiation*. *Int J Environ. Sci. Technol.*, 5(3):315–22.
- Rightor, E.G., Tzou, M.S., and Pinnavaia, T.J., 1991, Iron Oxide Pillared Clay With Large Gallery Height: Synthesis and Properties as a Fischer-Tropsch Catalyst, *J. Catal.*, 130, 29-40.
- Saifuddin N, Chua, K.H., 2004, Production of ethyl ester (Biodiesel) from used frying oil: Optimization of transesterification process using microwave irradiation. *Malaysian. J. Chem.*, 6(1): 77–82.
- Sakka, S., 2005, Handbook of Sol-Gel Science and Technology Processing, Characterization and Application, *Kluwer Academic Publisher*, Amerika.
- Sánchez, M., Navas, M., Ruggera, J. F., Casella, M. L., Aracil, J., and Martínez, M., 2014, Biodiesel Production Optimization using $\gamma\text{Al}_2\text{O}_3$ Based Catalysts. *Energy*, 73, 661–669.
- Scrimgeour, C., 2005, Chemistry of Fatty Acids in: Bailey's Industrial Oil and Fat products, Fereidoon Shahidi (Editor), 6th edition, John Wiley & Sons, Inc.
- Sekewael, S.J., Wijaya, K., Triyono, Budiman, A., 2006, Microwave Assisted Preparation and Physico-Chemical Properties of Mixed Oxides Silica-Zirconia Montmorillonite K10 Nanocomposite, *Asian.J.Chem.*, Vol.28. No.10: 2325-2330.
- Shakinaz, A.E.S., Refaat A.A. & Shakinaz, T.E.S., 2010, Production of biodiesel using the microwave technique. *J. of Advan. Res*, Vol. 1, No. 4, pp. 309-314.
- Shaw, D.J., 1992, Introduction to Colloid and Surface Chemistry, Fourth Edition, 124, 169-173, *Butterworth Heinemann Oxford*.
- Sharma, Y. C., Singh, B., and Korstad, J., 2011, Latest Developments on Application of Heterogenous Basic Catalysts for an Efficient and Ecofriendly Synthesis of Biodiesel: a review, *Fuel*, 90, 1309–24.
- Singh, V., Sapehiyia, V., and Kad, G. L., 2004, Ultrasound and Microwave Activated Preparation of ZrO_2 -Pillared Clay Composite: Catalytic Activity for Selective, Solventless Acylation of 1,n-diols. *J. Mol. Catal. A: Chem*, 210, 119–124.
- Singh, V., Sapehiyia, V., Srivastava, V., and Kaur, S., 2006, ZrO_2 -Pillared Clay: An Efficient Catalyst for Solventless Synthesis of Biologically Active Multifunctional Dihydropyrimidinones. *Catal. Commun*, 7, 571–578.
- Sibilia, J. P., 1996, A Guide to Material Characterization and Chemical Analysis, 2nd Edition, *VCH Publisher*, Inc.
- Soetaredjo, F. E., Ayucitra, A., Ismadji, S., and Maukar, A. L., 2011, KOH / Bentonite Catalysts for Transesterification of Palm Oil to Biodiesel, *Appl. Clay Sci.*, 53, 341–346.

- Souza, J., and Nagaraju, N., 2006, Catalytic Activity of Anion-Modified Zirconia, Alumina and Silica in the Esterification of Benzyl Alcohol with Acetic Acid., *Indian. J. Chem.Technol.*, 13, 605-613.
- Sumerta, I. K., Wijaya, K., dan Tahir, I., 2003, Fotodegradasi Metilen Biru Menggunakan Katalis TiO₂-Montmorillonit dan Sinar UV, *Jurnal Kimia*, 1, 39-45.
- Suppalakpanya K, Ratanawilail SB, Tongurai C., 2010, Production of ethyl ester from crude Palm oil by two-step reaction with a *microwavesystem*. *Fuel*, 89:2140–2144.
- Suseno, A., Wijaya, K., Trisnuaryanti, W., Shidiq, M., 2015, Synthesis and Characterization of ZrO₂-Pillared Bentonites, *Asian.J.Chem.*; Vol. 27.No.7: 2619-2623.
- Tan, K.H., 1982, *Dasar-Dasar Kimia Tanah*, Terjemahan oleh Goenadi, D.H., Edisi I, *Gadjah Mada University Press*, Yogyakarta.
- Takase, M., Zhang, M., Feng, W., Chen, Y., Zhao, T., Cobbina, S. J., Liuqing, Y., and Wu, X., 2014, Application of Zirconia Modified with KOH as Heterogeneous Solid Base Catalyst to New Non-Edible Oil for Biodiesel, *Energy Convers. Manage*, 80, 117–125.
- Taufiq, Y.H., Abdulah, N.F., and Basri, M., 2011, Biodiesel Production via Transesterification of Palm Oil Using NaOH/A₂O₃ Catalysts, *Sains Malays.*, 40(6), 587-594.
- Tyagi, B., Mishra, M.K., and Jasra, R.V., 2010, Solvent Free Synthesis of Acetyl Salicylic Acid Over Nano-Crystalline Sulfated Zirconia Solid Acid Catalyst, *J. Mol. Catal. A: Chem.*, 317(1-2), pp, 41–45.
- Tomul, F., 2011, Effect of Ultrasound On The Structural and Textural Properties of Copper-Impregnated Cerium-Modified Zirconium-Pillared Bentonite, *Appl. Surf. Sci.*, 258, 1836-1840.
- Utubira Y., Wijaya K., Triyono., and E.S. Kunarti., 2016, Microwave Assisted Preparation of Zirconia-Pillared Bentonite, *Int. J. ChemTech.Res*, 9(4): 475-482.
- Vijaya, C., Rengaraj, K., and Sivasankar, B., 1999, Surface Characteristics and Cracking Activity of Zirconium Pillared Clays, *Indian. J. Chem.*, 38A, 119-123.
- Vicente, M.A., Belver, C., Trujillano, R., Rives, A., and Alvarez, A.C., 2004, Preparation and Characterization of Mn and Co-supported Catalysts Derived from Al-Pillared Clays and Mn-and Co-complexes, *Appl. Catal. A*, 267, 47-58.
- Vicente G, Marti´nez M, Aracil J., 2005, Optimization of Brassicacarinata oil methanolysis for biodiesel production. *J. Am. Oil Chem. Soc.* (JAOCS) 82(12):899–904.

- Wang, Z., Sun, X., Sun, G. and Liu, G., 2007, Preparation of Biodiesel Catalyzed by $\text{SO}_4^{2-}/\text{Fe}_2\text{O}_3$ Solid Super Acid, *China Oils and Fats*, 32(8), 59-62.
- Wang, Y. Y., Chou, H. Y., Chen, B. H., and Lee, D. J., 2013, Optimization of Sodium Loading on Zeolite Support for Catalyzed Transesterification of Ttriolein with Methanol. *Bioresour. Technol*, 145, 248–253.
- Wijaya, K., 2002, Modification of Lapis ed and Porous Materials, *Indones. J. Chem.*, 23, 142-154.
- Xie, W., and Lie, H., 2006, Alumina Supported Potassium Iodide as Heterogeneous Catalyst for Biodiesel Production from Soybean Oil, *J. Mol. Catal. A. Chem.*, 255, 1–9.
- Xie, W., Huang, X., and Li, H., 2007, Soybean Oil Methyl Esters Ppreparation Using NaX Zeolites Loaded with KOH as a Heterogeneous Catalyst, *Bioresour.Technol*, 98, 936-939.
- Yuan, P., Yin, X., He, H., Yang, D., Wang, L., and Zhu, J., 2006, Investigation on Delaminated-Pillared Structure of TiO_2 -PILC Synthesized by TiCl_4 Hydrolysis Method, *Microporous Mesoporous Mater.*, 93(1-3), 240-247.
- Yang, R.T., Chem, J.P., Kikkinides, E.S., and Cheng, L.S., 1992, Pillared Clays as Superior Catalyst for Selective Catalytic Reduction of NO with NH_3 , *Ind. Eng. Chem. Res.*, 31, 1440 – 1445.
- Yamanaka, S., Inoue, Y., Hattori, M., Okumura, F., Yoshikawa, M., 1992, Preparation and Properties of Clays Pillared with SiO_2 - TiO_2 Sol Particles. *Bull. Chem. So. Jpn.*, 65, 2494–2500.
- Zatta, L., Ramos, L. P., and Wypych, F., 2013, Applied Clay Science Acid-activated Montmorillonites as Heterogeneous Catalysts for the Esterification of Lauric Acid with Methanol, *Appl. Clay Sci.*, 80-81, 236–244.
- Zhang, H., Ding, J., and Zhao, Z., *Microwave* Assisted Esterification of Acidified Oil from Waste Cooking Oil by CERP/PES Catalytic Membrane for Biodiesel Production, *Bioresour.Tec*. 20
- Zhu, H. Y., Zhao, J. C., Liu, J. W., Yang, X. Z., and Shen, Y. N., 2006, General Synthesis of a Mesoporous Composite of Metal Oxide and Silicate Nanoparticles from a Metal Salt and Laponite Suspension for Catalysis. *Chem. Mater*, 18(2), 3993–4001.
- Zyuzin.D.A., Moroz, E.M., Kuznetsova, T.G., Sadykov, V.A., and Doronin, V.P., 2003, X-Ray Diffraction Study Of Zircinua Pillared Clay, *React. Kinet. Catal. Lett.*, 81(1), 137-142.