

DAFTAR PUSTAKA

- Adedini, S. A., Odimegwu, C., Imasiku, E. N. & Ononokpono, D. N. (2015) Unmet Need for Family Planning: Implication for Under-five Mortality in Nigeria. *Journal of Health, Population, and Nutrition*, 33 (1): 187-206.
- Ahmed, S., Li, Q., Liu, L. & Tsui, A. O. (2012) Maternal deaths averted by contraceptive use: an analysis of 172 countries. *The Lancet*, 380 (9837): 111-125.
- Ajong, A. B., Njotang, P. N., Yakum, M. N., Essi, M. J., Essiben, F., Eko, F. E., Kenfack, B. & Mbu, E. R. (2016) Determinants of unmet need for family planning among women in Urban Cameroon: a cross sectional survey in the Biyem-Assi Health District, Yaoundé. *BMC women's health*, 16 (1): 4.
- Ajzen, I. (2005) *Attitudes, personality, and behavior*: McGraw-Hill Education (UK).
- Akaike, H. (2011). Akaike's information criterion. *International encyclopedia of statistical science*. Springer.
- Akour, A. A., Kilani, M.-V. Z. & Bardaweel, S. K. (2015) Current knowledge, attitude, and patterns of oral contraceptives utilization among women in Jordan. *BMC women's health*, 15 (1): 117.
- Ali, A. a. A. & Okud, A. (2013) Factors affecting unmet need for family planning in Eastern Sudan. *BMC Public Health*, 13 (1): 102.
- Ali, M. M. & Cleland, J. (2010) Contraceptive switching after method-related discontinuation: Levels and differentials. *Studies in family planning*, 41 (2): 129-133.
- Allen, R. H., Cwiak, C. A. & Kaunitz, A. M. (2013) Contraception in women over 40 years of age. *Canadian Medical Association Journal*, 185 (7): 565-573.
- Ansary, R. & Anisujjaman, M. (2012) Factors determining pattern of unmet need for family planning in Uttar Pradesh, India. *International Research Journal of Social Sciences*, 1 (4): 16-23.
- Asadi Sarvestani, K., Ahmadi, A., Enayat, H. & Movahed, M. (2017) Level and Factors Related to Unintended Pregnancy with a Brief Review of New Population Policies in Iran. *Iran J Public Health*, 46 (7): 973-981.
- Atuahene, M. D., Afari, E. O., Adjuik, M. & Obed, S. (2016) Health knowledge, attitudes and practices of family planning service providers and clients in Akwapim North District of Ghana. *Contraception and Reproductive Medicine*, 1 5.
- Ayuningtyas, D. & Oktaviana, W. (2015) Factors contributing to unmet need for contraception in Nusa Tenggara Barat, Indonesia. *Journal of Reproduction and Contraception*, 26 (4): 239-248.
- Bailey, C. (Year) Hormonal contraceptives, duration of use and the experience of side effects in Southern Ghana. *In: XXVII IUSSP International Population Conference, 2013*. 26-31.
- Author. (2018). Kesadaran Menggunakan Alat Kontrasepsi Meningkatkan. *e-paper Digital Newspaper BALIKPAPAN POS*.

- Bertrand, J. T., Hardee, K., Magnani, R. J. & Angle, M. A. (1995) Access, quality of care and medical barriers in family planning programs. *International family planning perspectives*, 64-74.
- Bishwajit, G., Tang, S., Yaya, S. & Feng, Z. (2017) Unmet need for contraception and its association with unintended pregnancy in Bangladesh. *BMC Pregnancy and Childbirth*, 17 186.
- BKKBN (2015) Rencana Strategis BKKBN Tahun 2015-2019. In: NASIONAL, B. K. D. K. B. (ed.). Jakarta: BKKBN.
- BKKBN, B. K. K. B. N. (2013) Survey demografi dan kesehatan Indonesia (SDKI) 2012. Jakarta: BKKBN.
- BPS, B. (2013) Survei Demografi dan Kesehatan Indonesia 2012. Jakarta: BPS, BKKBN, Kementerian Kesehatan.
- Bradley, S. E., Croft, T. N., Fishel, J. D. & Westoff, C. F. (2012) Revising unmet need for family planning.
- Bruce, J. (1990) Fundamental elements of the quality of care: a simple framework. *Studies in family planning*, 21 (2): 61-91.
- Casterline, J. B. & El-Zeini, L. O. (2014) Unmet need and fertility decline: a comparative perspective on prospects in sub-Saharan Africa. *Stud Fam Plann*, 45 (2): 227-45.
- Chandra-Mouli, V., Svanemyr, J., Amin, A., Fogstad, H., Say, L., Girard, F. & Temmerman, M. (2015) Twenty years after International Conference on Population and Development: where are we with adolescent sexual and reproductive health and rights? *Journal of Adolescent Health*, 56 (1): S1-S6.
- Cleland, J., Conde-Agudelo, A., Peterson, H., Ross, J. & Tsui, A. (2012) Contraception and health. *The Lancet*, 380 (9837): 149-156.
- Cleland, J. & Machiyama, K. (Year) Unmet need for family planning: past achievements and remaining challenges. In: Seminars in reproductive medicine, 2015. 11-16.
- Cohen, S. A. (2012) London Summit puts family planning back on the agenda offers new lease on life for millions of women and girls. *Guttmacher Policy Review*, 15 (3): 20-24.
- Corroon, M., Speizer, I. S., Fotso, J.-C., Akiode, A., Saad, A., Calhoun, L. & Irani, L. (2014) The role of gender empowerment on reproductive health outcomes in urban Nigeria. *Maternal and child health journal*, 18 (1): 307-315.
- Creswell, J. (2015) Riset pendidikan: Perencanaan, pelaksanaan, dan evaluasi riset kualitatif & kuantitatif. Yogyakarta: Pustaka Pelajar.
- Creswell, J. W. (2014) *Desain Penelitian Pendekatan Kualitatif dan Pendekatan Kuantitatif dan Mixed*: Yogyakarta: Penerbit Pustaka Pelajar.
- Edmonds, W. A. & Kennedy, T. D. (2016) *An Applied Guide to Research Designs: Quantitative, Qualitative, and Mixed Methods*: Sage Publications.
- Erfani, A. (2013) Levels, trends, and determinants of unintended pregnancy in iran: the role of contraceptive failures. *Stud Fam Plann*, 44 (3): 299-317.

- Fetters, M., Curry, L., and Creswell, J. W. (2013) *Achieving integration in mixed methods designs: Principles and practices. : Health Service Research*.
- FP2020. (2017) *Indonesia FP2020 commitment(2017)* [Online]. [Accessed].
- Gavin, L., Moskosky, S., Carter, M., Curtis, K., Glass, E., Godfrey, E. & Zapata, L. (2014) Providing quality family planning services. *MMWR*, 63 (4): 1-54.
- Guetterman, T. C., Fetters, M. D. & Creswell, J. W. (2015) Integrating Quantitative and Qualitative Results in Health Science Mixed Methods Research Through Joint Displays. *Annals of Family Medicine*, 13 (6): 554-561.
- Hailemariam, A. & Haddis, F. (2011) Factors affecting unmet need for family planning in southern nations, nationalities and peoples region, Ethiopia. *Ethiopian journal of health sciences*, 21 (2): 77-90.
- Health, W. H. O. R., Family, W. H. O. & Health, C. (2005) *Selected practice recommendations for contraceptive use*: World Health Organization.
- Ibnouf, A., Van Den Borne, H. & Maarse, J. (2007) Utilization of family planning services by married Sudanese women of reproductive age.
- Jain, A. K., Ramarao, S., Kim, J. & Costello, M. (2012) Evaluation of an intervention to improve quality of care in family planning programme in the Philippines. *Journal of biosocial science*, 44 (1): 27-41.
- Jones, R. K., Tapales, A., Lindberg, L. D. & Frost, J. (2015) Using longitudinal data to understand changes in consistent contraceptive use. *Perspectives on sexual and reproductive health*, 47 (3): 131-139.
- Kemenkes, R. (2016) *Profil Kesehatan Indonesia Tahun 2015*. Jakarta: Kemenkes RI.
- Khraif, R., Salam, A. A., Al-Mutairi, A., Elsegaey, I. & Ajumah, A. (2017) Dynamics of contraceptive use: A study of King Saud University women staff, Riyadh. *Middle East Fertility Society Journal*, 22 (1): 18-26.
- Kisaakye, P. (2013) Determinants of unmet need for contraception to space and limit births among various groups of currently married women in Uganda. *European Scientific Journal, ESJ*, 9 (19).
- Küçük, M., Aksu, H. & Sezer, S. D. (2012) Misconceptions about the side effects of combined oral contraceptive pills. *Gynecological Endocrinology*, 28 (4): 282-285.
- Machiyama, K., Casterline, J. B., Mumah, J. N., Huda, F. A., Obare, F., Odwe, G., Kabiru, C. W., Yeasmin, S. & Cleland, J. (2017) Reasons for unmet need for family planning, with attention to the measurement of fertility preferences: protocol for a multi-site cohort study. *Reproductive Health*, 14 23.
- Machiyama, K. & Cleland, J. (2013) Insights into unmet need in Senegal.
- Marston, C., Renedo, A., Nyaaba, G., Machiyama, K. & Tapsoba, P. (2016) *Understanding fertility regulation strategies among educated women in Accra*, STEP UP Research Report. London: London School of Hygiene & Tropical Medicine.

- Mcintosh, C. A. & Finkle, J. L. (1995) The Cairo conference on population and development: A new paradigm? *Population and development review*, 223-260.
- Nasution, S. L. (2011) *Faktor-faktor yang mempengaruhi penggunaan MKJP di enam wilayah Indonesia*, Jakarta, Indonesia: BKKBN.
- National Population and Family Planning Board of Indonesia (Bkkbn), U. G. M. U., Universitas Hasanuddin (Unhas) & U.S.U (Usu) (2015) *Performance Monitoring and Accountability 2020 (PMA2020) survey round 1*, Baltimore: Bill & Melinda Gates Institute for Population and Reproductive Health and Johns Hopkins Bloomberg School of Public Health
- Nazir, M. (2013) *Metode Penelitian Kombinasi Mixed Methods*. Bandung: Alfabeta.
- Nyauchi, B. & Omedi, G. (2014) Determinants of unmet need for family planning among women in Rural Kenya. *Etude de la Population Africaine*, 28 (2): 999.
- O'cathain, A., Murphy, E. & Nicholl, J. (2008) The quality of mixed methods studies in health services research. *Journal of Health Services Research & Policy*, 13 (2): 92-98.
- Olaolorun, F. M. & Hindin, M. J. (2014) Having a say matters: influence of decision-making power on contraceptive use among Nigerian women ages 35–49 years. *PloS one*, 9 (6): e98702.
- Orach, C. G., Otim, G., Aporomon, J. F., Amone, R., Okello, S. A., Odongkara, B. & Komakech, H. (2015) Perceptions, attitude and use of family planning services in post conflict Gulu district, northern Uganda. *Conflict and Health*, 9 24.
- Pasha, O., Goudar, S. S., Patel, A., Garces, A., Esamai, F., Chomba, E., Moore, J. L., Kodkany, B. S., Saleem, S., Derman, R. J., Liechty, E. A., Hibberd, P. L., Hambidge, K. M., Krebs, N. F., Carlo, W. A., McClure, E. M., Koso-Thomas, M. & Goldenberg, R. L. (2015) Postpartum contraceptive use and unmet need for family planning in five low-income countries. *Reproductive Health*, 12 (Suppl 2): S11-S11.
- PMA2020 (2015a) *Performance Monitoring and Accountability 2020 (PMA2020)* Baltimore: Bill & Melinda Gates Institute for Population and Reproductive Health, Johns Hopkins Bloomberg School of Public Health.
- PMA2020 (2015b) *PMA2015/INDONESIA-R1/PERFORMANCE MONITORING & ACCOUNTABILITY 2020*,
- PMA2020 (2016) *PMA2016/Indonesia Round 2 Household and Individual Female Dataset*. Indonesia: National Population and Family Planning Board of Indonesia (Bkkbn), Universitas Gadjah Mada (UGM), Universitas Hasanuddin (UNHAS), Universitas Sumatera Utara (USU) and The Bill & Melinda Gates Institute for Population and Reproductive Health at The Johns Hopkins Bloomberg School of Public Health. .
- Potter, J. E., Hopkins, K., Aiken, A. R. A., Lopez, C. H., Stevenson, A. J., White, K. & Grossman, D. (2014) Unmet Demand for Highly Effective Postpartum Contraception in Texas. *Contraception*, 90 (5): 488-495.

- Rai, R. K. & Unisa, S. (2013) Dynamics of contraceptive use in India: apprehension versus future intention among non-users and traditional method users. *Sexual & Reproductive Healthcare*, 4 (2): 65-72.
- RI, K. K. (2013) Survei demografi dan kesehatan Indonesia 2012. Jakarta. *Kemenkes RI*.
- Richardson, E., Allison, K. R., Gesink, D. & Berry, A. (2016) Barriers to accessing and using contraception in highland Guatemala: The development of a family planning self-efficacy scale. *Open access journal of contraception*, 7 77.
- Rios-Zertuche, D., Blanco, L. C., Zúñiga-Brenes, P., Palmisano, E. B., Colombara, D. V., Mokdad, A. H. & Iriarte, E. (2017) Contraceptive knowledge and use among women living in the poorest areas of five Mesoamerican countries. *Contraception*, 95 (6): 549-557.
- Rizali, M. I., Ikhsan, M. & Salmah, A. U. (2016) Faktor yang Berhubungan dengan Pemilihan Metode Kontrasepsi Suntik di Kelurahan Mattoangin Kecamatan Mariso Kota Makassar. *Media Kesehatan Masyarakat Indonesia*, 9 (3): 176-183.
- Rossier, C., Bradley, S. E., Ross, J. & Winfrey, W. (2015) Reassessing unmet need for family planning in the postpartum period. *Studies in family planning*, 46 (4): 355-367.
- Sari, R. A. (2014) DETERMINAN UNMET NEED PELAYANAN KELUARGA BERENCANA DI INDONESIA (ANALISIS DATA SDKI 2012). Universitas Gadjah Mada.
- Sedgh, G., Ashoford, L. S. & Hussain, R. (2016) *Unmet need for contraception in developing countries: examine women's reasons for not using a method*, The Guttmacher Institute.
- Sedgh, G. & Hussain, R. (2014) Reasons for contraceptive nonuse among women having unmet need for contraception in developing countries. *Studies in Family Planning*, 45 (2): 151-169.
- Staveteig, S. (2017) Fear, opposition, ambivalence, and omission: Results from a follow-up study on unmet need for family planning in Ghana. *PloS one*, 12 (7): e0182076.
- Sugiyono (2017) *Metode Penelitian Kuantitatif Kualitatif dan R&D*, Bandung, Indonesia: CV. Alfabeta.
- Triana, V., Wilopo, S. A. & Sumarni, S. (2011) HAMBATAN PSIKOSOSIAL DAN NIAT KELUARGA BERENCANA PADA WANITA UNMETNEED KONTRASEPSI DI INDONESIA (ANALISIS DATA SDKI 2007). *Jurnal Kesehatan Masyarakat Andalas*, 6 (1): 28-35.
- UN, U. N. (2014) *World contraceptive use 2014*, United Nations: Department of Economic and Social Affairs, Population Division. *POP/DB/CP/Rev2014*
- UN, U. N. (2015) *Trends in Contraceptive Use Worldwide 2015*, United Nations
- Wang, W., Wang, S., Pullum, T. & Ametepi, P. (2012) How family planning supply and the service environment affect contraceptive use: Findings from four East African countries.

- WHO. (2015) *Unmet need for family planning* [Online]. Available: http://www.who.int/reproductivehealth/topics/family_planning/unmet_need [Accessed 04/08/17 07.53].
- Wilopo, S. A., Setyawan, A., Pinandari, A. W., Prihyugiarto, T., Juliaan, F. & Magnani, R. J. (2017) Levels, trends and correlates of unmet need for family planning among postpartum women in Indonesia: 2007–2015. *BMC Women's Health*, 17 120.
- Withers, M., Browner, C. & Adinata, I. N. A. (2018). The Role of Balinese Culture in Explaining Inconsistencies Between Fertility Intentions and Reproductive Outcomes. *Global Perspectives on Women's Sexual and Reproductive Health Across the Lifecourse*. Springer.
- Wulifan, J. K., Brenner, S., Jahn, A. & De Allegri, M. (2016) A scoping review on determinants of unmet need for family planning among women of reproductive age in low and middle income countries. *BMC women's health*, 16 (1): 2.