



DAFTAR PUSTAKA

- Ahmed, M.A.A., Abd-Elrahman, A., Escobedo, F.J., Cropper Jr, W.P., Martin, T.A., Timilsina, N. 2017. Spatially-explicit modeling of multi-scale drivers of aboveground forest biomass and water yield in watersheds of the Southeastern United States. *Journal of Environmental Management* 199 (2017) 158-171.
- Areola, O. 1977. Photo interpretation of land facets as soil mapping technique. *Geojournal Vol. 20*.
- Argyriou, A.V., Teeuw, R.M., Rust, D., Sarris, A. 2016. GIS multi-criteria decision analysis for assessment and mapping of neotectonic landscape deformation: A case study from Crete. *Geomorphology* 253 (2016) 262–274.
- Askne, J.I.H., Soja, M.J., Ulander, M.L.H. 2017. Biomass estimation in a boreal forest from TanDEM-X data, lidar DTM, and the interferometric water cloud model. *Remote Sensing of Environment* 196 (2017) 265–278.
- Basuki, T.M., Van Laake, P.E., Skidmore, A.K., Hussin, Y.A., 2009. Allometric equations for estimating the aboveground biomass in tropical lowland Dipterocarp forests. *For. Ecol. Manage.* 257, 1684–1694.
- Birch, S.P.D., Hayes, A.G., Dietrich, W.E., Howard, A.D., Bristow, C.S., Malaska, M.J., Moore, J.M., Mastrogiuseppe, M., Hofgartner, J.D., Williams, D.A., White, O.L., Soderblom, J.M., Barnes, J.W., Turtle, E.P., Lunine, J.I., Wood, C.A., Neish, C.D., Kirk, R.L., Stofan, E.R., Lorenz, R.D., Lopes, R.M.C. 2017. Geomorphologic mapping of titan's polar medans: Constraining surface processes and landscape evolution. *Icarus* 282 (2017) 214–236.
- Bismark, M. 2011. *Prosedur Operasi Standar (SOP) untuk Survei Keragaman Jenis Pada Kawasan Konservasi*. Pusat Penelitian dan Pengembangan Perubahan Iklim dan Kebijakan Badan Penelitian dan Pengembangan Kehutanan, Kementerian Kehutanan, Indonesia Kerjasama International Tropical Timber Organization (ITTO).
- Bourne, R. 1931. Regional survey and its relation to stock-taking of the agricultural and forest resources of the British Empire. *Oxford forestry memoir 13*. Clarendon, Oxford.
- Brink, A.B., Bodart, C., Brodsky, L., Defourney, P., Ernst, C., Donney, F., Lupi, A., Tuckova, K. 2014 Anthropogenic pressure in East Africa-Monitoring 20 years of land cover changes by means of medium resolution satellite data. *Int J Appl Earth Obs Geoinf* 28:60-69.
- Brink, A.B.A., Patridge, T.C., Williams, A.A.B. 1984. *Soil Survey for Engineering*. Oxford.
- Brown, Sandra, 1997. *Estimating Biomass and Biomass Change of Tropical Forests: a Primer*. FAO Forestry Paper - 134. FAO, Rome.



- Bulmer, R.H., Schwendenmann, L., Lundquist, C.J. 2016. Allometric Models for Estimating Aboveground Biomass, Carbon and Nitrogen Stocks in Temperate *Avicennia marina* Forests. *Wetlands (2016)* 36:841–848.
- Burnett, C., Blaschke, T. 2003. A multi-scale segmentation/object relationship modelling methodology for landscape analysis. *Ecological Modelling* 168 (2003) 233–249.
- By, R.A.D. 2001. *Principles of Geographic Information System*. ITC, Enschede, The Netherlands.
- Carré, F., McBratney, A.B., Myar, T., Montanarella, L., 2007. Digital soil assessments: beyond DSM. *Geoderma* 142, 69–79.
- Chen, Q., McRoberts, R.E., Wang, C., Radtke, P.J. 2016. Forest aboveground biomass mapping and estimation across multiple spatial scales using model-based inference. *Remote Sensing of Environment* 184 (2016) 350–360.
- Christian, C.S. 1958. The concept of land units and land systems. *Proceedings of the 9th Pacific Science Congress* 20:74–81.
- Danoedoro, P. 2012. Pengantar Penginderaan Jauh Digital. Penerbit ANDI Yogyakarta.
- De Aparajita. 2007. Patterns of plant species diversity in the forest corridor of Rajaji-Corbett National Parks, Uttaranchal, India. *Curr Sci (Bangalore)* 92(1):90–93.
- de la Rúa, C., Lechon, Y. 2016. An integrated Multi-Regional Input-Output (MRIO) Analysis of miscanthus biomass production in France: Socio-economic and climate change consequences. *Biomass and Bioenergy* 94 (2016) 21e30.
- Du, L., Zhou, T., Zou, Z., Zhao, X., Huang, K., Wu, H. 2014. Mapping Forest Biomass Using Remote Sensing and National Forest Inventory in China. *Forests* 2014, 5, 1267-1283.
- Dulbahri. 1985. *Interpretasi Citra untuk Survey Vegetasi*. Puspics – Bokusurtanal – UGM, Yogyakarta.
- Eisank, C., Draguf, L., Gotz, J., Blaschke, T. 2011. Developing A Semantic Model of Glacial Landforms for Object-based Medan Classification-The Example of Glacial Cirques. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences, Vol. XXXVIII-4/C7*.
- Fayad, I., Baghdadi, N., Guitet, S., Bailly, J.S., Hérault, B., Gond, V., Hajj, M.E., Minh, D.H.T. 2016. Aboveground biomass mapping in French Guiana by combining remote sensing, forest inventories and environmental data. *International Journal of Applied Earth Observation and Geoinformation* 52 (2016) 502–514.
- Fenneman, N.M. 1916. Physiographic divisions of the United States Plate I. *Ann Assoc Am Geogr* 6:1898.



- Forman, R.T.T., Godron, M. 1986. *Landscape ecology*. Wiley, New York.
- Gao, Z.Q., Li, J.Y. 2008. Simulation study of China's net primary production. *Chin Sci Bull*, 2008, 53: 434–443.
- Hais, M., Chytry, M., Horsak, M. 2016. Exposure-related forest-steppe: A diverse landscape type determined by topography and climate. *Journal of Arid Environments* 135 (2016) 75-84.
- Hanberry, B.B., He, H.S., He, S.R. 2016. Loss of aboveground forest biomass and landscape biomass variability in Missouri, US. *Ecological Complexity* 25 (2016) 11-17.
- Harvey, F. 2008. *A Primer of GIS: Fundamental Geographic and Cartographic Concepts*. Guilford Publications, Inc. 72 Spring Street, New York.
- Hickin, E.J. 2014. *Maps and Mapping. A cartographic manual: Third Edition*. Simon Fraser University, Burnaby, B.C. Canada. V5A 1S6.
- Hofer, G., Wagner, H.H., Herzog, F., Edwards, P.J., 2008. Effects of topographic variability on the scaling of plant species richness in gradient dominated landscapes. *Ecography* 31, 131e139.
- Host, G.E., Polzer, P.L., Mladendoff, D.J., White, M.A., Crow, T.R. 1996. A quantitative approach to developing regional ecosystem classifications. *Ecol Appl* 6:608-618.
- Hu, Y., Su, Z., Li, W., Li, J., Ke, X. 2015. Influence of tree species composition and community structure on carbon density in a subtropical forest. *PLoS ONE* 2015, 10, e0136984.
- Huang, H., Liu, C., Wang, X., Biging, G.S., Chen, Y., Yang, J., Gong, P. 2017. Mapping vegetation heights in China using slope correction ICESat data, SRTM, MODIS-derived and climate data. *ISPRS Journal of Photogrammetry and Remote Sensing* 129 (2017) 189–199.
- IPCC. 2005. *Carbon Dioxide Capture and Storage*. Intergovernmental Panel on Climate Change. Cambridge University Pers.
- Jamali, S., Seaquist, J., Eklundh, L., Ardo, J. 2014. Automated mapping of vegetation trends with polynomials using NDVI imagery over the Sahel. *Remote Sensing of Environment* 141 (2014) 79-89.
- Jasiewicz, J., Netzel, P., Stepinski, T.F. 2014. Landscape similarity, retrieval, and machine mapping of physiographic units. *Geomorphology* 221 (2014) 104-112.
- King, A., 1997. Hierarchy theory: a guide to system structure for wildlife biologists. In: Bisonette, J. (Ed.), *Wildlife and Landscape Ecology: Effects of Pattern and Scale*. Springer, New York, pp. 185-212.
- King, C. 1878. United States geological exploration of the 40th parallel. *Annual reports to the secretary of war*, 8 vol, pp 1871–1878.



- Kumar, L., Sinha, P., Taylor, S., Alqurashi, F.A. 2015. Review of the use of remote sensing for biomass estimation to support renewable energy generation. *J. Appl. Remote Sens.* 9.
- Kurz, W.A., Birdsey, R.A., Mascorro, V.S., Greenberg D., Dai, Z., Olguín, M., Colditz, R., 2016. Modélisation et évaluation intégrées de la dynamique du carbone forestier en Amérique du Nord: Outils de suivi des émissions de gaz à effet de serre dans les forêts et de leur élimination, et de présentation de rapports et de projection connexes (rapport sommaire), *Commission de coopération environnementale, Montréal, Canada.*
- Kushwaha, S.P.S., Nandy, S., Gupta, M. 2014. Growing stock and woody biomass assessment in Asola-Bhatti Wildlife Sanctuary, Delhi, India. *Environmental Monitoring and Assessment*, 186(9), 5911–5920.
- Le Quéré, C., Moriarty, R., Andrew, R.M., Peters, G.P., Ciais, P., Friedlingstein, P., Jones, S.D., et al., 2015. Global Carbon Budget 2014. *Earth Syst. Sci. Data* 7 (1), 47–85.
- Lillesand, Keifer. 1993. *Remote Sensing and Image Interpretation*. Jhon Willey and Sons, New York.
- Lin, Z., Oguchi, T., 2004. Drainage density, slope angle, and relative basin position in Japanese bare lands from high-resolutions DEMs. *Geomorphology* 63, 159–173.
- Liu, Y., Li, P., Wang, G., Liu, G., Li, Z. 2016. Above- and below-ground biomass distribution and morphological characteristics respond to nitrogen addition in *Pinus tabuliformis*. *New Zealand Journal of Forestry Science* (2016) 46:25.
- Lu, D., Chen, Q., Wang, G., Liu, L., Li, G., Moran, E. 2016. A survey of remote sensing based aboveground biomass estimation methods in forest ecosystems. *International Journal of Digital Earth*, 9(1), 63-105.
- Manna, S., Nandy, S., Chanda, A., Akhand, A., Hazra, S., Dadhwal, V.K. 2014. Estimating aboveground biomass in *Avicennia marina* plantation in Indian Sundarbans using high-resolution satellite data. *Journal of Applied Remote Sensing*, 8, 1–13.
- Martín, B., Ortega, E., Otero, I., Arce, R.M. 2016. Landscape character assessment with GIS using map-based indicators and photographs in the relationship between landscape and roads. *Journal of Environmental Management* 180 (2016) 324e334.
- Michell, C.W., Howard, J.A. 1978. *Land System Classification. A case history: Jordan*. FAO, Rome.
- Migon, P., Kasprzak, M., Traczyk, A. 2013. How high-resolution DEM based on airborne LiDAR helped to reinterpret landforms-examples from the Sudetes. SW Poland. *Landform Anal.* 22, 89–101.
- Miller, B., Koszinski, S., Wehrhan, M., Sommer, M. 2015. Impact of multi-scale predictor selection for modeling soil properties. *Geoderma* 239-240, 97–106.



- Minar, J., Evans, I. 2008. Elementary forms for land surface segmentation: The theoretical basis of medan analysis and geomorphological mapping. *Geomorphology*, 95, 236-259.
- Mohammadi, M.F., Jalali, S.G., Kooch, Y., Pullicino, D.S. 2017. The effect of landform on soil microbial activity and biomass in a Hyrcanian oriental beech stand. *Catena* 149 (2017) 309–317.
- Mohammadi, M.F., Jalali, S.G., Kooch., Y., Theodose, T.A. 2015. The influence of landform on the understory plant community in a temperate Beech forest in northern Iran. *Ecol Res* (2015) 30: 385–394.
- Nie, S., Wang, C., Zeng, H., Xi, X., Li, G. 2017. Above-ground biomass estimation using airborne discrete-return and full-waveform LiDAR data in a coniferous forest. *Ecological Indicators* 78 (2017) 221–228.
- Ónodi, G., Kertész, M., Kovács-Láng, E., Ódor, P., Botta-Dukát, Z., Lhotsky, B., Barabás, S., Mojzes, A., Kröel-Dulay, G. 2017. Estimating aboveground herbaceous plant biomass via proxies: The confounding effects of sampling year and precipitation. *Ecological Indicators* 79 (2017) 355-360.
- Oriola, E.O., Adesina, F.A. 1988. Homogeneity in Soils of Areas Belonging to The Same Facet: An Example from Southwest Nigeria. *Malaysian Journal of Tropical Geography Vol. 17 June 1988*.
- Pain, C.F. 1985. Mapping of landforms from Landsat Imagery: an example from eastern New South Wales, Australia. *Rem Sens Envir* 15:55–65.
- Pflugmacher, D., Cohen, W.B., Kennedy, R.E., Yang, Z. 2014. Using Landsat-derived disturbance and recovery history and lidar to map forest biomass dynamics. *Remote Sens Environ* 151:124–137.
- Philips, C., Marden, M., Basher, L.R. 2017. Geomorphology and forest management in New Zealand's erodible steeplands: An overview. *Geomorphology xxx* (2017) xxx–xxx.
- Powell, J.W. 1875. Physical features of the Colorado Valley, I Mountains and Valleys. *PopSci Month* 7:384–399.
- Powell, S.L., Cohen, W.B., Healey, S.P., Kennedy, R.E., Moisen, G.G., Pierce, K.B., Ohmann, J.L. 2010 Quantification of live aboveground forest biomass dynamics with Landsat time-series and field inventory data: A comparison of empirical modeling approaches. *Remote Sens Environ* 114(5):1053–1068.
- Quintana, A.G., Duque, J.F.M., Martín, J.A.G., Hidalgo, J.F.G., Pedraza, J., Herranz, P., Rincon, R., Estevez, H. 2005. Geology and rural landscapes in central Spain (Guadalajara, Castilla—La Mancha). *Environ Geol* (2005) 47: 782–794.
- Quintana, A.G., Hidalgo, J.F.G., Duque, J.F.M., Pedraza, J., Martín, J.A. G. 2004. Geological factors of the Guadalajara landscapes (central Spain) and their relevance to landscape studies. *Landsc Urban Plan* 69:417–435.



- Regan, C.M., Connor, J.D., Segaran, R.R., Meyer, W.S., Bryan, B.A., Ostendorf, B. 2017. Climate change and the economics of biomass energy feedstocks in semi-arid agricultural landscapes: A spatially explicit real options analysis. *Journal of Environmental Management* 192 (2017) 171e183.
- Restrepo, C., Vitousek, P., Neville, P. 2003. Landslides significantly alter land cover and the distribution of biomass: an example from the Ninole ridges of Hawai'i. *Plant Ecology* 166: 131–143, 2003.
- Reuter, H.I., Giebel, A., Wendroth, O. 2005. Can Landform Stratification Improve Our Understanding of Crop Yield Variability? *Precision Agriculture*, 6, 521–537.
- Riihimäki, H., Heiskanen, J., Luoto, M. 2017. The effect of topography on arctic-alpine aboveground biomass and NDVI patterns. *International Journal of Applied Earth Observation and Geoinformation* 56 (2017) 44–53.
- Rossi, G., Ferrarini, A., Dowgiallo, G., Carton, A., Gentili, R., Tomaselli, M. 2014. Detecting complex relations among vegetation, soil and geomorphology. An in-depth method applied to a case study in the Apennines (Italy). *Ecological Complexity* 17 (2014) 87–98.
- Sagawa, T., Mikami, A., Aoki M.N., Komatsu, T. 2012. Mapping seaweed forests with Ikonos image based on bottom surface reflectance. *Proceedings of SPIE Remote Sensing of the Marine Environment II (Kyoto, Japan) 85250:Q1–Q7*.
- Sander, H.A., Polasky, S. 2009. The value of views and open space: estimates from a hedonic pricing model for Ramsey County, Minnesota, USA. *Land Use Policy* 26 (3), 837–845.
- Sartohadi, J., Sianturi, R. S., Rahmadana, A. D., Maritimo, F., Wacano, D., Munawaroh, Suryani, T., Pratiwi, E. S. 2014. *Bentang Sumberdaya Lahan Kawasan Gunungapi Ijen dan sekitarnya*, Pustaka Belajar dan Laboratorium Geografi Tanah, Fakultas Geografi UGM, Yogyakarta.
- Scatena, F.N., Lugo, A.E. 1995. Geomorphology, disturbance, and the soil and vegetation of two subtropical wet steepland watersheds of Puerto Rico. *Geomorphology* 13:199-213.
- Svob, S., Mora, J.P.A., Kalacska, M. 2014. A wood density and aboveground biomass variability assessment using pre-felling inventory data in Costa Rica. *Carbon Balance and Management* 2014, 9:9.
- Sawe, T.C., Munishi, P.K., Maliondo, S.M. 2014. Woodlands degradation in the Southern Highlands miombo of Tanzania: implications on conservation and carbon stocks. *Int J Biodiv Conserv* 6(3):230–237.
- Selkirk, P.M., Adamson, D.A., Downing, A.J. 2001. Landform and Vegetation Change in the Greaves Creek Basin: An asymmetric hanging valley in the Blue Mountains, New South Wales. *Australian Geographer*, 32:1, 45-75.
- Sevenant, M., Antrop, M. 2006. Settlement models, land use and visibility in rural landscapes: two case studies in Greece. *Landsc. Urban Plan.* 80 (4), 362–374.



- Singh, K.K., Chen, G., McCarter, J.B., Meentemeyer, R.K. 2015. Effects of LiDAR point density and landscape context on estimates of urban forest biomass. *ISPRS Journal of Photogrammetry and Remote Sensing 101 (2015) 310–322*.
- SNI 7724. 2011. Pengukuran dan penghitungan cadangan karbon - Pengukuran lapangan untuk penaksiran cadangan karbon hutan (*ground based forest carbon accounting*). Badan Standardisasi Nasional. ICS 65.020.
- SNI 7725. 2011. Penyusunan Persamaan Allometrik untuk Mendukung Penaksiran Cadangan Karbon Hutan Berdasar Pengukuran Lapangan.
- SNI: Standar Nasional Indonesia Penyusunan peta geomorfologi. 2002. Badan Standardisasi Nasional.
- Song, W., Mu, X., Ruan, G., Gao, Z., Li, L., Yan, G. 2017. Estimating fractional vegetation cover and the vegetation index of bare soil and highly dense vegetation with a physically based method. *International Journal of Applied Earth Observation and Geoinformation 58 (2017) 168–176*.
- Song, X.D., Brus, D., Liu, F., Li, D.C., Zhao, Y.G., Yang, J.L., Zhang, G.L. 2016. Mapping soil organic carbon content by geographically weighted regression: a case study in the Heihe River Basin, China. *Geoderma 261, 11–22*.
- Sugiyono. 2014. Metode Penelitian Kuantitatif, Kualitatif, dan Kombinasi (*Mixed Methods*). Bandung: Alfabeta.
- Sulebak, J.R., Etzelmüller, B., Sollid, J.L. 1997. Landscape regionalization by automatic classification of landform elements. *Norsk Geografisk Tidsskrift - Norwegian Journal of Geography, 51:1, 35-45*.
- Sun, X.L., Wang, H.L., Zhao, Y.G., Zhang, C., Zhang, G.L. 2017. Digital soil mapping based on wavelet decomposed components of environmental covariates. *Geoderma 303 (2017) 118–132*.
- Sutanto. 1996. *Penginderaan Jauh*. Yogyakarta. UGM Press.
- Sutaryo, D. 2009. *Penghitungan Biomasa: Sebuah pengantar untuk studi karbon dan perdagangan karbon*. Wetlands International Indonesia Programme, Bogor.
- Teka, K., Nyssen, J., Teha, N., Haile, M., Deckers, J. 2015. Soil, land use and landform relationship in the Precambrian lowlands of northern Ethiopia. *Catena 131 (2015) 84–91*.
- Tobler, W. R. 1988. *Resolution, resampling, and all that*. In Building Database for Global Science, eds. H. Mounsey and R. Tomlinson, 129-37. London: Taylor and Francis.
- USGS. 1999. *Map Accuracy Standards*. www/products/mappubs.html.
- van Gardingen, P.R., Foody, G.M., Curran, P.J. (Eds.), 1997. *Scaling-Up: From Cell to Landscape*. Cambridge University Press, Cambridge.
- Verstappen, H.T. 1983. *Applied geomorphology*. Elsevier Science Publisher Co., Amsterdam.



- Vashum, K.T., Jayakumar, S. (2012). Methods to Estimate Above-Ground Biomass and Carbon Stock in Natural Forests - A Review. *J Ecosyst Ecogr* 2012, 2:4.
- Viana, H.J., Lopes, A.D., Cohenc, W.B. 2012. Estimation of crown biomass of Pinus pinaster stands and shrubland above-ground biomass using forest inventory data, remotely sensed imagery and spatial prediction models. *Ecological Modeling*, 226, 22-35.
- Vigl, L.E., Depellegrin, D., Pereira, P., de Groot. R., Tappeiner, U. 2017. Mapping the ecosystem service delivery chain: Capacity, flow, and demand pertaining to aesthetic experiences in mountain landscapes. *Science of the Total Environment* 574 (2017) 422-436.
- Wheeler, G.M. 1889. United States geographical surveys west of the one hundredth meridian, Washington Final Reports I-VII.
- Wu, J., 1999. Hierarchy and scaling: extrapolating information along a scaling ladder. *Can. J. Remote Sensing* 25, 367-380.
- Wulan, T.R., Sartohadi, J., Nurwajedi. 2015. Analisis Bentuklahan untuk Pendugaan Biomasa Permukaan (Studi Pendahuluan di Taman Nasional Baluran). *Seminar Nasional Peran Geografi dalam Mendukung Kedaulatan Pangan 2015*. ISBN 978-602-9439-60-1.
- Wulan, T.R., Sartohadi, J., Nurwajedi. 2017. Hierarchical Model of Landscape Mapping. Case Study: Multiscale Mapping on Natural Ecosystem Baluran National Park. *International Journal of Geoinformatics Volume 13, No 3*.
- YadaV, B.K.V., Nandy, S. 2015. Mapping aboveground woody biomass using forest inventory, remote sensing and geostatistical techniques. *Environ Monit Assess* (2015) 187: 308.
- Yavaşlı, D.D. 2016. Estimation of above ground forest biomass at Muğla using ICESat/GLAS and Landsat data. *Remote Sensing Applications: Society and Environment* 4 (2016) 211-218.
- Yu, H., Fan, J., Harris, W., Li, Z. 2017. Relationships between below-ground biomass and foliar N:P stoichiometry along climatic and altitudinal gradients of the Chinese grassland transect. *Plant Ecol* (2017) 218:661-671.
- Zeng, W.S. 2014. Development of monitoring and assessment of forest biomass and carbon storage in China. *Forest Ecosystems* (2014) 1:20.
- Zhang, J.T., Dai, Z., Zhang, Q. 2011. Two methods for detecting landscape associations based on a landscape map. *Landscape Ecol Eng* (2011) 7.
- Zhao, P., Lu, D., Wang, G., Liu, L., Li, D., Zhu, J., Yu, S. 2016. Forest aboveground biomass estimation in Zhejiang Province using the integration of Landsat TM and ALOS PALSAR data. *International Journal of Applied Earth Observation and Geoinformation*.
- Zianis, D. 2008. Predicting mean aboveground forest biomass and its associated variance. *For. Ecol. Manage.* 256, 1400-1407.