

DAFTAR PUSTAKA

- Alobu, I., Oshi, Da. C., Oshi, S. N., & Ukwaja, K. N. (2014). Profile and Determinants of Treatment Failure Among Smear-Positive Pulmonary Tuberculosis Patients in Ebonyi, Southeastern Nigeria. *International Journal Of Mycobacteriology*, 1–5.
- Arisandi, D., Rintiswati, N., Subronto, Y. W., Indriani, C., Mathers, B., Petoumenos, K. Kaldor, J. (2014). *Predictors of Treatment Success among Tuberculosis Patients attending Lung Clinics in Yogyakarta, Indonesia*. Universitas Gadjah Mada, Yogyakarta, Indonesia.
- Babalik, A., Kilicaslan, Z., Sevkan Caner, S., Gungor, G., Gonenc Ortakoylu, M., Gencer, S., & McCurdy, S. A. (2013). A registry-based cohort study of pulmonary tuberculosis treatment outcomes in Istanbul, Turkey. *Japanese Journal of Infectious Diseases*, 66(2), 115–120. <https://doi.org/10.7883/yoken.66.115>
- Badan Pusat Statistik Kab Bima. (2017). *Kabupaten Bima dalm Angka (Bima Regency In Figure) 2017*. Bima: BPS Kabupaten Bima/BPS-Statistics of Bima Regency.
- Badan Pusat Statistik RI. (2010). *Peraturan Kepala Badan Pusat Statistik Nomor 37 Tahun 2010 tentang Klasifikasi Perkotaan dan Perdesaan di Indonesia*.
- Balasubramanian, R., Garg, R., Santha, T., Gopi, P. G., Subramani, R., Chandrasekaran, V., Narayanan, P. R. (2004). Gender disparities in tuberculosis: Report from a rural DOTS programme in south India. *International Journal of Tuberculosis and Lung Disease*, 8(3), 323–332.
- Bark, C. M., Dietze, R., Okwera, A., Quelapio, M. I., Thiel, B. A., & Johnson, J. L. (2012). NIH Public Access. *NIH Public Access*, 91(6), 601–604. <https://doi.org/10.1016/j.tube.2011.05.007.Clinical>
- Berhe, G., Enquselassie, F., & Aseffa, A. (2012). Treatment outcome of smear-positive pulmonary tuberculosis patients in Tigray Region, Northern Ethiopia. *BMC Public Health*, 12(1). <https://doi.org/10.1186/1471-2458-12-537>
- Boru, C. G., Shimels, T., & Bilal, A. I. (2017). Factors contributing to non-adherence with treatment among TB patients in Sodo Woreda, Gurage Zone, Southern Ethiopia: A qualitative study. *Journal of Infection and Public Health*, 10(5), 527–533. <https://doi.org/10.1016/j.jiph.2016.11.018>
- Crofton, J., Horne, N., & Miller, F. (2009). *Crofton's Clinical Tuberculosis*. (H. L. Rieder, C. Chen-Yuan, R. P. Gie, & D. A. Enarson, Eds.), *Design* (Third Edit). Retrieved from http://www.tbrieder.org/publications/books_english/crofton_clinical.pdf
- Dabaro, D. (2017). Factors affecting tuberculosis case detection in Kersa District, South West Ethiopia. *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*, 9(January), 1–4. <https://doi.org/10.1016/j.jctube.2017.08.003>

- Dangisso, M. H., Datiko, D. G., & Lindtjörn, B. (2014). Trends of tuberculosis case notification and treatment outcomes in the sidama zone, southern ethiopia: Ten-year retrospective trend analysis in urban-rural settings. *PLoS ONE*, 9(12), 1–18. <https://doi.org/10.1371/journal.pone.0114225>
- Dave, P. V., Shah, A. N., Nimavat, P. B., Modi, B. B., Pujara, K. R., Patel, P., ... Kumar, A. M. V. (2016). Direct observation of treatment provided by a family member as compared to non-family member among children with new tuberculosis: A pragmatic, non-inferiority, cluster-randomized trial in Gujarat, India. *PLoS ONE*, 11(2), 1–14. <https://doi.org/10.1371/journal.pone.0148488>
- Davidson, B. L. (1998). clinical investigations A Controlled Comparison of Directly Observed Therapy vs Self-administered Therapy for Active Tuberculosis in the. *CHEST*, 114(5), 1239–1243. <https://doi.org/10.1378/chest.114.5.1239>
- Debby, R., Suyanto, & Restuastuti, T. (2014). Peran pengawas menelan obat (PMO) Tuberkulosis dalam meningkatkan kepatuhan minum obat pada pasien Tuberkulosis paru di Kelurahan Sidomulyo Barat Pekanbaru, (April), 1–13.
- Dinas Kesehatan Kabupaten Bima. (2016). *Profil Kesehatan Kabupaten Bima Tahun 2016*. Bima.
- Dinas Kesehatan Provinsi NTB. (2015). *Profil Kesehatan Provinsi NTB Tahun 2015*.
- Falzon, D., Le Strat, Y., Belghiti, F., & Infuso, A. (2005). Exploring the determinants of treatment success for tuberculosis cases in Europe. *International Journal of Tuberculosis and Lung Disease*, 9(11), 1224–1229.
- Finlay, A., Lancaster, J., Holtz, T. H., Weyer, K., Miranda, A., & Van Der Walt, M. (2012). Patient- and provider-level risk factors associated with default from tuberculosis treatment, South Africa, 2002: A case-control study. *BMC Public Health*, 12(1), 56. <https://doi.org/10.1186/1471-2458-12-56>
- Gebrezgabiher, G., Romha, G., Ejeta, E., Asebe, G., Zemene, E., & Ameni, G. (2016). Treatment outcome of tuberculosis patients under directly observed treatment short course and factors affecting outcome in southern Ethiopia: A five-year retrospective study. *PLoS ONE*, 11(2), 1–10. <https://doi.org/10.1371/journal.pone.0150560>
- Islam, Q. S., Islam, M. A., Islam, S., & Ahmed, S. M. (2015). Prevention and control of tuberculosis in workplaces: how knowledgeable are the workers in Bangladesh? *BMC Public Health*, 15(1), 1291. <https://doi.org/10.1186/s12889-015-2622-4>
- Jagielski, T., & Kozi, M. (2012). Transmission of tuberculosis within family-households Ewa Augustynowicz-Kope c. <https://doi.org/10.1016/j.jinf.2011.12.022>

- Juniarti, N., & Evans, D. (2011). *A qualitative review: The stigma of tuberculosis. Journal of Clinical Nursing* (Vol. 20). <https://doi.org/10.1111/j.1365-2702.2010.03516.x>
- Kementerian Kesehatan RI. (2009). Buku saku kader program penanggulangan TB. Kemenkes RI.
- Kementerian Kesehatan RI, & P2ML, D. (2011). Pedoman nasional pengendalian tuberkulosis.
- Kementerian Kesehatan RI. (2014). Pedoman Nasional Pengendalian Tuberkulosis. *Katalog Dalam Terbitan : Kementerian Kesehatan Nasional*. Kemenkes RI.
- Kementerian Kesehatan RI. (2015). *Profil Kesehatan Indonesia*. Indonesia: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan RI. (2016). Peraturan Menteri Kesehatan Republik Indonesia Nomor 67 Tahun 2016 tentang Penanggulangan Tuberkulosis.
- Kementerian Kesehatan RI. (2017). *Data dan Informasi Profil Kesehatan Indonesia Tahun 2016*. Retrieved from [http://www.depkes.go.id/resources/download/pusdatin/lain-lain/Data dan Informasi Kesehatan Profil Kesehatan Indonesia 2016 - smaller size - web.pdf](http://www.depkes.go.id/resources/download/pusdatin/lain-lain/Data%20dan%20Informasi%20Kesehatan%20Profil%20Kesehatan%20Indonesia%202016%20-%20smaller%20size%20-%20web.pdf)
- Kisambu, J., Nuwaha, F., & Sekandi, J. N. (2014). Adherence to treatment and supervision for tuberculosis in a DOTS programme among pastoralists in Uganda. *International Journal of Tuberculosis and Lung Disease*, 18(7), 799–803. <https://doi.org/10.5588/ijtld.13.0753>
- Marjanovic, Z., Tuppin, P., Herrmann, J., & Farge, D. (2002). Tuberculosis in patients with and without primary health coverage. *European Journal of Internal Medicine*, 13, 180–184.
- Mkopi, A., Range, N., Lwilla, F., Egwaga, S., Schulze, A., Geubbels, E., & van Leth, F. (2012). Adherence to Tuberculosis Therapy among Patients Receiving Home-Based Directly Observed Treatment: Evidence from the United Republic of Tanzania. *PLoS ONE*, 7(12), 1–7. <https://doi.org/10.1371/journal.pone.0051828>
- Mukherjee, A., Khandelwal, D., Singla, M., Lodha, R., & Kabra, S. K. (2015). Outcomes of Category II anti-tuberculosis treatment in Indian children. *International Journal of Tuberculosis and Lung Disease*, 19(10), 1153–1157. <https://doi.org/10.5588/ijtld.14.0826>
- Naseer, M., Khawaja, A., Pethani, A. S., & Aleem, S. (2013). How well can physicians manage Tuberculosis? A Public-Private sector comparison from Karachi, Pakistan. *BMC Health Services Research*, 13(1). <https://doi.org/10.1186/1472-6963-13-439>
- Natalya, W. K. A. (1999). Perbedaan kepatuhan berobat pada penderita TB paru yang didampingi PMO dan tidak didampingi PMO di wilayah Puskesmas Kabupaten Boyolali.

- Okanurak, K., Kitayaporn, D., & Akarasewi, P. (2008). Factors contributing to treatment success among tuberculosis patients: A prospective cohort study in Bangkok. *International Journal of Tuberculosis and Lung Disease*, 12(10), 1160–1165.
- Omay Rohmana, Suhartini, A. S. (2011). Faktor-faktor pada PMO yang berhubungan dengan kepatuhan berobat penderita TB Paru di Kota Cirebon. *Kesehatan Komunitas Indonesia*, 10.
- Permatasari, N. P. (2015). Program Studi S-1 Keperawatan STIKES KUSUMA HUSADA.
- Piccazzo, R., Paparo, F., & Garlaschi, G. (2014). Diagnostic accuracy of chest radiography for the diagnosis of tuberculosis (tb) and its role in the detection of latent TB infection: A systematic review. *Journal of Rheumatology*, 41(SUPPL. 91), 32–40. <https://doi.org/10.3899/jrheum.140100>
- Pratiwi, Q. (2012). *Faktor-Faktor yang Berhubungan dengan Keberhasilan Pengobatan Tuberkulosis di Wilayah Puskesmas Nguter Kabupaten Sukoharjo*. Universitas Muhammadiyah Surakarta.
- Puri, N. A. (2010). Hubungan kinerja pengawas minum obat (PMO) dengan kesembuhan pasien TB Paru kasus baru strategi DOTS.
- Purwanta. (2005). Ciri-Ciri Pengawas Minum Obat yang diharapkan oleh penderita Tuberkulosis Paru di daerah Urban dan Rural di Yogyakarta, 8(3), 141–147.
- Purwanta, H. S. E. E. (2009). Faktor-Faktor yang Mempengaruhi Ketidakepatuhan Berobat Pada Penderita Tuberkulosis Paru, 25(3), 117–124.
- Rajeswari, R. Å., Muniyandi, M., Balasubramanian, R., & Narayanan, P. R. (2005). Perceptions of tuberculosis patients about their physical, mental and social well-being: a field report from south India, 60, 1845–1853. <https://doi.org/10.1016/j.socscimed.2004.08.024>
- Rodrigues, C., & Vadwai, V. (2012). Tuberculosis. Laboratory Diagnosis. *Clinics in Laboratory Medicine*, 32(2), 111–127. <https://doi.org/10.1016/j.cll.2012.03.002>
- Sanou, A., Dembele, M., Theobald, S., & Macq, J. (2004). Access and adhering to tuberculosis treatment: Barriers faced by patients and communities in Burkina Faso. *International Journal of Tuberculosis and Lung Disease*, 8(12), 1479–1483.
- Shargie, E. B., & Lindtj?rn, B. (2007). Determinants of treatment adherence among smear-positive pulmonary tuberculosis patients in Southern Ethiopia. *PLoS Medicine*, 4(2), 0280–0287. <https://doi.org/10.1371/journal.pmed.0040037>
- Siswosudarmo, R. (2015). *Pendekatan Praktis Penelitian Epidemiologi Klinis dan Aplikasi SPSS untuk Analisis Statistika. Bagian Obstetrika dan Ginekologi Fakultas Kedokteran Universitas Gajah Mada Yogyakarta*. Yogyakarta. <https://doi.org/10.1017/CBO9781107415324.004>

- Tachfouti, N., Slama, K., Berraho, M., Elfakir, S., Benjelloun, M. C., El Rhazi, K., & Nejari, C. (2013). Determinants of tuberculosis treatment default in Morocco: results from a national cohort study. *The Pan African Medical Journal*, 14, 121. <https://doi.org/10.11604/pamj.2013.14.121.2335>
- Talay, F., Kumbetli, S., & Altin, S. (2008). Factors associated with treatment success for tuberculosis patients: a single center's experience in Turkey. *Jpn J Infect Dis*, 61(1), 25–30.
- Thaslifa, Rintiswati, N., Subronto, Y. W., Indriani, C., Mathers, B., Amin, J., ... Kaldor, J. (2014). The Predictors of Missed Visits for Treatment among Tuberculosis Patients in Yogyakarta Indonesia, 77(5), 2013.
- Tirtana, B. T. (2011). Faktor-Faktor yang Mempengaruhi Keberhasilan Pengobatan Pada Pasien Tuberkulosis Paru dengan Resistensi Obat Tuberkulosis di Wilayah Jawa Tengah. *Skripsi*, 1–19.
- Torkaman, M. R. A., Nasiri, M. J., Farnia, P., Shahhosseiny, M. H., Mozafari, M., & Velayati, A. A. (2014). Estimation of Recent Transmission of Mycobacterium Tuberculosis Strains among Iranian and Afghan Immigrants: A Cluster-Based Study. *Journal of Clinical and Diagnostic Research : JCDR*, 8(9), DC05-8. <https://doi.org/10.7860/JCDR/2014/8886.4864>
- Unahalekhaka, A., Lueang-A-Papong, S., & Chitreecheur, J. (2014). Status of nosocomial tuberculosis transmission prevention in hospitals in Thailand. *American Journal of Infection Control*, 42(3), 340–343. <https://doi.org/10.1016/j.ajic.2013.09.019>
- Volmink, J., & Garner, P. (2015). Directly observed therapy for treating tuberculosis. *Cochrane.Database.Syst.Rev.*, (5), DOI: 10.1002/14651858.CD003343.pub4. <https://doi.org/10.1002/14651858.CD003343.pub4>. www.cochranelibrary.com
- World Health Organization. (2016). Global Tuberculosis Report 2016. *Cdc 2016*, (Global TB Report 2016), 214. [https://doi.org/ISBN 978 92 4 156539 4](https://doi.org/ISBN%20978%2092%204%20156539%204)
- Widjanarko, B., Prabamurti, P. N., & Widyaningsih, N. (2006). Analisis Faktor-Faktor Yang Mempengaruhi Praktik Pengawas Menelan Obat (PMO) Dalam Pengawasan Penderita Tuberkulosis Paru Di Kota Semarang, 15–24.
- Yayun Maryun. (2007). Beberapa Faktor yang Berhubungan dengan Kinerja Petugas Program TB Paru Terhadap Cakupan Penemuan Kasus Baru BTA (+) di Kota Tasikmalaya Tahun 2006, 1–125.