

DAFTAR PUSTAKA

- Anonim, 2010, *DICOM Conformance Statement- Philips Dicom Viewer*, Philips Medical Systems Nederland B.V., HIPM-PII-IOCC
- Anonim, 2016, *ACR Manual on Contrast Media. Version 10.2*, American College of Radiology
- Anonim, 2018, *Radiological Society of North America (RSNA)*, 820 Jorie Boulevard, Oak Brook, IL 60523-2251
- Ariyani S, A., Setiabudi, W., Anam C., 2012. Pengaruh Perubahan Tegangan Tabung (kVp) Terhadap CT Number dan Uniformitasnya pada Pesawat CT Scan. *Jurnal Sains dan Matematika*, Vol 20 (3) hal 77-80
- Arsanto, R. 2012. *Iodine Contrast Media*, https://www.slideshare.net/H_Agus_S/contrast-media-pada-pemeriksaan-msct-scan, diakses pada 5 Februari 2018
- Bontranger, K.L., 2010, *Text Book of Radiographic and Related Anatomy*, Fifth Edition, The CV Mosby, London
- Bryan, R.N., 2010, *Introduction To The Science of Medical Imaging*, University Press, Cambridge, New York
- Busberg, J.T., Seibert, J.A., Leidholdt E.M., Boone J, M., 2012. *The Essential Physics of Medical Imaging*, Third Edition, Philadelphia, USA
- Bushong, C.S., 2001, *Radiologic Science for Technologists : Physics, Biology, and Protection*, 7th Edition, Mosby Company, Washington
- Buzug, T. M., 2008. *Computed Tomography From Photon Statistics to Modern Cone-Beam CT*, Springer-Verlag, Berlin
- Davis, L.M., Davis, L., Gabaeff, S.C., Talavera, F., dan Cohen, J.S., 2011, *CT Scan*, http://www.emedicinehealth.com/ct_Scan/article_em.htm, diakses 29 Januari 2018
- Edholm, P.R and G.T.Herman, 1987, *Linogram in Image Reconstruction from Projections*, IEEE Trans. Med. Imaging, 6(4), 301-307
- Forte, J.H, 2006. Course of Study For The Certificate of Competence In Administering Intravenous Injections, Lecture Notes, *Contrast Media, Chemistry, Pharmacology And Pharmaceutical Aspects*, AIQA

- Gabelmann, A., Haberstroh, J., Weyrich, G., 2001, *Ionic and Non Ionic Contrast Agent-Mediated Endothelial Injury*, Departement of Diagnostic Radiology, University Clinics of Ulm, Robert Koch Strasse 8, Germany
- Harding, J. R, M. Bertazolli., dan A. Spinazzi, 1995, A Randomized, double-blind, Parallel Group Trial of Iomeprol, Iohexol and Iopamidol in Intravenous Urography, *An International Journal of Radiology, Radiation Oncology and All Related Sciences*, diakses pada 16 Juni 2017
- Hendee, W.R. dan Ritenour, E.R., 2002, *Medical Imaging Physics*, Willey-Lissinc. New York, USA
- Jeffrey K., Pasternak, MD., Eric E.W, 2012, *Clinical Pharmacology, Uses, and Adverse Reactions of Iodinated Contrast Agents: A Primer for the Non-radiologist*, Departemenst of Anesthesiology (J.J.P) and Radiology (E.E.W.), Mayo Clinic, Rochester, MN.
- Jost, G., Lengsfeld, P., Lenhard D.C., Pietsch, H., Hutter, J., Sieber, M. A., 2011. Viscosity of iodianted contrast agents during renal excretion. *European Journal of Radiology*, vol 80, hal 373-377
- Kouris, K. Spyrou, N.M dan Jackson, D.F., 1982, *Imaging with Ionizing Radiations*, Surey University Press, Guildford, UK
- Kardiawarman, 1996, *Sinar X*, Fakultas MIPA, IKIP, Bandung
- Manzil, E., 2011, Faktor Fantom dan Estimasi Dosis Efektif dari Hasil Pengukuran Computed Tomography Dose Index, *Skripsi*, Jurusan Fisika FMIPA Universitas Indonesia, Jakarta
- Mas'uul, A.R dan Sutanto, H. 2014. Uji Kesesuaian CT Number Pada Pesawat CT Scan Multi Slice Di Unit Radiologi Rumah Sakit Islam Yoyakarta PDHI. *Youngster Physics Journal*, No. 4, Vol.3, hal 335-340
- Montgomery, D. C., Peck E. A., Vining G. G., 2005, *Design and Analysis of Experiments*, 6th edition, John Wiley & Sons, Inc
- Morgan, C, L., 1983, *Basic Principles of Computed Tomography*, Baltimore, Mayland 21201
- Ozbulbul, N.I., Yurdakul, M., dan Tola, M., 2010, *Comparison of A low-osmolar Contrast Medium, Iopamidol and Iso-osmolar Contrast Medium, Iodixanol, in MDCT Coronary Angiography, J.N.L.M, Iopamidol*, 68, 811, 712-715, diakses 2 Februari 2017
- Podgorsak, E.B., 2010, *Radiation Physics for Medical Physicists*, Springer, Heidelberg

- Rasad, S., 2005, *Radiologi Diagnostik*, Balai Penerbit Fakultas Kedokteran Universitas Indonesia, Jakarta
- Rasband, W. dan Tiago, F. 2012. *ImageJ User Guide*. Revised Edition, IJ 1.46r
- Rengo, M., Caruso, D., De Cecco CN., Lucchesi, P., Bellini, D., Maceroni, M.M., Ferrari R., Paolantonio P., Lafrate F., Carbone, I., Vecchietti, F., Laghi A, 2012, High Concentration (400 mgI/mL) versus low concentration (320 mgI/mL) iodinated contrast media in multi detector computed tomography of the liver: A randomized, single centre, non-inferiority study. *European Journal Radiology*, diakses pada 12 Desember 2017
- Saba, L. dan Suri, J.S, 2017, *Multi Detector CT Imaging: Principles, Head, Neck, and Vascular Systems*, hal 17, CRC Press is an Imprint of Taylor & Francis Group, an Informa business
- Seeram, E., 2001, *Computed Tomography Physical Principles, Clinical Applications, and Quality Control*, W. B. Saunders Company
- Setyowati, E., 2013. Analisis Parameter Fisis Serapan dan dimensi Citra *Phantom* Hasil Tomografi Komputer Menggunakan Software Brilliance CT dan *ImageJ*. *Tesis*, Program Pascasarjana, UGM, Yogyakarta
- Skucas J(ed), 1989, *Radiographic Contrast Agents*, 2nd Edition. Aspen Publishers, Rockville, Maryland.
- Sprawls, P.,1995, *The Physical Principles of Medical Imaging*, NDT Resource Center, <http://www.sprawls.org/ppmi2/INTERACT/>, diakses pada 6 Juni 2018
- Sukisno, M., 2002. Pengaruh Konsentrasi Media Kontras Terhadap Unjuk Kinerja Sistem Tomografi Komputer, *Tesis*, Program Pascasarjana, UGM, Yogyakarta
- Ulfiah, 2011, Pemanfaatan Translation Profiler Untuk Identifikasi Koefisien Serapan Media Kontras Berdasarkan Perbedaan Konsentrasinya, *Tesis*, Program Pascasarjana, UGM, Yogyakarta