

15.7 Annual and Semiannual report

15.8 Consideration data and approval documents by IACUC

15.9 Supporting documents

16. Occupational health and safety

Every committee and personnel who involved in using laboratory animals must follow regulations of OHSAS 18001 and pass its training.

Announcement on 11 July 2016




Kanchana Kengkoom

Director of NLAC

Lampiran 2 Recording

Form Clinical Pathology

 ห้องปฏิบัติการ งานตรวจสอบคุณภาพ Necropsy Report (สัตว์ป่วย/ตาย)		F-QC.HMU-01.05 11/10/53 Rev.:01
Received No. Lab. No. Date History: Species..... Strain..... Age.....wks/mths/lys (Birth date) Individual No..... Weight.....g Room..... <input type="checkbox"/> Nucleus <input type="checkbox"/> Supply <input type="checkbox"/> male <input type="checkbox"/> female Gen./Round/Gr..... <input type="checkbox"/> Dead <input type="checkbox"/> Euthanasia by		Conditioned <input type="checkbox"/> under <input type="checkbox"/> well <input type="checkbox"/> over BT.....°C HR..... RR.....
<div style="display: flex;"> <div style="flex: 1; border-right: 1px solid black; padding-right: 5px;">Macroscopic findings :</div> <div style="flex: 1; padding-left: 5px;">Microscopic findings :</div> </div>		
Clinical Pathology : <input type="checkbox"/> Hematology;		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/>WBC (x10⁹/μl) <input type="checkbox"/>RBC (x10⁶/μl) </div> <div style="width: 10%;"> <input type="checkbox"/>Neu (%) <input type="checkbox"/>Hb (11.8-15) (g/dl) </div> <div style="width: 10%;"> <input type="checkbox"/>Lym (%) <input type="checkbox"/>Hct (%) </div> <div style="width: 10%;"> <input type="checkbox"/>Mono (%) <input type="checkbox"/>MCV (fl) </div> <div style="width: 10%;"> <input type="checkbox"/>Eo (%) <input type="checkbox"/>MCH (pg) </div> <div style="width: 10%;"> <input type="checkbox"/>Baso (%) <input type="checkbox"/>MCHC (g/dl) </div> <div style="width: 15%;"> <input type="checkbox"/>Platelet (x10⁹/μl) </div> </div>		
<input type="checkbox"/> Clin chem;		
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <input type="checkbox"/>GLU (mg/dl) <input type="checkbox"/>CHOL (mg/dl) </div> <div style="width: 10%;"> <input type="checkbox"/>BUN (mg/dl) <input type="checkbox"/>TG (mg/dl) </div> <div style="width: 10%;"> <input type="checkbox"/>CREAT (mg/dl) <input type="checkbox"/>TP (g/dl) </div> <div style="width: 10%;"> <input type="checkbox"/>ALT (U/L) <input type="checkbox"/>ALB (g/dl) </div> <div style="width: 10%;"> <input type="checkbox"/>AST (U/L) <input type="checkbox"/>GLOB (g/dl) </div> <div style="width: 15%;"> <input type="checkbox"/>ALP (U/L) <input type="checkbox"/>BILL-T (mg/dl) </div> </div>		
<input type="checkbox"/> Culture; from..... result :		
<input type="checkbox"/> Others; result : result :		
Differential Diagnosis :		
Final Diagnosis :		
Comments : (etiology&prevention)		
Reported by :		Date :/...../.....