

## DAFTAR PUSTAKA

- Abdallah, S.J., Osman, I.M. and Mustafa, M.E., 2012. Text-Independent Speaker Identification Using Hidden Markov Model. *World of Computer Science and Information Technology Journal (WCSIT)*, 2(6), pp.203–208.
- Abriyono and Harjoko, A., 2012. Pengenalan Ucapan Suku Kata Bahasa Lisan Menggunakan Ciri LPC, MFCC, dan JST. *IJCCS*, 6(2), pp.23–34.
- Ahmednagar, L., Campus, J.T. and Pune, N., 2012. MFCC Based Robust Features for English Word Recognition. *India Conference (INDICON)*, (5), pp.798–801.
- Alam, M.J., Kinnunen, T., Kenny, P., Ouellet, P. and O’Shaughnessy, D., 2013. Multitaper MFCC and PLP features for speaker verification using i-vectors. *Speech Communication*, 55(2), pp.237–251.
- Amino, K. and Osanai, T., 2015. Cross-language differences of articulation rate and its transfer into Japanese as a second language. *Forensic Science International*, 249, pp.116–122. Available at: <http://dx.doi.org/10.1016/j.forsciint.2015.01.029>.
- Bansod, N.S., Dadhade, S.B., Kawathekar, S.S. and Kale, K. V., 2014. Speaker Recognition Using Marathi (Varhadi) Language. *2014 International Conference on Intelligent Computing Applications*, pp.421–425. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6965084> [Accessed December 5, 2014].
- Barkana, B.D. and Zhou, J., 2015. A new pitch-range based feature set for a speaker’s age and gender classification. *Applied Acoustics*, 98, pp.52–61. Available at: <http://dx.doi.org/10.1016/j.apacoust.2015.04.013>.
- Barua, P., Ahmad, K., Anam, A., Khan, S. and Sanaullah, M., 2014. Neural Network Based Recognition of Speech Using MFCC Features. *International Conference On Informatics, Electronics & Vision*, pp.1–6.
- Bengherabi, M., Harizi, F. and Nouali, O., 2013. Forensic evidence reporting using GMM-UBM, JFA and I-vector methods: Application to Algerian Arabic dialect. *International Symposium on Image and Signal Processing and Analysis (ISPA 2013)*, (Ispa), pp.404–409.
- Bijhold, A.J., Ruifrok, A., Jessen, M., Geradts, Z. and Ehrhardt, S., 2007. Forensic audio and visual evidence 2004-2007 : A Review. , (October).
- Chakroborty, S., Roy, A., Majumdar, S. and Saha, G., 2007. Capturing Complementary Information via Reversed Filter Bank And parallel implementation with MFCC for improved Text-Independent Speaker Identification The Inverted Mel Frequency Cepstral Co-. , pp.1–5.
- Chauhan, P.M., 2014. Mel Frequency Cepstral Coefficients ( MFCC ) Based Speaker Identification in Noisy Environment Using Wiener Filter. *Green Computing Communication and Electrical Engineering (ICGCCEE)*, pp.1–5.

- Chia Ai, O., Hariharan, M., Yaacob, S. and Sin Chee, L., 2012. Classification of speech dysfluencies with MFCC and LPCC features. *Expert Systems with Applications*, 39(2), pp.2157–2165.
- Choi, J.-H., Lee, H.-Y. and Lee, H.-K., 2011. Color laser printer forensic based on noisy feature and support vector machine classifier. *Multimedia Tools and Applications*, 67(2), pp.363–382. Available at: <http://link.springer.com/10.1007/s11042-011-0835-9> [Accessed July 2, 2014].
- Damshenas, M., Dehghantanha, A., Mahmoud, R. and Shamsuddin, S., Forensics Investigation Challenges in Cloud Computing Environments. , pp.190–194.
- Das, B., Mandal, S., Mitra, P. and Basu, A., 2013. Aging speech recognition with speaker adaptation techniques: Study on medium vocabulary continuous Bengali speech. *Pattern Recognition Letters*, 34(3), pp.335–343. Available at: <http://dx.doi.org/10.1016/j.patrec.2012.10.029> [Accessed November 28, 2014].
- De, L. and Kim, J., 2011. Audio forensic marking using quantization in DWT-SVD domain. *13th International Conference on Advanced Communication Technology (ICACT2011)*, 1(2), pp.988–991.
- Eleyan, A. and Demirel, H., 2011. Co-occurrence matrix and its statistical features as a new approach for face recognition. *Turk J Elec Eng & Comp Sci*, 19(1), pp.97–107.
- Farah, S. and Shamim, A., 2013. Speaker recognition system using mel-frequency cepstrum coefficients, linear prediction coding and vector quantization. *2013 3rd IEEE International Conference on Computer, Control and Communication (IC4)*, pp.1–5. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6653756>.
- Franco pedroso, J. et al., 2013. Formant Trajectories in Linguistic Units for Text-Independent Speaker Recognition. *Biometrics (ICB), International Conference*, pp.1–6.
- Gfrörer, S., Gfroerer, S. and Wiesbaden, D.-, 2003. Auditory-instrumental forensic speaker recognition. *Eurospeech 2003 - Interspeech 2003. Proceedings of the 8th European Conference on Speech Communication and Technology*, pp.705–708. Available at: [http://www.isca-speech.org/archive/eurospeech\\_2003/e03\\_0705.html](http://www.isca-speech.org/archive/eurospeech_2003/e03_0705.html).
- Gonzalez Rodriguez, J., Fiewez Aguilar, J. and Ortega Garcia, J., 2003. Forensic Identification Reporting Using Automatic Speaker Recognition Systems. *Acoustics, Speech, and Signal Processing, Proceedings. (ICASSP ). IEEE International Conference*, 2, pp.93–96.
- Gupta-Arn timer and Gupta-Harshit, 2013. Applications Of MFCC And Vector Quantization In Speaker Recognition. *Intelligent Systems and Signal Processing (ISSP), IEEE*, pp.170–173.
- Harrington, J., 2006. An acoustic analysis of “happy-tensing” in the Queen’s

- Christmas broadcasts. *Journal of Phonetics*, 34(4), pp.439–457.
- Hautamaki, R.G., Sahidullah, M., Kinnunen, T. and Hautam, V., 2016. Age-Related Voice Disguise and its Impact on Speaker Verification Accuracy. *Conference: The speaker and language recognition workshopThe speaker and language recognition workshop*, pp.277–282.
- Hu, Y., Wu, D. and Nucci, A., 2013. Fuzzy-Clustering-Based Decision Tree Approach for Large Population Speaker Identification. , 21(4), pp.762–774.
- Huoping, Y.I., Yichao, L., Hailong, M., Jiangli, N.I.U., Qiong, W.U. and Xiaoping, L.A.I., 2017. A New Constraint Model for Optimal Design of Constrained FIR Digital Filters. , (6), pp.5566–5571.
- Ikram, S. and Malik, H., 2010. Digital Audio Forensics Using Background Noise. *IEEE International Conference Multimedia and Expo (ICME)*, pp.106–110.
- Ilyas, M. and Samad, S., 2007. Speaker verification using vector quantization and hidden Markov model. *The 5th Student Conference on Research and Development –SCOReD 2007*, (December). Available at: [http://ieeexplore.ieee.org/xpls/abs\\_all.jsp?arnumber=4451419](http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=4451419).
- Jothilakshmi, S., Ramalingam, V. and Palanivel, S., 2009. Unsupervised speaker segmentation with residual phase and MFCC features. *Expert Systems with Applications*, 36(6), pp.9799–9804. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0957417409001468> [Accessed October 2, 2014].
- Jun, W., 2012. A Speaker Recognition System Based On Mfcc And SCHMM. *CICT*, pp.88–92.
- Kekre, H.B., Bharadi, V.A., Sawant, A.R., Kadam, O., Lanke, P. and Lodhiya, R., 2012. Speaker Recognition using Vector Quantization by MFCC and KMCG Clustering Algorithm. *Communication, Information & Computing Technology (ICCICT), IEEE*, pp.1–5.
- Kekre, H.B. and Kulkarni, V., 2012. Speaker identification using feature vector reduction of row mean of different transforms. *International Conference on Communication, Information & Computing Technology (ICCICT)*, pp.1–5.
- Kelly, F., Drygajlo, A. and Harte, N., 2013. Speaker verification in score-ageing-quality classification space. *Computer Speech & Language*, 27(5), pp.1068–1084. Available at: <http://dx.doi.org/10.1016/j.csl.2012.12.005> [Accessed November 28, 2014].
- Kelly, F., Drygajlo, A. and Harte, N., 2012. Speaker verification with long-term ageing data. *5th IAPR International Conference on Biometrics (ICB)*, pp.478–483. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6199796>.
- Kelly, F. and Harte, N., 2013. Auditory detectability of vocal ageing and its effect on forensic automatic speaker recognition. *INTERSPEECH*, 26, pp.2846–2850.

- Khatir, M., Hejazi, S.M. and Sneiders, E., 2008. Two-dimensional evidence reliability amplification process model for digital forensics. *Proceedings - 3rd International Annual Workshop on Digital Forensics and Incidents Analysis, WDFIA 2008*, pp.21–29.
- Koenig, B.E., 2000. Spectrographic voice identification : A forensic survey.
- Kotwal, M.R.A., Hassan, F., Alam, M.S., Daud, S.I., Ahmed, F. and Huda, M.N., 2011. Gender Effects Suppression in Bangla ASR by Designing Multiple HMM-Based Classifiers. *2011 International Conference on Computational Intelligence and Communication Networks*, pp.390–394. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6112895> [Accessed January 27, 2014].
- Li, J. and Rose, P., 2012. Likelihood Ratio-based Forensic Voice Comparison with F-pattern and Tonal F0 from the Cantonese / n y / Diphthong Department of Linguistics and Modern Languages , Chinese University of Hong Kong Department of Humanities , Hong Kong University of Science & . , (December), pp.201–204.
- Luo, D., Luo, W., Yang, R. and Huang, J., 2012. Compression history identification for digital audio signal. *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*, pp.1733–1736.
- Ma, Y., Mp, P., Yaacob, S., Ab, S. and Mokhtar, N.F., 2013. Statistical formant descriptors with linear predictive coefficients for accent classification. *2013 IEEE 8th Conference on Industrial Electronics and Applications (ICIEA)*, pp.906–911. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6566496>.
- Ma, Y., Paulraj, M.P., Yaacob, S., Shahrman, A.B. and Nataraj, S.K., 2012. Speaker accent recognition through statistical descriptors of Mel-bands spectral energy and neural network model. *2012 IEEE Conference on Sustainable Utilization and Development in Engineering and Technology, STUDENT 2012 - Conference Booklet*, (October), pp.262–267.
- Maher, R.C., 2009. Audio forensic examination. *IEEE Signal Processing Magazine*, 26(2), pp.84–94.
- Malik, H., 2013. Acoustic environment identification and its applications to audio forensics. *IEEE Transactions on Information Forensics and Security*, 8(11), pp.1827–1837.
- Martinez, J., Perez, H. and Escamilla, E., 2012. Speaker recognition using Mel Frequency Cepstral Coefficients ( MFCC ) and Vector Quantization ( VQ ) Techniques. *Electrical Communications and Computers (CONIELECOMP), IEEE*, pp.248–251.
- May, T., Van De Par, S. and Kohlrausch, A., 2012. Noise-robust speaker recognition combining missing data techniques and universal background modeling. *IEEE Transactions on Audio, Speech and Language Processing*, 20(1), pp.108–121.

- Md. Sahidullah and Saha, G., 2012. Design, analysis and experimental evaluation of block based transformation in MFCC computation for speaker recognition. *Speech Communication*, 54(4), pp.543–565. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0167639311001622> [Accessed April 28, 2014].
- Md Sahidullah and Saha, G., 2013. A Novel Windowing Technique for Efficient Computation of MFCC for Speaker Recognition. *Signal Processing Letters, IEEE*, 20(2), pp.149–152.
- Mukherjee, R., Islam, T. and Sankar, R., 2013. Text dependent speaker recognition using shifted mfcc. *Southeastcon, Proceedings of IEEE*, pp.1–4.
- Mustafa, M., Taib, M.N., Muraf, Z.H. and Liai, S., 2010. GLCM Texture Feature Reduction for EEG Spectrogram Image using PCA. , (SCORED), pp.13–14.
- Ojowu, O., Karlsson, J., Li, J. and Liu, Y., 2012. ENF extraction from digital recordings using adaptive techniques and frequency tracking. *IEEE Transactions on Information Forensics and Security*, 7(4), pp.1330–1338.
- Poisel, R. and Tjoa, S., 2011. Forensics Investigations of Multimedia Data: A Review of the State-of-the-Art. *Sixth International Conference on IT Security Incident Management and IT Forensics*, pp.48–61. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=5931112> [Accessed November 20, 2013].
- Pop, G., Drăghicescu, D. and Burileanu, D., 2013. On Forensic Speaker Recognition Case Pre-Assessment. *Speech Technology and Human - Computer Dialogue (SpeD), IEEE*, pp.1–8.
- Qi, P. and Wang, L., 2011. Experiments of GMM based speaker identification. *2011 8th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*, pp.26–31. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6145927>.
- Reubold, U., Harrington, J. and Kleber, F., 2010. Vocal aging effects on F0 and the first formant: A longitudinal analysis in adult speakers. *Speech Communication*, 52(7–8), pp.638–651. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0167639310000361> [Accessed November 28, 2014].
- Selva, R.S., Nidhyananthan, S.S., Anand, G., Kumari, R.S.S., Nidhyananthan, S.S., G, A., Selva, R.S. and Anand, G., 2012. Fused Mel Feature sets based Text-Independent Speaker Identification using Gaussian Mixture Model. *Procedia Engineering*, 30, pp.319–326. Available at: Fused Mel Feature sets based Text-Independent Speaker Identification using Gaussian Mixture Model [Accessed May 19, 2014].
- Shahin, I., 2013. Speaker identification in emotional talking environments based on CSPHMM2s. *Engineering Applications of Artificial Intelligence*, 26(7), pp.1652–1659. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0952197613000559> [Accessed May 18, 2014].

- Silva, R.R., Costa, C.L., Miranda, R.K. and Galdo, G. Del, 2016. Applying Base Value of Fundamental Frequency via the Multivariate Kernel-Density in Forensic Speaker Comparison. , 0.
- Singh, A.K., Singh, R. and Dwivedi, A., 2014. Mel Frequency Cepstral Coefficients Based Text Independent Automatic Speaker Recognition Using Matlab. , pp.524–527.
- Thiang and Wijoyo, S., 2011. Speech Recognition Using Linear Predictive Coding and Artificial Neural Network for Controlling Movement of Mobile Robot. , 6, pp.179–183.
- Thiruvaran, T., Ambikairajah, E., Epps, J. and Enzinger, E., 2013. A Comparison of Single-Stage and Two-Stage Modelling Approaches for Automatic Forensic Speaker Recognition. *International Conference on Industrial and Information Systems, ICIIS 2013*, pp.433–438.
- Torre, P. and Barlow, J. a, 2009. Age-related changes in acoustic characteristics of adult speech. *Journal of communication disorders*, 42(5), pp.324–33. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/19394957> [Accessed November 18, 2014].
- Tsai, W.-H. and Lee, H.-C., 2012. Singer Identification Based on Spoken Data in Voice Characterization. *IEEE Transactions on Audio, Speech, and Language Processing*, 20(8), pp.2291–2300. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6205358>.
- Verma, V.K. and Khanna, N., 2013. Indian Language Identification Using K-Means Clustering and Support Vector Machine ( SVM ).
- Wang, L., Wang, J., Li, L., Fang, T. and Soong, F.K., 2016. Improving speaker verification performance against long-term speaker variability. *Speech Communication*, 79, pp.14–29. Available at: <http://dx.doi.org/10.1016/j.specom.2016.02.004>.
- Wang, X. and Han, Z., 2008. A Novel Acoustic Feature Extraction Algorithm Based on Root Cepstrum Coefficients and CCBC for Robust Speech Recognition. *2008 Second International Symposium on Intelligent Information Technology Application*, pp.643–647. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=4739651> [Accessed December 18, 2013].
- Xiao-chun, L., Jun-xun, Y. and Wei-ping, H., 2012. A Text-independent Speaker recognition System Based on Probabilistic Principle Component Analysis. , pp.255–260.
- Xing, G. and Zhang, Y., 2011. Analysis and comparison of RLS adaptive filter in signal De-noising. *2011 International Conference on Electrical and Control Engineering*, pp.5754–5758. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6057749>.
- Yixue, X. and Jiangping, K., 2012. Vocal tract characteristic on long-term formant distribution. *Proceedings of 2012 2nd International Conference on*

- Computer Science and Network Technology*, pp.207–211. Available at: <http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6525922>.
- Yu, K., 2012. Review of F0 modelling and generation in HMM based speech synthesis. *ICSP IEEE*, pp.1–6.
- Yücesoy, E. and Nabyev, V. V, 2016. A new approach with score-level fusion for the classification of a speaker age and gender. , 53, pp.29–39.
- Zenga, J., Shia, S., Yanga, X., Lia, Y., Lua, Q., Qiua, X. and Zhub, H., 2015. Audio Recorder Forensic Identification in 21 Audio Recorders. , pp.153–157.
- Zhang, C., Stewart, G. and Thiruvaran, T., 2011. Forensic Voice Comparison Using Chinese / iau /. , (August), pp.1–4.
- Zhao, H. and Malik, H., 2013. Audio Recording Location Identification Using Acoustic Environment Signature. *IEEE Transactions on Information Forensics and Security*, 8(11), pp.1746–1759.
- Zhao, X. and Wang, D., 2013. Analyzing Noise Robustness Of MFCC And GFCC Features In Speaker Identification. , pp.7204–7208.
- Zinnat, S.B., Marzia, R. and Siddique, A., 2014. Automatic Word Recognition for Bangla Spoken Language. *International Conference on Signal Propagation and Computer Technology (ICSPCT)*, pp.470–475.