

DAFTAR PUSTAKA

- Abel, J.L., Rissman, E.F., 2013. Running-induced epigenetic and gene expression changes in the adolescent brain. *Int. J. Dev. Neurosci.* 31, 382–390.
- Afzalpour, M.E., Chadorneshin, H.T., Foadoddini, M., Eivari, H.A., 2015. Comparing interval and continuous exercise training regimens on neurotrophic factors in rat brain. *Physiol. Behav.* 147, 78–83.
- Agustiningsih, D., 2006. Pengaruh olahraga teratur dan terukur terhadap kadar hormon estrogen serum wanita pascamenopause. *MIFI.* 51, 123–134.
- Agustiningsih, D., Soejono, S.K., Soesatyo, M.H.N.E., Prakosa, D., 2015. Exercise induces the synthesis of estrogen in ovariectomized Sprague–Dawley rats ventricular myocardium trough increase expression of CYP19aromatase. *Sport Sci. Health* 11, 337–343.
- Ahmed, H.H., Estefan, S.F., Mohamd, E.M., Farrag, A.E.R.H., Salah, R.S., 2013. Does melatonin ameliorate neurological changes associated with alzheimer's disease in ovariectomized rat model? *Indian J. Clin. Biochem.* 28, 381–389.
- Aizawa, K., Iemitsu, M., Otsuki, T., Maeda, S., Miyauchi, T., Mesaki, N., 2008. Sex differences in steroidogenesis in skeletal muscle following a single bout of exercise in rats. *J. Appl. Physiol.* 104, 67–74.
- Aksu, I., Topcu, A., Camsari, U.M., Acikgoz, O., 2009. Effect of acute and chronic exercise on oxidant-antioxidant equilibrium in rat hippocampus, prefrontal cortex and striatum. *Neurosci. Lett.* 452, 281–285.
- Al-Bazii, 2014. Estimation of some oxidative stress parameters in the serum and cerebellum of ovariectomized rats. *J. Ker. Univ.* 12, 87–94.
- Al-Rahbi, B., Zakaria, R., Othman, Z., Hassan, A., Ahmad, A.H., 2014. Enhancement of BDNF concentration and restoration of the hypothalamic-pituitary-adrenal axis accompany reduced depressive-like behaviour in stressed ovariectomised rats treated with either tualang honey or estrogen. *Sci. World J.* 2014, 1–8.
- Alessandri, J.M., Extier, A., Al-Gubory, K.H., Langelier, B., Baudry, C., LePoupon, C., Lavalie, M., Guesnet, P., 2011. Ovariectomy and 17 β -estradiol alter transcription of lipid metabolism genes and proportions of neo-formed n-3 and n-6 long-chain polyunsaturated fatty acids differently in brain and liver. *J. Nutr. Biochem.* 22, 820–827.
- Alteri, R., Barnes, C., Burke, A., Gansler, T., Gapstur, S., Gaudet, M., Kramer, J.E.A., 2013. Breast Cancer Facts and Figures 2013-2014. American Cancer Society, Atlanta.
- Aminuddin, M., Partadiredja, G., Sari, D.C.R., 2015. The effects of black garlic (*Allium sativum* L.) ethanol extract on the estimated total number of Purkinje cells and motor coordination of male adolescent Wistar rats treated with monosodium glutamate. *Anat. Sci. Int.* 90, 75–81.

- Amstrong, L., Balady, G.J., Berry, M.J., Davis, S.E., Davy, B.M., Davy, K.P., Franklin, B.A., Gordon, N.F., Lee, I.M., McConnell, T., Myers, J.N., Pizza, F.X., Rowland, T.W., Stewart, K., Thomson, P.D., Wallace, J.P., 2009. ACSM's Guidelines for exercise testing and prescription. Lippincot William & Wilkins, New York.
- Andreescu, C.E., Milojkovic, B.A., Haasdijk, E.D., Kramer, P., De Jong, F.H., Krust, A., De Zeeuw, C.I., De Jeu, M.T.G., 2007. Estradiol Improves Cerebellar Memory Formation by Activating Estrogen Receptor β . *J. Neurosci.* 27, 10832–10839.
- Ang, E.T., Tai, Y.K., Lo, S.Q., Seet, R., Soong, T.W., 2010. Neurodegenerative diseases: exercising toward neurogenesis and neuroregeneration. *Front. Aging Neurosci.* 2, 1–8.
- Ang, E.T., Gomez-Pinilla, F., 2007. Potential therapeutic effects of exercise to the brain. *Curr. Med. Chem.* 14, 2564–2571.
- Antzoulatos, E., Jakowec, M.W., Petzinger, G.M., Wood, R.I., 2011. Sex differences in motor behavior in the MPTP mouse model of Parkinson's disease. *Pharmacol. Biochem. Behav.* 95, 466–472.
- Aparecido, A., Almeida, D., Gomes, S., Fernandes, J., Peixinho-pena, L.F., Alexandre, F., Abrão, E., Mario, R., 2013. Differential effects of exercise intensities in hippocampal BDNF, inflammatory cytokines and cell proliferation in rats during the postnatal brain development. *Neurosci. Lett.* 553, 1–6.
- Asnar, E., 2005. Menopause dan olahraga. *MIFI.* 04, 108–114.
- Asnawati., 2010. *Ekspresi CYP19 aromatase di korteks adrenal tikus sprague dawley yang diovariectomi lebih tinggi akibat olahraga teratur* [tesis]. Univ. Gadjah Mada. Yogyakarta.
- Azcoitia, I., Doncarlos, L.L., Garcia-Segura, L.M., 2002. Estrogen and brain vulnerability. *Neurotox. Res.* 4, 235–245.
- Azcoitia, I., Yague, J.G., Garcia-Segura, L.M., 2011. Estradiol synthesis within the human brain. *Neuroscience* 191, 139–47.
- Badan Penelitian dan Pengembangan Kesehatan, 2013. Riset Kesehatan Dasar. Kementrian Kesehatan RI, Jakarta.
- Baeza, I., De Castro, N.M., Giménez-Llort, L., De la Fuente, M., 2010. Ovariectomy, a model of menopause in rodents, causes a premature aging of the nervous and immune systems. *J. Neuroimmunol.* 219, 90–99.
- Baeza I., Nuria. M., De Castro, Arranz, L., Jesus Fdez-Tresguerres, De la Fuente, M., 2011. Ovariectomy causes immunosenescence and oxi-inflammageing in peritoneal leukocytes of aged female mice similar to that in aged males. *Biogerontology* 12, 227–238.
- Balkaya, M., Endres, M., 2010. Behavioral Testing in Mouse Models of Stroke, in: Rodent Model of Stroke. Humana Press, Berlin, pp. 179–197.
- Barbosa, M.R., Shiguemoto, G.E., Tomaz, L.M., Ferreira, F.C., Rodrigues, M.F.C., Domingues, M.M., Master, M.V.CS., Canevazzi, G.H.R., Silva-Magosso, N.S., Selistre-de-Araujo, H.S., Perez, S.E.A., Resistance training and ovariectomy: antagonic effects in mitochondrial biogenesis markers in rat skeletal muscle. *Int. J. Sport. Med.* 37, 841–848 .

- Barmack, N.H., Yakhnitsa, V., 2011. Topsy turvy: functions of climbing and mossy fibers in the vestibulo-cerebellum. *Neuroscientist* 17, 221–236.
- Bayer, U., Hausmann, M., 2010. Hormone therapy in postmenopausal women affects hemispheric asymmetries in fine motor coordination. *Horm. Behav.* 58, 450–456.
- Bear, M.F., Connors, B.W., Paradiso, M.A., 2007. *Neuroscience : Exploring the Brain*, Third. ed. Lippincot William & Wilkins, Philadelphia.
- Bebasari, E. 2010. Ekspresi CYP19 aromatase di jaringan adiposa tikus sprague Dawley yang diovariectomi lebih tinggi akibat olahraga teratur [tesis]. Univ. Gadjah Mada. Yogyakarta.
- Behl, C., Skutella, T., Lezoualc'h, F., Post, A., Widmann, M. Newton, C.J., Holsboer, F., 1997. Neuroprotection against oxidative stress by estrogens: structure-activity relationship. *Mol. Pharmacol.* 51, 535–541.
- Behr, G.A., Schnorr, C.E., Simoes-Pires, A.A., Da Motta, L.L.L., Frey, B.N., Moreira, J.C.F., 2012. Increased cerebral oxidative damage and decreased antioxidant defenses in ovariectomized and *sham*-operated rats supplemented with vitamin A. *Cell Biol. Toxicol.* 28, 317–330.
- Belcher, S.M., 2007. Rapid signaling mechanisms of estrogens in the developing cerebellum. *Brain Res. Rev.* 57, 481–492.
- Benedetto, S.D., Müller, L., Wenger, E., Düzel, S., Pawelec, G., 2017. Contribution of neuroinflammation and immunity to brain aging and the mitigating effects of physical and cognitive interventions. *Neurosci. Biobehav. Rev.* 75, 114–128.
- Berchtold, N.C., Chinn, G., Chou, M., Kesslak, J.P., Cotman, C.W., 2005. Exercise primes a molecular memory for brain-derived neurotrophic factor protein induction in the rat hippocampus. *Neuroscience* 133, 853–861.
- Berggren, K.L., 2013. Exercise-induced Hypoxia, Angiogenesis, and Behavioral Flexibility in the Adult Rat. University of Wisconsin-Milwaukee.
- Bethea, C.L., Reddy, A.P., Smith, L.J., 2006. Nuclear factor kappa B in the dorsal raphe of macaques: An anatomical link for steroids, cytokines and serotonin. *J. Psychiatry Neurosci.* 31, 105–114.
- Bethea, C.L., Smith, A.W., Centano, M.L., Reddy, A.P., 2011. Long-term ovariectomy decreases serotonin neuron number and gene expression in free ranging macaques. *Neuroscience* 192, 675–688.
- Bexfield, N.A., Parcell, A.C., Nelson, W.B., Foote, K.M., Mack, G.W., 2009. Adaptations to high-intensity intermittent exercise in rodents Adaptations to high-intensity intermittent exercise in rodents. *J. Appl. Physiol.* 107, 749–754.
- Bhave, S. V, Ghoda, L., Hoffman, P.L., 1999. Brain-derived neurotrophic factor mediates the anti-apoptotic effect of NMDA in cerebellar granule neurons : signal transduction cascades and site of ethanol action. *J. Neurosci.* 19, 3277–3286.
- Bhuiyan, S., Shioda, N., Fukunaga, K., 2007. Ovariectomy augments pressure overload-induced hypertrophy associated with changes in Akt and nitric oxide synthase signaling pathways in female rats. *Am. J. Physiol. Endocrinol. Metab.* 293, 1606–1614.

- Biddle, S.J.H., Batterham, A.M., 2015. High-intensity interval exercise training for public health: a big HIT or shall we HIT it on the head? *Int. J. Behav. Nutr. Phys. Act.* 12, 1–8.
- Biegon, A., Alexoff, D., Kim, S. W., Logan, J., Pareto, D., Schlyer, D., Wang, G.J., Fowler, J., 2015. Aromatase imaging with [N-methyl-C-11]vorozole PET in healthy men and women. *J. Nucl. Med.* 56, 580–586.
- Birch, K., McLaren, D., George, K., 2005. Sport & Exercise Physiology. BIOS Scientific Publishers, Liverpool.
- Blancet, P.J., Fang, J., Hyland, L., Arnold, M., Mouradian, M., Chase, T.N., 1999. Short term effect of high dose 17 β -estradiol in postmenopausal PD patients: a crossover study. *Neurology* 5, 91–95.
- Boisgontier, M.P., 2015. Motor aging results from cerebellar neuron death. *Trends Neurosci.* 38, 127–128.
- Bori, Z., Zhao, Z., Koltai, E., Fatouros, I.G., Jamurtas, A.Z., Douroudos, I.I., Terzis, G., Chatzinikolaou, A., Sovatzidis, A., Draganidis, D., Boldogh, I., Radak, Z., 2012. The effects of aging, physical training, and a single bout of exercise on mitochondrial protein expression in human skeletal muscle. *Exp. Gerontol.* 47, 417–424.
- Borji, R., Sahli, S., Zarrouk, N., Zghal, F., Rebai, H., 2013. Research in Developmental Disabilities Neuromuscular fatigue during high-intensity intermittent exercise in individuals with intellectual disability. *Res. Dev. Disabil.* 34, 4477–4484.
- Brooks, G.A., White, T., 1978. Determination of metabolic and heart rat responses of rats to treadmill exercise. *J Appl Physiol Respir. Env. Exerc. Physiol.* 45, 1009–1015.
- Brooks, S.P., Dunnett, S.B., 2009. Tests to assess motor phenotype in mice: a user's guide. *Nat. Rev. Neurosci.* 10, 519–529.
- Brown, D.A., Johnson, M.S., Armstrong, C.J., Lynch, J.M., Caruso, N.M., Ehlers, L.B., Fleshner, M., Spencer, R.L., Moore, R.L., 2007. Short-term treadmill running in the rat: what kind of stressor is it? *J. Appl. Physiol.* 103, 1979–1985.
- Bruce-Keller, A.J., Keeling, J.L., Keller, J.N., Huang, F.F., Camondola, S., Mattson, M.P., 2000. Antiinflammatory effects of estrogen on microglial activation. *Endocrinology* 141, 3646–3656.
- Bulun, S.E., Lin, Z., Imir, G., Amin, S., Demura, M., Yilmaz, B., Martin, R., 2005. Regulation of aromatase expression in estrogen-responsive breast and uterine disease: from bench to treatment. *Pharmacol. Rev.* 57, 359–383.
- Burciu, R.G., Fritsche, N., Granert, O., Schmitz, L., Spönemann, N., Konczak, J., Theysohn, N., Gerwig, M., Eimeren, E. T., Timmann, D., 2013. Brain changes associated with postural training in Patients with cerebellar degeneration: a voxel-based morphometry study. *J. Neurosci.* 33, 4594–4604.
- Buresh, R., Berg, K., 2015. A tutorial on oxidative stress and redox signaling with application to exercise and sedentariness. *Sport. Med.* 1, 1–9.

- Burgomaster, K. A., Howarth, K.R., Phillips, S.M., Rakobowchuk, M., Macdonald, M.J., McGee, S.L., Gibala, M.J., 2008. Similar metabolic adaptations during exercise after low volume sprint interval and traditional endurance training in humans. *J. Physiol.* 586, 151–160.
- Cangussu, L.M., Nahas-Neto, J., Nahas, E.A.P., Barral, A.B.C.R., , Buttros, D.A., Uemura, G., 2012. Evaluation of postural balance in postmenopausal women and its relationship with bone mineral density-a cross sectional study. *BMC Musculoskelet. Disord.* 13, 1–7.
- Caravan, I., Berghian, A.S., Moldovan, R., Decea, N., Orasan, R., Filip, G.A., 2016. Modulatory effects of caffeine on oxidative stress and anxiety-like behavior in ovariectomized rats. *Can. J. Physiol. Pharmacol.* 94, 961–972.
- Carlstrom, L., Ke, Z., Unnerstall, J.R., Cohen, R.S., Pandey, S.C., 2001. Estrogen modulation of the cyclic AMP response element-binding protein pathway. *Neuroendocrinology* 74, 227–243.
- Carnevali, J.C., Eder, R., Lira, F.S., Lima, W.P., Gonçalves, D.C., Zanchi, N.E., Nicastro, H., Lavoie, J.M., Seelaender, M.C.L., 2012. Effects of high-intensity intermittent training on carnitine palmitoyl transferase activity in the gastrocnemius muscle of rats. *Brazilian J. Med. Biol. Res.* 45, 777–783.
- Carro, E., Nun, A., Busiguina, S., Torres-Aleman, I., 2000. Circulating insulin-like growth factor I mediates effects of exercise on the brain. *J. Neurosci.* 20, 2926–2933.
- Carro, E., Trejo, J.L., Busiguina, S., Torres-Aleman, I., 2001. Circulating insulin-like growth factor I mediates the protective effects of physical exercise against brain insults of different etiology and anatomy. *J. Neurosci.* 21, 5678–5684.
- Carruth, L.L., Shabazi, M., 2015. Estrogen Actions in the Brain, Estrogen Effects on Traumatic Brain Injury. pp. 11–28.
- Carter, R.J., Dunnett, S.B., 2001. Motor Coordination and Balance in Rodents. *Behav. Neurosci.* 1–14.
- Carter, R.J., Lione, L. A., Humby, T., Mangiarini, L., Mahal, A., Bates, G.P., Dunnett, S.B., Morton, A. J., 1999. Characterization of progressive motor deficits in mice transgenic for the human Huntington's disease mutation. *J. Neurosci.* 19, 3248–3257.
- Cerminara, N.L., Apps, R., 2011. Behavioural significance of cerebellar modules. *Cerebellum* 10, 484–494.
- Cesca, F., Baldelli, P., Valtorta, F., Benfenati, F., 2010. The synapsins: key actors of synapse function and plasticity. *Prog. Neurobiol.* 91, 313–348.
- Chang, Y.K., Labban, J.D., Gapin, J.I., Etnier, J.L., 2012. The effects of acute exercise on cognitive performance: A meta-analysis. *Brain Res.* 1453, 87–101.
- Chao, D.T., Korsmeyer, S.J., 1998. BCL-2 FAMILY : Regulators of cell death. *Annu. Rev. Immunol.* 16, 395–419.
- Chen, A.I., Zang, K., Masliah, E., Reichardt, L.F., 2016. Glutamatergic axon-derived BDNF controls GABAergic synaptic differentiation in the cerebellum. *Sci. Rep.* 1–13.

- Chen, J., Cammarata, P.R., Baines, C.P., Yager, J.D., 2009. Regulation of mitochondrial respiratory chain biogenesis by estrogens/estrogen receptors and physiological, pathological and pharmacological implications. *Biochim. Biophys. Acta* 1793, 1540–1570.
- Cheng, A., Wan, R., Yang, J.L., Kamimura, N., Son, T.G., Ouyang, X., Luo, Y., Okun, E., Mattson, M.P., 2012. Involvement of PGC-1 α in the formation and maintenance of neuronal dendritic spines. *Nat. Commun.* 3, 1–12.
- Chiang, C.Y., Sheu, M.L., Cheng, F.C., Chen, C.J., Su, H.L., Sheehan, J., Pan, H.C., 2014. Comprehensive analysis of neurobehavior associated with histomorphological alterations in a chronic constrictive nerve injury model through use of the CatWalk XT system. *J. Neurosurg.* 120, 250–262.
- Choi-IL, C., Lee, Y.D., Gwag, B.J., Cho, S.I., Kim, S.S., Suh-Kim, H., 2008. Effects of estrogen on lifespan and motor functions in female hSOD1 G93A transgenic mice. *J. Neurol. Sci.* 268, 40–47.
- Clark, I. A., Allewa, L.M., Vissel, B., 2010. The roles of TNF in brain dysfunction and disease. *Pharmacol. Ther.* 128, 519–548.
- Clark, J., Silvaggi, J.M., Kiselak, T., Zheng, K., Clore, E.L., Dai, Y., Bass, C.E., Simon, D.K., 2012. Pgc-1 α overexpression downregulates Pitx3 and increases susceptibility to MPTP toxicity associated with decreased bdnf. *PLOS ONE* 7, 1–15.
- Cook, S. A., Poole-Wilson, P. A., 1999. Cardiac myocyte apoptosis. *Eur. Heart J.* 20, 1619–1629.
- Copeland, J.L., Heggie, L., 2008. IGF-I and IGFBP-3 during continuous and interval exercise. *Int. J. Sports Med.* 29, 182–187.
- Coquart, J.B., Lemaire, C., Dubart, A.E., Luttenbacher, D.P., Douillard, C., Garcin, M., 2008. Intermittent versus continuous exercise: effects of perceptually lower exercise in obese women. *Med. Sci. Sport Exerc.* 40, 1546–1553.
- Cotman, C.W., Berchtold, N.C., 2002. Exercise : a behavioral intervention to enhance brain health and plasticity. *Trends Neurosci.* 25, 295–301.
- Cotman, C.W., Berchtold, N.C., Christie, L., 2007. Exercise builds brain health : key roles of growth factor cascades and inflammation. *Trends Neurosci.* 30, 7–9.
- Cui, J., Shen, Y., Li, R., 2013. Estrogen synthesis and signaling pathways during aging : from periphery to brain. *Trends Mol. Med.* 19, 197–209.
- Cui, L., Hofer, T., Rani, A., Leeuwenburgh, C., Foster, T.C., 2009. Comparison of lifelong and late life exercise on oxidative stress in the cerebellum. *Neurobiol. Aging* 30, 903–9.
- Cui, L., Jeong, H., Borovecki, F., Parkhurst, C.N., Tanese, N., Krainc, D., 2006. Transcriptional Repression of PGC-1 α by Mutant Huntingtin Leads to Mitochondrial Dysfunction and Neurodegeneration. *Cell* 127, 59–69.
- Culmsee, C., Vedder, H., Ravati, A., Junker, V., Otto, V., Ahlemeyer, B., Krieg, J.C., Krieglstein, J., 1999 . Neuroprotection by estrogens in a mouse model of focal cerebral ischemia and in cultured neurons: evidence for a receptor-independent antioxidative mechanism. *J. Cereb. Blood Flow Metab.* 19, 1263–1269.

- D'Angelo, E.D., Casali, S., 2013. Seeking a unified framework for cerebellar function and dysfunction : from circuit operations to cognition. *Front. Neural Circuit* 6, 1–23.
- Dahlan, M.S., 2009. Statistik untuk Kedokteran Kesehatan. Edisi 4. Salemba Medika, Jakarta.
- Das, A., Smith, J. A., Gibson, C., Varma, A.K., Ray, S.K., Banik, N.L., 2011. Estrogen receptor agonists and estrogen attenuate TNF- α -induced apoptosis in VSC4.1 motoneurons. *J. Endocrinol.* 208, 171–182.
- Davis, S.R., Lambrinoudaki, I., Lumsden, M., Mishra, G.D., Pal, L., Rees, M., Santoro, N., Simoncini, T., 2015. Menopause. *Nat. Rev. Dis. Prim.* 1, 1–19.
- de Chaves, G., Moretti, M., Castro, A. A., Dagostin, W., da Silva, G.G., Boeck, C.R., Quevedo, J., Gavioli, E.C., 2009. Effects of long-term ovariectomy on anxiety and behavioral despair in rats. *Physiol. Behav.* 97, 420–425.
- Dell, R.B., Holleran, S., Ramakrishnan, R., 2002. Sample size determination. *ILAR Journal.* 43, 207–213.
- Diedrichsen, J., Shadmehr, R., Ivry, R.B., 2010. The coordination of movement: optimal feedback control and beyond. *Trends Cogn. Sci.* 14, 31–39.
- Dluzen, D.E., 2005. Unconventional effects of estrogen uncovered. *Trends Pharmacol. Sci.* 26, 485–487.
- Du, H., Niu, B., Zhao, K., Li, J., Xiao, Q., 2012. Ameliorative effects of angiotensin-IV on the expression of hippocampus synaptophysin and the cognitive function of diabetic rats 6, 257–263.
- Dubé, M.-C., Lavoie, C., Weisnagel, S.J., 2014. Effect of intermittent high intensity exercise on counter-regulatory hormones in type 1 diabetes glargine/glulisine users. *J. Diabetes Res. Clin. Metab.* 3, 1–5.
- Durbin, L.M.C., 2010. The Effects of Exercise on Brain Inflammation, Air Force Research Laboratory.
- Edalatmanesh, M.A., Nikfarjam, H., Moghadas, M., Haddad-Mashadrizeh, A., Robati, R., Hashemzadeh, M. R., 2014. Histopathological and behavioral assessment of toxin-produced cerebellar lesion : a potent model for cell transplantation studies in the cerebellum. *Cell J.* 16, 325–334.
- Edelmann, E., Leßmann, V., Brigadski, T., 2014. Pre and postsynaptic twists in BDNF secretion and action in synaptic plasticity. *Neuropharmacology* 76, 610–627.
- Ellison, S.L.R., Barwick, V.J., Farrant, T.J.D., 2009. Practical Statistics for the Analytical Scientist A Bench Guide, Second. ed. The Royal Society of Chemistry, Cambridge.
- Elmore, 2007. Apoptosis: a review of programmed cell death. *Toxicol. Pathol.* 35, 495–516.
- Erickson, K.I., Voss, M.W., Prakash, R.S., Basak, C., Szabo, A., Chaddock, L., Kim, J.S., Heo, S., Alves, H., White, S.M., Wojcicki, T.R., Mailey, E., Vieira, V.J., Martin, S. A., Pence, B.D., Woods, J. A., McAuley, E., Kramer, A. F., 2011. Exercise training increases size of hippocampus and improves memory. *Proc. Natl. Acad. Sci.* 108, 3017–3022.

- Evsen, M.S., Ozler, A., Gocmez, C., Varol, S., Tunc, S.Y., Akil, E., Uzar, E., Kaplan, I., 2013. Combination and genistein treatments on oxidant/antioxidant status in the brain of ovariectomized rats. *Eur. Rev. Med. Pharmacol. Sci.* 17, 1869–1873.
- Faingold, C., Li, Y., Evans, M. S., 2000. Decreased GABA and increased glutamate receptor-mediated activity on inferior colliculus neurons in vitro are associated with susceptibility to ethanol withdrawal seizures. *Brain Res.* 868, 287–295.
- Fan, X., Xu, H., Warner, M., Gustafsson, J., 2010. ER β in CNS : New Roles in Development and Function. Martiani, L., editors. *Neuroendocrinology : The Normal Neuroendocrine System*, 1st ed. Amsterdam : Elsevier. pp. 233-250.
- Farzaneh, V., Mahmoud, H., S, H.R., H, M.A., Mohammad, S., 2014. The Effects of Soy Extract on Spatial Learning and Memory Damage Induced by Global Ischemia in Ovariectomised Rats. *Malays. J. Med. Sci.* 21, 19–30.
- Ferreira, A.F.B., Real, C.C., Rodrigues, A.C., Alves, A.S., Britto, L.R.G., 2010. Moderate exercise changes synaptic and cytoskeletal proteins in motor regions of the rat brain. *Brain Res.* 61, 31–42.
- Field, A., 2009. *Discovering Statistics Using SPSS*, Third. ed. SAGE, London.
- Figiel, I., 2008. Pro-inflammatory cytokine TNF-alpha as a neuroprotective agent in the brain. *Acta Neurobiol. Exp. (Wars)*. 68, 526–534.
- File, S.E., Heard, J.E., Rymer, J., 2002. Trough oestradiol levels associated with cognitive impairment in post-menopausal women after 10 years of oestradiol implants. *Psychopharmacology* 161, 107–112.
- Finch, C.E., 2014. The menopause and aging, a comparative perspective. *J. Steroid Biochem. Mol. Biol.* 132–141.
- Firozan, B., Goudarzi, I., Salmani, M. E., Lashkarbolouki, T., Rezaei, A., Abrari, K., 2014. Estradiol increases expression of the brain-derived neurotrophic factor after acute administration of ethanol in the neonatal rat cerebellum. *Eur. J. Pharmacol.* 732, 1–11.
- Fisher, B.E., Wu, A.D., Salem, G.J., Song, J., Lin, C.H., Yip, J., Cen, S., Gordon, J., Jakowec, M., Petzinger, G., 2008. The effect of exercise training in improving motor performance and corticomotor excitability in people with early parkinson's disease. *Arch. Phys. Med. Rehabil.* 89, 1221–1229.
- Fonseca, C.S., Gusmao, I.D., Raslan, A.C.S., Monteiro, B.M.M., Massensini, A.R., Moraes, M.F.D., Pereira, G.S., 2013. Object recognition memory and temporal lobe activation after delayed estrogen replacement therapy. *Neurobiol. Learn. Mem.* 101, 19–25.
- Foster, T.C., 2012. Role of Estrogen Receptor Alpha and Beta Expression and Signalling on Cognitive Function During Aging. *Hippocampus* 22, 656–669.
- Fuchs, T., 2011. Menopause and the mind: the effects of menopause and hormone replacement therapy. *MSJA* 3, 27–30.
- Fujimura, M., Cheng, J., Zhao, W., 2012. Perinatal exposure to low-dose methylmercury induces dysfunction of motor coordination with decreases in synaptophysin expression in the cerebellar granule cells of rats. *Brain Res.* 4, 1–7.

- Ganong, W.F., 2005. Review of Medical Physiology. 22th ed. McGraw-Hill, New York.
- Garber, C.E., Blissmer, B., Deschenes, M.R., Franklin, B. A., Lamonte, M.J., Lee, I.M., Nieman, D.C., Swain, D.P., 2011. Quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults: Guidance for prescribing exercise. *Med. Sci. Sports Exerc.* 43, 1334–1359.
- Garcia-Segura, L.M., Azcoitia, I., DonCarlos, L.L., 2001. Neuroprotection by estradiol. *Prog. Neurobiol.* 63, 29–60.
- Garcia, P.C., Real, C.C., Ferreira, A.F.B., Alouche, S.R., Britto, L.R.G., Pires, R.S., 2012. Different protocols of physical exercise produce different effects on synaptic and structural proteins in motor areas of the rat brain. *Brain Res.* 1456, 36–48.
- Garcia-Mesa, Y., Pareja-Galeano, H., Bonet-Costa, V., Revilla, S., Gomez-Cabrera, M.C., Gambini, J., Gimenez-Llort, L., Cristofol, R., Vina, J., Sanfeliu, C., Gambini, J., Cristo, R., 2014. ScienceDirect Physical exercise neuroprotects ovariectomized 3xTg-AD mice through BDNF mechanisms. *Psychoneuroendocrinology* 45, 154–166.
- Ghidoni, R., Boccardi, M., Benussi, L., Testa, C., Villa, A., Pievani, M., Gigola, L., Sabatoli, F., Barbiero, L., Frisoni, G.B., Binetti, G., 2006. Effects of estrogens on cognition and brain morphology: Involvement of the cerebellum. *Maturitas* 54, 222–228.
- Gibala, M.J., 2007. High-Intensity Interval Training : New Insights. *Sport. Sci. Exch.* 20, 1–6.
- Gibala, M.J., Little, J.P., Macdonald, M.J., Hawley, J. A., 2012. Physiological adaptations to low-volume, high-intensity interval training in health and disease. *J. Physiol.* 5, 1077–1084.
- Gibala, M.J., McGee, S.L., 2008. Metabolic adaptations to short-term high-intensity interval training: a little pain for a lot of gain? *Exerc. Sport Sci. Rev.* 36, 58–63.
- Giesel, V.T., Reche, M., Schneider, L., Araújo, L.C., Scalco, R., Corleta, H.V.E., Capp, E., 2009. Effects of intermittent high-intensity exercise and carbohydrate supplementation on IGF-1 and glycogen of Wistar rats. *Growth Horm. IGF Res.* 19, 156–161.
- Gillies, G.E., McArthur, S., 2010. Estrogen actions in the brain and the basis for differential action in men and women: a case for sex-specific medicines. *Pharmacol. Rev.* 62, 155–198.
- Glickstein, M., Strata, P., Voogd, J., 2009. Cerebellum: history. *Neuroscience* 162, 549–559.
- Godin, G., Desharnais, R., Valois, P., Lepage, L., Jobin, J., Bradet, R., 1994. Differences in perceived barriers to exercise between high and low intenders: observations among different populations. *Am. J. Heal. Promot.* 8, 279–385.
- Golbidi, S., Laher, I., 2012. Exercise and the cardiovascular system. *Cardiol. Res. Pract.* 2012, 1–15.
- Goodlett, C.R., 2008. The Cerebellum, in: C, P.M.C. (Ed.), *Neuroscience in Medicine*. Humana Press, Totowa, pp. 221–245.

- Goto, S., Naito, H., Kaneko, T., Chung, H.Y., Radák, Z., 2007. Hormetic effects of regular exercise in aging: correlation with oxidative stress. *Appl. Physiol. Nutr. Metab.* 32, 948–953.
- Gould, T.D., Dao, D.T., Kovacsics, C.E., 2009. The Open Field Test, in: Mood and Anxiety Related Phenotypes in Mice. Humana Press, pp. 1–20.
- Grimaldi, G., Manto, M., 2012. Topography of cerebellar deficits in humans. *Cerebellum* 11, 336–351.
- Gruber, C.J., Tschugguel, W., Shenneberger, C., Huber, J.C., 2002. production and action of estrogen. *N. Engl. J. Med.* 346, 340–352.
- Gulliver, L.S.M., 2013. Estradiol synthesis and metabolism and risk of ovarian cancer in older women taking prescribed or plant-derived estrogen supplementation. *J. Steroids Horm. Sci.* S12, 1–5.
- Guyton, A.C., Hall, J.E., 2010. Text Book of Medical Physiology, Eleventh. ed. Elsevier Saunders, Philadelphia.
- Hadi, R.S., 2011. Mekanisme apoptosis pada regresi sel luteal, *Majalah Kesehatan PharaMedika* 3, 246–254.
- Haines, D.E., Mihailoff, G.A., Bloedel, J.R., 2006. The Cerebellum, in: Haines, D.E. (Ed.), *Fundamental Neuroscience for Basic and Clinical Applications*. Elsevier Health Sciences, pp. 431–449.
- Hall, J.E. 2011. Text book of Medical Physiology. 12 ed. Saunders Elsevier, Philadelphia.
- Hamed, N.S., Abd-Ellatif, N.A., 2014. Effect of high intensity interval training on diabetic obese women with polyneuropathy: a randomized controlled clinical trial. *Phys. Ther. Rehabil.* 1, 1–8.
- Hamilton, D.J., Minze, L.J., Kumar, T., Cao, T.N., Lyon, C.J., Geiger, P.C., Hsueh, W.A., Gupte, A.A., 2016. Estrogen receptor alpha activation enhances mitochondrial function and systemic metabolism in high-fat-fed ovariectomized mice. *Physiol. Rep.* 4, 1–11.
- Handschin, C., Spiegelman, B.B.M., 2008. The role of exercise and PGC1 in inflammation and chronic disease. *Nature* 454, 463–469.
- Hao, L., Wang, Y., Duan, Y., 2010. Effects of treadmill exercise training on liver fat accumulation and estrogen receptor alpha expression in intact and ovariectomized rats with or without estrogen replacement treatment. *Eur. J. Appl. Physiol.* 109, 879–886.
- Haraguchi, S., Sasahara, K., Shikimi, H., Honda, S.I., Harada, N., Tsutsui, K., 2012. Estradiol promotes purkinje dendritic growth, spinogenesis, and synaptogenesis during neonatal life by inducing the expression of BDNF. *Cerebellum* 11, 416–417.
- Harman, D., 1992. Free radical theory of aging. *Mutat. Res.* 275, 257–266.
- Hautala, A.J., Kiviniemi, A.M., Tulppo, M.P., 2009. Individual responses to aerobic exercise: The role of the autonomic nervous system. *Neurosci. Biobehav. Rev.* 33, 107–115.
- Hawley, J. A., 2008. Specificity of training adaptation: time for a rethink? *J. Physiol.* 586, 1–2.

- Hayase, K., Tanaka, M., Tujioka, K., Hirano, E., Habuchi, O., Yokogoshi, H., 2001. 17-Beta-estradiol affects brain protein synthesis rate in ovariectomized female *Rats*. *J. Nutr.* 131, 123–126.
- Hazell, G.G.J., Yao, S.T., Roper, J.A., Prossnitz, E.R., O`Carroll, A.M., Lolait, S.J., 2009. Localisation of GPR30, a novel G protein-coupled oestrogen receptor, suggests multiple functions in rodent brain and peripheral tissues. *J. Endocrinol.* 202, 223–236.
- Hedges, V.L., Ebner, T.J., Meisel, R.L., Mermelstein, P.G., 2012. The cerebellum as a target for estrogen action. *Front. Neuroendocrinol.* 33, 403–11.
- Henderson, V.W., 2010. Action of estrogens in the aging brain: dementia and cognitive aging. *Biochim. Biophys. Acta* 1800, 1077–1083.
- Hill, R.A., Chua, H.K., Jones, M.E.E., Simpson, E.R., Boon, W.C., 2009. Estrogen deficiency results in apoptosis in the frontal cortex of adult female aromatase knockout mice. *Mol. Cell. Neurosci.* 41, 1–7.
- Hiroi, R., Neumaier, J.F., 2006. Differential effects of ovarian steroids on anxiety versus fear as measured by open field test and fear-potentiated startle. *Behav. Brain Res.* 166, 93–100.
- Hojo, Y., Murakami, G., Mukai, H., Higo, S., Hatanaka, Y., Ogiue-Ikeda, M., Ishii, H., Kimoto, T., Kawato, S., 2008. Estrogen biosynthesis in the brain - role in synaptic plasticity and memory. *Mol.Cell.Endoc.* 290, 31-43.
- Holschneider, Yang, J. Guo, Y., Maarek, J.M.I., 2007. Reorganization of functional brain maps after exercise training: importance of cerebellar-thalamic-cortical pathway. *Brain Res.* 12, 96–107.
- Hosseini, M., Pourganji, M., Khodabandehloo, F., Soukhtanloo, M., Zabihi, H., 2012. Protective effect of L-arginine against oxidative damage as a possible mechanism of its beneficial properties on spatial learning in ovariectomized *Rats*. *Basic Clin. Neurosci.* 3, 1–20.
- Howard, B. V., Kuller, L., Langer, R., Manson, J.E., Allen, C., Assaf, A., Cochrane, B.B., Larson, J.C., Lasser, N., Rainford, M., Van Horn, L., Stefanick, M.L., Trevisan, M., 2005. Risk of cardiovascular disease by hysterectomy status, with and without oophorectomy: The Women's Health Initiative Observational Study. *Circulation* 111, 1462–1470.
- Howe, H.L., 1984. Age-specific hysterectomy and oophorectomy prevalence rates and the risks for cancer of the reproductive system. *Am. J. Public Health* 74, 560–563.
- Huang, T.Y., Lin, L.S., Cho, K.C., Chen, S.J., Kuo, Y.M., Yu, L., Wu, F.S., Chuang, J.I., Chen, H. I., Jen, C.J., 2012. Chronic treadmill exercise in rats delicately alters the Purkinje cell structure to improve motor performance and toxin resistance in the cerebellum. *J. Appl. Physiol.* 113, 889–895.
- Huang, Y.H., Zhang, Q.H., 2010. Genistein reduced the neural apoptosis in the brain of ovariectomized rats by modulating mitochondrial oxidative stress. *Br. J. Nutr.* 104, 1297–1303.
- Hunter, M., Rendall, M., 2007. Bio-psycho-socio-cultural perspectives on menopause. *Best Pract. Res. Clin. Obstet. Gynaecol.* 21, 261–274.

- Hussain, A., Bashir, K., Anees, S., Afzal, M., Masood, A., Ahmad, M., Ahmad, S., 2015. Oxidative stress, mitochondrial dysfunction and neurodegenerative diseases ; a mechanistic insight. *Biomed. Pharmacother.* 74, 101–110.
- Ikeda, Y., Nagai, A., 2006. Differential expression of the estrogen receptors alpha and beta during postnatal development of the rat cerebellum. *Brain Res.* 1083, 39–49.
- Ito, M., 2001. Cerebellar Long-term depression : characterization, signal transduction, and functional roles. *Physiol. Rev.* 81, 1143–1196.
- Ito, M., 2012. The Cerebellum : Brain for an Implisit Self. FT Press, New Jersey.
- Jana, K., Ghosh, A., Chatettejee, K., Ghosh, D., 2014. Antidiabetic activity of seed of *eugenia jambolana* in streptozotocin induced diabetic male albino rat: an apoptotic and genomic approach. *Inter. J. Pharm. Pharmacol Sci.* 6, 407–412.
- Ji, L.L., Gomez-Cabrera, M.C., Vina, J., 2006. Exercise and hormesis: activation of cellular antioxidant signaling pathway. *Ann. N. Y. Acad. Sci.* 1067, 425–435.
- Jin, J., Jing, H., Choi, G., Sook, M., Hoon, J., Jeong, J., Huh, Y., Park, C., 2008. Voluntary exercise increases the new cell formation in the hippocampus of ovariectomized mice. *Neurosci. Lett.* 439, 260–263.
- Jung, M.E., Ju, X., Simpkins, J.W., Metzger, D.B., Yan, L., Wen, Y., 2011. Ethanol withdrawal acts as an age-specific stressor to activate cerebellar P38 kinase. *Neurobiol. Aging* 32, 2266–2278.
- Jung, M.E., Yang, S.H., Brun-Zinkernagel, A.M., Simpkins, J.W., 2002. Estradiol protects against cerebellar damage and motor deficit in ethanol-withdrawn rats. *Alcohol* 26, 83–93.
- Jung, S., Kim, K., 2014. Exercise-induced PGC-1 α transcriptional factors in skeletal muscle. *Integr. Med. Res.* 3, 155–160.
- Kaidah, S., Soejono, S.K., Partadiredja, G., 2016. Exercise improves hippocampal estrogen and spatial memory of ovariectomized rats. *Bratisl. Med. J.* 117, 94–99.
- Kaliman, P., Párrizas, M., Lanza, J.F., Camins, A., Escorihuela, R.M., Pallàs, M., 2011. Neurophysiological and epigenetic effects of physical exercise on the aging process. *Ageing Res. Rev.* 10, 475–486.
- Kaltschmidt, B., Kaltschmidt, C., 2010. NF- κ B in the nervous system. *Cold Spring Harb. Perspect. Biol.* 2, 1–13.
- Kaltschmidt, B., Widera, D., Kaltschmidt, C., 2005. Signaling via NF- κ B in the nervous system. *Biochim. Biophys. Acta* 1745, 287–299.
- Kannan, K., Jain, S.K., 1996. Oxidative stress and apoptosis. *Ann. Pharm. Fr.* 54, 193–201.
- Kara, A., Unal, D., Simsek, N., Yucel, A., Yucel, N., Selli, J., 2014. Ultra-structural changes and apoptotic activity in cerebellum of post-menopausal-diabetic rats: a histochemical and ultra-structural study. *Gynecol. Endocrinol.* 30, 226–231.
- Katai, N., Yanagidaira, T., Senda, N., Murata, T., Yoshimura, N. 2006. Expression of c-Jun and Bcl-2 family proteins in apoptotic photoreceptors of RCS rats. *Jpn J Ophthalmol.* 50, 121–127.

- Katzenellenbogen, B.S., 1996. Estrogen receptors: bioactivities and interactions with cell signaling pathways. *Biol. Reprod.* 54, 287–293.
- Kauff, N.D., Satagopan, J.M., Robson, M.E., Scheuer, L., Hensley, M., Hudis, C.A., Ellis, N.A., Boyd, J., Borgen, P.I., Barakat, R.R., Norton, L., Castiel, M., Nafa, K., Offit, K., 2002. Risk-reducing salpingo-oophorectomy in women with a BRCA1 or BRCA2 mutation. *N. Engl. J. Med.* 346, 1609–1615.
- Kaur, S.P., Bansal, S., Chopra, K., 2015. 17 α -Estradiol: A candidate neuroserm and non-feminizing estrogen for postmenopausal neuronal complications. *Steroids* 96, 7–15.
- Kawas, C., Resnick, S., Morrison, A., Brookmeyer, R., Corrada, M., Zonderman, A., Bacal, C., Linglle, D.D., Metter, E., 1997. A prospective study of estrogen replacement therapy and the risk of developing Alzheimer's disease: the Baltimore Longitudinal Study of Aging. *Neurology* 48, 1517–1521.
- Keller, K.K., Stengaard-Pedersen, K., Dagnæs-Hansen, F., Nyengaard, J.R., Sakaguchi S., Hauge, E.M., 2011. Histological changes in chronic autoimmune SKG-arthritis evaluated by quantitative three-dimensional stereological estimators. *Clin. Exp. Rheumatol.* 29, 536–543.
- Kelly, N.A., Ford, M.P., Standaert, D.G., Watts, R.L., Bickel, C.S., Moellering, D.R., Tuggle, S.C., Williams, J.Y., Lieb, L., Windham, S.T., Bamman, M.M., 2014. Novel, high-intensity exercise prescription improves muscle mass, mitochondrial function, and physical capacity in individuals with Parkinson's disease. *J. Appl. Physiol.* 116, 582–592.
- Kemper, M.F., Zhao, Y., Duckles, S.P., Krause, D.N., 2013. Endogenous ovarian hormones affect mitochondrial efficiency in cerebral endothelium via distinct regulation of PGC-1 isoforms. *J. Cereb. Blood Flow Metab.* 33, 122–128.
- Khodabandehloo, F., Hosseini, M., Rajaei, Z., Soukhtanloo, M., Farrokhi, E., Rezaeipour, M., 2013. Brain tissue oxidative damage as a possible mechanism for the deleterious effect of a chronic high dose of estradiol on learning and memory in ovariectomized rats. *Arq. Neuropsiquiatr.* 71, 313–319.
- Kim, J.E., Shin, M.S., Seo, T.B., Ji, E.S., Baek, S.S., Lee, S.J., Park, J.K., Kim, C.J., 2013. Treadmill exercise ameliorates motor disturbance through inhibition of apoptosis in the cerebellum of valproic acid-induced autistic rat pups. *Mol. Med. Rep.* 8, 327–334.
- Kim, S., Ko, I., Kim, B., Shin, M., Cho, S., Kim, C., Kim, S., Baek, S., Lee, E., Jee, Y., 2010. Treadmill exercise prevents aging-induced failure of memory through an increase in neurogenesis and suppression of apoptosis in rat hippocampus. *Exp. Gerontol.* 45, 357–365.
- Kim, T.W., Kim, C.S., Kim, J.Y., Kim, C.J., Seo, J.H., 2015. Combined exercise ameliorates ovariectomy-induced cognitive impairment by enhancing cell proliferation and suppressing apoptosis. *Menopause.* 23, 18–26.

- Kireev, R.A., Vara, E., Viña, J., Tresguerres, J.A.F., 2014. Melatonin and oestrogen treatments were able to improve neuroinflammation and apoptotic processes in dentate gyrus of old ovariectomized female rats. *Age (Omaha)*. 36, 9707.
- Klinge, C.M., 2017. Estrogens regulate life and death in mitochondria 2017, 307–324.
- Klintsova, A., Hamilton, G., Boschen, K., 2012. Long-Term Consequences of Developmental Alcohol Exposure on Brain Structure and Function: Therapeutic Benefits of Physical Activity, *Brain Sci.* 3, 1–38.
- Klintsova, A.Y., Dickson, E., Yoshida, R., Greenough, W.T., 2004. Altered expression of BDNF and its high-affinity receptor TrkB in response to complex motor learning and moderate exercise. *Brain Res.* 1028, 92–104.
- Klintsova, A.Y., Scamra, C., Hoffman, M., Napper, R.M. a, Goodlett, C.R., Greenough, W.T., 2002. Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats: II. A quantitative stereological study of synaptic plasticity in female rat cerebellum. *Brain Res.* 937, 83–93.
- Koibuchi, N., 2008. Hormonal regulation of cerebellar development and plasticity. *Cerebellum* 7, 1–3.
- Kovacs, E.J., 2005. Aging, traumatic injury, and estrogen treatment. *Exp. Gerontol.* 40, 549–555.
- Kramer, H.F., Goodyear, L.J., 2007. Exercise, MAPK, and NF-κB signaling in skeletal muscle. *J. Appl. Physiol.* 103, 388–395.
- Kraemer, R.R., Francois, M., Castracane, V.D., 2012. Estrogen mediated hormone responses to exercise. *Metabolism* 61, 1337–1346.
- Laila, T.R., Ahmed, S.S., Nahar, K., Shamsunnahar, P.A., Mahmood, S., Chowdhury, S.B., 2014. Ovarian Conservation Versus Removal at the Time of Hysterectomy for Benign Gynecological Diseases. *Am. J. Clin. Exp. Med.* 2, 36–41.
- Laplant, Q., Chakravarty, S., Vialou, V., Mukherjee, S., Koo, J.W., Kalahasti, G., Bradbury, K.R., Taylor, S. V, Maze, I., Kumar, A., Birnbaum, S.G., Krishnan, V., Truong, H., Neve, R.L., Nestler, J., Russo, S.J., 2010. Role of nuclear Factor κB in ovarian hormone-mediated stress hypersensitivity in female mice. *Biol. Psychiatry* 65, 874–880.
- Larsen, J.O., Skalicky, M., Viidik, A., 2000. Does long-term physical exercise counteract age-related Purkinje cell loss? A stereological study of rat cerebellum. *J. Comp. Neurol.* 428, 213–22.
- Leblanc, E.S., Neiss, M.B., Carello, P.E., Samuels, M.H., Janowsky, J.S., 2007. Hot flashes and estrogen therapy do not influence cognition in early menopausal women. *Menopause* 14, 191–202.
- Lecker, S.H., Zavin, A., Cao, P., Arena, R., Allsup, K., Daniels, K.M., Joseph, J., Schulze, P.C., Forman, D.E., 2012. Expression of the irisin precursor FNDC5 in skeletal muscle correlates with aerobic exercise performance in patients with heart failure. *Circ. Heart Fail.* 5, 812–818.

- Lee, D.Y., Lee, K.S., Lee, H.J., Noh, Y.H., Kim, D.H., Lee, J.Y., Cho, S.H., Yoon, O.J., Lee, W.B., Kim, K.Y., Chung, Y.H., Kim, S.S., 2008. Kynurenic acid attenuates MPP(+)-induced dopaminergic neuronal cell death via a Bax-mediated mitochondrial pathway. *Eur. J. Cell Biol.* 87, 389–97.
- Lee, J., Shin, M., Ji, E., Kim, T., Cho, H., Kim, C., Jang, M., Kim, T., Kim, B., Kim, D., 2014. Treadmill exercise improves motor coordination through ameliorating Purkinje cell loss in amyloid beta23-35- induced Alzheimer's disease rats 10, 258–264.
- Li, B., Zhu, J., Wang, J., 2014. Histaminergic afferent system in the cerebellum : structure and function. *Cereb. Atax.* 1, 1–9.
- Li, Q.G., Wu, X.R., Li, X.Z., Yu, J., Xia, Y., Wang, A.P., Wang, J., 2012. Neural-endocrine mechanisms of respiratory syncytial virus-associated asthma in a rat model. *Genet. Mol. Res.* 11, 2780–2789.
- Li, R., Shen, Y., 2005. Estrogen and brain: synthesis, function and diseases. *Front. Biosci.* 10, 257–267.
- Lin, J., Wu, P.H., Tarr, P.T., Lindenberg, K.S., St-Pierre, J., Zhang, C.Y., Mootha, V.K., Jäger, S., Vianna, C.R., Reznick, R.M., Cui, L., Manieri, M., Donovan, M.X., Wu, Z., Cooper, M.P., Fan, M.C., Rohas, L.M., Zavacki, A.M., Cinti, S., Shulman, G.I., Lowell, B.B., Krainc, D., Spiegelman, B.M., 2004. Defects in adaptive energy metabolism with CNS-linked hyperactivity in PGC-1 α null mice. *Cell* 119, 121–135.
- Lindh-Astrand, L., Nedstrand, E., Wyon, Y., Hammar, M., 2004. Vasomotor symptoms and quality of life in previously sedentary postmenopausal women randomised to physical activity or estrogen therapy. *Maturitas* 2, 97-105.
- Liu, Z., Liu, Y., Gao, R., Li, H., Dunn, T., Wu, P., Smith, R.G., Sarkar, P.S., Fang, X., 2014. Ethanol suppresses PGC-1 α expression by interfering with the cAMP-CREB pathway in neuronal cells. *PLOS ONE* 9, 13–15.
- Lovatel, G.A., Elsner, V.R., Bertoldi, K., Vanzella, C., Moysés, F. dos S., Vizuite, A., Spindler, C., Cechinel, L.R., Netto, C.A., Muotri, A.R., Siqueira, I.R., 2013. Treadmill exercise induces age-related changes in aversive memory, Neuroinflammatory and epigenetic processes in the rat hippocampus. *Neurobiol. Learn. Mem.* 101, 94–102.
- Lu, J., Xu, Y., Hu, W., Gao, Y., Ni, X., Sheng, H., Liu, Y., 2014. Exercise ameliorates depression-like behavior and increases hippocampal BDNF level in ovariectomized rats. *Neurosci. Lett.* 573, 13–18.
- Lucas, S.J.E., Cotter, J.D., Brassard, P., Bailey, D.M., 2015. High-intensity interval exercise and cerebrovascular health: curiosity, cause, and consequence. *J. Cereb. Blood Flow Metab.* 2015, 1–10.
- Luu-The, V., Labie, F., 2010. The intracrine sex steroid biosynthesis pathways. Martiani, L., editors. *Neuroendocrinology: The Normal Neuroendocrine System*, 1st ed. Amsterdam : Elsevier. pp. 177-192.
- Lyoun, S., Kawano, S., Yamada, T., Okuyama, S., Terashima, T., Hayase, K., Yokogoshi, H., 2008. Role of estrogen receptors and aromatase on brain protein synthesis rates in ovariectomized female rats fed genistein. *Nutr. Neurosci.* 11, 155–60.

- Ma, J.K., Scribbans, T.D., A Edgett, B., Boyd, J.C., Simpson, C.A., Littele, J.P., Gurd, B.J., 2013. Extremely low-volume, high-intensity interval training improves exercise capacity and increases mitochondrial protein content in human skeletal muscle. *Open J. Mol. Integr. Physiol.* 3, 202–210.
- Ma, Y., He, M., Qiang, L., 2013. Exercise therapy downregulates the overexpression of TLR4, TLR2, MyD88 and NFkB after cerebral ischemia in rats. *Int. J. Mol. Sci.* 14, *Gynecol. Endocrinol.* 3718–3733.
- Macias, M., Nowicka, D., Czupryn, A., Sulejczak, D., Skangiel-kramska, J., Czarkowska, J., 2009. Exercise-induced motor improvement after complete spinal cord transection and its relation to expression of brain-derived neurotrophic factor and presynaptic markers. *BMC Neuroci.* 25, 1–25.
- Maia, J.R., Casoy, J., Valente, J., 2009. Testosterone replacement therapy in the climacteric: benefits beyond sexuality. *Gynecol. Endocrinol.* 25, 12–20.
- Manca, P., Mameli, O., Caria, M.A., 2014. Distribution of snap25, vamp1 and vamp2 in mature and developing deep cerebellar nuclei after estrogen administration. *Neuroscience* 266, 102–115.
- Mann, A., Chesselet, M.-F., 2015. Techniques for Motor Assessment in Rodents, in: *Movement Disorders*. Elsevier Inc., pp. 139–157.
- Mansour, S.Z., Moustafa, E.M., Hassan, A.A., Thabet, N.M., 2017. Protective role of krill oil against estrogen deficiency induced neurodegeneration in ovariectomized rats. *Indian J. Exp. Biol.* 55, 279–285.
- Manto, M., 2009. Mechanisms of human cerebellar dysmetria: experimental evidence and current conceptual bases. *J. Neuroeng. Rehabil.* 6, 1–18.
- Manto, M., De Zeeuw, C.I., 2012. Diversity and complexity of roles of granule cells in the cerebellar cortex. Editorial. *Cerebellum* 11, 1–4.
- Markou, A., Duka, T., Prelevic, G.M., 2005. Estrogens and brain function. *Hormones (Athens)*. 4, 9–17.
- Marosi, K., Felszeghy, K., Mehra, R.D., Radák, Z., Nyakas, C., 2012. Are the neuroprotective effects of estradiol and physical exercise comparable during ageing in female rats? *Biogerontology* 13, 413–427.
- Marques-Aleixo, I., Santos-Alves, M., Balca, M.M., Rizo-Roca, D., Moreira, P.I., Oliveira, P.J., Magalhaes, J., Ascensao, A., 2015. Physical exercise improves brain cortex and cerebellum mitochondrial bioenergetics and alters apoptotic, dynamic and auto(mito)phagy markers. *Neuroscience* 301, 480–495.
- Marques-Aleixo, I.I., Oliveira, P.J., Moreira, P.I., Magalhães, J., Ascensão, A., Magalhaes, J., Ascensao, A., 2012. Physical exercise as a possible strategy for brain protection: Evidence from mitochondrial-mediated mechanisms. *Prog. Neurobiol.* 99, 149–162.
- Marriott, L.K., Hauss-Wegrzyniak, B., Benton, R.S., Vraniak, P.D., Wenk, G.L., 2002. Long-term estrogen therapy worsens the behavioral and neuropathological consequences of chronic brain inflammation. *Behav. Neurosci.* 116, 902–911.
- Mauk, M.D., Thach, W.T., 2008. Cerebellum, in: *Fundamental Neuroscience*. Elsevier, San Diego, pp. 751–774.
- McEwen, B., 2002. Estrogen actions throughout the brain. *Recent Prog. Horm. Res.* 57, 357–384.

- McEwen, B.S., 2001. Invited review: Estrogens effects on the brain: multiple sites and molecular mechanisms. *J. Appl. Physiol.* 91, 2785–2801.
- McEwen, B.S., Alves, S.E., 1999. Estrogen actions in the central nervous system. *Endocrinol. Rev.* 20, 279–307.
- McEwen, B.S., Gianaros, P.J., 2011. Stress and allostasis-induced brain plasticity. *Annu. Rev. Med.* 62, 431–445.
- Medh, R.D., Thompson, E.B., 2000. Hormonal regulation of physiological cell turnover and apoptosis. *Cell Tissue Res.* 301, 101–112.
- Mendoza, J.E., Foundas, A.L., 2008. Clinical Neuroanatomy: A Neurobehavioral Approach. Springer, New York.
- Mermelstein, P.G., Micevych, P.E., 2008. Nervous system physiology regulated by membrane estrogen receptors. *Rev. Neurosci.* 19, 413–424.
- Micheau, O., Lens, S., Gaide, O., Alevizopoulos, K., Tschopp, J., 2001. NF- B Signals Induce the Expression of c-FLIP. *Mol. Cell. Biol.* 21, 5299–5305.
- Micheau, O., Tschopp, J., 2003. Induction of TNF receptor I-mediated apoptosis via two sequential signaling complexes. *Cell* 114, 181–190.
- Miñano, A., Cerbón, M.A., Xifró, X., Malagelada, C., Aguilera, J., Rodríguez-Alvarez, J., 2007. 17Beta-estradiol does not protect cerebellar granule cells from excitotoxicity or apoptosis. *J. Neurochem.* 102, 354–64.
- Mohamd, E.M., Ahmed, H.H., Estefan, S.F., Farrag, A. E.R.H., Salah, R.S., 2011. Windows into estradiol effects in Alzheimer's disease therapy. *Eur. Rev. Med. Pharmacol. Sci.* 15, 1131–1140.
- Monthakantirat, O., Sukano, W., Umehara, K., Noguchi, H., Chulikhit, Y., Matsumoto, K., 2014. Effect of miroestrol on ovariectomy-induced cognitive impairment and lipid peroxidation in mouse brain. *Phytomedicine* 21, 1249–1255.
- Moreira, A.C., Silva, A.M., Santos, M.S., Sardão, V. A., 2014. Phytoestrogens as alternative hormone replacement therapy in menopause: What is real, what is unknown. *J. Steroid Biochem. Mol. Biol.* 143, 61–71.
- Morgan, M.J., Liu, Z., 2011. Crosstalk of reactive oxygen species and NF-κB signaling. *Cell Res.* 21, 103–115.
- Morrison, J.H., Brinton, R.D., Schmidt, P.J., Gore, A.C., 2006. Estrogen, menopause, and the aging brain: how basic neuroscience can inform hormone therapy in women. *J. Neurosci.* 26, 10332–10348.
- Morrison, S., Colberg, S.R., Parson, H.K., Vinik, A.I., 2014. Exercise improves gait, reaction time and postural stability in older adults with type 2 diabetes and neuropathy. *J. Diabetes Complications* 28, 715–22.
- Moscucci, O., Clarke, A., 2007. Prophylactic oophorectomy: A historical perspective. *J. Epidemiol. Community Health* 61, 182–184.
- Mulnard, R.A., Cotman, C.W., Kawas, C., van Dyck, C.H., Sano, M., Doody, R., Koss, E., Pfeiffer, E., Jin, S., Gams, A., Grundman, M., Thomas, R., Thal, L.J., 2000. Estrogen replacement therapy for treatment of mild to moderate Alzheimer disease: a randomized controlled trial. Alzheimer's Disease Cooperative Study. *JAMA.* 283, 1007–1015.

- Musazzi, L., Cattaneo, A., Tardito, D., Barbon, A., Gennarelli, M., Barlati, S., Racagni, G., Popoli, M., 2009. Early raise of BDNF in hippocampus suggests induction of posttranscriptional mechanisms by antidepressants. *BMC Neurosci.* 10, 48.
- Nagao, S., 2004. Pontine nuclei-mediated cerebello-cerebral interactions and its functional role. *Cerebellum* 3, 11–15.
- Niemann, C., Godde, B., Staudinger, U.M., 2014. Exercise-induced changes in basal ganglia volume and cognition in older adults. *Neuroscience* 281, 147–163.
- Nieuwenhuys, R., Voogd, J., van Huijzen, C., 2007. Cerebellum, in: *The Human Central Nervous System*. New York, pp. 807–839.
- Niki, E., Nakano, M., 1990. Estrogens as antioxidants. *Meth. Enzymol.* 186, 330–333.
- Nilsen, J., Chen, S., Irwin, R.W., Iwamoto, S., Brinton, R.D., 2006. Estrogen protects neuronal cells from amyloid beta-induced apoptosis via regulation of mitochondrial proteins and function. *BMC Neurosci.* 7, 1–14.
- Nishimwe-Niyimbanira, R., 2014. Antecedents of participation in physical activity among generation y at a South African higher education institution. *Mediterr. J. Soc. Sci.* 5, 291–298.
- Nobrega, C., Nascimento-Ferreira, I., Onofre, I., Albuquerque, D., Deglon, N., de Almeida, L.P., 2014. RNA interference mitigates motor and neuropathological deficits in a cerebellar mouse model of Machado-Joseph disease. *PLOS ONE* 9, e100086.
- Noroozian, M., 2014. The Role of the Cerebellum in Cognition. *Neurol. Clin.* 32, 1081–1104.
- Nybo, L., Nielsen, B., Pederson, B. K., Moller, K., Secher, S.H., 2002. Interleukin-6 release from the human brain during prolonged exercise. *J. Physiol.* 243, 991–995.
- Oeckinghaus, A., Ghosh, S., 2009. The NF- κ B family of transcription factors and its regulation. *Cold Spring Harb. Perspect. Biol.* 1, a000034–a000034.
- Okamoto, M., Hojo, Y., Inoue, K., Matsui, T., Kawato, S., McEwen, B.S., Soya, H., 2012. Mild exercise increases dihydrotestosterone in hippocampus providing evidence for androgenic mediation of neurogenesis. *Proc. Natl. Acad. Sci.* 109, 13100–13105.
- Olama, K. A., 2011. Endurance exercises versus treadmill training in improving muscle strength and functional activities in hemiparetic cerebral palsy. *Egypt. J. Med. Hum. Genet.* 12, 193–199.
- Oral, A., Unal, D., Halici, Z., Cadirci, E., Sengul, O., Ozaltin, S., Gundogdu, C., Unal, B., Atamanalp, S.S., 2012. Bilateral ovariectomy in young rats: What happens in their livers during cecal ligation and puncture induced sepsis? *J. Pediatr. Adolesc. Gynecol.* 25, 371–379.
- Otteweller, J.E., Sisto, S.A., McCarty, R.C., Natelson, B.H., 2001. Hormonal Responses to Exercise in Chronic Fatigue Syndrome. *Neuropsychobiology* 43, 34–41.

- Packer, N., Pervaiz, N., Hoffman-Goetz, L., 2010. Does exercise protect from cognitive decline by altering brain cytokine and apoptotic protein levels? *Exerc Immunol Rev.* 16, 138–62.
- Paramanik, V., Thakur, M.K., 2013. Role of CREB signaling in aging brain. *Arch. Ital. Biol.* 151, 33–42.
- Pardini, D., 2007. Menopausal hormone therapy. *Arq. Bras. Endocrinol. Metabol.* 51, 938–942.
- Partadiredja, G., Bedi, K.S., 2001. Mice undernourished before, but not after, weaning perform better in motor coordination and spatial learning tasks than well-fed controls. *Nutr. Neurosci.* 14, 129–137.
- Path, G., Bornstein, S.R., Bornstein, M.E., Scherbaum, W.A., 1997. Interleukin-6 and the interleukin-6 receptor in the human adrenal gland : expression and effects on steroidogenesis. *J. Clin. Endocrinol. Metab.* 82, 2343–2349.
- Pavai, Z., Pap, Z., Orban-Kis, K., Szilagyi, T., 2010. Quantitative characterization of regional differences in the GABAA-receptor alpha1-subunit mRNA expression in the rat brain. *Rom. J. Morphol. Embryol.* 51, 43–47.
- Pavlov, V.A., Tracey, K.J., 2012. The vagus nerve and the inflammatory reflex—linking immunity and metabolism. *Nat. Rev. Endocrinol.* 8, 743–754.
- Pedersen, B.K., Hoffman-Geots, L., 2000. Exercise and the immune system: Regulation, integration, and adaptation. *Physiol. Rev.* 80, 1056–1080.
- Pedersen, B.K., Steensberg, A. & Schjerling, P. 2001. Muscle-derived interleukin-6: possible biological effects. *J. Physiol.* 2, 329–337.
- Pedersen, B.K., Steensberg, A., Fischer, C., Keller, C., Keller, P., Plomgaard, P. Wolsk-Petersen, E. & Febbraio, M. 2004. The metabolic role of IL-6 produced during exercise: is IL-6 an exercise factor? *Proc. Nutr. Soc.* 63, 263–267.
- Pereira, A., Izquierdo, M., Silva, A.J., Costa, A.M., Bastos, E., González-Badillo, J.J., Marques, M.C., 2012. Effects of high-speed power training on functional capacity and muscle performance in older women. *Exp. Gerontol.* 47, 250–255.
- Petzing, G.M., Fisher, B.E., McEwen, S., Beeler, J.A., Walsh, J.P., Jakowec, M.W., 2013. Exercise-enhanced neuroplasticity targeting motor and cognitive circuitry in Parkinson's disease. *Lancet Neurol.* 12, 716–726.
- Pfeilschifter, J., Koditz, R., Pöhl, M., Schatz, H., 2002. Changes in proinflammatory cytokine activity after menopause. *Endocr. Rev.* 23, 90–119.
- Phillips, C., Baktir, M.A., Srivatsan, M., Salehi, A., 2014. Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Front. Cell. Neurosci.* 8, 1–16.
- Pietrelli, A., López-Costa, J.J., Goñi, R., López, E.M., Brusco, A., Basso, N., 2011. Effects of moderate and chronic exercise on the nitrenergic system and behavioral parameters in rats. *Brain Res.* 1389, 71–82.
- Pisotta, I., Molinari, M., 2014. Cerebellar contribution to feedforward control of locomotion. *Front. Hum. Neurosci.* 8, 1–5.
- Porges, S.W., 2003. The polyvagal theory: Phylogenetic contributions to social behavior. *Physiol. Behav.* 79, 503–513.
- Porges, S.W., 2007. The polyvagal perspective. *Biol. Psychol.* 74, 116–143.

- Porges, S.W., 2010. Stress and parasympathetic control. *Encycl. Neurosci.* 463–469.
- Pourié, G., Martin, N., Bossenmeyer-Pourié, C., Akchiche, N., Guéant-Rodriguez, R.M., Geoffroy, A., Jeannesson, E., El Hajj Chehadeh, S., Mimoun, K., Brachet, P., Koziel, V., Alberto, J.M., Helle, D., Debard, R., Leininger, B., Daval, J.L., Guéant, J.L., 2015. Folate- and Vitamin B12-deficient diet during gestation and lactation alters cerebellar synapsin expression via impaired influence of estrogen nuclear receptor α . *FASEB J.* 29, 3713–3725.
- Pozzi, S., Benedusi, V., Maggi, A., Vegeto, E., 2006. Estrogen action in neuroprotection and brain inflammation. *Ann. N. Y. Acad. Sci.* 1089, 302–323.
- Pulungan, Z.S.A., Sofro, Z.M., Partadiredja, G., 2018. Sodium fluoride does not affect the working memory and number of pyramidal cells in rat medial prefrontal cortex. *Anat. Sci. Int.* 93, 128–138.
- Purves, 2003. Neuroscience. Sinauer Associates, Inc., Massachusetts.
- Racil, G., Ben Ounis, O., Hammouda, O., Kallel, A., Zouhal, H., Chamari, K., Amri, M., 2013. Effects of high vs. Moderate exercise intensity during interval training on lipids and adiponectin levels in obese young females. *Eur. J. Appl. Physiol.* 113, 2531–2540.
- Rahimi-Balaei, M., Afsharinezhad, P., Bailey, K., Buchok, M., Yeganeh, B., Marzban, H., 2015. Embryonic stages in cerebellar afferent development. *Cerebellum & Ataxias* 2, 1–14.
- Ramsay, D.S., Woods, S.C., 2014. Clarifying the roles of homeostasis and allostasis in physiological regulation. *Psychol. Rev.* 121, 225–247.
- Rao, Y., Li, J., Wang, W., 2015. Effects of Gengnianchun on learning and memory ability, neurotransmitter, cytokines, and leptin in ovariectomized rats. *Int. J. Clin. Exp. Med.* 8, 8648–8660.
- Rauf, S., Soejono, S.K., Partadiredja, G., 2015. Effects of treadmill exercise training on cerebellar estrogen and estrogen receptors, serum estrogen, and motor coordination performance of ovariectomized rats. *Iran J. Basic Med. Sci.* 18, 587–592.
- Rauf, S., Soesatyo, M.H.N.E., Agustiningsih, D., Partadiredja, G., 2018. Intermittent exercise improves working memory and locomotor activity by attenuating oxidative stress in the prefrontal cortex and cerebellum Of ovariectomized rats. *Sport Sci. Health*, 1 - 11.
- Real, C.C., Garcia, P.C., Britto, L.R.G., Pires, R.S., 2015. Different protocols of treadmill exercise induce distinct neuroplastic effects in rat brain motor areas 1624, 188–198.
- Rocca, W.A., Grossardt, B.R., Shuster, L.T., 2014. Oophorectomy, estrogen, and dementia : A 2014 update. *Mol. Cell. Endocrinol.* 389, 7–12.
- Rocca, W. A., 2010. Increased risk of cognitive impairment or dementia in women who underwent bilateral oophorectomy before menopause. *Alzheimer's Dement.* 6, 1074–1083.
- Rocca, W. A., Grossardt, B.R., Maraganore, D.M., 2008. The long-term effects of oophorectomy on cognitive and motor aging are age dependent. *Neurodegener. Dis.* 5, 257–260.

- Rocca, W. A., Grossardt, B.R., Shuster, L.T., 2011. Oophorectomy, menopause, estrogen treatment, and cognitive aging: Clinical evidence for a window of opportunity. *Brain Res.* 1379, 188–198.
- Rocca, W. A., Grossardt, B.R., Shuster, L.T., Stewart, E. A., 2012. Hysterectomy, oophorectomy, estrogen, and the risk of dementia. *Neurodegener. Dis.* 10, 175–178.
- Rocca, W. A., Ulrich, L.G., 2012. Oophorectomy for whom and at what age?: Primum non nocere. *Maturitas* 71, 1–2.
- Rune, G.M., Wehrenberg, U., Prange-Kiel, J., Zhou, L., Adelmann, G., Frotscher, M., 2002. Estrogen up-regulates estrogen receptor alpha and synaptophysin in slice cultures of rat hippocampus. *Neuroscience* 113, 167–175.
- Saha, R.N., Liu, X., Pahan, K., 2006. Up-regulation of BDNF in Astrocytes by TNF- α : A Case for the Neuroprotective Role of Cytokine. *J. Neuroimmune Pharmacol.* 1, 212–222.
- Sakamoto, H., Mezaki, Y., Shikimi, H., Ukena, K., Tsutsui, K., 2003. Dendritic growth and spine formation in response to estrogen in the developing Purkinje cell. *Endocrinology* 144, 4466–4477.
- Sales, S., Ureshino, R.P., Pereira, R.T.D.S., Luna, M.S.A., Pires de Oliveira, M., Yamanouye, N., Godinho, R.O., Smaili, S.S., Porto, C.S., Abdalla, F.M.F., 2010. Effects of 17 β -estradiol replacement on the apoptotic effects caused by ovariectomy in the rat hippocampus. *Life Sci.* 86, 832–838.
- Salvi, J., Bertaso, F., Mausset-bonnefont, A., Metz, A., Lemmers, C., Ango, F., Fagni, L., Lory, P., Mezghrani, A., 2014. RNAi silencing of P/Q-type calcium channels in Purkinje neurons of adult mouse leads to episodic ataxia type 2. *Neurobiol. Dis.* 68, 47–56.
- Sankar, P., Zachariah, B., Vickneshwaran, V., Elizabeth, S., Sridhar, M.G., 2015. Amelioration of oxidative stress and insulin resistance by soy iso flavones (from Glycine max) in ovariectomized Wistar rats fed with high fat diet : The molecular mechanisms. *Exp. Gerontol.* 63, 67–75.
- Sankaranarayanan, R., Ferlay, J., 2006. Worldwide burden of gynaecological cancer: The size of the problem. *Best Pract. Res. Clin. Obstet. Gynaecol.* 20, 207–225.
- Sasahara, K., Shikimi, H., Haraguchi, S., Sakamoto, H., Honda, S., Harada, N., Tsutsui, K., 2007. Mode of action and functional significance of estrogen-inducing dendritic growth, spinogenesis, and synaptogenesis in the developing Purkinje cell. *J. Neurosci.* 27, 7408–7417.
- Sausbier, M., Hu, H., Arntz, C., Feil, S., Kamm, S., Adelsberger, H., Sausbier, U., Sailer, C.A., Feil, R., Hofmann, F., Korth, M., Shipston, M.J., Knaus, H., Wolfer, D.P., Pedroarena, C.M., Storm, J.F., Ruth, P., 2004. Cerebellar ataxia and Purkinje cell dysfunction caused by Ca²⁺-activated K⁺ channel deficiency. *PNAS.* 101, 9474–9478.
- Schilling, K., Oberdick, J., Rossi, F., Baader, S.L., 2008. Besides Purkinje cells and granule neurons: An appraisal of the cell biology of the interneurons of the cerebellar cortex. *Histochem. Cell Biol.* 130, 601–615.

- Schneider-Brachert, W., Tchikov, V., Neumeyer, J., Jakob, M., Winoto-Morbach, S., Held-Feindt, J., Heinrich, M., Merkel, O., Ehrenschwender, M., Adam, D., Mentlein, R., Kabelitz, D., Schütze, S., 2004. Compartmentalization of TNF receptor 1 signaling: internalized TNF receptosomes as death signaling vesicles. *Immunity* 21, 415–428.
- Schulkin, J., 2008. Medical Decisions, Estrogen and Aging. Springer, Washington.
- Scott, E., Zhang, Q., Wang, R., Vadlamudi, R., Brann, D., 2012. Estrogen neuroprotection and the critical period hypothesis. *Front. Neuroendocrinol.* 33, 85–104.
- Seo, H.G., Kim, D., Park, H.W., Lee, S., Park, S., 2010. Early motor balance and coordination training increased synaptophysin in subcortical regions of the Ischemic rat brain. *J. Korean Med. Sci.* 25, 1638–1645.
- Seo, T.B., Kim, B.K., Ko, I.G., Kim, D.H., Shin, M.S., Kim, C.J., Yoon, J.H., Kim, H., 2010. Effect of treadmill exercise on Purkinje cell loss and astrocytic reaction in the cerebellum after traumatic brain injury. *Neurosci. Lett.* 481, 178–82.
- Serpil, C., Gulsen, C., Ozabacigil Fatma, G., Karamese Selina, A., Jale, S., Gulsum, B., Semin, G., Gonul Zisan, S., Serdar, Y., Ismail, C., Mustafa, G., 2015. Hepatoprotective effect of 17 β -estradiol as antioxidant modulators against stress damage. *Hepat. Mon.* 15, 1–7.
- Sharma, K., Mehra, R.D., 2008. Long-term administration of estrogen or tamoxifen to ovariectomized rats affords neuroprotection to hippocampal neurons by modulating the expression of Bcl-2 and Bax. *Brain Res.* 4, 1–15.
- Sharma, K., Mehra, R.D., Dhar, P., Vij, U., 2007. Chronic exposure to estrogen and tamoxifen regulates synaptophysin and phosphorylated cAMP response element-binding (CREB) protein expression in CA1 of ovariectomized rat hippocampus. *Brain Res.* 1132, 10–19.
- Shepherd, R.B., 2001. Exercise and training to optimize functional motor performance in stroke: driving neural reorganization? *Neural Plast.* 8, 121–129.
- Shih, R., Wang, C., Yang, C., 2015. NF-kappa B signaling pathways in neurological inflammation : A Mini Review. *Front. Mol. Neurosci.* 8, 1–8.
- Shuster, L., Gostout, B., Grossardt, B., Rooca, W. A., 2009. Prophylactic oophorectomy in pre-menopausal women and long term health-a review. *Menopause Int.* 14, 111–116.
- Silver, A., Haeney, M., Vijayadurai, P., Wilks, D., Patrick, M., Main, C.J., 2002. The role of fear of physical movement and activity in chronic fatigue syndrome. *J. Psychosom. Res.* 52, 485–493.
- Simpson, E., Rubin, G., Clyne, C., Robertson, K., O'Donnell, L., Davis, S., Jones, M., 1999. Local estrogen biosynthesis in males and females. *Endocrine-Related Cancer* 6, 131–137.
- Simpson, E., Rubin, G., Clyne, C., Robertson, K., O'Donnell, L., Jones, M., Davis, S., 2000. The role of local estrogen biosynthesis in males and females. *Trends Endocrinol. Metab.* 11, 184–188.

- Simpson, E.R., Davis, S.R., 2001. Minireview: aromatase and the regulation of estrogen biosynthesis--some new perspectives. *Endocrinology* 142, 4589–4594.
- Singh, M., Guan, X., Warren, M., Toran-allerand, C.D., 1999. Estrogen-induced activation of mitogen-activated protein kinase in cerebral cortical explants: convergence of estrogen and neurotrophin signaling pathways. *J. Neurosci.* 19, 1179–1188.
- Singh, M., Meyer, E.M., Simpkins, J.W., 1995. The effect of ovariectomy and estradiol replacement on brain-derived neurotrophic factor messenger ribonucleic acid expression in cortical and hippocampal brain regions of female Sprague-Dawley rats. *Endocrinology* 136, 2320–2324.
- Singh, R., Lakhanpal, D., Kumar, S., Sharma, S., 2012. Late-onset intermittent fasting dietary restriction as a potential intervention to retard age-associated brain function impairments in male rats. *Age* 34, 917–933.
- Sleiman, S.F., Henry, J., Al-haddad, R., Hayek, L. El, Haidar, E.A., Stringer, T., Ulja, D., 2016. Exercise promotes the expression of brain derived neurotrophic factor (BDNF) through the action of the ketone body b-hydroxybutyrate. *ELife* 5, 1–21.
- Smart, N. A., Dieberg, G., Giallauria, F., 2013. Intermittent versus continuous exercise training in chronic heart failure: A meta-analysis. *Int. J. Cardiol.* 166, 352–358.
- Smith, P., 2014. BDNF: no gain without pain? *Neuroscience* 283, 107–123.
- Snow, W.M., Albensi, B.C., 2016. Neuronal gene targets of NF- κ B and Their dysregulation in alzheimer's disease. *Front. Mol. Neurosci.* 9, 118.
- Sonia, Q., Moreira, S., Nunes, E.A., Kuo, J., Cristina, I., Macedo, D., Muchale, A., Oliveira, C. D., Scarabelot, V.L., Ricardo, P., Filho, M., Medeiros, L.F., Caumo, W., Torres, I.L.S., 2015. Hypoestrogenism alters mood: Ketamine reverses depressive-like behavior induced by ovariectomy in rats. *Pharmacol. Reports.* 368, 1–7.
- Soriano, F.X., Léveillé, F., Papadia, S., Bell, K.F.S., Puddifoot, C., Hardingham, G.E., 2011. Neuronal activity controls the antagonistic balance between peroxisome proliferator-activated receptor- γ coactivator-1 α and silencing mediator of retinoic acid and thyroid hormone receptors in regulating antioxidant defenses. *Antioxid. Redox Signal.* 14, 1425–1436.
- Sotelo, C., 2015. Molecular layer interneurons of the cerebellum: Developmental and morphological aspects. *Cerebellum* 1–23.
- Strahler, J., Fischer, S., Nater, U.M., Ehlert, U., Gaab, J., 2013. Norepinephrine and epinephrine responses to physiological and pharmacological stimulation in chronic fatigue syndrome. *Biol. Psych.* 94, 160–166.
- Steiner, J.L., Murphy, E.A., McClellan, J.L., Martin, D., Davis, J.M., Steiner, J.L., Murphy, E.A., McClellan, J.L., Carmichael, M.D., Davis, J.M., 2015. Exercise training increases mitochondrial biogenesis in the brain Exercise training increases mitochondrial biogenesis in the brain. *J. Appl. Physiol.* 111, 1066–1071.
- Strominger, N.L., Demarest, R.J., Laemle, L.B., 2012. Noback's Human Nervous System, Seventh Edition, Springer Science, New York.

- Suganuma, I., Mori, T., Ito, F., Tanaka, Y., Sasaki, A., 2014. Coactivator 1 alpha enhances local estrogen biosynthesis by stimulating aromatase activity in endometriosis. *J. Clin. Endocrinol. Metab.* 1–8.
- Swain, R.A., Harris, A. B., Wiener, E.C., Dutka, M. V., Morris, H.D., Theien, B.E., Konda, S., Engberg, K., Lauterbur, P.C., Greenough, W.T., 2003. Prolonged exercise induces angiogenesis and increases cerebral blood volume in primary motor cortex of the rat. *Neuroscience* 117, 1037–1046.
- Tamatani, M., Che, Y.H., Matsuzaki, H., Ogawa, S., Okado, H., Miyake, S., Mizuno, T., Tohyama, M., 1999. Tumor necrosis factor induces Bcl-2 and Bcl-x expression through NFkappaB activation in primary hippocampal neurons. *J. Biol. Chem.* 274, 8531–8538.
- Tan, M.N., Kartal, M., Guldal, D., 2014. The effect of physical activity and body mass index on menopausal symptoms in Turkish women: a cross-sectional study in primary care. *BMC Womens Health* 14, 1–8.
- Taoufik, E., Tseveleki, V., Chu, S.Y., Tselios, T., Karin, M., Lassmann, H., Szymkowski, D.E., Probert, L., 2011. Transmembrane tumour necrosis factor is neuroprotective and regulates experimental autoimmune encephalomyelitis via neuronal nuclear factor-? *Brain* 134, 2722–2735.
- Tavares, R., Segreti, C., Maurício, F., Abdalla, F., 2014. Ovariectomy and 17 b -estradiol replacement play a role on the expression of endonuclease-G and phosphorylated cyclic AMP response element-binding (CREB) protein in hippocampus. *Mol. Cell. Endocrinol.* 382, 227–233.
- Terada, S., Kawanaka, K., Goto, M., Shimokawa, T., Tabata, I., 2005. Effects of high-intensity intermittent swimming on PGC-1 a protein expression in rat skeletal muscle. *Acta Physiol. Scand.* 184, 59–65.
- Terada, S., Yokozeki, T., Kawanaka, K., Ogawa, K., Higuchi, M., Ezaki, O., Tabata, I., Yokozeki, T., Kawanaka, K., 2001. Effects of high-intensity swimming training on GLUT-4 and glucose transport activity in rat skeletal muscle. *J. Appl. Physiol.* 90, 2019–2024.
- Thompson, R.L., 2003. Menopause and brain function. *Neurology* 61, E9–E10.
- Toldy, A., Jakus, J., Jung, K.J., Chung, H.Y., Nyakas, C., Rad, Z., 2005. The effect of exercise and nettle supplementation on oxidative stress markers in the rat brain. *Brain Res. Bull.* 65, 487–493.
- Torgerson, D.J., Garton, M.J., Reid, D.M., 1993. Falling and perimenopausal women. *Age Ageing* 22, 59–64.
- Trejo, J.L., Llorens-Martín, M. V, Torres-Alemán, I., 2008. The effects of exercise on spatial learning and anxiety-like behavior are mediated by an IGF-I-dependent mechanism related to hippocampal neurogenesis. *Mol. Cell. Neurosci.* 37, 402–411.
- Tschakert, G., Hofmann, P., 2013. High-intensity intermittent exercise: Methodological and physiological aspects. *Int. J. Sports Physiol. Perform.* 8, 600–610.
- Tsutsui, K., 2006. Biosynthesis and organizing action of neurosteroids in the developing Purkinje cell. *Cerebellum* 5, 89–96.
- Tsutsui, K., 2009. Neurosteroid Biosynthesis and Action in the Purkinje Cell. *Neuroscience* 2, 1–12.

- Uhlendorf, T.L., Van Kummer, B.H., Yaspelkis, B.B., Cohen, R.W., 2011. Neuroprotective effects of moderate aerobic exercise on the spastic Han-Wistar rat, a model of ataxia. *Brain Res.* 1369, 216–222.
- Vaynman, S.S., Ying, Z., Yin, D., Gomez-Pinilla, F., 2006. Exercise differentially regulates synaptic proteins associated to the function of BDNF. *Brain Res.* 1070, 124–130.
- Vegeto, E., Ciana, P., Maggi, A., 2002. Estrogen and inflammation: hormone generous action spreads to the brain. *Mol. Psychiatry* 7, 236–238.
- Veloz, M.F.V., Zhou, K., Bosman, L.W.J., Potters, J.W., Negrello, M., Seepers, R.M., Strydis, C., Koekkoek, S.K.E., Zeeuw, C.I.D., 2015. Cerebellar control of gait and interlimb coordination. *Brain Struct. Funct.* 220, 3513–3536.
- Vogel, M.W., 2002. Cell death, Bcl-2, Bax, and the cerebellum. *Cerebellum* 1, 277–287.
- Voogd, J., 2003. The human cerebellum. *J. Chem. Neuroanat.* 26, 243–252.
- Voogd, J., Glickstein, M., 1998. The anatomy of the cerebellum. *Cerebellum* 2236, 370–375.
- Vujovic, S., Brincat, M., Erel, T., Gambacciani, M., Lambrinoudaki, I., Moen, M.H., Schenck-Gustafsson, K., Tremollieres, F., Rozenberg, S., Rees, M., 2010. EMAS position statement: Managing women with premature ovarian failure. *Maturitas* 67, 91–93.
- Vuori, I.M., Lavie, C.J., Blair, S.N., 2013. Physical activity promotion in the health care system. *Mayo Clin. Proc.* 88, 1446–1461.
- Wahl, P., Zinner, C., Achtzehn, S., Bloch, W., Mester, J., 2010. Effect of high and low-intensity exercise and metabolic acidosis on levels of GH, IGF-I, IGFBP-3 and cortisol. *Growth Horm. IGF Res.* 20, 380–385.
- Walsh, R.N., Cummins, R.A., 1976. The open-field. *Psychol. Bull.* 83, 482–504.
- Wang, L., Du, F., Wang, X., 2008. TNF- α Induces Two Distinct Caspase-8 Activation Pathways. *Cell* 133, 693–703.
- Wenz, T., 2013. Mitochondrion Regulation of mitochondrial biogenesis and PGC-1 α under cellular stress. *Mitochondrion* 13, 134–142.
- Whishaw, I.Q., Haun, F., Kolb, B., 1999. Analysis of behavior in laboratory rodents. Windhors & Johansson, editors. *Modern Techniques in Neuroscience Research*. Berlin: Springer. pp. 1243–1275.
- Wise, P.M., Dubal, D.B., Wilson, M.E., Rau, S.W., Bottner, M., 2001. Minireview: Neuroprotective effects of estrogen - new insight into mechanisms of action. *Endocrinology* 142:969-973.
- WHO, 2002. *The World Health Report : Reducing Risks, Promoting Healthy Life*. WHO, Geneva.
- Wong, J.K., Le, H.H., Zsarnovszky, A., Belcher, S.M., 2003. Estrogens and ICI182, 780 (Faslodex) modulate mitosis and cell death in immature cerebellar neurons via rapid activation of p44/p42 mitogen-activated protein kinase. *J. Neurosci.* 23, 4984–4995.
- Wrann, C.D., White, J.P., Salogiannis, J., Laznik-bogoslavski, D., Wu, J., Ma, D., Lin, J.D., Greenberg, M.E., Spiegelman, B.M., 2013. Exercise induces hippocampal BDNF through a PGC-1 α /FNDC5 pathway. *Cell Metab.* 18, 649–659.

- Xu, B., 2013. BDNF (I) risin from Exercise. *Cell Metab.* 18, 612–614.
- Xu, X., Zhang, Z., 2006. Effects of estradiol benzoate on learning-memory behavior and synaptic structure in ovariectomized mice. *Life Sci.* 79, 1553–1560.
- Xu, Y., Sheng, H., Tang, Z., Lu, J., Ni, X., 2015. Inflammation and increased IDO in hippocampus contribute to depression-like behavior induced by estrogen deficiency. *Behav. Brain Res.* 288, 71–78.
- Yao, M., Nguyen, T.V.V, Pike, C.J., 2007. Estrogen regulates Bcl-w and Bim expression: role in protection against beta-amyloid peptide-induced neuronal death. *J. Neurosci.* 27, 1422–1433.
- Yuliani, S., Mustofa, Partadiredja, G., 2018. Turmeric (*Curcuma longa* L.) extract may prevent the deterioration of spatial memory and the deficit of estimated total number of hippocampal pyramidal cells of trimethyltin-exposed rats. *Drug Chem. Toxicol.* 41, 62–71.
- You, W.C., Wang, C.X., Pan, Y.X., Zhang, X., Zhou, X.M., Zhang, X.S., Shi, J.X., Zhou, M.-L., 2013. Activation of nuclear factor- κ B in the brain after experimental subarachnoid hemorrhage and its potential role in delayed brain injury. *PLOS ONE* 8, e60290.
- Zec, R.F., Trivedi, M.A., 2002. The effects of estrogen replacement therapy on neuropsychological functioning in postmenopausal women with and without dementia: a critical and theoretical review. *Neuropsychol. Rev.* 12, 65–109.
- Zeng, Y., Gu, P., Liu, K., Huang, P., 2013. Maternal protein restriction in rats leads to reduced PGC-1 α expression via altered DNA methylation in skeletal muscle. *Mol. Med. Rep.* 7, 306–312.
- Zeng-Li, C., Guang-Li, F., Chun -Mei, Z., Yi-dan, H., 2007. Effects of estrogen on ER, NGF and CHAT expretion in cerebellum of aging femele sprague dawley rate. *ASC.* 6, 368-74.
- Zhang, F.X., Sun, Q.J., Zheng, X.Y., Lin, Y.T., Shang, W., Wang, A.H., Duan, R.S., Chi, Z.F., 2014. Abnormal expression of synaptophysin, snap-25 , and synaptotagmin 1 in the hippocampus of kainic acid-exposed rats with behavioral deficits. *Cell Mol. Neurobiol.* 34, 813–824.
- Zhang, F., Wu, Y., Jia, J., 2011. Exercise preconditioning and brain ischemic tolerance. *Neuroscience* 177, 170–176.
- Zhang, T.J., Hang, J., Wen, D.X., Hang, Y.N., Sieber, F.E., 2006. Hippocampus bcl-2 and bax expression and neuronal apoptosis after moderate hypothermic cardiopulmonary bypass in rats. *Anesth. Analg.* 102, 1018–1025.
- Zhu, B.T., Conney, A.H., 1998. Functional role of estrogen metabolism in target cells: review and perspectives. *Carcinogenesis* 19, 1–27.
- Zila, I., Mokra, D., Kopincova, J., Kolomaznik, M., Javorka, M., Calkovska, A., 2017. Vagal-immune interactions involved in cholinergic anti-inflammatory pathway. *Physiol. Res.* 66, S139–S145.
- Zoladz, J.A., Majerczak, J., Zeligowska, E., Mencil, J., Jaskolski, A., Jaskolska, A., Marusiak, J., 2014. Moderate-intensity interval training increases serum brain-derived neurotrophic factor level and decreases inflammation in Parkinson disease patients. *J. Physiol. Pharmacol.* 65, 441–448.

- Zou, J., Crews, F., 2006. CREB and NF- κ B transcription factors regulate sensitivity to excitotoxic and oxidative stress induced neuronal cell death. *Cell. Mol. Neurobiol.* 26, 385–405.
- Zubilete, M.A., Guelman, L.R., Maur, D.G., Caceres, L.G., Rios, H., Zieher, L.M., Genaro, A.M., 2011. Partial neuroprotection by 17- β -estradiol in neonatal γ -irradiated rat cerebellum. *Neurochem. Int.* 58, 273–80.