

DAFTAR PUSTAKA

- Abe, A.E., de Oliveira, C.E., Dalboni, T.M., Chagas-Paula, D.A., Rocha, B.A., de Oliveira, R.B., Gasparoto, T.H., Da Costa, F.B., Campanelli, A.P., 2015. Anti-inflammatory sesquiterpene lactones from *Tithonia diversifolia* trigger different effects on human neutrophils. *Rev. Bras. Farmacogn.* 25, 111–116.
- Abeeleh, M.A., Ismail, Z.B., Alzaben, K.R., Abu-Halaweh, S.A., Al-Essa, M.K., Abuabeeleh, J., Alsmady, M.M., 2009. Induction of Diabetes Mellitus in Rats Using Intraperitoneal Streptozotocin : A Comparison between 2 Strains of Rats. *Eur. J. Sci. Res.* 32, 398–402.
- ADA, 2008. Diagnosis and classification of diabetes mellitus. *Diabetes Care* 31, 55–60.
- Adiwijono & Ahmad H., 1993. *Dislipidemia pada Diabetes Mellitus Tipe II: Patofisiologi dan Pendekatan Terapi*. Berkala Ilmu Kedokteran.
- Agbaje, I.M., Rogers, D. a, McVicar, C.M., McClure, N., Atkinson, a B., Mallidis, C., Lewis, S.E.M., 2007. Insulin dependent diabetes mellitus: implications for male reproductive function. *Hum Reprod* 22, 1871–1877.
- Aitken, R.J., Jones, K.T., Robertson, S.A., 2012. Reactive Oxygen Species and Sperm Function In Sickness and In Health. *J. Androl.* 33, 1096–1106.
- Aitken, R.J., Koppers, A.J., 2011. Apoptosis and DNA damage in human spermatozoa. *Asian J. Androl.* 13, 36–42.
- Aitken, R.J., Smith, T.B., Jobling, M.S., Baker, M. a, De Iuliis, G.N., 2014. Oxidative stress and male reproductive health. *Asian J. Androl.* 16, 31–8.
- Ajayi, A.F., Jegede, A.I., Anglais, A.E., 2012. Reproductive Profile of Male Wistar Rats Treated with Graded Doses of Aqueous Extract of *Tithonia diversifolia* Leaf. *World J Life Sci. Med. Res.* 2, 48–53.
- Aktuğ, H., Bozok Çetintaş, V., Uysal, A., Oltulu, F., Yavaşoğlu, A., Akarca, S.Ö., Kosova, B., 2013. Evaluation of the effects of STZ-induced diabetes on in vitro fertilization and early embryogenesis processes. *J. Diabetes Res.* 2013.
- Alberti, K.G.M.M., 2010. The Classification and Diagnosis of Diabetes Mellitus, in: Holt, R.I.G., Cockram, C.S., Flyvbjerg, A., Goldstein, B.J. (Eds.), *Textbook of Diabetes*. Wiley-Blackwell, West Sussex, pp. 24–30.
- Amaral, S., Oliveira, P.J., Ramalho-Santos, J., 2008. Diabetes and the impairment of reproductive function: possible role of mitochondria and reactive oxygen species. *Curr. Diabetes Rev.* 4, 46–54.
- Andrabi, S.M.H., 2007. Mammalian sperm chromatin structure and assessment of DNA fragmentation. *J. Assist. Reprod. Genet.* 24, 561–569.
- Ashaeryanto, Tiara, I., Diana, K., 2011. *Berat Badan Menurun*, Modul Tuto. ed. FK Universitas Haluuelo Kendari.
- Ashe, P.C., Berry, M.D., 2003. Apoptotic signaling cascades. *Prog. Neuro-Psychopharmacology Biol. Psychiatry* 27, 199–214.
- Bastaki, S., 2005. Review Diabetes mellitus and its treatment. *Int. J. Diabetes Metab.* 13, 111–134.
- Bener, A., Al-Ansari, A.A., Zirie, M., Al-Hamaq, A.O.A.A., 2009. Is male fertility associated with type 2 diabetes mellitus ? *Int Urol Nephrol* 41, 777–

784.

- Bork, P.M., Schmitz, M.L., Weimann, C., Kist, M., Heinrich, M., 1996. Nahua indian medicinal plants (Mexico): Inhibitory activity on NF- κ B as an anti-inflammatory model and antibacterial effects. *Phytomedicine* 3, 263–9. d
- Boron, W.F., Boulpaep, E.L., 2009. *Medical Physiology: A Cellular and Molecular Approach*, 2nd ed. Saunders Elsevier, Philadelphia.
- Bowie, A., Neill, L.A.J.O., 2000. Oxidative Stress and Nuclear Factor Kappa B Activation. *Biochem. Pharmacol.* 59, 13–23.
- Bucciarelli, L.G., Wendt, T., Rong, L., Lalla, E., Hofmann, M. a., Goova, M.T., Taguchi, a., Yan, S.F., Yan, S.D., Stern, D.M., Schmidt, a. M., 2002. RAGE is a multiligand receptor of the immunoglobulin superfamily: Implications for homeostasis and chronic disease. *Cell. Mol. Life Sci.* 59, 1117–1128.
- Celino, F.T., Yamaguchi, S., Miura, C., Ohta, T., Tozawa, Y., Iwai, T., Miura, T., 2011. Tolerance of spermatogonia to oxidative stress is due to high levels of Zn and Cu/Zn superoxide dismutase. *PLoS One* 6, 1–11.
- Chagas-Paula, D. a., Oliveira, R.B., Rocha, B. a., Da Costa, F.B., 2012. Ethnobotany, chemistry, and biological activities of the genus *Tithonia* (Asteraceae). *Chem. Biodivers.* 9, 210–235. d
- Chen, Y., Wu, Y., Gan, X., Liu, K., Lv, X., Shen, H., Dai, G., Xu, H., 2016. Iridoid glycoside from *Cornus officinalis* ameliorated diabetes mellitus-induced testicular damage in male rats: Involvement of suppression of the AGEs/RAGE/p38 MAPK signaling pathway. *J. Ethnopharmacol.* 194, 850–860.
- Civelek, S., Gelişgen, R., Andican, G., Seven, a, Küçük, S.H., Ozdoğan, M., Burçak, G., 2010. Advanced glycation end products and antioxidant status in nondiabetic and streptozotocin induced diabetic rats: effects of copper treatment. *Biometals* 23, 43–9.
- Codario, R.A., 2005. *Type 2 Diabetes, Pre-Diabetes, and the Metabolic Syndrome: The Primary Care Guide to Diagnosis and Management*. Humana Press Inc, New Jersey.
- Cohen, G.M., 1997. Caspases: the executioners of apoptosis. *Biochem. J.* 326, 1–16.
- Costal, F., Oliveira, E., Raposo, A., Machado-Lima, A., Peixoto, E., Roma, L., Santos, L., Faria, J.B.L., Carpinelli, A.R., Giannella-Neto, D., Passarelli, M., Correa-Giannella, M.L., 2014. Dual effect of advanced glycation end products in pancreatic islet apoptosis. *Diabetes. Metab. Res. Rev.* 32, 13–23.
- Defronzo, R.A., Mehta, R.J., Schnure, J.J., 2015. Pleiotropic Effects of Thiazolidinediones : Implications for the Treatment of Patients With Type 2 Diabetes Mellitus. *Hosp. Pract.* 41, 132–147.
- Dias, T.R., Alves, M.G., Silva, B.M., Oliveira, P.F., 2014. Sperm glucose transport and metabolism in diabetic individuals. *Mol. Cell. Endocrinol.* 396, 37–45.
- Domínguez-Fandos, D., Camejo, M.I., Balleascà, J.L., Oliva, R., 2007. Human sperm DNA fragmentation: Correlation of TUNEL results as assessed by flow cytometry and optical microscopy. *Cytom. Part A* 71, 1011–1018.
- Du Plessis, S., Agarwal, A., Mohanty, G., van der Linde, M., 2015. Oxidative

- phosphorylation versus glycolysis: what fuel do spermatozoa use? *Asian J. Androl.* 17, 230–235.
- Durand, J.K., Baldwin, A.S., 2017. Targeting IKK and NF- κ B for Therapy. *Adv. Protein Chem. Struct. Biol.* 107, 77–115.
- Elufioye, T.O., Agbedahunsi, J.M., 2004. Antimalarial activities of *Tithonia diversifolia* (Asteraceae) and *Crossopteryx febrifuga* (Rubiaceae) on mice in vivo. *J. Ethnopharmacol.* 93, 167–171.
- Elufioye, T.O., Alatise, O.I., Fakoya, F. a., Agbedahunsi, J.M., Houghton, P.J., 2009. Toxicity studies of *Tithonia diversifolia* A. Gray (Asteraceae) in rats. *J. Ethnopharmacol.* 122, 410–415.
- Erenpreiss, J., Spano, M., Erenpreisa, J., Bungum, M., Giwercman, A., 2006. Sperm chromatin structure and male fertility: biological and clinical aspects. *Asian J. Androl.* 8, 11–29.
- Fan, T.J., Han, L.H., Cong, R.S., Liang, J., 2005. Caspase family proteases and apoptosis. *Acta Biochim. Biophys. Sin. (Shanghai)*. 37, 719–727.
- Festing, M.F.W., Baumans, V., Combes, R.D., Hendriksen, C.F.M., Howard, B.R., David, P., Moore, G.J., Overend, P., Wilson, M.S., 1998. Reducing the Use of Laboratory Animals in Biomedical Research : Problems and Possible Solutions. *Altern. To Lab. Anim.* 26, 283–301.
- Ghasemi, A., Khalifi, S., Jedi, S., 2014. Streptozotocin-nicotinamide-induced rat model of type 2 diabetes (review). *Acta Physiol. Hung.* 101, 408–420.
- Ghosh, A., Jana, K., Pakhira, B.P., Ghosh, D., 2016. Antiapoptotic efficacy of seed of *Eugenia jambolana* on testicular germ cell in experimental diabetic rat: A genomic study. *Andrologia* 48, 282–292.
- Ghosh, G., Wang, V.Y.-F., Huang, D.-B., Fusco, A., 2012. NF- κ B Regulation: Lessons from Structures. *Immunol Rev* 246, 36–58.
- Giacco, F., Brownlee, M., 2011. Oxidative Stress and Diabetic Complications. *Circ Res* 107, 1058–1070.
- Giacco, F., Brownlee, M., 2010. Pathogenesis of Microvascular Complication, in: Holt, R.I.G., Cockram, C.S., Flyvbjerg, A., Goldstein, B.J. (Eds.), *Textbook of Diabetes*. Wiley-Blackwell, West Sussex, pp. 555–574.
- Giroux, M.-C., Santamaria, R., Hélie², P., Burns, P., Beaudry, F., Vachon, P., 2015. Physiological , pharmacokinetic and liver metabolism comparisons between 3- , 6- , 12- and 18-month-old male Sprague Dawley rats under ketamine-xylazine anesthesia. *Exp. Anim.* 65, 63–75. d
- Glenn, D., McClure, N., Lewis, S., 2003. The hidden impact of diabetes on male sexual dysfunction and fertility. *Hum Fertil* 6, 174–179.
- Goldin, A., Beckman, J.A., Schmidt, A.M., Creager, M.A., 2006. Advanced glycation end products: Sparking the development of diabetic vascular injury. *Circulation* 114, 597–605.
- González-Marín, C., Gosálvez, J., Roy, R., 2012. Types, Causes, Detection and Repair of DNA Fragmentation in Animal and Human Sperm Cells. *Int. J. Mol. Sci.* 13, 14026–14052.
- González, I., Romero, J., Rodríguez, B.L., Pérez-Castro, R., Rojas, A., 2013. The immunobiology of the receptor of advanced glycation end-products: Trends and challenges. *Immunobiology* 218, 790–797.

- Goud, B.J., Dwarakanath.V, Swamy, B.K.C., 2015. Streptozotocin - A Diabetogenic Agent in Animal Models. *IJPPR. Hum.* 3, 253–269.
- Granic, I., Dolga, A.M., Nijholt, I.M., Van Dijk, G., Eisel, U.L.M., 2009. Inflammation and NF Kappa B in Alzheimer's disease and diabetes. *J. Alzheimer's Dis.* 16, 809–821.
- Grütter, M.G., 2000. Caspases: Key players in programmed cell death. *Curr. Opin. Struct. Biol.* 10, 649–655.
- Grygiel-Górniak, B., 2014. Peroxisome proliferator-activated receptors and their ligands: nutritional and clinical implications – a review. *Nutr. J.* 13, 1–10
- Gu, J.Q., Gills, J.J., Park, E.J., Mata-Greenwood, E., Hawthorne, M.E., Axelrod, F., Chavez, P.I., Fong, H.H.S., Mehta, R.G., Pezzuto, J.M., Kinghorn, a. D., 2002. Sesquiterpenoids from *Tithonia diversifolia* with potential cancer chemopreventive activity. *J. Nat. Prod.* 65, 532–536.
- Guerriero, G., Trocchia, S., Abdel-Gawad, F.K., Ciarcia, G., 2014. Roles of reactive oxygen species in the spermatogenesis regulation. *Front. Endocrinol. (Lausanne).* 5, 10–13.
- Guyton, Hall, 2011. *Textbook of Medical Physiology*, 12th ed. Saunders Elsevier, Philadelphia.
- Handa, S.S., 2008. An Overview of Extraction Techniques for Medicinal and Aromatic Plants, in: Handa, S.S., Khanuja, S.P.S., Longo, G., Rakesh, D.D. (Eds.), *Extraction Technologies For Medicinal And Aromatic Plants*. International Centre For Science And High Technology, Trieste, pp. 21–52.
- Hess, R.A., Franca, L.R. de, 2008. Spermatogenesis and Cycle of the Seminiferous Epithelium, in: C. Yan Cheng (Ed.), *Molecular Mechanisms in Spermatogenesis*. Landes Bioscience and Springer Science+Business Media, Texas, pp. 1–15.
- Hidayat, R., 2015. *Aktivitas Antifibrotik Ekstrak Etanol Terstandar T. diversifolia dalam Menghambat Proliferasi Fibroblas Keloid dengan MTT Assay*. Tesis. Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta.
- Huang, W.-C., Hung, M.-C., 2013. Beyond NF- κ B activation: nuclear functions of I κ B kinase α . *J. Biomed. Sci.* 20, 1–13.
- Hutapea, J.R., 1994. *Inventaris Tanaman Obat Indonesia III*. Balai Penelitian dan Pengembangan Kesehatan Depkes R.I, Jakarta.
- Industrial Reproductive Toxicology Discussion Group (IRDG), 2000. *Guideline Document Rat Sperm Morphological Assessment*.
- Islam, M., Rupeshkumar, M., Reddy, K.B., 2017. Streptozotocin is more convenient than Alloxan for the induction of Type 2 diabetes. *Int. J. Pharmacol. Res.* 7, 6–11.
- Jakuš, V., Rietbrock, N., 2004. Advanced Glycation End-Products and the Progress of Diabetic Vascular Complications. *Physiol. Res.* 53, 131–142.
- Juang, C., Yang, F.S., Hsieh, M.S., Tseng, H., Chen, S., Wen, H., 2014. Investigation of anti-oxidative stress in vitro and water apparent diffusion coefficient in MRI on rat after spinal cord injury in vivo with *Tithonia diversifolia* ethanolic extracts treatment. *BMC Complement. Altern. Med.* 14, 1–8.
- Karimi, J., Goodarzi, M.T., Tavilani, H., Khodadadi, I., Amiri, I., 2012. Increased

receptor for advanced glycation end products in spermatozoa of diabetic men and its association with sperm nuclear DNA fragmentation. *Andrologia* 44, 280–286.

- Karimi, J., Goodarzi, M.T., Tavilani, H., Khodadadi, I., Amiri, I., 2011. Relationship between advanced glycation end products and increased lipid peroxidation in semen of diabetic men. *Diabetes Res. Clin. Pract.* 91, 61–66.
- Karin, M., Lin, A., 2002. NF- κ B at the crossroads of life and death. *Nat. Immunol.* 3, 221–227.
- Kasibhatla, S., Brunner, T., Genestier, L., Echeverri, F., Mahboubi, A., Green, D.R., 1998. DNA Damaging Agents Induce Expression of Fas Ligand and Subsequent Apoptosis in T Lymphocytes via the Activation of NF- Kappa B and AP-1. *Mol. Cell* 1, 543–551.
- Kaur, R., Kaur, J., Mahajan, J., Kumar, R., Arora, S., 2014. Oxidative stress-implications, source and its prevention. *Environ. Sci. Pollut. Res.* 21, 1599–1613.
- Kementerian Kesehatan Republik Indonesia, 2013. *Riset Kesehatan Dasar*.
- Kern, T.S., Miller, C.M., Tang, J., Du, Y., Ball, S.L., 2010. Comparison of three strains of diabetic rats with respect to the rate at which retinopathy and tactile allodynia develop. *Mol. Vis.* 16, 1629–1639.
- Kiechle, F.L., Zhang, X., 2002. Apoptosis: biochemical aspects and clinical implications. *Clin. Chim. Acta.* 326, 27–45.
- Kim, S.T., Moley, K.H., 2008. Paternal effect on embryo quality in diabetic mice is related to poor sperm quality and associated with decreased glucose transporter expression. *Reproduction* 136, 313–322.
- Kitazumi, I., Tsukahara, M., 2011. Regulation of DNA fragmentation: The role of caspases and phosphorylation. *FEBS J.* 278, 427–441.
- Kobayashi, T., Kaneko, T., Matsuki, Y.I.S., Takahashi, M., Sasagawa, I., Nakada, T., Fujii, J., 2002. Localization and Physiological Implication of Aldose Reductase and Sorbitol Dehydrogenase in Reproductive Tracts and Spermatozoa of Male Rats. *J. Androl.* 23, 674–683.
- Koch, M., Chitayat, S., Dattilo, B.M., Schiefner, A., Diez, J., Chazin, W.J., Fritz, G., 2014. Structural Basis for Ligand Recognition and Activation of RAGE. *Structure* 18, 1342–1352.
- Koh, P.-O., 2007. Streptozotocin-induced diabetes increases apoptosis through JNK phosphorylation and Bax activation in rat testes. *J. Vet. Med. Sci.* 69, 969–71.
- Krauss, R.M., 2004. Lipids and Lipoproteins in Patients With Type 2 Diabetes. *Diabetes Care* 27, 1496–1504.
- Kushwaha, S., Jena, G., 2013. Effects of nicotine on the testicular toxicity of streptozotocin-induced diabetic rat: Intervention of enalapril. *Hum. Exp. Toxicol.* 33, 609–622.
- La Vignera, S., Vicari, E., Calogero, a. E., Condorelli, R., Lanzafame, F., 2009. Diabetes, oxidative stress and its impact on male fertility. *J. Andrological Sci.* 16, 42–46.
- Lenzen, S., 2008. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia* 51, 216–226.

- Leonardini, A., Laviola, L., Perrini, S., Natalicchio, A., Giorgino, F., 2009. Cross-Talk between PPAR γ and Insulin Signaling and Modulation of Insulin Sensitivity. *Hindawi* 1–12.
- Li, X., Huang, G., Zhao, G., Chen, W., Li, J., Sun, L., 2013. Two New Monoterpenes from *Tithonia diversifolia* and Their Anti-Hyperglycemic Activity. *Rec. Nat. Prod* 7, 351–354.
- Liao, M.H., Tsai, Y.N., Yang, C.Y., Juang, C.L., Lee, M.Y., Chang, L.H., Wen, H.C., 2013. Anti-human hepatoma Hep-G2 proliferative, apoptotic, and antimutagenic activity of tagitinin C from *Tithonia diversifolia* leaves. *J. Nat. Med.* 67, 98–106.
- Liasu, M., Ayandele, A., 2008. Antimicrobial activity of aqueous and ethanolic extracts from *Tithonia diversifolia* and *Bryum coronatum* collected from Ogbomoso, Oyo state, Nigeria. *Adv. Nat. Appl. Sci.* 2, 31–34.
- Lin, H.R., 2012. Sesquiterpene lactones from *Tithonia diversifolia* act as peroxisome proliferator-activated receptor agonists. *Bioorganic Med. Chem. Lett.* 22, 2954–2958.
- Lucio, R.A., Tlachi-López, J.L., Eguibar, J.R., Ágmo, A., 2013. Sperm count and sperm motility decrease in old rats. *Physiol. Behav.* 110–111, 73–79.
- Ludvigson, M.A., Waites, G.M.H., Hamilton, D.W., 1982. Immunocytochemical of Aldose Evidence Reductase for the Specific in Rat Sertoli Localization Cells. *Biol. Reprod.* 26, 311–317.
- Mallidis, C., Agbaje, I., Rogers, D., Glenn, J., McCullough, S., Atkinson, a B., Steger, K., Stitt, A., McClure, N., 2007. Distribution of the receptor for advanced glycation end products in the human male reproductive tract: prevalence in men with diabetes mellitus. *Hum. Reprod.* 22, 2169–2177.
- Mallidis, C., Agbaje, I.M., Rogers, D. a., Glenn, J. V., Pringle, R., Atkinson, a. B., Steger, K., Stitt, a. W., McClure, N., 2009. Advanced glycation end products accumulate in the reproductive tract of men with diabetes. *Int. J. Androl.* 32, 295–305.
- Manente, L., Pecoraro, S., Picillo, E., Gargiulo, U., Gargiulo, P., De Luca, A., Politano, L., 2015. Molecular evidence of apoptotic pathway activation in semen samples with high DNA fragmentation. *In Vivo* 29, 289–294.
- Mangoli, E., Talebi, A.R., Anvari, M., Pouretezari, M., 2013. Effects of experimentally-induced diabetes on sperm parameters and chromatin quality in mice. *Iran J Reprod Med* 11, 53–60.
- Mardihusodo, H.R., Wahyuningsih, M.S.H., Astuti, I., 2013. The effect of active compound isolated from the leaves of kembang bulan [*Tithonia diversifolia* (Hemsley) A . Gray] on cell cycle and angiogenesis of WiDr cell line. *J Med Sci* 45, 101–111.
- Mathur, P.P., Francispillai, M., Vaithinathan, S., Agarwal, A., 2011. NF- κ B in Male Reproduction : A Boon or a Bane ? *Open Reprod. Sci. J.* 3, 85–91.
- Mercurio, F., Manning, a M., 1999. NF-kappaB as a primary regulator of the stress response. *Oncogene* 18, 6163–6171.
- Miura, T., Nosaka, K., Ishii, H., Ishida, T., 2005. Antidiabetic effect of Nitobegiku, the herb *Tithonia diversifolia*, in KK-Ay diabetic mice. *Biol. Pharm. Bull.* 28, 2152–2154.

- Morgan, M.J., Liu, Z., 2011. Crosstalk of reactive oxygen species and NF- κ B signaling. *Cell Res.* 21, 103–115.
- Mulholland, J., Mallidis, C., McClure, N., 2011. Male diabetes mellitus and assisted reproduction treatment outcome. *Reprod. Biomed. Online* 22, 215–219.
- Muratori, M., Tamburrino, L., Marchiani, S., Cambi, M., Olivito, B., Azzari, C., Forti, G., Baldi, E., 2015. Investigation on the Origin of Sperm DNA Fragmentation: Role of Apoptosis, Immaturity and Oxidative Stress. *Mol. Med.* 21, 109–122.
- Nass, N., Simm, A., 2009. Advanced Glycation End Products (AGEs) in Diabetes. *Endokrinologie* 4, 63–75.
- Navarro-Casado, L., Juncos-Tobarra, M. a, Cháfer-Rudilla, M., de Onzoño, L.Í., Blázquez-Cabrera, J. a, Miralles-García, J.M., 2010. Effect of experimental diabetes and STZ on male fertility capacity study in rats. *J. Androl.* 31, 584–92.
- Nowotny, K., Jung, T., Hohn, A., Weber, D., Grune, T., 2015. Advanced Glycation End Products and Oxidative Stress in Type 2 Diabetes Mellitus. *Biomolecules* 5, 194–222.
- Obafemi, C., Sulaimon, T., Akinpelu, D., Olugbade, T., 2006. Antimicrobial activity of extracts and a germacranolidetype sesquiterpene lactone from *Tithonia diversifolia* leaf extract. *African J. Biotechnol.* 5, 1254–1258.
- Odjakova, M., Popova, E., Al Sharif, M., Mironova, R., 2012. *Plant-Derived Agents with Anti-Glycation Activity*. Bulgaria: Intech.
- Ogundare, A.O., 2007. Antimicrobial Effect of *Tithonia diversifolia* and *Jatropha gossypifolia* Leaf Extract. *Trends Appl. Sci. Rearsch* 2, 145–150.
- Olokoba, A.B., Obateru, O.A., Olokoba, L.B., 2012. Type 2 diabetes mellitus: A review of current trends. *Oman Med. J.* 27, 269–273.
- Olukunle, J., Jacobs, E., Oyewusi, J., Durotoye, L., Adeleye, E., 2015. Effects of aqueous leaf extract of *Tithonia diversifolia* (Mexican Sunflower) on semen characteristic and morphology in male Wistar albino rats. *Niger. J. Anim. Prod.* 42.
- Orwa, C., A, M., Kindt, R., R, R.J., Anthony, S., 2009. *Tithonia diversifolia* (Hemsley) A. Gray. Agroforestry Database 1–5.
- Owoyele, V.B., Wuraola, C.O., Soladoye, A.O., Olaleye, S.B., 2004. Studies on the anti-inflammatory and analgesic properties of *Tithonia diversifolia* leaf extract. *J. Ethnopharmacol.* 90, 317–321.
- Oyewole, I.O., Adeoye, G.O., Anyasor, G., Obansa, J. a, 2008. Anti-malarial and repellent activities of *Tithonia diversifolia* (Hemsl.) leaf extracts. *J. Med. Plants Res.* 2, 171–175.
- Oyewole, I.O., Magaji, Z.J., Awoyinka, O.A., 2007. Biochemical and toxicological studies of aqueous extract of *Tithonia diversifolia* (Hemsl.) leaves in wister albino rats. *J. Med. Plants* 1, 030–033.
- Passoni, F.D., Oliveira, R.B., Chagas-Paula, D.A., Gobbo-Neto, L., Da Costa, F.B., 2013. Repeated-dose toxicological studies of *Tithonia diversifolia* (Hemsl.) A. gray and identification of the toxic compounds. *J. Ethnopharmacol.* 147, 389–394.

- Patel, S., Santani, D., 2009a. Role of NF- κ B in the pathogenesis of diabetes and its associated complications. *Pharmacol. Reports* 61, 595–603.
- Patel, S., Santani, D., 2009b. Role of NF- κ B in the pathogenesis of diabetes and its associated complications. *Pharmacol. Reports* 61, 595–603.
- Pentikäinen, V., Suomalainen, L., Erkkilä, K., Martelin, E., Parvinen, M., Pentikäinen, M.O., Dunkel, L., 2002. Nuclear factor-kappa B activation in human testicular apoptosis. *Am. J. Pathol.* 160, 205–18.
- Perdichizzi, A., Nicoletti, F., La Vignera, S., Barone, N., D'Agata, R., Vicari, E., Calogero, A.E., Calogero, A.E.E., 2007. Effects of tumour necrosis factor-alpha on human sperm motility and apoptosis. *J. Clin. Immunol.* 27, 152–62.
- Poli, P.S., 2010. *Komunikasi Sel dalam Biologi Molekuler: Jalur Sinyal dan Implikasi Klinis*. EGC, Jakarta.
- Porter, A.G., Jänicke, R.U., 1999. Emerging roles of caspase-3 in apoptosis. *Cell Death Differ.* 6, 99–104.
- Qi, Y., Hu, C., Chen, S., Liu, Y., 2014. Advanced glycation end products inhibit testosterone production in rat Leydig cells. *Zhonghua Nan Ke Xue* 20, 410–413.
- Rabbani, S.I., Devi, K., Khanam, S., 2010. Protective role of glibenclamide against nicotinamide-streptozotocin induced nuclear damage in diabetic Wistar rats. *J. Pharmacol. Pharmacother.* 1, 18–23.
- Rabbani, S.I., Devi, K., Khanam, S., 2009. Inhibitory effect of Glimepiride on nicotinamide-streptozotocin induced nuclear damages and sperm abnormality in diabetic Wistar rats. *Indian J. Exp. Biol.* 47, 804–810.
- Rains, J.L., Jain, S.K., 2013. Oxidative Stress, Insulin Signaling, and Diabetes. *Free Radic Biol Med* 50, 567–575.
- Rama Raju, G. a., Jaya Prakash, G., Murali Krishna, K., Madan, K., Siva Narayana, T., Ravi Krishna, C.H., 2012. Noninsulin-dependent diabetes mellitus: Effects on sperm morphological and functional characteristics, nuclear DNA integrity and outcome of assisted reproductive technique. *Andrologia* 44, 490–498.
- Ramachandran, A., 2012. Trends in prevalence of diabetes in Asian countries. *World J. Diabetes* 3, 110–117.
- Ramasamy, R., Yan, S.F., Schmidt, A.M., 2011. Receptor for AGE (RAGE): signaling mechanisms in the pathogenesis of diabetes and its complications. *Ann N Y Acad Sci* 1243, 88–102.
- Ramkissoon, J.S., Mahomoodally, F.M., Ahmed, N., Subratty, H.A., 2012. Natural inhibitors of advanced glycation end-products. *Nutr. Food Sci.* 42, 397–404. d
- Ranti, I., 2014. Antifibrotic Effect of Tagitinin C of [*Tithonia diversifolia* (Hemsley) A. Gray] on Human Keloid Fibroblasts. *Tesis*. Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta.
- Robinson, L., Gallos, I.D., Conner, S.J., Rajkhowa, M., Miller, D., Lewis, S., Kirkman-Brown, J., Coomarasamy, a., 2012. The effect of sperm DNA fragmentation on miscarriage rates: a systematic review and meta-analysis. *Hum. Reprod.* 27, 2908–2917.
- Rochette, L., Zeller, M., Cottin, Y., Vergely, C., 2014. Diabetes, oxidative stress

and therapeutic strategies. *Biochim. Biophys. Acta - Gen. Subj.* 1840, 2709–2729.

- Roessner, C., Paasch, U., Kratzsch, J., Glander, H.J., Grunewald, S., 2012. Sperm apoptosis signalling in diabetic men. *Reprod. Biomed. Online* 25, 292–299.
- Rolo, A.P., Palmeira, C.M., 2006. Diabetes and mitochondrial function: Role of hyperglycemia and oxidative stress. *Toxicol. Appl. Pharmacol.* 212, 167–178.
- Rüngeler, P., Lyss, G., Castro, V., Mora, G., Pahl, H.L., Merfort, I., 1998. Study of three sesquiterpene lactones from *Tithonia diversifolia* on their anti-inflammatory activity using the transcription factor NF-kappa B and enzymes of the arachidonic acid pathway as targets. *Planta Med.* 64, 588–93.
- Sakkas, D., Mariethoz, E., Manicardi, G., Bizzaro, D., Bianchi, P.G., Bianchi, U., 1999. Origin of DNA damage in ejaculated human spermatozoa. *Rev. Reprod.* 4, 31–37.
- Sakkas, D., Seli, E., Bizzaro, D., Tarozzi, N., Manicardi, G.C., 2003. Abnormal spermatozoa in the ejaculate: abortive apoptosis and faulty nuclear remodelling during spermatogenesis. *Reprod. Biomed. Online* 7, 428–432.
- Sanocka, D., Kurpisz, M., 2004. Reactive oxygen species and sperm cells. *Reprod. Biol. Endocrinol.* 2, 1–7.
- Savitskaya, M.A., Onishchenko, G.E., 2015. Mechanisms of Apoptosis. *Biochemistry* 80, 1393–1405.
- Scarano, W.R., Messias, a. G., Oliva, S.U., Klinefelter, G.R., Kempinas, W.G., 2006. Sexual behaviour, sperm quantity and quality after short-term streptozotocin-induced hyperglycaemia in rats. *Int. J. Androl.* 29, 482–488.
- Schieber, M., Chandel, N.S., 2014. ROS function in redox signaling and oxidative stress. *Curr. Biol.* 24, 453–462.
- Schmidt, a M., Yan, S.D., Yan, S.F., Stern, D.M., 2000. The biology of the receptor for advanced glycation end products and its ligands. *Biochim. Biophys. Acta* 1498, 99–111.
- Shalini, S., Dorstyn, L., Dawar, S., Kumar, S., 2015. Old, new and emerging functions of caspases. *Cell Death Differ.* 22, 526–539.
- Sharma, R., Agarwal, A., 2011. Spermatogenesis: An Overview, in: Zini, A., Agarwal, A. (Eds.), *Sperm Chromatin: Biological and Clinical Applications in Male Infertility and Assisted Reproduction*. Springer Science+Business Media, Texas, pp. 19–44.
- Shaw, J.E., Sicree, R. a., Zimmet, P.Z., 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res. Clin. Pract.* 87, 4–14.
- Shi, Y., 2004. Caspase activation, inhibition, and reactivation: A mechanistic view. *Protein Sci.* 13, 1979–1987.
- Shrilatha, B., Muralidhara, 2007. Early oxidative stress in testis and epididymal sperm in streptozotocin-induced diabetic mice: Its progression and genotoxic consequences. *Reprod. Toxicol.* 23, 578–587.
- Siedle, B., García-Piñeres, A.J., Murillo, R., Schulte-Mönting, J., Castro, V., Rüngeler, P., Klaas, C. a, Da Costa, F.B., Kisiel, W., Merfort, I., 2004. Quantitative structure-activity relationship of sesquiterpene lactones as inhibitors of the transcription factor NF-kappaB. *J. Med. Chem.* 47, 6042–

6054.

- Singh, R., Barden, a., Mori, T., Beilin, L., 2001. Advanced glycation end-products: A review. *Diabetologia* 44, 129–146.
- Singh, V.P., Bali, A., Singh, N., Jaggi, A.S., 2014. Advanced Glycation End Products and Diabetic Complications. *Korean J Physiol Pharmacol* 18, 1–14.
- Sokol, R.Z., Okuda, H., Stanczyk, F.Z., Wolfe, G.W., Delaney, J.C., Chapin, R.E., 1999. Normative Reproductive Indices for Male and Female Adult Spraque-Dawley. *Contraception* 7824, 7–11.
- Stern, D., Yan, S. Du, Yan, A.F., Schmidt, A.M., 2002. Receptor for advanced glycation endproducts: a multiligand receptor magnifying cell stress in diverse pathologic settings. *Adv. drug Deliv.* 54, 1615–1625.
- Sulistijowati, A., Gunawan, D., 1999. Efek ekstrak daun kembang bulan terhadap candida albicans serta profil kromatografinya. *Media Litbangkes* VIII, 32–37.
- Sutovsky, P., Manandhar, G., 2006. Mammalian Spermatogenesis and Sperm Structure: Anatomical and Compartemen, in: Jonge, C.J. De, Barratt, C.L.R. (Eds.), *The Sperm Cell: Production, Maturation, Fertilization, Regeneration*. Cambridge University Press, Cambridge, pp. 1–29.
- Szkudelski, T., 2012. Streptozotocin-nicotinamide-induced diabetes in the rat. Characteristics of the experimental model. *Exp. Biol. Med.* 237, 481–490.
- Tamburrino, L., Marchiani, S., Montoya, M., Elia Marino, F., Natali, I., Cambi, M., Forti, G., Baldi, E., Muratori, M., 2012. Mechanisms and clinical correlates of sperm DNA damage. *Asian J. Androl.* 14, 24–31.
- Thongsom, M., Chunglok, W., Kuanchuea, R., Thongsom, M., Chunglok, W., Kuanchuea, R., 2013. Antioxidant and Hypoglycemic Effects of *Tithonia diversifolia* Aqueous Leaves Extract. *Adv. Environ. Biol.* 7, 2116–2125.
- Tremellen, K., 2008. Oxidative stress and male infertility: a clinical perspective. *Hum. Reprod. Update* 14, 243–258.
- Varghese, A., Deepinder, F., Chandra, A., Jeat, A.W., Pathan, F., Agarwal, A., 2014. Anatomy and Physiology of Male Gametogenesis, in: *Male Reproductive System-Anatomy and Physiology*. pp. 1–17.
- Vendramini, V., Cedenho, a. P., Miraglia, S.M., Spaine, D.M., 2013. Reproductive Function of the Male Obese Zucker Rats: Alteration in Sperm Production and Sperm DNA Damage. *Reprod. Sci.* 21, 221–229.
- Wahyuningsih, M.S.H., Syarif, R.A., Suharmi, S., Murini, T., Saputra, F., W, A.S., 2013. Selectivity Of Purified Extract From The Leaves Of *Tithonia Diversifolia* (Hemsley) A.Gray) Against Hela Cells. *Trad. Med. J.* 18, 22–28.
- Wahyuningsih, M.S.H., Wijayanti, M.A., 2009. *Isolasi, identifikasi senyawa antikanker dari fraksi aktif Tithonia diversifolia (Hemsley) A Gray, selektivitas dan mekanisme apoptosis secara in vitro*. Laporan penelitian. Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta.
- Wahyuningsih, M.S.H., Wijayanti, M.A., Budiyanto, A., Hanafi, M., 2015a. Isolation and Identification of Potential Cytotoxic Compound From Kembang Bulan [*Tithonia diversifolia* (Hemsley) A Gray} Leaves. *Int. J. Pharm. Pharm. Sci.* 7, 298-301.

- Wahyuningsih, M.S.H., Wirohadidjojo, Y.W., Hidayat, R., Sadid, A., 2015b. Antifibrotic Effect of Standardized Ethanol Extract of *Tithonia diversifolia* (Hemsley) A . Gray on Keloid Fibroblasts. *Int. J. Pharmacogn. Phytochem. Res.* 7, 642–647.
- Walczak-Jedrzejowska, R., Wolski, J.K., Slowikowska-Hilczer, J., 2013. The role of oxidative stress and antioxidants in male fertility. *Cent. Eur. J. Urol.* 66, 60–67.
- Wang, X., Sharma, R.K., Sikka, S.C., Thomas, A.J., Falcone, T., Agarwal, A., 2003. Oxidative stress is associated with increased apoptosis leading to spermatozoa DNA damage in patients with male factor infertility. *Fertil. Steril.* 80, 531–535.
- Wang, Y., 2002. *Epididymal Sperm Count* (No. suplement 14), male reproductive toxicology. Maryland.
- Weinbauer, G.F., Luetjens, C.M., Simoni, M., Nieschlag, E., 2010a. Physiology of Testicular Function, in: Nieschlag, E., Behre, H.M., Nieschlag, S. (Eds.), *Andrology: Male Reproductive Health and Dysfunction*. Springer-verlag, Berlin, pp. 1–629.
- Weinbauer, G.F., Luetjens, C.M., Simoni, M., Nieschlag, E., 2010b. Physiology of Testicular Function, in: Nieschlag, E., Behre, H.M., Nieschlag, S. (Eds.), *Andrology: Male Reproductive Health and Dysfunction*. Springer, Berlin, pp. 11–60.
- Whiting, D.R., Guariguata, L., Weil, C., Shaw, J., 2011. IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030. *Diabetes Res. Clin. Pract.* 94, 311–321.
- Wilkinson, J.M., Halley, S., Towers, P.A., 2000. Comparison of male reproductive parameters in three rat strains : Dark Agouti , Sprague-Dawley and Wistar . *Lab. Anim.* 34, 70–75.
- World Health Organization, 1999. *Definition, Diagnosis and Classification of Diabetes Mellitus and its Complications Part 1: Diagnosis and Classification* of 1–33.
- Wright, C., Milne, S., Leeson, H., 2014. Sperm DNA damage caused by oxidative stress: Modifiable clinical, lifestyle and nutritional factors in male infertility. *Reprod. Biomed. Online* 28, 684–703.
- Xie, J., Méndez, J.D., Méndez-Valenzuela, V., Aguilar-Hernández, M.M., 2013. Cellular signalling of the receptor for advanced glycation end products (RAGE). *Cell. Signal.* 25, 2185–2197.
- Xu, Y., Lei, H., Guan, R., Gao, Z., Li, H., Wang, L., Song, W., Gao, B., Xin, Z., 2014. Studies on the mechanism of testicular dysfunction in the early stage of a streptozotocin induced diabetic rat model. *Biochem. Biophys. Res. Commun.* 450, 87–92.
- Yao, D., Brownlee, M., 2010. Hyperglycemia-induced reactive oxygen species increase expression of the receptor for advanced glycation end products (RAGE) and RAGE ligands. *Diabetes* 59, 249–255.
- Yeh, W.-J., Hsia, S.-M., Lee, W.-H., Wu, C.-H., 2017. Polyphenols with antiglycation activity and mechanisms of action: A review of recent findings. *J. Food Drug Anal.* 25, 84–92.



UNIVERSITAS
GADJAH MADA

Pengembangan Ekstrak Etanol Daun Kembang Bulan *Tithonia diversifolia* (Hemsley) A. Gray Terstandar sebagai Obat Herbal untuk Memperbaiki Fertilitas pada Hewan Model Diabetes Mellitus, dengan kajian: jumlah, motilitas, fragmentasi DNA spermatozoa, ekspresi mRNA receptor of AGE, ekspresi mRNA NFkappaB, dan ekspresi mRNA caspase 3 testis
YULIA FAUZIYAH, Prof. Dr. Mae SRI Hartati Wahyuningsih, M.Si., Apt; Dr. Dra. Sunarti, M.Kes
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Zhang, Z., Sethiel, M.S., Shen, W., Liao, S., Zou, Y., 2013. Hyperoside downregulates the receptor for advanced glycation end products (RAGE) and promotes proliferation in ECV304 cells via the c-Jun N-terminal Kinases (JNK) pathway following stimulation by advanced glycation end-products In Vitro. *Int. J. Mol. Sci.* 14, 22697–22707.
- Zhao, G., Li, X., Chen, W., Xi, Z., Sun, L., 2012. Three new sesquiterpenes from *Tithonia diversifolia* and their anti-hyperglycemic activity. *Fitoterapia* 83, 1590–1597.