

DAFTAR PUSTAKA

- Agca, C., Fritz, J. J., Walker, L. C., Levey, A. I., 2008. Development of transgenic rats producing human β -amyloid precursor protein as a model for Alzheimer's disease: transgene and degenous app genes are regulated tissue-specifically. *BMC Neurosci.* 9 : 28.
- Boyce, et.al., Dorph-Petersen, K., Lyck, L., Jorgen., H., Gundersen, G., 2010. Design-Based Stereology: Introduction to basic concept and practical approaches for estimation of cell number. *Toxicol Pathol.* 38 : 1011 – 1025.
- Alzhaeimer's Association. 2017. 2017 Alzheimer's disease facts and figures. www.alz.org/facts/.
- Amadoro, G., Ciotti, M. T., Costanzi, M., Cestari, V., Calissano, P., Canu, N. 2006. NMDA receptor mediates tau-induced neurotoxicity by calpain and ERK/MAPK activation. *Proc Natl Acad Sci U S A.* 103 : 2892-2897
- Andersen, P., Morris, R., Amaral, D., Bliss, T., O'Keefe, J., 2007. The hippocampus book. 37-43. Oxford University pers, New York.
- Armstrong, R.A. 2011. The pathogenesis of Alzheimer's disease: a reevaluation of the amyloid cascade hypothesis. *Int J Alzheimers Dis.* 10 : 1-6
- Bear, F.M., Connors, B.W., Paradiso, M.A., 2016. Neuroscience exploring the brain. 4th rev: 823 - 865. Wolters kuwer. Philadelphia.
- Burgess, N., Maguire, N.B., O'Keefe,J., 2002. The human hippocampus and review spatial and episodic memory. *Neuron.* 35: 625 – 641.
- Butterfield, D. A, Castegna, A., Lauderback C.M., Drake J., 2002. Evidence that amyloid betapeptide- induced lipid peroxidation and its sequelae in Alzheimer's disease brain contributeto neuronal death. *Neurobiol Aging.* 23: 655–664.
- Chang, L.W., Wenger, G.R., McMillan, D.E., Dyer, R.S., 1983. Species and strain comparison of acute neurotoxic effects of trimethyltin in mice and rats. *Neurobehav. Toxicol. Teratol.* 5 : 337–350.
- Charan, J., Katharina, N.D., 2013. How to calculate sample size in animal studies. *J. Pharmacol. Pharmacother.* 4 : 303-306.
- Chen, C., Li, X-H., Zhang, S., Tu, Y., Wang, Y-M., Sun, H.T., 2014. 7,8-dihydroxyflavone ameliorates scopolamine-induced Alzheimer-like pathologic dysfunction. *Rejuvenation Res.* 17 : 249-254.
- Chioca LR, Raupp IM, Cunha CD, Losso EM, Andreatine R., 2008. Subchronic fluoride intake induces impairment in habituation and active avoidance tasks in rats. *Eur J Pharmacol.* 579:196–201.
- Cardoso, A., Magano, S., Marrana, F., Andrade, J.P., 2015. D-Galactose high-dose administration failed to induce accelerated aging changes in neurogenesis, anxiety, and spatial memory on young male Wistar rats. *Rejuvenation Res.* 18 : 497-507

- Conrad, C.D., Liisa A. M., Galea, Yasukazu, K., McEwen, B.S., 1996. Chronic stress impairs rat spatial memory on the Y maze, and this effect is blocked by tianeptine pretreatment. *Behav Neurosci.* 10 : 1321-1334.
- Conrad, C.D., 2006. What is the functional significance of chronic stress-induced CA3 dendritic retraction within the hippocampus?. *Behav Cogn Neurosci Rev.* 5 : 47-48.
- Corvino, V., Maria, V.D., Marchese, E., Lattanzi, W., Biamonte, F., Michetti, F., et al., 2015. Estrogen administration modulates hippocampal GABAergic subpopulations in the hippocampus of trimethyltin-treated rats. *Cellular Neurosci.* 9 : 433.
- Cui, X., Zuo, P., Zhang, Q., Li, X., Hu, Y., Long, J., et al., 2006. Chronic systemic D-galactosa exposure induces memory loss, neurodegeneration, and oxidative damage in mice : protective effects of R-alpha-lipoic acid. *J Neurosci Res.* 83 : 1584 – 1590.
- Cummings, J. L., 2003. Use of cholinesterase inhibitors in clinical practice: evidence-based recommendations. *Am J Geriatr Psychiatry.* 11 : 131 – 145.
- Cummings, J. L., 2004. Alzheimer's disease. *N Engl J Med.* 351 : 56–67.
- Decker, M.W., Gill, T.M., McGaugh, J.L., 1990. Concurrent muscarinic and betaadrenergic blockade in rats impairs place-learning in a water maze and retention of inhibitory avoidance. *Brain Res.* 513: 81–85.
- Detrait E, Brohez C, Hanon E, De Ryck M (2010) Automation of continuous spontaneous alternation to increase the throughput for in vivo screening of cognitive enhancers. Optimization of the ethovision system for the Y-maze test in mice. In: Proceedings of measuring behavior, Eindhoven, The Netherlands, 24 Aug 2010. pp 141–144.
- Esteban-Santillan, C., Praditsuwan, R., Ueda, H., Geldmacher, D. S., 1998. Clock drawing test in very mild Alzheimer's disease. *J Am Geriatr Soc.* 46 : 1266–1269 .
- Fiacco, T.A., Rosene, D.L., Increased density of hippocampal kainate receptors but normal density of NMDA and AMPA receptors in a rat model of prenatal protein malnutrition. *J Compar Neurol.* 456 : 350–360.
- Fiedorowicz, A., Figiel, I., Kaminska, B., Zaremba, M., Wilk, S., Oderfeld-Nowak, B., 2001. dentate granule neuron apoptosis and glia activation in murine hippocampus induced by trimethyltin exposure. *Brain Res.* 912 :116 –127.
- Flood, J. F., Cherkin, A., 1986. Scopolamine effects on memory retention in mice : a model of dementia. *Behav Neural Biol.* 45 : 169 – 184 .
- Florea, A. M., Splettstoesser, F., Dopp, E., Rettenmeier, A.W., Busselberg, D., 2005. Modulation of intracellular calcium homeostasis by trimethyltin chloride in human tumour cells: neuroblastoma SY5Y and cervix adenocarcinoma HeLa S3. *Toxicol.* 216 : 1 – 8.
- Francisco, J., López, -H., Fernando, J., Cervera1-A., Jose, G., Alfaro, C., 2016. An automated Y-maze based on a reduced instruction set computer (RISC) microcontroller for the assessment of continuous spontaneous alternation in rats. *Behav Res.* 48:1631–1643.

- Gao, J., Hea, H., Jiang, W., Changa, X., Zhua, L., Luo, F., et al, 2015. Salidroside ameliorates cognitive impairment in a d-galactose-induced rat model of Alzheimer's disease. *Behav. Brain Res.* 293 : 27–33.
- Gardai, S.J., Hildeman, D.A., Frankel, S.K., Whitlock, B.B., Frasch, S.C., Borregaard, N., Marrack, P., Bratton, D.L., Henson, P.M., 2004. Phosphorylation of bax ser184 by akt regulates its activity and apoptosis in neutrophils. *J Biol Chem.* 279 : 21085 – 21095.
- Gasparova, Z., Stara, V., Janega, P., Navarova, J., Sedlackova, N., Mach, M., et al, 2014. Pyridoinole antioxidant-induced preservation of rat hippocampal pyramidal cell number linked with reduction of oxidative stress yet without influence on cognitive deterioration in Alzheimer-like neurodegeneration. *Neuro. Endocrinol. Lett.* 35 : 454-462.
- Geloso, M.C., Corvini, V., Michetti F., 2011. Trimethyltin-induced hippocampal degeneration as a tool to investigate neurodegenerative processes. *Neurochem Int.* 58 : 729 – 738.
- Geloso, M.C., Vercelli, A., Corvino, V., Repici, M., Boca, M., Haglid, K., et al. 2002. Cyclooxygenase-2 and caspase 3 expression in trimethyltin-induced apoptosis in the mouse hippocampus. *Exp Neurol.* 175 : 152 – 160.
- Goverdhan, P., Sravanthi, A., Mamatha, T., 2012. Neuroprotective effects of meloxicam and selegiline in scopolamine-induced cognitive impairment and oxidative stress. *Int J Alzheimers Dis.* 12 : 974013.
- Greene, J.D., Baddeley, A.D., Hodges, J.R., 1996. Analysis of the episodic memory deficit in early Alzheimer's disease: evidence from the doors and people Test. *Neuropsychology.* 34 : 537 – 551.
- Greenstein, B., 2000. color atlas of neuroscience neuroanatomy and neurophysiology. 342 Thiem Stuttgart, New York.
- Gunasekar, P., Li, L., Prabhakaran, K., Eybl, V., Borowitz, J.L., Isom, G.E., 2001. Mechanisms of the apoptotic and necrotic actions of trimethyltin in cerebellar granule cells. *Toxicol Sci.* 64 : 83-89.
- Haider, S., Tabassum, S., Perveen, T., 2016. Scopolamin-induced greater alterations in neurochemical profile and increased oxidative stress demonstrated a better model of dementia: A comparative study. *Brain Res. Bull.* 127 : 234-247.
- Hock, C., Konietzko, U., Streffer, J. R., Tracy, J., Signorell, A., Müller – Tillmanns, B., et al., 2003. Antibodies against beta-amyloid slow cognitive decline in Alzheimer's disease. *Neuron.* 38 : 547 – 554.
- Hao, L., Huang, H., Gao, J., Marshall, C., Chen, Y., Xiao, M., 2014. The influence of gender, age, and treatment time on brain oxidative stress and memory impairment induced by D-galactose in mice. *Neurosci Lett.* 571 : 45-49.
- Hardy, J., Selko, D. J., 2002. The amyloid hypothesis of Alzheimer's disease: progress and problems on the road to therapeutics. *Science.* 297 : 353 – 356.
- Harry, G.J., d'Hellencourt, C.L., 2002. Dentate gyrus: alterations that occur with hippocampal injury. *Neuro Toxicol.* 24 : 343–356.

- Howard, C., Reed, M., 2005. Unbiased Stereology three-dimensional Measurement in Microscopy. 2nd ed. Bios Publisher. New York.
- Hsieh, H.M., Wu, W. M., Hu, M. L., 2009. Isoflavones attenuate oxidative stress and improve parameters related to aging and Alzheimer's disease in C57BL/6J mice treated with D-galactose. *Food Chem Toxicol* . 47: 625–632.
- Inestrosa, N.C., Alvarez, A., Perez, C. A., Moreno, R. D, Vicente, M., Linker, C., et al. 1996. Acetylcholinesterase accelerates assembly of amyloid- β peptides into Alzheimer's: possible role of the peripheral site of the enzyme. *Neuron*. 16 : 881-891.
- Ishikawa, K., Kubo, T., Shibanoki, S., Matsumoto, A., Hatta, H., Asai, S.,1997. Hippocampal degeneration inducing impairment of learning in rats : model of dementia. *Behav Brain Res*. 83 : 39 – 44.
- Kang, J.Y., Park, S.K., Guo, T.J., Ha, J.S., Lee, D.S., Kim, J.M., et al, 2016. Reversal of trimethyltin-induced learning and memory deficits by 3,5-dicaffeoylquinic acid. *Oxid. Med. Cell. Longev*. (ID6981595):13.
- Kashour, T., Burton, T., Dibrov, A., Amara, F.M., 2003. Late Simian virus 40 transcription factor is a target of the phosphoinositide 3-kinase/akt pathway in anti-apoptotic Alzheimer's amyloid precursor protein signaling. *Biochem J*. 370 : 1063 – 1075.
- Kassed, C.A., Butler, T.L., Patton, G.W., Demesquita, D.D., Navidomskis, M.T., Memet, S., et al. 2004. Injury-induced NF-kappaB activation in the hippocampus: implications for neuronal survival. *FASEB J*. 18 : 723 – 724.
- Kaur, R., Mehan, S., Khanna, D., Kalra, S., 2015. Ameliorative treatment with ellagic acid in scopolamine induced Alzheimer's type memory and cognitive dysfunction in rats. *Austin J. Clin. Neurol*. 2(6):1053.
- Kim, S. J., Lee JH, Chung HS, Song JH, Ha J, Bae H.,2013. neuroprotective effects of amp-activated protein kinase on scopolamine induced memory impairment. *Korean J Physiol*. 17: 331 – 338.
- Kirk, A., Kertesz, A., 1991. On Drawing Impairment in Alzheimer's Disease. *Arch Neurol*. 48 : 73 – 77.
- Klinkenberg, I., Blokland, A., 2010. The validity of scopolamine as a pharmacological model for cognitive impairment: a review of animal behavioral studies. *Neurosci Biobehav Rev*. 34 : 1307-1350.
- Lahiri, D.K., Farlow, M. R., Nurnberger, J. J, Greig NH. 1997. Effects of cholinesterase inhibitors on the secretion of beta-amyloid precursor protein in cell cultures. *N Y Acad Sci*., 826 : 416 – 421.
- Lalkovicova, M., Burda, J., Nemethova, M . Burda, R., Danielisova,V.,2016. Postconditioning effectively prevents trimethyltin induced neuronal damage in the rat brain. *Folia Biologica (Kraków)*. 64 : 100-102.
- Latini L., Geloso M. C., Corvino V., Giannetti S., Florenzano F., Viscomi M. T., et al. (2010). Trimethyltin intoxication up-regulates nitric oxide synthase in neurons and purinergic ionotropic receptor 2 in astrocytes in the hippocampus. *J. Neurosci. Res*. 88 : 500–509.
- Laurijssens, B., Aujard, F., Rahman, A., 2013. Animal models of Alzheimer's disease and drug development. *Drugs Discove today*. 10 : 319 – 327.

- LaFerla, F. M., Green, K.N., 2012 . Animal Models of Alzheimer Disease. *Cold Spring Harb Perspect Med.* 2 : 320.
- Lee, I, Jerman, T. S., Kesner, R. P., 2005. Disruption of Delayed memory for a sequence of spatial locations following CA1- or CA3- lesions of the dorsal hippocampus. *Neurobiol Learn Mem.* 84 :138 –147.
- Leon, R., Wu, H., Jin, Y., Wei J., Buddhala C, Prentice. H, Wu, J. Y., 2009, protective function of taurine in glutamate-induced apoptosis in cultured neurons. *J Neurosci Res.* 87: 1185–1194.
- Li, H., Kang, T., Qib, B., Kong, L., Jiao, Y., Cao, Y., Zhang, J., Yang, J., 2015. Neroprotective effects of ginseng protein on p13k/akt signaling pathway in the hippocampus of d- galactose/ alcl3 inducing rats model of alzheimer's disease. *J Ethnopharmacol.* 179 : 162-9.
- Lin, L.-F., Zhang, X-Y., Hou, J.D.Gao, Luo, H-M., 2011. Combined administration of D-galactose and aluminium induces Alzheimerlike lesions in brain fei xiao1. *Neurosci Bull.* 27 : 143 – 155.
- Mignini, F., Nasuti, C., Artico, M., Giovannetti, F., Fabrizi, C., Fumagalli, L., et al., 2012. Effects of trimethyltin on hippocampal dopaminergic markers and cognitive behaviour. *Int J Immunopathol Pharmacol.* 25 : 1107 – 1119.
- Miki, T., Harris, S., Wilce, P., Takeuchi, Y., Bedi, K.S. 1999. The effect of the timing of ethanol exposure during early postnatal life on total number of purkinje cells in rat cerebellum. *j anat.* 194: 423-431.
- Mann, D.M., 1996. Pyramidal nerve cell loss in Alzheimer's disease. *Neurodegeneration.* 5 (4) : 423 – 427.
- Mark, L. P., Prost, R.W., Ulmerc, J.L., Smith MM, Daniels DL, Strottmann JM, Brown WD, Hacein-Bey L. 2001. pictorial review of glutamate excitotoxicity: fundamental concepts for neuroimaging. *AJNR Am J Neuroradiol.* 22 : 1813-1824.
- More, S.V., Kumar, H., Cho, D.-Y., Yun, Y.-S., Choi, D.-K., 2016. Toxin-induced experimental models of learning and memory impairment. *Int J Mol Sci.* 17 : 1447.
- Morris, R.GM, Anderson, E., Lynch, G. S, Baudry, M., 1986. Selective impairment of learning and blockade of long-term potentiation by an N-methyl-D-aspartate receptor antagonist, AP5. *Nature:* 774 –776.
- Moscovitch, M., Nadel, L., Winocur, G., Gilboa, A., Rosenbaum, R.S.,2006. The cognitive neuroscience of remote episodic, semantic and spatial memory. *Curr Opin Neurobiol.* 16 : 179 – 190 .
- Neha, Sodhi, R. K., Jaggi, A. S., Singh, N., 2014. Animal models of dementia and cognitive dysfunction. *Life Sci.* 109 : 73–86.
- Nilsberth, C., Kostysyn, B., Luthman, J., 2002. Changes in APP, PSI and other factors related to Alzheimer's disease pathophysiology trimethyltin- induced brain lesion in the rat. *Neurotoxy Res.* 4 : 625 – 636.
- Nyengaard JR.1999. Stereologic methods and their application in kidney research. *J Am Soc Nephrol.* 10 :1100–1123.
- O'Connell, A., Earley, B., Leonard, B.E., 1994. Changes in muscarinic (M1 and M2 subtypes) and phencyclidine receptor density in the rat brain following trimethyltin intoxication. *Neurochem Int.* 25 : 243 – 252.

- Parameshwaran, K., Irwin, M.H., Steliou, K., Pinkert, C.A., 2010. D-galactose effectiveness in modeling aging and therapeutic antioxidant treatment in mice. *Rejuvenation Res.* 13 : 729.
- Park, S.J., Kim, D.H., Jung, J.M., Kim, J.M., Cai, M., Liu, X., et al., 2012. The ameliorating effects of stigmasterol on scopolamine-induced memory impairments in mice. *J Pharmacol.* 676 : 64 – 70.
- Parsons, C.G., Danysz, W., Quack, G., 1999. Memantine is a clinically well tolerated N-methyl-D-aspartate (NMDA) receptor antagonist— a review of preclinical data. *Neuropharmacol.* 38 : 735–767.
- Partadiredja, G., Bedi, K., 2010. Undernutrition during gestation and suckling periods does not cause any loss of pyramidal neurons in the CA2 – CA3 region of the rat hippocampus. *Nutr Neurosci.* 13 : 1–7.
- Patrick, G.N., Zukerberg, L., Nikolic, M., de la Monte, S., Dikkes, P., Tsai, L.H. 1999. Conversion of p35 to p25 deregulates Cdk5 activity and promotes neurodegeneration. *Nature.* 402 : 615–622.
- Peng, X.M., Gao, L., Huo, S.X., Liu, X.M., Yan, M., 2015. The mechanism of memory enhancement of acteoside (verbascoside) in the senescent mouse model induced by a combination of d-gal and AICl₃. *PTR.* 29: 1137-1144.
- Pepeu, G., Giovannini, M.G., 2004. Changes in acetylcholine extracellular levels during cognitive processes. *Learn Mem.* 11 : 21–27.
- Pillon B, Deweer B, Agid Y, Dubois B. 1993. Explicit memory in Alzheimer's, huntington's, and parkinson's diseases. *Arch Neurol.* 50 : 374-379.
- Pioli, E.Y., Gaskill, B.N., Gilmour, G., Tricklebank, M.D., Dixa, S.L., Bannerman, D., Garner, J.P., 2014. An automated maze task for assessing hippocampus-sensitive memory in mice. *Behav Brain Res.* 261 : 249–257.
- Prasanti, J.R.P., Dasari, B., Marwarha, G., Larson, T., Chen, X., Geiger, J.D., Ghribi, O., 2010. Caffeine protects against oxidative stress and Alzheimer's disease-like pathology in rabbit hippocampus induced by cholesterol-enriched diet. *Free Radic Biol Med.* 1212 – 1220.
- Pereira M, Dombrowski PA, Losso EM, Chioca LR, Cunha CD, Andreatini R . 2011. Memory impairment induced by sodium fluoride is associated with changes in brain monoamine levels. *Neurotox Res.* 19 : 55–62.
- Price, B. H., Gurvit, H., Weintraub, S., Geula, C., Leimkuhler, E., Mesulam, M., 1993. Neuropsychological patterns and language deficits in 20 consecutive cases of autopsy- confirmed Alzheimer's disease. *Arch Neurol.* 50 : 931-937.
- Purves, D., Augustine, G.J., Fitzpatrick, D., Hall, W.C., LaMantia, A.S., McNamara, J.O., Williams, S.M., 2001. Neuroscience. 2nd : 695. *Sinauer Associates Inc*, Massachusetts.
- Querfurth, H.W., Laferla, F.M., 2010. Mechanisms of disease Alzheimer's disease. *N Engl J Med.* 362 : 329–344.
- Quincozes-Santos, A., Bobermin, L.D., Tramontina, A.C., Wartchow, K.M., Tagliari, B., Souza, D.O., et al ., 2014. Oxidative stress mediated by NMDA, AMPA/KA channels in acute 4 hippocampal slices: neuroprotective effect of resveratrol. *Toxicology.* 28 : 554-551.

- Rehman, S.U., Shah, S.A., Ali, T., Chung, J., Kim, M.O., 2017. Anthocyanins reversed D-galactose-induced oxidative stress and neuroinflammation mediated cognitive impairment in adult rats. *Mol Neurobiol.* 54 : 255–271.
- Riedel, G., Kang, S.H., Choi, D.Y., Platt, B., 2009. Scopolamine- induced deficits in social memory in mice: reversal by donepezil. *Behav Brain Res.* 204 : 217-225.
- Sanderson, T.H., Kumar, R., Sullivan, J.M., Krause, G.S., 2008. Insulin blocks cytochrome c release in the reperfused brain through PI3-K signaling and by promoting Bax/Bcl-XL binding. *J Neurochem* . 106 : 1248-1258.
- Small, G. W., Rabins, P. V., Barry, P. P., Buckholtz, N. S., DeKosky, S. T., Ferris, S. H., *et al.*, Diagnosis and treatment of Alzheimer’s disease and related disorders: consensus statement of the american association of geriatric psychiatry, the Alzheimer’s association, and the american geriatrics society. *JAM.* 278 : 1363–1371
- Shuto, M., Higuchi, K., CSugiyama, C., Yoneyama, M., Kuramoto, N., Nagashima, R., *et al.*, 2009. Endogenous and exogenous glucocorticoids prevent trimethyltin from causing neuronal degeneration of the mouse brain in vivo: involvement of oxidative stress pathways. *J Pharmacol Sci.* 110 : 424–436.
- Tamura H, Ishikawa Y, Hino, N *et al.* 2006. Neuropsin is essential for early processes of memory acquisition and schaffer collateral long-term potentiation in adult mouse hippocampus in vivo. *J Physiol.* 570 : 541–551.
- Tariot, P. N., Cummings, J., Katz, I. R., Mintzer, J., Perdomo, C. A., Schwam, E. M., *et al.* 2001. A randomized, double-blind, placebo-controlled study of the efficacy and safety of donepezil in patients with Alzheimer’s disease in the nursing home setting. *J Am Geriatr Soc.* 49 : 1590–1599.
- Tariot, P. N., Farlow, M. R., Grossberg, G. T., Graham, S. M., McDonald, S., Gergel, I., 2004. Memantine treatment in patients with moderate to severe Alzheimer disease already receiving donepezil: a randomized controlled trial. *JAMA.* 291 : 317–324.
- Tortora, G. J., 2014. Principles of anatomy and physiology. 14th rev : 517-518. Willey, Hooboken.
- Wang, N., Chen. X., Geng, D., Huang, H., Zhou, H., 2013. Ginkgo biloba leaf extract improves the cognitive abilities of rats with D-galactose induced dementia. *J Biomed Res.* 27 : 29–36.
- Wang X, Michaelis E., 2010. Selective neuronal vulnerability to oxidative stress in the brain. *Front Aging Neurosci.* 2 : 12.
- West, M.J, Kawas, C. H., Stewart, W. F, Rudow, G. L, Troncoso, J. C., 2004. Hippocampal neurons in pre-clinical Alzheimer’s disease. *Neurobiol Aging.* 25 : 1205–1212.
- Xiao, F., Li, X.G., Zhang, X.Y., Hou, J.D., Lin, L.F., Gao, Q., Luo, H.M., 2011. Combined administration of d-galactose and aluminum induces Alzheimer-like lesions in the brain. *Neurosci Bull.* 27 : 143–155.
- Xiao-Ping, H., Tao, C., Ni-Na, Y., Yong-Ming, H, Fang, Y.,Yan-Jun, D., *et al.*, 2016. Puerarin ameliorates d-galactose induced enhanced hippocampal

neurogenesis and tau hyperphosphorylation in rat brain. *J Alzheimers Dis.* 51 : 605–617.

- Xu, P., Wang, K., Lu, C., Dong, L., Gao, L., Yan, M., et al, 2017. The protective effect of lavender essential oil and its main component linalool against the cognitive deficits induced by D-Galactose and aluminum trichloride in mice. *J. Evid. Based Complementary Altern. Med.* 2017(ID 7426538):11.
- Yang, W., Shi, L., Chen, L., Zhang, B., Ma, K., Liu, Y., Qian, Y., 2014. Protective effects of perindopril on d-galactose and aluminum trichloride induced neurotoxicity via the apoptosis of mitochondria-mediated intrinsic pathway in the hippocampus of mice. *Brain Res Bull.* 1094 : 6 – 53.
- Yang, S., Smit, A.F., Schwartz, S., Chiaromonte, F., Roskin, K. M., Haussler, D., Miller, W., Hardison, R. C., 2004. Patterns of insertions and their covariation with substitutions in the rat, mouse, and human genomes. *Genome Res.* 14 : 517 – 527.
- Zaki, H.F., Abd-El-Fattah, M.A., Attia, A.S., 2014. Narigen protects against scopolamine-induced dementia in rats. *B- FOPCU.* 52 : 15–25.