

DAFTAR PUSTAKA

- Abood, D.A., Black, D.R., & Feral, D. (2003). Nutrition education worksite intervention for university staff: application of the health belief model. *J Nutr Educ Behav*, 35(5), 260-267.
- Afiyanti, Y., & Rachmawati, I.N. (2014). *Metode Penelitian Kualitatif dalam Riset Keperawatan*. Depok: PT. Rajagrafindo Persada.
- Ali, N.S. (2002). Prediction of coronary heart disease preventive behaviors in women: a test of the health belief model. *J Womens Health*, 35(1), 83-96.
- Allwood, M., Stanley, A., & Wright, P. (2002). *The Cytotoxics Handbook*
Retrieved from https://books.google.co.id/books?id=IK2cHc80A9MC&printsec=frontcover&source=gbs_ge_summary_r&cad=0#v=onepage&q&f=false
- ASHP, American Society of Health-System Pharmacists. (2006). Guidelines on handling hazardous drugs. *Am J of Health Syst Pharm*(63), 1172-1193.
- Askarian, M., Mclaws, M.L., & Meylan, M. (2007). Knowledge, attitude, and practices related to standard precautions of surgeons and physicians in university-affiliated hospitals of Shiraz, Iran. *Int J Infect Dis*, 11(1), 213-219.
- Askoxylakis, V., Thieke, C., Pleger, S.T., Most, P., Tanner, J., Lindel, K., Bischof, M. (2010). Long-term survival of cancer patients compared to heart failure and stroke: A systematic review. *BMC Cancer*, 10(105). doi: 10.1186/1471-2407-10-105
- ASTM, American Society for Testing and Materials. (2015). ASTM D6978-05: Standard practice for assessment of resistance of medical gloves to permeation by chemotherapy drugs. doi:10.1520/D6978-05

- Aung, S.S., Nursalam, & Yulis, S.D. (2017). Factors Affecting the Compliance of Myanmar Nurses in Performing Standard Precautions. *Jurnal Ners* 12(1), 1-8.
- Bird, F.J.E., & Germany, G.L. (1996). *Practical Loss Control Leadership*. Georgia: Loganville.
- Briggs, G.G., Freeman, R.K., & Yaffe, S.J. (2008). *Drugs in pregnancy and lactation. A reference guide to fetal and neonatal risk*. (8 ed.). Philadelphia, PA: Lippincott, Williams & Wilkins. .
- Brown, K.A, Esper, P., Kelleher, L., O'Neill, J., Polovich, M., & White, J. (2001). *Chemotherapy and biotherapy guidelines and recommendations for practice* (3rd ed.). Pittsburgh: Oncology Nursing Society.
- Callahan, A., Ames, N.J., Manning, M.L., Leonard, K.T., Yang, L., & Wallen, G.R. (2015). Factors Influencing Nurses' Use of Hazardous Drug Safe-Handling Precautions. *Oncol Nurs Forum*, 43(3), A1-A-9. doi: doi: 10.1188/16.ONF.43-03AP
- Colaizzi, P. (1978). *Psychological research as a phenomenologist views it*. . New York: Open University Press.
- Connor, T.H., Anderson, R.W., Sessink, P.J., & Spivey, S.M. (2002). Effectiveness of a closed system device in containing surface contamination with cyclophosphamide and ifosfamide in an i.v. admixture area. *Am J Health Syst Pharm*, 59, 68-72.
- Connor, T.H., DeBord, D., Pretty, J., Rogers, B.E., Escalante, C.T., Oliver, M., .McDiarmid, M.A. (2010). Evaluation of antineoplastic drug exposure in healthcare workers at three U.S. cancer centers. *J Occup Environ Med* 50(1), 1019-1027.
- Connor, T.H., M.A., & McDiarmid. (2006). Preventing Occupational Exposures to Antineoplastic Drugs in Health Care Settings. *CA Cancer J Clin*, 56, 354–365. doi: <https://doi.org/10.3322/canjclin.56.6.354>

- Constantinidis, T.C., Vagka, E., Dallidou, P., Basta, P., Drakopoulos, V., Kakolyris, S., & Chatzaki, E. (2011). Occupational health and safety of personnel handling chemotherapeutic agents in Greek hospitals. *Eur J Cancer Care*, *20*, 123 -131.
- Coracea, K.M., Jocelyn, A.S., Daniel, P.H., Dorothy, Y., MacDonaldf, T.K., Leandre, R., Gary, E.G. (2016). Using behavior change frameworks to improve healthcare worker influenza vaccination rates: A systematic review. *Vaccine*, *34* (28), 3235-3242. doi: 10.1016/j.vaccine.2016.04.071
- Creswell, J.W. (2015). *RESEARCH DESIGN Pendekatan Kualitatif, Kuantitatif, dan Mixed* (A. Fawaid, Trans. V ed.). Yogyakarta: Pustaka Pelajar.
- Daddario, D.K. (2007). A review of the use of the health belief model for weight management. *Medsurg Nurs*, *16*(6), 363-366.
- Deeks, A., Lombard, C., Michelmore, J., & Teed, H. (2009). The effects of gender and age on health related behaviors. *BMC Public Health*, *09*, 213. doi: 10.1186/1471-2458-9-213
- Desen, W. (2008). *Buku Ajar Onkologi Klinis* (II ed.). Jakarta: Balai Penerbit FK UI.
- Dhingra, M., & Dhingra, V. (2011). Perception: Scriptures' Perspective. *JHV*, *17*(1), 63-72. doi: 10.1177/097168581001700104
- Dranitsaris, G., Johnston, M., Poirier, S., Schueller, T., Milliken, D., Green, E., & Zanke, B. (2005). Are health care providers who work with cancer drugs at an increased risk for toxic events? A systematic review and meta-analysis of the literature. *J Oncol Pharm Pract*, *11*, 69–78. doi: 10.1191/1078155205jp155oa.
- Dubigeon, Christine Bobin, Amiand, Marie, Percheron, Christelle, Audeval, Christelle, Rochard, Sophie, Leynia, Pierre, & Bard, JeanMarie. (2013). A New, Validated Wipe-Sampling Procedure Coupled to LC–MS Analysis for the Simultaneous Determination of 5-Fluorouracil, Doxorubicin and

- Cyclophosphamide in Surface Contamination. *J. Anal. Toxicol* 3(37), 433–439. doi: 10.1093/jat/bkt045
- Durodola, J.I. (1979). Administration of cyclophosphamide during late pregnancy and early lactation: a case report. *J Natl Med Assoc*, 71(2), 165–166
- Efstathiou, G., Stavrou, E.P., Raftopoulos, V., & Ris, A.M. (2011). Factors influencing nurses' compliance with Standard Precautions in order to avoid occupational exposure to microorganisms: A focus group study. *BMC Nursing*, 10(1).
- Falck, K., Grohn, P., Sorsa, M., Vainio, H., Heinonen, R., & Holsti, L. R. (1979). Mutagenicity in urine of nurses handling cytostatic drugs. *Lancet Oncol*, 1250–1251.
- Fernandes, Natália Martinez, Pelissari, Isadora Gonçalves, Cogo, Licia Assunção, & Filha, Valdete Alves Valentins dos Santos. (2016). Workplace Activity in Health Professionals Exposed to Chemotherapy Drugs: An Otoneurological Perspective. *Int Arch Otorhinolaryngol* 20, 331-338. doi: <http://dx.doi.org/10.1055/s-0036-1572431>
- Fransman, W., Kager, H., Meijster, T., Heederik, D., Kromhout, H., ortengen, L., & Blaauboer, B.J. (2014). Leukemia from Dermal Exposure to Cyclophosphamide among Nurse in the Netherlands: Quantitative Assesment of the Risk. *Ann. Occup. Hyg.*, 58(3), 271-282. doi: 10.1093/annhyg/met077
- Fransman, W., Roeleveld, N., Peelen, S., Kort, W. de, Kromhout, H., & Heederik, D. (2007). Nurses with dermal exposure to antineoplastic drugs: Reproductive outcomes. *Epidemiology*, 18, 112-119.
- Geer, L. A., Curbow, B. A., Anna, D. H, Lees, P. S. J, & Buckley, T. J. (2006). Development of a questionnaire to assess worker knowledge, attitudes and perceptions underlying dermal exposure. *Scand J Work Environ Health*, 32 209-218.

- Gershon, R. R. M, Karkashian, C. D., Grosch, J. W., Murphy, L. R., Escamilla, C., & Flanagan, P. A. (2000). Hospital safety climate and its relationship with safe work practices and workplace exposure incidents. *Am J Infect Control*, 28(3), 211-221.
- Gibson, F., Shipway, L., & Aldiss, S. (2013). Exploring the work of nurses who administer chemotherapy to children and young people. *Eur J Oncol Nurs*, 17, 59-69. doi: 10.1016/j.ejon.2012.01.0 06
- Gilani, S., & Giridharan, S. (2014). is it safe for pregnant health-care professionals to handle cytotoxic drugs? A review of the literature and recommendations. *ecancer*, 8 418 doi: 10.3332/ecancer.2014.418
- Glanz, K., Rimer, B.K., & Viswanath, K. (2015). *Health behavior and health education: theory, research, and practice* (5 ed.). San Fransisco: CA : Jossey-Bass.
- Haile, T.G., Engeda, E.H., & Abdo, A.A. (2017). Compliance with Standard Precautions and Associated Factors among Healthcare Workers in Gondar University Comprehensive Specialized Hospital, Northwest Ethiopia. *J Environ Public Health*, 2017, 8. doi: <http://dx.doi.org/10.1155/2017/2050635>
- Hanafi, S., Torkamandi, H., Bagheri, S., Tavakoli, M., Hadavand, N., & Javadi, M. (2015). Safe Handling of Cytotoxic Drugs and Risk of Occupational Exposure. *J Pharm Care*, 3(1-2), 11-15.
- Hayden, J. A. (2013). *Introduction to health behavior theory* New Jersey, USA: Jones & Bartlett.
- Hemminki, K., Kyyrönen, P., & Lindbohm, M.L. (1985). Spontaneous abortions and malformations in the offspring of nurses exposed to anaesthetic gases, cytostatic drugs, and other potential hazards in hospitals, based on registered information of outcome. *J Epidemiol Community Health*, 39, 141–147. doi: 10.1136/jech.39.2.141.

- IARC, International Agency for Research on Cancer of the World Health Organization. (2007). IARC monographs on the evaluation of carcinogenic risks to humans. *IARC Sci Publ.*, 89.
- Joanne, F., & Tyson, K. (2015). *100 Questions & Answers About Cancer Symptoms and Cancer Treatment Side Effects* Retrieved from <http://www.cinj.org/education/available-ebooks-and-audiobooks>
- Julia, F.D., & Sadra, S. (2013). *Oxford Handbook of Occupational Health* (2nd ed.). UK: Oxford University Press.
- Kara, B., & Acikel, C.H. (2009). Health beliefs and breast self-examination in a sample of Turkish nursing students and their mothers. *J Clin Nurs*, 18(10), 1412-1421. doi: 10.1111/j.1365-2702.2007.02241.x.
- Kartal, A., & Özsoy, S.A. (2007). Validity and reliability study of the Turkish version of Health Belief Model Scale in diabetic patients. *Int J Nurs Stud*, 44(8), 1447-1458. doi: 10.1016/j.ijnurstu.2007.06.004
- KBBI, Kamus Besar Bahasa Indonesia. (2018). edukasi dan pelatihan. Retrieved 14 April 2018, 2018, from <https://kbbi.web.id/>
- KEMENKES, Kementerian Kesehatan. (2015, Februari). Kanker, Pembunuh Papan Atas. *Kemertrian Kesehatan RI.Tentang Kesehatan, Undang-Undang RI No. 23 C.F.R.* (1992).
- KEMENKES, Kementerian Kesehatan. (2013). *Riset Kesehatan Dasar 2013*. Jakarta: Retrieved from <http://www.depkes.go.id/resources/download/general/Hasil%20Riskasdas%202013.pdf>.
- Kyprianou, M., Kapsou, M., Raftopoulos, V., & Soteriades, E.S. (2010). Knowledge, attitudes and beliefs of cyprriot nurses on the handling of antineoplastic agents, *.Eur J Oncol Nurs*, 14(4), 278-282. doi: <https://doi.org/10.1016/j.ejon.2010.01.025>
- Lawson, C.C., Rocheleau, C.M., Whelan, E.A., Lividoti-Hibert, E.N, Grajewski, D., & Edwards, J.W. Rich. (2012). Occupational exposures among nurses

- and risk of spontaneous abortion. *Am J Obstet Gynecol*, 206(4), 1-8. doi: doi:10.1016/j.ajog.2011.12.030.
- Mahat, G., & Eller, L.S. (2009). HIV/AIDS and universal precautions: knowledge and attitudes of Nepalese nursing students *J Adv Nurs* 65(9), 1907-1915.
- Mahdy, N.E., Rahman, A.A., & Hassan, H.A. (2017). Cytotoxic Drugs Safety Guidelines: Its Effect on Awareness and Safe Handling Practices of Oncology Nurses. *IOSR-JNHS*, 6(3), 22-33 doi: 10.9790/1959-0603032233
- Martin, S. (2005). Chemotherapy handling and effects among nurses and their offspring. *Oncol Nurs Forum*, 32, 425.
- McDiarmid, M.A., Polovich, M., Power, L., Connor, T.H., & from, D. Weissman . Retrieved. (2013). Medical surveillance for healthcare workers exposed to hazardous drugs. Retrieved 12 April 2018, from <http://www.cdc.gov/niosh/docs/wp-solutions/2013-103/pdfs/2013-103.pdf>
- Meade, E. (2014). Avoiding accidental exposure to intravenous cytotoxic drugs. *Br J Nurs*, 23(16), S34, S36-39. doi: 13JF5274VuNthhwKkLrYyZW73smjSYAEen
- Miyake, T., Iwamoto, T., Tanimura, M., & Okuda, M. (2013). Impact of closed-system drug transfer device on exposure of environment and healthcare provider to cyclophosphamide in Japanese hospital. *SpringerPlus*, 2(273).
- Moore, D., Gamage, B., Bryce, E., Yassi, R. A. Copes. (2005). Protecting health care workers from SARS and other respiratory pathogens: Organizational and individual factors that affect adherence to infection control guidelines. *Am J Infect Control* 33(2), 88-96.
- NANDA, North American Nursing Diagnosis Association. (2015). *Diagnosis Keperawatan Definisi & Klasifikasi 2015-2017* (T. H. Herdman & S. Kamitsuru Eds. 10 ed.). Jakarta: EGC.
- Ndejjo, R., Musinguzi, G., Yu, X., Buregyeya, E., Musoke, D., Wang, J.S., Ssempebwa, J. (2015). Occupational Health Hazards among Healthcare

- Workers in Kampala, Uganda. *J Environ Public Health*, 2015. doi:
10.1155/2015/913741
- Neal, Andrew, & Griffin, Mark A. (2006). A Study of the Lagged Relationships
Among Safety Climate, Safety Motivation, Safety Behavior, and Accidents
at the Individual and Group Levels. *J. Appl. Psychol.*, 91(4), 946 –953.
- Neves, H.C., Souza, A.C., Medeiros, M., Munari, D.B., Ribeiro, L.C., & Tipple,
A.F. (2011). Safety of nursing staff and determinants of adherence to
personal protective equipment. *Rev Lat Am Enfermagem*, 19(2), 354-361.
- NIOSH, National Institute for Occupational Safety and Health. (2004). NIOSH
alert: Preventing occupational exposures to antineoplastics and other
hazardous drugs in the healthcare settings. www.cdc.gov/niosh/docs/2004-165/pdfs/2004-165.pdf
- NIOSH, National Institute for Occupational Safety and Health. (2009). Personal
Protective Equipment for Health care Workers Who Work with Hazardous
Drugs. <http://www.cdc.gov/niosh/docs/wp-solutions/2009-106/pdfs/2009-106.pdf>
- NIOSH, National Institute for Occupational Safety and Health. (2013). Medical
Surveillance for Healthcare Workers Exposed to Hazardous Drugs.
Retrieved 12 April 2018, from <https://www.cdc.gov/niosh/docs/wp-solutions/2013-103/pdfs/2013-103.pdf>
- NIOSH, National Institute for Occupational Safety and Health. (2014). List of
Antineoplastic and Other Hazardous Drugs in Healthcare Settings. from
<https://www.cdc.gov/niosh/docs/2014-138/pdfs/2014-138.pdf>
- NIOSH, National Institute for Occupational Safety and Health. (2016). Hierarchy
of Controls. Retrieved 24 November 2017, from
<https://www.cdc.gov/niosh/topics/hierarchy/default.html>
- Occupational Safety and Health Administration [OSHA]. Re-trieved November 11,
2003, from. (2018). Controlling Occupational Exposure to Hazardous
Drugs. Retrieved 17 April 2018, from

https://www.osha.gov/SLTC/hazardousdrugs/controlling_occex_hazardousdrugs.html

OHSAS, Occupational Health and Safety Assessment Series. (2007). *OHSAS 18001:2007 Occupational health and safety management systems Requirements* OCCUPATIONAL HEALTH AND SAFETY ASSESSMENT SERIES, Retrieved from <http://www.aims.org.pk/wp-content/uploads/2014/08/OHSAS-18001-2007-Standards.pdf>

Oliveira, A.C., Cardoso, C.S., & Mascarenhas, D. (2010). Contact precautions in intensive care units: facilitating and inhibiting factors for professionals' adherence. *Rev Esc Enferm USP*, 44(1), 161-165.

Onoruoiza, S.I., Musa, A., Umar, B.D., & Kunle, Y.S. (2015). Using Health Beliefs Model as an Intervention to Non Compliance with Hypertension Information among Hypertensive Patient. *OSR-JHSS*, 20(9), 11-16. doi: 10.9790/0837-20951116

Orujlu, S., Habibzadeh, H., Sakhvidi, M.J.Z., & Hajaghazadeh, M. (2016). Knowledge, Attitude, and Performance of Oncology Nurses Handling Antineoplastic Drugs in Hospitals of Urmia University, Iran. *IJOH* 8: 14-21., 8, 14-21.

Osborne, S. (2003). Influences on compliance with standard precautions among operating room nurses. *Am J Infect Control*, 31, 415-423. doi: 10.1067/mic.2003.68

Owens, M'Lynda. (2011). *The Effect of Safety Climate, Teamwork, and Sustainable Motivation on Nurse Job Satisfaction and Intent to Stay*. (Doctor of Philosophy in Nursing Nursing Theses and Dissertations. Paper 3.), University of Texas at Tyler, Texas. Retrieved from <http://hdl.handle.net/10950/52>

Parsinahingsih, S.H., & Supratman. (2008). Gambaran Pelaksanaan Kewaspadaan Universal di Rumah Sakit Umum Daerah Dr. Moewardi Surakarta. *Berita Ilmu Keperawatan* 1(1), 19-24.

- Pender, N. J., Murdaugh, C., & Parsons, M. A. (2006). *Health promotion in nursing practice* (5 ed.). Upper Saddle River: NJ Prentice Hall, Inc.
- Peraturan Menteri Tenaga Kerja dan Transmigrasi Tentang Alat Pelindung Diri, PER.08/MEN/VII/2010 C.F.R. (2010).
- Peters, N.O., Azodo, C.C., Ehizele, A.O., & Obuekwe, O.N. (2012). Gender differences in characteristics, occupational exposure, and infection control practices among dental professionals in Edo State, Nigeria. *South Afr J Epidemiol Infect* 27(2):61-65, 27(2), 61-65.
- Polovich, M. (2003). *Safe handling of hazardous drugs*. Pittsburgh: Oncology Nursing Society.
- Polovich, M., & Clark, P. (2010). *Nurses' Use of Hazardous Drug Safe Handling Precautions*. (Doctoral), Georgia State University, USA. Retrieved from http://scholarworks.gsu.edu/nursing_diss/21
- Polovich, M., & Clark, P. (2011). Nurses ' use of hazardous drug-handling precautions and awareness of national safety guidelines. *Oncol Nurs Forum*, 38(6), 718–726.
- Polovich, M., & Clark, P. (2012). Factors influencing oncology nurses ' use of hazardous drug safe-hand-ling precautions. *Oncol Nurs Forum*, 39(3), E299 – E309. doi: 10.1188/12.ONF.E299-E309
- Porto, Janete Silva, & Marziale, Maria Helena Palucci. (2016). Reasons and consequences of low adherence to standard precautions by the nursing team. *Rev Gaúcha Enferm*, 37(2), e57395. doi: <http://dx.doi.org/10.1590/1983-1447.2016.02.57395>
- Ratner, P. A, Spinelli, J. J, Beking, K., Lorenzi, M., Chow, Y., Teschke, K., Dimich-Ward, H. (2010). Cancer incidence and adverse pregnancy outcome in registered nurses potentially exposed to antineoplastic drugs. *BMC Nursing*, 9(15).

- Rieger, P.T., & Yarbrow, C.H. (2003). *Cancer Medicines*. a. D. W. Kufe (Ed.) *Role of the Oncology Nurse* Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK13570/>
- Robbins, S. P., & Judge, T. A. (2008). *Perilaku organisasi. Edisi Bahasa Indonesia*. Jakarta: PT. Indeks Kelompok Gramedia.
- Roden, J. (2004). Revisiting the Health Belief Model: Nurses applying it to young families and their health promotion needs. *Nurs Health Sci*, 06, 1-10. doi: 10.1111/j.1442-2018.2003.00167.x
- Rosenstock, I.M., Strecher, V.J., & Becker, M.H. (1988). Social learning theory and the health belief model. *Health Educ. Behav*, 15(2), 175-183.
- Sarani, H., Balouchi, A., Masinaeinezhad, N., & Ebrahimitabs, E. (2016). Knowledge, Attitude and Practice of Nurses about Standard Precautions for Hospital-Acquired Infection in Teaching Hospitals Affiliated to Zabol University of Medical Sciences (2014) *Glob J Health Sci*, 8(3).
- Sasaki, Makiko, Dakeishi, Miwako, Hoshi, Shigeiko, Ishii, Noriko, & Murata, Katsuyuki. (2008). Assessment of DNA Damage in Japanese Nurses Handling Antineoplastic Drugs by the Comet Assay. *J Occup Health*, 50, 7-12.
- Schreiber, et al. C. (2003). Uptake of antineoplastic agents in pharmacy personnel. Part 2: study of workrelated risk factors. *Int Arch Occup Environ Health*, 76, 11-16.
- Selig, B. P., Furr, J. R., Huey, R.W., Moran, C., Alluri, V. N., Medders, G. R., Mulvihill, J. J. (2012). Cancer chemotherapeutic agents as human teratogens *Birth Def Res (Part A): Clin Mol Teratology* 94, 626-650. doi: 10.1002/bdra.23063
- Slameto. (2010). *Belajar dan Faktor-Faktor yang Mempengaruhinya*. Jakarta: Rineka Cipta.

- Souza, D., Brandão, C., Tovar, Rodrigues, J., D. Antônio, Rodrigues, Costa, M.H. (2015). Antineoplastic and occupational risks for nurses: an integrative review *Enferm Global.*, 328-339.
- Straif, *et al.* K. (2007). Carcinogenicity of shift-work, painting, and fire-fighting. *Lancet Oncol* 8, 1065-1066.
- Suma'mur, P.K. (2009). *Higiene Perusahaan dan Kesehatan Kerja*. Jakarta: Gunung Agung.
- Sunaryo. (2004). *Psikologi Untuk Keperawatan*. Jakarta: EGC.
- Tait, A.R., Voepel-Lewis, T., Tuttle, D.B., & Malviya, S. (2000). Compliance with standard guidelines for the occupational transmission of bloodborne and airborne pathogens: a survey of post anesthesia nursing practice. *J Contin Educ Nurs*, 31, 38-44.
- Taymoori, P., & Berry, T. (2009). The validity and reliability of Champion's Health Belief Model Scale for breast cancer screening behaviors among Iranian women. *Cancer Nurs*, 32(6), 465-472. doi: 10.1097/NCC.0b013e3181aaf124.
- Tong, A., Sainsbury, P., & Craig, J. (2007). Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care*, 19(6), 349 – 357. doi: 10.1093/ intqhc / mzm042
- Topçu, S., & Beşer, A. (2017). Oncology nurses' perspectives on safe handling precautions: a qualitative study. *Contemp Nurse*. doi: 10.1080/10376178.2017.1315828
- Unsar, S., Kurt, S., Kostak, M.A., Yaman, R., & Özcan, M. (2016). Determination of Antineoplastic Drug Exposure of Nurses at a University Hospital *IJCS*, 9(1), 314.
- VerStrate, C. A.. (2015).Doctoral. (2015). *Exploration of Chemotherapy Safe-Handling Practices and Identification of Knowledge Deficits among Oncology Nurses in the Ambulatory Care Setting*. (Doctoral), Grand Valley

State University, USA. Retrieved from
<http://scholarworks.gvsu.edu/dissertations> (28)

Waidi. (2006). *The Art of Re-engineering Your Mind of Success*. Jakarta: Gramedia.

Wawan, A., & Dewi, M. (2010). *Teori dan Pengukuran Pengetahuan , Sikap dan Perilaku Manusia*. Yogyakarta: Nuha Medika.

WHO, & PAHO. (2013). *Safe Handling of Hazardous Chemotherapy Drugs in Limited-Resource Settings*. Washington DC: Pan American Health Organization.

WHO, World Health Organization. (2017). Cancer. Retrieved 14 Desember 2016, from <http://www.who.int/mediacentre/factsheets/fs297/en/>

Wick, C., Slawson, M.H., Jorgenson, J.A., & Tyler, L.S. (2003). Using a closed-system protective device to reduce personnel exposure to antineoplastic agents. *Am J Health Syst Pharm*, 60, 2314–2320.

Wiseman, T., Verity, R., Ream, E., Alderman, E., & Richardson, A. (2005). *Exploring the work of nurses who administer chemotherapy: A multi-method study*. London: King's College London

Yin, R.K. (2014). *Studi Kasus Desain & Metode*. Jakarta: Rajawali Press.