

REFERENCES

- Almalki, S. (2017) 'Integrating Quantitative and Qualitative Data in Mixed Methods Research—Challenges and Benefits', *Journal of Education and Learning*, 26(3), pp. 288–297. doi: 10.5539/jel.v5n3p288.
- Bailie, J., Schierhout, G., Laycock, A., Kelaher, M., Percival, N., O'Donoghue, L., McNear, T. and Bailie, R. (2015) 'Determinants of access to chronic illness care: a mixed-methods evaluation of a national multifaceted chronic disease package for Indigenous Australians', *BMJ Open*, 5(11), p. e008103. doi: 10.1136/bmjopen-2015-008103.
- Blakemore, R., Story, E., Helb, D., Kop, J. A., Banada, P., Owens, M. R., Chakravorty, S., Jones, M. and Alland, D. (2010) 'Evaluation of the analytical performance of the Xpert MTB/RIF assay.', *J Clin Microbiol.*, 48(7), pp. 2495–501. doi: 10.1128/JCM.00128-10.
- Boehme, C. C., Nabeta, P., Hillemann, D., Nicol, M. P., Shenai, S., Krapp, F., Allen, J., Tahirli, R., Blakemore, R., Rustomjee, R., Milovic, A., Jones, M., O'Brien, S. M., Persing, D. H., Ruesch-Gerdes, S., Gotuzzo, E., Rodrigues, C., Alland, D., Perkins, M. D. (2010) 'Rapid Molecular Detection of Tuberculosis and Rifampin Resistance', *New England Journal of Medicine*, 363(11), pp. 1005–1015. doi: 10.1056/NEJMoa0907847.
- Cattamanchi, A., Miller, C. R., Tapley, A., Haguma, P., Ochom, E., Ackerman, S., Davis, J. L., Katamba, A. and Handley, M. A. (2015) 'Health worker perspectives on barriers to delivery of routine tuberculosis diagnostic evaluation services in Uganda: A qualitative study to guide clinic-based interventions', *BMC Health Services Research*, 15(1), pp. 1–10. doi: 10.1186/s12913-014-0668-0.
- Caulfield, A. J. and Wengenack, N. L. (2016) 'Diagnosis of active tuberculosis disease: From microscopy to molecular techniques', *Journal of Clinical Tuberculosis and Other Mycobacterial Diseases*. Elsevier Ltd, 4, pp. 33–43. doi: 10.1016/j.jctube.2016.05.005.
- Cepheid (2009) *Xpert MTB/RIF*® Two-hour detection of MTB and resistance to rifampicin. doi: 10.5588/ijtld.11.0392.
- Chang, K., Lu, W., Wang, J., Zhang, K., Jia, S., Li, F., Deng, S. and Chen, M. (2012) 'Rapid and effective diagnosis of tuberculosis and rifampicin resistance with Xpert MTB/RIF assay: A meta-analysis', *Journal of Infection*. Elsevier Ltd, 64(6), pp. 580–588. doi: 10.1016/j.jinf.2012.02.012.
- Comino, E. J., Davies, G., Gawaine P., Krastev, Y., Haas, M., Christl, B., Furler, J., Raymont, A. and Harris, M. F. (2012) 'A systematic review of interventions to enhance access to best practice primary health care for chronic disease management, prevention and episodic care.', *BMC health services research*. BMC Health Services Research, 12(1), p. 415. doi: 10.1186/1472-6963-12-415.
- Creswell, J. W. and Plano Clark, V. L. (2007) 'Choosing a Mixed Method Design', in *Designing and Conducting Mixed Methods Research*. SAGE Publications Sage UK: London, England, pp. 58–89. doi: 1412927927.



Derbie, A., Worku, S., Mekonnen, D., Mezgebu, Y., Teshager, A., Birhan, A., Zenebe, Y., Bereded, F., Adem, Y., Yizengaw, E., Tulu, B., Hailu, D., Ayalew, W., Biadlegne, F. (2016) 'Xpert MTB/RIF assay for the diagnosis of Mycobacterium tuberculosis and its Rifampicin resistance at Felege Hiwot and Debre Tabor Hospitals, Northwest Ethiopia: A preliminary implementation research', *Ethiopian Journal of Health Development*, 30(2), pp. 60–65.

Direktorat Jenderal Pencegahan dan Pengendalian Penyakit Kementerian Kesehatan (2016) 'Rencana aksi nasional penanggulangan TB melalui penguatan laboratorium TB'. Available at: [http://www.kncv.or.id/kncv/images/xplod/publication/rencana aksi nasional penguatan lab tb 2016-2020.pdf](http://www.kncv.or.id/kncv/images/xplod/publication/rencana_aksi_nasional_penguatan_lab_tb_2016-2020.pdf).

Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan (2014) 'Pedoman Nasional Pengendalian Tuberkulosis', *Katalog Dalam Terbitan : Kementerian Kesehatan Nasional*, pp. 1–210.

Engel, N., Wachter, K., Pai, M., Gallarda, J., Boehme, C., Celentano, I. and Weintraub, R. (2016) 'Addressing the challenges of diagnostics demand and supply: insights from an online global health discussion platform', *BMJ Global Health*, 1(4), p. e000132. doi: 10.1136/bmjgh-2016-000132.

Hales, S., Leshner-Trevino, Ana., Ford, N., Maher, D., Ramsay, A. and Tran, N. (2016) 'Policy and practice', *Bull World Health Organ*, 94(November 2015), pp. 58–64. doi: 10.2471/BLT.15.167585.

Helb, D. Jones, M., Story, E., Boehme, C., Wallace, E., Ho, K., Kop, J., Owens, M. R., Rodgers, R., Banada, P., Safi, H., Blakemore, R., Ngoc Lan, N. T., Jones-López, E. C., Levi, M., Burday, M., Ayakaka, I., Mugerwa, R.D., McMillan, B., Winn-Deen, E., Christel, L., Dailey, P., Perkins, M. D., Persing, D. H. and Alland, David. (2010) 'Rapid detection of Mycobacterium tuberculosis and rifampin resistance by use of on-demand, near-patient technology', *Journal of Clinical Microbiology*, 48(1), pp. 229–237. doi: 10.1128/JCM.01463-09.

Indonesia NTP (2016) *Rencana Aksi Nasional Penanggulangan Tuberkulosis 2016 - 2019*.

Indonesia NTP (2017) *Presentasi KaSie Resistan Obat monev Makassar 2017*. makasar. Available at: <http://www.tbindonesia.or.id/2017/04/18/materi-monev-2017-makasar-10-13-april-2017/> (Accessed: 10 May 2017).

Van Kampen, S. C., Susanto, N. H., Simon, S., Astiti, S. D., Chandra, R., Burhan, E., Farid, M. N., Chittenden, K., Mustikawati, D. E. and Alisjahbana, B. (2015) 'Effects of introducing xpert MTB/RIF on diagnosis and treatment of drug-resistant tuberculosis patients in Indonesia: A pre-post intervention study', *PLoS ONE*, 10(6). doi: 10.1371/journal.pone.0123536.

Kementerian Kesehatan Republik Indonesia (2016) *Profil Kesehatan Indonesia 2015*.

Kemntrian Kesehatan Indonesia (2017) 'Peraturan menteri kesehatan republik indonesia: penanggulangan tuberkulosis'.

Kuznetsov, V. and Bissell, K. (2016) 'Health service perceptions about implementation of a new TB diagnostic in Northern Russia: a qualitative study', *Public Health Action*, 6(3), pp. 181–189. doi: 10.5588/pha.16.0033.



Levesque, J.-F., Harris, M. F. and Russell, G. (2013) 'Patient-centred access to health care: conceptualising access at the interface of health systems and populations.', *International journal for equity in health*, 12(1), p. 18. doi: 10.1186/1475-9276-12-18.

Lombardi, G., Di Gregori, V., Girometti, N., Tadolini, M., Bisognin, F., and Dal Monte, P. (2017) 'Diagnosis of smear-negative tuberculosis is greatly improved by Xpert MTB/RIF', *PLoS ONE*, 12(4), pp. 1–10. doi: 10.1371/journal.pone.0176186.

Mahendradhata, Y., Lambert, M. L., Van Deun, A., Matthys, F., Boelaert, M., Van der Stuyft, P. (2017) *The Republic of Indonesia Health System Review*, World Health Organization. Available at: <http://apps.who.int/iris/bitstream/10665/254716/1/9789290225164-eng.pdf>.

Mbonze, N. B., Tabala, M., Wenz, L. K., Bakoko, B., Brouwer, M., Creswell, J., Van Rie, A., Behets, F. and Yotebieng, M. (2016) 'Xpert® MTB/RIF for smear-negative presumptive TB: impact on case notification in DR Congo', *The International Journal of Tuberculosis and Lung Disease*, 20(2), pp. 240–246. doi: 10.5588/ijtld.15.0177.

Menteri Kesehatan Republik Indonesia (2009) 'Keputusan Menteri Kesehatan Republik Indonesia Nomor Nomor 364/Menkes/Sk/V/2009', pp. 1–13.

Menteri Kesehatan Republik Indonesia (2013) 'Pedoman Manajemen Terpadu Pengendalian Tuberkulosis Resistan Obat', pp. 1–130. doi: 10.1017/CBO9781107415324.004.

National Institute of Health Research and Development Ministry of Health Republic of Indonesia (2016) 'National strategy for implementation and operational research to support prevention and control of tuberculosis, malaria and neglected tropical diseases'.

Nicol, M., Whitelaw, A. and Stevens, W. (2013) 'Using Xpert MTB/RIF', *Current Respiratory Medicine Reviews*, 9(3), pp. 187–192. doi: 10.2174/1573398X113099990015.

Nyendak, M. R., Lewinsohn, D. A. and Lewinsohn, D. M. (2009) 'New diagnostic methods for tuberculosis.', *Current opinion in infectious diseases*, 22(2), pp. 174–82. doi: 10.1097/QCO.0b013e3283262fe9.

Opota, O., Senn, L., Prod'homme, G., Mazza-Stalder, J., Tissot, F., Greub, G. and Jaton, K. (2016) 'Added value of molecular assay Xpert MTB/RIF compared to sputum smear microscopy to assess the risk of tuberculosis transmission in a low-prevalence country', *Clinical Microbiology and Infection*. Elsevier, 22(7), pp. 613–619. doi: 10.1016/j.cmi.2016.04.010.

Ou, X., Xia, H., Li, Q., Pang, Y., Wang, S., Zhao, B., Song, Y., Zhou, Y., Zheng, Y., Zhang, Z., Zhang, Z., Li, J., Dong, H., Chi, J., Zhang, J., Kam, K.M., Huan, S., Jun, Y., Chin, D.P. and Zhao, Y. (2015) 'A feasibility study of the Xpert MTB/RIF test at the peripheral level laboratory in China', *International Journal of Infectious Diseases*, 31, pp. e41–e46. doi: 10.1016/j.ijid.2014.09.011.

Pardede, D. (2017) 'Final TB CCM-MONEV TB 2017'. makassar. Available at: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=5&cad=rja&uact=8&ved=0ahUKewibIYXm_ZjUAhXGMY8KHRHICH4QFghCMAQ&url=http%3A%2F%2Fwww.tbindonesia.or.id%2Ftbident%2Fuploads%2F2017%2F04%2FFinal-TB-CCM.pptx&usq=AFQjCNGrY8-uWR-EfBbs7GO4RGpAClzUzg&s (Accessed: 31 May

Pathmanathan, I. Date, A., Coggin, W. L., Nkengasong, J., Piatek, A. S. and Alexander, H. (2017) 'Rolling out Xpert MTB/RIF® for tuberculosis detection in HIV-positive populations: An opportunity for systems strengthening', *African Journal of Laboratory Medicine*, 6(2), pp. 1–9. doi: 10.4102/ajlm.v6i2.460.

Pinnock, H., Barwick, M., Carpenter, C. R., Eldridge, S., Grandes, G., Griffiths, C. J., Rycroft-Malone, J., Meissner, P., Murray, E., Patel, A., Sheikh, A. and Taylor, S. J. C. (2017) 'Standards for Reporting Implementation Studies (StaRI): explanation and elaboration document', *BMJ Open*, 7(4), p. e013318. doi: 10.1136/bmjopen-2016-013318.

R. de Camargo, K. *et al.* (2015) 'The adoption of a new diagnostic technology for tuberculosis in two Brazilian cities from the perspective of patients and healthcare workers: a qualitative study', *BMC Health Services Research*. BMC Health Services Research, 15(1), p. 275. doi: 10.1186/s12913-015-0941-x.

Raizada, N., Sachdeva, K. S., Sreenivas, A., Vadera, B., Gupta, R. S., Parmar, M., Kulsange, S., Babre, A., Thakur, R., Gray, C., Ramachandran, R., Alavadi, U., Ghedia, M., Vollepore, B., Dewan, P., Boehme, C. and Paramasivan, C. N. (2014) 'Feasibility of decentralised deployment of Xpert MTB/RIF test at lower level of health system in india', *PLoS ONE*, 9(2). doi: 10.1371/journal.pone.0089301.

Raviglione, M., Marais, B., Floyd, K., Lönnroth, K., Getahun, H., Migliori, G. B., Harries, A. D., Nunn, P., Lienhardt, C., Graham, S., Chakaya, J., Weyer, K., Cole, S., Kaufmann, S. H.E. and Zumla, A. (2012) 'Scaling up interventions to achieve global tuberculosis control: Progress and new developments', *The Lancet*. Elsevier Ltd, 379(9829), pp. 1902–1913. doi: 10.1016/S0140-6736(12)60727-2.

Rendell, N. L., Bekhbat, S., Ganbaatar, G., Dorjravdan, M., Pai, M. and Dobler, C. C. (2017) 'Implementation of the Xpert MTB/RIF assay for tuberculosis in Mongolia: a qualitative exploration of barriers and enablers', *PeerJ*, 5, p. e3567. doi: 10.7717/peerj.3567.

Richard, L., Furler, J., Densley, K., Haggerty, J., Russell, G., Levesque, J. F. and Gunn, J. (2016) 'Equity of access to primary healthcare for vulnerable populations: The IMPACT international online survey of innovations', *International Journal for Equity in Health*. International Journal for Equity in Health, 15(1). doi: 10.1186/s12939-016-0351-7.

Sachdeva, K. S., Raizada, N., Sreenivas, A., Van't Hoog, A. H., Van Den Hof, S., Dewan, P. K., Thakur, R., Gupta, R. S., Kulsange, S., Vadera, B., Babre, A., Gray, C., Parmar, M., Ghedia, M., Ramachandran, R., Alavadi, U., Arinaminpathy, N., Denkinger, C., Boehme, C. and Paramasivan, C. N.. (2015) 'Use of Xpert MTB/RIF in decentralized public health settings and its effect on pulmonary TB and DR-TB case finding in India', *PLoS ONE*, 10(5). doi: 10.1371/journal.pone.0126065.

Shao, Y., Peng, H., Chen, C., Zhu, T., Ji, M., Jiang, W., Zhu, W., Zhai, X.J. and Lu, Wei. (2017) 'Evaluation of GeneXpert MTB/RIF for detection of pulmonary tuberculosis at peripheral tuberculosis clinics', *Microbial Pathogenesis*, 105, pp. 260–263. doi: 10.1016/j.micpath.2017.02.040.



Steingart, K. R., Schiller, I., Horne, D. J., Pai, M., Boehme, C. C. and Dendukuri, N. (2014) 'Xpert® MTB/RIF assay for pulmonary tuberculosis and rifampicin resistance in adults', *The Cochrane database of systematic reviews*, 1(1). doi: 10.1002/14651858.CD009593.pub3.

Subdit P2PL kementerian Kesehatan (2014) 'Rencana Aksi Nasional Programmatic Management of Drug resistance Tuberculosis Pengendalian Tuberkulosis Indonesia : 2011-2014', pp. 2011–2014.

WHO/IUALTD (2008) *Anti-Tuberculosis Drug Resistance in The world report 4th*.

World Health Organization (2009) 'A brief history of tuberculosis control in Indonesia', *World Health Organization*. doi: ISBN 978 92 4 150015 9.

World Health Organization (2011) 'Automated Real-Time Nucleic Acid Amplification Technology For Rapid And Simultaneous Detection Of Tuberculosis And Rifampicin Resistance : Xpert Mtb / Rif System Policy Statement', *World Health Organization*, pp. 1–35. doi: ISBN 9789241506335.

World Health Organization (2014) 'Rapid implementation of the Xpert MTB/RIF diagnostic test. Technical and operational "How to" practical considerations', *World Health Organization*, WHO/HTM/TB, pp. 1–34. doi: http://www.who.int/tb/publications/xpert_implem_manual/en/.

World Health Organization (2015a) 'Global Tuberculosis Report 2015', *World Health Organization*, 1, pp. 50–51.

World Health Organization (2015b) *Use of high burden country lists for TB by WHO in the post-2015 era*, *World Health Organization press*.

World Health Organization (2016) 'Global Tuberculosis Report 2016', *World Health Organization*. Available at: <http://apps.who.int/iris/bitstream/10665/250441/1/9789241565394-eng.pdf?ua=1>.

Yuni, D., Hidayati, N. and Sugiri, Y. J. (2018) 'Detection Rifampicin Resistance Tuberculosis Using Xpert MTB / RIF Assay in Saiful Anwar Hospital Malang', 5(Icoh 2017), pp. 37–41.