

## DAFTAR PUSTAKA

- Almeida, L. F., Francescato, H. D. C., Silva, C. G. A. da, Costa, R. S., Coimbra, T. M. 2017. Calcitriol reduces kidney development disorders in rats provoked by losartan administration during lactation. *Sci Rep.* 7(1): 1-11.
- Arfian, N., Muflikhah, K., Soeyono, S. K., Sari, D. C. R., Tranggono, U., Anggorowati, N., Romi, M. M. 2016. Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation, and epithelial cell apoptosis. *Kobe J Med Sci.* 62: E38–E44.
- Arias, S. C. A., Valente, C. P., Machado, F. G., Fanelli, C., Origassa, C. S. T., de Brito, T., Fujihara, C. K. 2013. Regression of albuminuria and hypertension and arrest of severe renal injury by a losartan-hydrochlorothiazide association in a model of very advanced nephropathy. *Plos One.* 8(2): 1-16.
- Arif, E., & Nihalani, D. 2013. Glomerular filtration barrier assembly: an insight. *Posdoc J.* 1(4): 33-45.
- Aristotle, S., Sundarapandian, Felicia, C. 2013. Anatomical study of variations in the blood supply of kidneys. *J Clin Diagn Res.* 7(8): 1555-1557.
- Asanuma, K. 2013. Mechanism of the progression from podocyte injury to glomerulosclerosis. *Juntendo Med J.* 59(5): 398-406.
- Ashley, N. T., Weil, Z. M., Nelson, R. J. 2012. Inflammation: mechanisms, costs, and natural variation. *Annu Rev Ecol Evol System.* 43(1): 385-406.
- Axelsson, A., Iversen, K., Vejstrup, N., Ho, C., Norsk, J., Langhoff, L., Bundgaard, H. 2015. Efficacy and safety of the angiotensin II receptor blocker losartan for hypertrophic cardiomyopathy: the INHERIT randomised, double-blind, placebo-controlled trial. *Lancet Diabetes Endocrinol.* 3(2): 123-131.
- Azhibekov, T. A., Wu, Z., Padiyar, A., Bruggeman, L. A., Simske, J. S. 2011. TM4SF10 and ADAP interaction in podocytes: role in Fyn activity and nephrin phosphorylation. *Am J Physiol Cell Physiol.* 301(6): C1351-C1359.
- Barresi, V., Bonetti, L. R., Branca, G., Vitarelli, E., Ieni, A., Tuccari, G. 2016. Prognostic value of the density of wilms tumour protein 1 (WT-1) positive microvessels in stage IIA colorectal cancer. *Int J Clin Exp Pathol.* 9(3): 3115-3124.
- Barret, K. E., Barman, S. M., Boitano, S., Brooks, H. L. 2012. *Ganong's Review of Medical Physiology* 24<sup>th</sup> ed. US : Lange McGraw Hill Medical.
- Bartlett, C. S., Jeansson, M., Quaggin, S. E. 2016. Vascular growth factors and glomerular disease. *Annu Rev Physiol.* 78: 437-461.
- Becherucci, F., Lazzeri, E., Romagnani, P. 2015. A road to chronic kidney disease toward glomerulosclerosis via dendrin. *Am J Pathol.* 185(8): 2072-2075.
- Becker, G. J., & Hewitson, T. D. 2013. Animal models of chronic kidney disease: useful but not perfect. *Nephrol Dial Transplant.* 28(10): 2432-2438.
- Borza, C. M., & Pozzi, A. 2012. The role of cell-extracellular matrix interactions in glomerular injury. *Exp Cell Res.* 318(9): 1001-1010.
- Bouillon, R., Carmeliet, G., Verlinden, L., Van Etten, E., Verstuyf, A., Luderer,

- H. F., Demay, M. 2008. Vitamin D and human health: lessons from vitamin D receptor null mice. *Endocr Rev.* 29(6): 726-776.
- Brown, R. B., Haq, A., Standford, C. F., Razzaque, M. S. 2015. Vitamin D, phosphate, and vasculotoxicity. *Can J Physiol Pharmacol.* 93(12): 1077-1082.
- Brubaker, S. W., Bonham, K. S., Zanoni, I., Kagan, J. C. 2016. Innate immune pattern recognition: a cell biological perspective. *Annu Rev Immunol.* 33: 257-290.
- Cellesi, F., Li, M., Rastaldi, M. P. 2015. Podocyte injury and repair mechanisms. *Curr Opin Nephrol Hypertens.* 24(3): 239-244.
- Chen, S., Chen, H., Liu, Q., Ma, Q. 2015. Effect of simvastatin on the expression of nephrin, podocin, and vascular endothelial growth factor (VEGF) in podocytes of diabetic rat. *Int J Clin Exp Med.* 8(10): 18225-18234.
- Christakos, S., Dhawan, P., Verstuyf, A., Verlinden, L., Carmeliet, G. 2016. Vitamin D: metabolism, molecular mechanism of action, and pleiotropic effects. *Physiol Rev.* 96(1): 365-408.
- Chuang, P. Y., Menon, M. C., He, J. C. 2013. Molecular targets for treatment of kidney fibrosis. *J Mol Med.* 91(5): 549-559.
- Cozzolino, M., Covic, A., Martinez-Placencia, B., Xynos, K. 2015. Treatment failure of active Vitamin D therapy in chronic kidney disease: predictive factors. *Am J Nephrol.* 42: 228-236.
- Deb, D. K., Wang, Y., Zhang, Z., Nie, H., Huang, X., Yuan, Z., Li, Y. C. 2011. Molecular mechanism underlying 1,25-Dihydroxyvitamin D regulation of nephrin gene expression. *J Biol Chem.* 286(37): 32011-32017.
- Denhez, B., Lizotte, F., Guimond, M. O., Jones, N., Takano, T., Geraldès, P. 2015. Increased SHP-1 protein expression by high glucose levels reduces nephrin phosphorylation in podocytes. *J Biol Chem.* 290(1): 350-358.
- Driessche, A.V., Berneman, Z. N., Tendeloo, V. F. I. V. 2012. Active specific immunotherapy targeting the wilms' tumor protein 1 (WT1) for patient with hematological malignancies and solid tumors: lessons from early clinical trials. *Oncologist.* 17(2): 250-259.
- Dumont, V., Tolvanen, T. A., Kuusela, S., Wang, H., Nyman, T. A., Lindfors, S., Lehtonen, S. 2017. PACSIN2 accelerates nephrin trafficking and is upregulated in diabetic kidney disease. *FASEB J.* 31(9): 3978-3990.
- Fatt, Q. K. 2015. Epidemiology of chronic kidney disease. *Int J Nephrol Ther.* 1(1): 001-003.
- Faust, M. S., Boubred, F., Simeoni, U. 2014. Renal development and neonatal adaptation. *Am J Perinatol.* 31(9): 773-780.
- Filho, A. J. I., & Melamed, M. L. 2013. Vitamin D and kidney disease. What we know and what we do not know. *J Bras Nefrol.* 35(4): 323-331.
- Fukuda, H., Hidaka, T., Takagi-Akiba, M., Ichimura, K., Trejo, J. A. O., Sasaki, Y., Tomino, Y. 2015. Podocin is translocated to cytoplasm in puromycin aminonucleoside nephrosis rats and in poor-prognosis patients with IgA nephropathy. *Cell Tissue Res.* 360(2): 391-400.
- Funk, J., Ott, V., Herrmann, A., Rapp, W., Raab, S., Riboulet, W., Jacobsen, B. 2016. Semiautomated quantitative image analysis of glomerular

immunohistochemistry markers desmin, vimentin, podocin, synaptopodin and WT-1 in acute and chronic rat kidney disease models. *Histochem Cell Biol.* 145(3): 315-326.

- Galvao, J. F. B., Nagode, L. A., Schenck, P. A., Chew, D. J. 2013. Calcitriol, calcidiol, parathyroid hormone, and fibroblast growth factor-23 interactions in chronic kidney disease. *J Vet Emerg Crit Care.* 23(2): 134-162.
- Garsen, M., Sonneveld, R., Rops, A. L., Huntink, S., Van Kuppevelt, T. H., Rabelink, T. J., Van Der Vlag, J. 2015. Vitamin D attenuates proteinuria by inhibition of heparanase expression in the podocyte. *J Pathol.* 237(4): 472-481.
- Gava, A. L., Freitas, F. P. S., Balarini, C. M., Vasquez, E. C., Meyrelles, S. S. 2012. Effects of 5/6 nephrectomy on renal function and blood pressure in mice. *Int J Physiol Pathophysiol Pharmacol.* 4(3): 167-173.
- Goyal, S., Mishra, K., Sarkar, U., Sharma, S., Kumari, A. 2016. Diagnostic utility of wilms' tumour-1 protein (WT-1) immunostaining in paediatric renal tumours. *Indian J Med Res.* 143(7): 59-67.
- Grahammer, F., Schell, C., Huber, T. B. 2013. The podocyte slit diaphragm from a thin grey line to a complex signalling hub. *Nat Rev Nephrol.* 9(10): 587-598.
- Guerra, V., Neto, O. M. V., Laurindo, A. F., de Paula, F. J. A., Neto, M. M. Hypercalcemia and renal function impairment associated with vitamin D toxicity: case report. *J. Bras Nefrol.* 38(4): 466-469.
- Hastie, N. D. 2017. Wilms' tumour 1 (WT1) in development, homeostasis and disease. *Development.* 144(16): 2862-2872.
- Haussler, M. R., Jurutka, P. W., Mizwicki, M., Norman, A. W. 2011. Vitamin D receptor (VDR) mediated actions of 1 $\alpha$ ,25 (OH) 2vitamin D 3: genomic and non-genomic mechanisms. *Best Pract Res Clin Endocrinol Metab.* 25(4): 543-559.
- Haussler, M. R., Whitfield, G. K., Kaneko, I., Haussler, C. A., Hsieh, D., Hsieh, J. C., Jurutka, P. W. 2013. Molecular mechanisms of vitamin D action. *Calcif Tissue Int.* 92(2): 77-98.
- Hayashi, K., Sasamura, H., Ishiguro, K., Sakamaki, Y., Azegami, T., Itoh, H. 2010. Regression of glomerulosclerosis in response to transient treatment with angiotensin II blockers is attenuated by blockade of matrix metalloproteinase-2. *Kidney Int.* 78(1): 69-78.
- He, W., Kang, Y. S., Dai, C., Liu, Y. 2011. Blockade of Wnt/-catenin signaling by paricalcitol ameliorates proteinuria and kidney injury. *J Am Soc Nephrol.* 22(1): 90-103.
- Hsu, H. H., Hoffmann, S., Di Marco, G. S., Endlich, N., Peter-Katalinic, J., Weide, T., Pavenstadt, H. 2011. Downregulation of the antioxidant protein peroxiredoxin 2 contributes to angiotensin II mediated podocyte apoptosis. *Kidney Int.* 80(9): 959-969.
- Huber, T. B., Hartleben, B., Kim, J., Schmidts, M., Schermer, B., Keil, A., Egger, L., Lecha, R. L., Borner, C., Pavenstadt, H., Shaw, A. S., Walz, G., Benzing, T. Nephtrin and CD2AP associate with phosphoinositide 3-OH kinase and stimulate AKT dependent signaling. *Mol Cell Biol.* 23(14): 4917-4928.

- Hullett, D. A., Laeseke, P. F., Malin, G., Nessel, R., Sollinger, H. W., Becker, B. N. 2005. Prevention of chronic allograft nephropathy with vitamin D. *Transplant Int.* 18(10): 1175-1186.
- Humalda, J. K., Goldsmith, D. J. A., Thadhani, R., De Borst, M. H. 2015. Vitamin D analogues to target residual proteinuria: potential impact on cardiorenal outcomes. *Nephrol Dial Transplant.* 30(12): 1988-1994.
- Ichimura, K., Miyazaki, N., Sadayama, S., Murata, K., Koike, M., Nakamura, K. I., Sakai, T. 2015. Three dimensional architecture of podocytes revealed by block face scanning electron microscopy. *Sci Rep.* 5: 1-7.
- Jean, G., Souberbielle, J. C., Chazot, C. 2017. Vitamin D in chronic kidney disease and dialysis patients. *Nutrients.* 9(4): 1-15.
- Jhee, J. H., Kim, H., Park, S., Yun, H. R., Jung, S. Y., Kee, Y. K., Yoo, T. H. 2017. Vitamin D deficiency is significantly associated with depression in patients with chronic kidney disease. *Plos One.* 12(2): 1-13.
- Kalani, A., Mohan, A., Godbole, M. M., Bhatia, E., Gupta, A., Sharma, R. K., Tiwari, S. 2013. Wilm's tumor-1 protein levels in urinary exosomes from diabetic patients with or without proteinuria. *Plos One.* 8(3): 1-7.
- Kandasamy, Y., Smith, R., Lumbers, E. R., Rudd, D. 2014. Nephtrin-a biomarker of early glomerular injury. *Biomark Res.* 2(21): 1-8.
- Kardasz, S. 2012. The function of the nephron and the formation of urine. *Anaes Intens Care Med.* 13(7): 309-314.
- Kato, T., & Mizuno, S. 2017. Nephron, wilms' tumor-1 (WT1), and synaptopodin expression in developing podocytes of mice. *Exp Anim.* 66(3): 183-189.
- Kaverina, N. V., Eng, D. G., Largent, A. D., Daehn, I., Chang, A., Gross, K. W., Shankland, S. J. 2017. WT1 is necessary for the proliferation and migration of cells of renin lineage following kidney podocyte depletion. *Stem Cell Reports.* 9(4): 1152-1166.
- Kementerian Kesehatan Republik Indonesia. 2013. *Riset Kesehatan Dasar*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia.
- Kim, C. S., & Kim, S. W. 2014. Vitamin D and chronic kidney disease. *Korean J Intern Med.* 29(4): 416-427.
- Kim, J. A., Choi, H. J., Kwon, Y. K., Ryu, D. H., Kwon, T. H., Hwang, G. S. 2014. 1H NMR-based metabolite profiling of plasma in a rat model of chronic kidney disease. *Plos One.* 9(1): 1-11.
- Klaus, G. 2008. Renoprotection with vitamin D: specific for diabetic nephropathy?. *Kidney Int.* 73(2): 141-143.
- Koleganova, N., Piecha, G., Ritz, E., Gross, M. L. 2009. Calcitriol ameliorates capillary deficit and fibrosis of the heart in subtotaly nephrectomized rats. *Nephrol Dial Transplant.* 24(3): 778-787.
- Kostovska, I., Trajkovska, K. T., Cekovska, S., Spasovski, G., Labudovic, D. 2016. Nephtrin and podocalyxin-new podocyte proteins for early detection of secondary nephropathies. *BANTAO J.* 14(1): 11-16.
- Kriz, W., & Lemley, K. V. 2017. Mechanical challenges to the glomerular filtration barrier: adaptations and pathway to sclerosis. *Pediatr Nephrol.* 32(3): 405-417.

- Kuhlmann, A., Haas, C. S., Gross, M. L., Reulbach, U., Holzinger, M., Schwarz, U., Amann, K. 2004. 1,25-Dihydroxyvitamin D<sub>3</sub> decreases podocyte loss and podocyte hypertrophy in the subtotaly nephrectomized rat. *Am J Physiol Renal Physiol.* 286(3): F526-F533.
- Kumar, S., Mulukala, N., Lakshmi, Kolligundla, P., Saleem, Moin, A., Prabhu, N. P., Pasupulati, A. K. 2016. In silico structural characterization of podocin and assessment of nephrotic syndrome-associated podocin mutants. *IUBMB Life.* 68(7): 578-588.
- Lanz, T. V., Ding, Z., Ho, P. P., Luo, J., Agrawal, A. N., Srinagesh, H., Steinman, L. 2010. Angiotensin II sustains brain inflammation in mice via TGF-beta. *J Clin Invest.* 120(8): 2782-2794.
- Lasagni, L., Angelotti, M. L., Ronconi, E., Lombardi, D., Nardi, S., Peired, A., Romagnani, P. 2015. Podocyte regeneration driven by renal progenitors determines glomerular disease remission and can be pharmacologically enhanced. *Stem Cell Reports.* 5(2): 248-263.
- Li, X., Chuang, P. Y., D'Agati, V. D., Dai, Y., Yacoub, R., Fu, J., He, J. C. 2015. Nephtrin preserves podocyte viability and glomerular structure and function in adult kidneys. *J Am Soc Nephrol.* 26(10): 2361-2377.
- Li, X. Z., & He, J. C. 2015. An update: the role of nephtrin inside and outside the kidney. *Sci China Life Sci.* 58(7): 649-657.
- Li, Y. J., Kukita, A., Kyumoto-Nakamura, Y., Kukita, T. 2016. Extremely high expression of antisense RNA for wilms' tumor 1 in active osteoclasts. *Am J Pathol.* 186(9): 2317-2325.
- Lim, B. J., Yang, H. C., Fogo, A. B. 2014. Animal models of regression/progression of kidney disease. *Drug Discov Today Dis Models.* 11: 45-51.
- Liu, W. C., Wu, C. C., Hung, Y. M., Liao, M. T., Shyu, J. F., Lin, Y. F., Yeh, K. C. 2015. Pleiotropic effects of vitamin D in chronic kidney disease. *Clin Chim Acta.* 453(2016): 1-12.
- Liu, W. C., Zheng, C. M., Lu, C. L., Lin, Y. F., Shyu, J. F., Wu, C. C., Lu, K. C. 2015. Vitamin D and immune function in chronic kidney disease. *Clin Chim Acta.* 450: 135-144.
- Lu, L., Sun, X., Yin, Y., Huang, Y., Wang, M., Wan, H., Xiao, W. 2015. The amino acid mutations of the podocin in proteinuria: a meta-analysis. *Ren Fail.* 37(8): 1329-1337.
- Lucisano, S., Buemi, M., Passantino, A., Aloisi, C., Cernaro, V., Santoro, D. 2013. New insights on the role of vitamin D in the progression of renal damage. *Kidney Blood Press Res.* 37: 667-678.
- Ma, J., Zhang, B., Liu, S., Xie, S., Yang, Y., Ma, J., Shi, W. 2013. 1,25-Dihydroxyvitamin D<sub>3</sub> inhibits podocyte uPAR expression and reduces proteinuria. *Plos One.* 8(5): 1-11.
- Magro, G., Salvatorelli, L., Puzzo, L., Musumeci, G., Bisceglia, M., Parenti, R. 2015. Oncofetal expression of wilms' tumor 1 (WT1) protein in human fetal, adult and neoplastic skeletal muscle tissues. *Acta Histochem.* 117(4-5): 492-504.
- Makibayashi, K., Tatematsu, M., Hirata, M., Fukushima, N., Kusano, K., Ohashi,



- S., Doi, T. 2001. A vitamin D analog ameliorates glomerular injury on rat glomerulonephritis. *Am J Pathol.* 158(5): 1733-1741.
- Mallipattu, S. K., & He, J. C. 2016. The podocyte as a direct target for treatment of glomerular disease ?. *Am J Physiol Renal Physiol.* 311(1): F46–F51.
- Matsui, I., Hamano, T., Tomida, K., Inoue, K., Takabatake, Y., Nagasawa, Y., Isaka, Y. 2009. Active vitamin D and its analogue, 22-oxacalcitriol, ameliorate puromycin aminonucleoside-induced nephrosis in rats. *Nephrol Dial Transplant.* 24(8): 2354-2361.
- Menon, M. C., Chuang, P. Y., He, C. J. 2012. The glomerular filtration barrier: components and crosstalk. *Int J Nephrol.* 2012: 1-9.
- Migliori, M., Giovannini, L., Panichi, V., Filippi, C., Taccola, D., Origlia, N., Camussi, G. 2005. Treatment with 1,25-dihydroxyvitamin D3 preserves glomerular slit diaphragm-associated protein expression in experimental glomerulonephritis. *Int J Immunopathol Pharmacol.* 18(4): 779-790.
- Mirkovic, K., van de Born, J., Navis, G., de Borst, M. H. 2011. Vitamin D in chronic kidney disease: new potential for intervention. *Curr Drug Targets.* 12(1): 42-53.
- Mizobuchi, M., Morrissey, J., Finch, J. L., Martin, D. R., Liapis, H., Akizawa, T., Slatopolsky, E. 2007. Combination therapy with an angiotensin-converting enzyme inhibitor and a vitamin D analog suppresses the progression of renal insufficiency in uremic rats. *J Am Soc Nephrol.* 18(6): 1796-1806.
- Mizuno-Horikawa, Y., Mizuno, S., Tamura, S., Kurosawa, T. 2001. Advanced glomerulosclerosis is reversible in nephrotic mice. *Biochem Biophysic Research Comm.* 284(3): 707-713.
- Moktefi, A., Zhang, S. yu, Vachin, P., Ory, V., Henique, C., Audard, V., Pawlak, A. 2016. Repression of CMIP transcription by WT1 is relevant to podocyte health. *Kidney Int.* 90(6): 1298-1311.
- Molina, P., Carrero, J. J., Bover, J., Chauveau, P., Mazzaferro, S., Torres, P. U. 2017. Vitamin D, a modulator of musculoskeletal health in chronic kidney disease. *J Cachexia Sarcopenia Muscle.* 8(5): 686-701.
- Moore, K. L., Dalley, A., Agur, A. M. R. 2014. *Clinically Oriented Anatomy* 7<sup>th</sup> ed. China: Wolters Kluwer Health.
- Moore, K. L., Persaud, T. V. N., Torchia, M. G. 2013. *The Developing Human Clinically Oriented Embryology* 9<sup>th</sup> ed. Canada: Saunders Elsevier.
- Mosaad, Y. M., Mostafa, M., Elwasify, M., Youssef, H. M., Omar, N. M. 2017. Vitamin D and immune system. *Vitam Miner.* 6(1): 1-15.
- Muda, A. O., Ruzzi, L., Bernardini, S., Teti, A., Faraggiana, T. 2001. Collagen VII expression in glomerular sclerosis. *J Pathol.* 195(3): 383-390.
- Mullins, L. J., Conway, B. R., Menzies, R. I., Denby, L., Mullins, J. J. 2016. Renal disease pathophysiology and treatment: contributions from the rat. *Dis Model Mech.* 9(12): 1419-1433.
- Nagata, M. 2000. Pathogenesis of glomerulosclerosis: role of epithelial interactions. *Clin Exp Nephrol.* 4(3): 173-181.
- Nakayama, Y., Ueda, S., Okuda, S. Molecular mechanism underlying the renoprotective action of vitamin D. *Circ J.* 78(3): 599-600.
- Neuen, B. L., Chadban, S. J., Demaio, A. R., Johnson, D. W., Perkovic, V. 2017.

- Chronic kidney disease and the global NCDs agenda. *BMJ Glob Health*. 2: 1-4.
- Nogueira, A., Pires, M. J., Oliveira, P. A. 2017. Pathophysiological mechanisms of renal fibrosis: a review of animal models and therapeutic strategies. *In Vivo*. 31(1): 1-22.
- Nogueira, A., Rocha, A. F., Ginja, M., Oliveira, P. A., Pires, M. J. 2016. Ultrasonographic evaluation of the kidney in 5/6 nephrectomized rats: correlation with biochemical and histopathological findings. *In Vivo*. 30(6): 829-834.
- Ortiz, A., Sanchez-Nino, M. D., Izquierdo, M. C., Martin-Cleary, C., Garcia-Bermejo, L., Moreno, J. A., Sanz, A. B. 2015. Translational value of animal models of kidney failure. *Eur J Pharmacol*. 759: 205-220.
- Ozdemir, D. D., & Hohenstein, P. 2014. Wt1 in the kidney-a tale in mouse models. *Pediatr Nephrol*. 29(4): 687-693.
- Parenti, R., Salvatorelli, L., Musumeci, G., Parenti, C., Giorlandino, A., Motta, F., Magro, G. 2015. Wilms' tumor 1 (WT1) protein expression in human developing tissues. *Acta Histochem*. 117(4-5): 386-396.
- Pollak, M. R., Quaggin, S. E., Hoenig, M. P., Dworkin, L. D. 2014. The glomerulus: the sphere of influence. *Clin J Am Soc Nephrol*. 9(8): 1461-1469.
- Rani, N., Singh, S., Dhar, P., Kumar, R. 2014. Surgical importance of arterial segments of human kidneys: an angiography and corrosion cast study. *J Clin Diagn Res*. 8(3): 1-3.
- Reiser, J., & Altintas, M. M. 2016. Podocytes. *F1000Res*. 5: 1-19.
- Relle, M., Cash, H., Brochhausen, C., Strand, D., Menke, J., Galle, P. R., Schwarting, A. 2011. New perspectives on the renal slit diaphragm protein podocin. *Mod Pathol*. 24(8): 1101-1110.
- Ristola, M., & Lehtonen, S. 2014. Functions of the podocyte proteins nephrin and Neph3 and the transcriptional regulation of their genes. *Clin Sci*. 126(5): 315-328.
- Sadler, T. W. 2015. *Langman's Medical Embryology* 13<sup>th</sup> ed. China: Wolter Kluwer Health.
- Saladin, K. S. 2008. *Human Anatomy* 2<sup>th</sup> ed. US: McGraw- Hill.
- Sanchez-Nino, M. D., Bozic, M., Cordoba-Lanus, E., Valcheva, P., Gracia, O., Ibarz, M., Valdivielso, J. M. 2012. Beyond proteinuria: VDR activation reduces renal inflammation in experimental diabetic nephropathy. *Am J Physiol Renal Physiol*. 302(6): F647-F657.
- Santoro, D., Caccamo, D., Lucisano, S., Buemi, M., Sebekova, K., Teta, D., De Nicola, L. 2015. Interplay of Vitamin D , erythropoiesis , and the renin-angiotensin system. *BioMed Research Int*. 1-11.
- Schell, C., Wanner, N., Huber, T. B. 2014. Glomerular development - shaping the multicellular filtration unit. *Seminars Cell Dev Biol*. 36: 39-49.
- Schnerwitzki, D., Perner, B., Hoppe, B., Pietsch, S., Mehringer, R., Hanel, F., Englert, C. 2014. Alternative splicing of wilms tumor suppressor 1 (Wt1) exon 4 results in protein isoforms with different functions. *Dev Biol*. 393(1): 24-32.

- Schurek, E. M., Volker, L. A., Tax, J., Lamkemeyer, T., Rinschen, M. M., Ungru, D., Hohne, M. 2014. A disease causing mutation illuminates the protein membrane topology of the kidney expressed prohibitin homology (PHB) domain protein podocin. *J Biol Chem.* 289(16): 11262-11271.
- Schwarz, U., Amann, K., Orth, S. R. Simonaviciene, A., Wessels, S., Ritz, E. 1998. Effect of 1,25 (OH)<sub>2</sub> vitamin D<sub>3</sub> on glomerulosclerosis in subtotaly nephrectomized rats. *Kidney Int.* 53(6): 1696-1705.
- Scott, R. P., & Quaggin, S. E. 2015. The cell biology of renal filtration. *J Cell Biol.* 209(2): 199-210.
- Shi, W., Guo, L., Liu, G., Peng, T., Li, H., Xie, T., Li, D., Zhen, J., Wang, Y., Yang, H., Yang, X., 2018. Protective effect of calcitriol on podocytes in spontaneously hypertensive rat. *J Chin Med Assoc.* 18: 1-8.
- Shier, D., Butler, J., Lewis, R. 2009. *Hole's Essential Human Anatomy & Physiology* 11<sup>th</sup> ed. New York: McGraw-Hill.
- Singh, L., Singh, G., Dinda, A. K. 2015. Understanding podocytopathy and its relevance to clinical nephrology. *Indian J Nephrol.* 25(1): 1-7.
- Snell, R.S. 2012. *Clinical Anatomy By Regions* 9<sup>th</sup> ed. China: Wolters Kluwer Health.
- Song, Z., Guo, Y., Zhou, M., Zhang, X. 2014. The PI3K/p-Akt signaling pathway participates in calcitriol ameliorating podocyte injury in DN rats. *Metabolism.* 63(10): 1324-1333.
- Srinivasa, S., Fitch, K. V., Wong, K., Torriani, M., Mayhew, C., Stanley, T., Grinspoon, S. K. 2015. RAAS activation is associated with visceral adiposity and insulin resistance among HIV infected patients. *J Clin Endocrinol Metab.* 100(8): 2873-2882.
- Stefanowicz, J., Kosiak, M., Kosiak, W., Lipska-Ziętkiewicz, B. S. 2016. *Wilms Tumor: chronic kidney disease in wilms tumour survivors-what do we know today?*. Brisbane: Codon Publication.
- Suh, S. H., Lee, K. E., Park, J. W., Kim, I. J., Kim, O., Kim, C. S., Kim, S. W. 2013. Antiapoptotic effect of paricalcitol in gentamicin-induced kidney injury. *Korean J Physiol Pharmacol.* 17(5): 435-440.
- Suzuki, Y., Yamaguchi, I., Onoda, N., Saito, T., Myojo, K., Imaizumi, M., Yamate, J. 2013. Differential renal glomerular changes induced by 5/6 nephrectomization between common marmoset monkeys (*Callithrix jacchus*) and rats. *Exp Toxicol Pathol.* 65(5): 667-676.
- Tan, X., Li, Y., Liu, Y. 2007. Therapeutic role and potential mechanisms of active vitamin D in renal interstitial fibrosis. *J Steroid Biochem Mol Biol.* 103(3-5): 491-496.
- Tesauro, M., Mascali, A., Franzese, O., Cipriani, S., Cardillo, C., Di Daniele, N. 2012. Chronic kidney disease, obesity, and hypertension: the role of leptin and adiponectin. *Int J Hypertens.* 2012: 1-7.
- Tian, F., Yourek, G., Shi, X., Yang, Y. 2014. The development of wilms tumor: from WT1 and microRNA to animal models. *Biochim Biophys Acta.* 1846(1): 180-187.
- Timm, J. R. T., Karohl, C., dos Santos, M., de Souza, M. L., Zancan, R., de Almeida, R., Veronese. 2016. Effect of cholecalciferol supplementation on



- urine podocyte associated messenger RNAs in patients with chronic kidney disease. *J Bras Nefrol.* 38(2): 173-182.
- Toblli, J. E., Bevilacqua, P., Di Gennaro, F., Madalena, L., Cao, G., Angerosa, M. 2012. Understanding the mechanisms of proteinuria: Therapeutic implications. *Int J Nephrol.* 2012: 1-13.
- Tortora, G. J., & Derrickson, B. 2014. *Principles of Anatomy and Physiology* 14<sup>th</sup> ed. John Wiley & Sons, Hoboken, NJ.
- Trohatou O., Tsilibary, E. F., Charonis, A., Iatrou, C., Drossopoulou, G. 2017. Vitamin D3 ameliorates podocyte injury through the nephrin signalling pathway. *J Cell Mol Med.* 21(10): 2599-2609.
- Tsuchida, J., Matsusaka, T., Ohtsuka, M., Miura, H., Okuno, Y., Asanuma, K., Mori, K. 2016. Establishment of nephrin reporter mice and use for chemical screening. *Plos One.* 11(6): 1-15.
- Volker, L. A., Schurek, E., Rinschen, M. M., Tax, J., Schutte, B. A., Lamkemeyer, T., Hohne, M. 2013. Characterization of a short isoform of the kidney protein podocin in human kidney. *BMC Nephrol.* 14(102): 1-8.
- Wada, Y., Abe, M., Moritani, H., Mitori, H., Kondo, M., Tanaka-Amino, K., Tomura, Y. 2016. Original research: Potential of urinary nephrin as a biomarker reflecting podocyte dysfunction in various kidney disease models. *Exp Biol Med.* 241(16): 1865-1876.
- Wang, J. U. A. N., Asanuma, K. A., Hidaka, T. E. 2015. Newly identified molecules related to podocyte injury induced by adriamycin. *Juntendo Med J.* 61(1): 1-7.
- Welsh, G. I., & Saleem, M. A. 2011. The podocyte cytoskeleton-key to a functioning glomerulus in health and disease. *Nat Rev Nephrol.* 8(1): 14-21.
- Wranicz, J., & Szostak-Wegierek, D. 2014. Health outcomes of vitamin D. Part I. characteristics and classic role. *Rocz Panstw Zakl Hig.* 65(3): 179-184.
- Xiao, H., Shi, W., Liu, S., Wang, W., Zhang, B., Zhang, Y., Liang, Y. 2009. 1,25-Dihydroxyvitamin D3 prevents puromycin aminonucleoside induced apoptosis of glomerular podocytes by activating the phosphatidylinositol 3-kinase/Akt-signaling pathway. *Am J Nephrol.* 30(1): 34-43.
- Yang, L., Liang, M., Zhou, Q. G., Xie, D., Lou, A. J., Zhang, X., Hou, F. F. 2010. Advanced oxidation protein products decrease expression of nephrin and podocin in podocytes via ROS dependent activation of p38 MAPK. *Sci China Life Sci.* 53(1): 68-77.
- Yuan, W., Pan, W., Kong, J., Zheng, W., Szeto, F. L., Wong, K. E., Cohen, R., Klopot, A., Zhang, Z., Li, Y. C. 1,25-dihydroxyvitamin D3 suppresses renin gene transcription by blocking the activity of the cyclic AMP response element in the renin gene promoter. *J Biol Chem.* 282(41): 29821-29830.
- Zha, D., Chen, C., Liang, W., Chen, X., Ma, T., Yang, H., Ding, G. 2013. Nephrin phosphorylation regulates podocyte adhesion through the PINCH-1-ILK- $\alpha$ -parvin complex. *BMB Rep.* 46(4): 230-235.
- Zhang, X. L., Guo, Y. F., Song, Z. X., Zhou, M. 2014. Vitamin D prevents podocyte injury via regulation of macrophage M1/M2 phenotype in diabetic nephropathy rats. *Endocrinol.* 155(12): 4939-4950.
- Zhang, A., & Huang, S. 2012. Progress in pathogenesis of proteinuria. *Int J*

- Nephrol.* 2012: 1-14.
- Zhang, H., & Sun, S. C. 2015. NF- $\kappa$ B in inflammation and renal diseases. *Cell Biosci.* 5(1): 1-12.
- Zhang, Z., Sun, L., Wang, Y., Ning, G., Minto, A. W., Kong, J., Quigg, R. J., Li, Y. C. 2008. Renoprotective role of the vitamin D receptor in diabetic nephropathy. *Kidney Int.* 73(2): 163-171.
- Zhang, J., Wu, J., Gu, C., Noble, N. A., Border, W. A., Huang, Y. 2012. Receptor-mediated nonproteolytic activation of prorenin and induction of TGF- $\beta$  1 and PAI-1 expression in renal mesangial cells. *Am J Physiol Renal Physiol.* 303(1): F11-F20.
- Zhou, L., Li, Y., Hao, S., Zhou, D., Tan, R. J., Nie, J., Liu, Y. 2015. Multiple genes of the renin-angiotensin system are novel targets of Wnt/ $\beta$ -catenin signalling. *J Am Soc Nephrol.* 26(1): 107-120.
- Zhou, L., Li, Y., He, W., Zhou, D., Tan, R. J., Nie, J., Liu, Y. 2015. Mutual antagonism of wilms' tumor 1 and catenin dictates podocyte health and disease. *J Am Soc Nephrol.* 26: 677-691.
- Zhu, J., Sun, N., Aoudjit, L., Li, H., Kawachi, H., Lemay, S., Takano, T. Nephtrin mediates actin reorganization via phosphoinositide 3-kinase in podocytes. *Kidney Int.* 73(5): 556-566.
- Zhu, N., Wang, J., Gu, L., Wang, L., Yuan, W. 2015. Vitamin D supplements in chronic kidney disease. *Ren Fail.* 37(6): 917-924.
- Zuckerman, J. E., & Davis, M. E. 2013. Targeting therapeutics to the glomerulus with nanoparticles. *Adv Chronic Kidney Dis.* 20(6): 500-507.