

Daftar Pustaka

- American Society for Metals Handbook Committee, 1990, Alloy Phase diagrams, Volume 03, ASM International, The Materials Information Company.
- American Society for Metals Handbook Committee, 2004, Metallography and Microstructures, Volume 09, ASM International, The Materials Information Company.
- American Society for Testing and Materials. Standard Test Methods for Tension Testing of Metallic Materials, E 8 ASTM International.
- American Society for Testing and Materials. Standard Test Method for Measurement of Fatigue Crack Growth Rates. E 647-00 ASTM International.
- American Society for Testing and Materials. Standard Practice for Preparing, Cleaning, and Evaluation Corrosion Test, G1 ASTM International.
- Anderson L., Ph.D., 2005, Fracture Mechanics Fundamentals and Applications, CRC Press Taylor & Francis Group 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL 33487-2742.
- Arbegast, W.J., 2003, Modeling Friction Stir Joining as a Metalworking Process. in Hot Deformation of Aluminum Alloys III.
- Aval, J., Serajzadeh, S., Sakharova, N., Kokabi, H., and Loureiro, A., 2012, A study on microstructures and residual stress distributions in dissimilar friction-stir welding of AA5086–AA6061, J Mater Sci, 47:5428–5437
- Aval, J., Serajzadeh, S., Kokabi, H., and Loureiro, A., 2012, Evolution of microstructures and mechanical properties in similar and dissimilar friction stir welding of AA5086 and AA6061, Materials Science and Engineering A 528 ,8071– 8083
- Benedictus-deVries, S., Bakker, A., Janssen, G. C. a. M., and de Wit, H., 2004, Fatigue Crack Initiation Behavior of Welded AA5083 in a Seawater Environment, Journal of Engineering Materials and Technology, 126(2), 199.
- Broek, D. 1987, Elementary Engineering Fracture Mechanics. 4th ed. Martinus Nijhoff Pubs. Netherldan.

- Cabibbo, M., McQueen, H. J., Evangelista, E., Spigarelli, S., Di Paola, M., and Falchero, A., 2007, Microstructure and mechanical property studies of AA6056 friction stir welded plate, *Materials Science and Engineering A*, vol. 460–461, pp. 86–94.
- Chemin, A., Spinelli, D., Bose Filho, W., and Ruchert, C., 2015, Corrosion fatigue crack growth of 7475 T7351 aluminum alloy under flight simulation loading. *Procedia Engineering*, 101(C), pp.85–92
- Chen, T., 2009, Process parameters study on FSW joint of dissimilar metals for aluminum–steel, *J Mater Sci.*, 44:2573–2580
- Chao, Y.J., Qi, X. and Tang, W., 2003. Heat Transfer in Friction Stir Welding—Experimental and Numerical Studies. *Journal of Manufacturing Science and Engineering*, 125(1), p.138
- Christian Vargel, 2004, *Corrosion of Aluminium*, elsevier
- D’Urso, G., Giardini, C., Lorenzi, S., and Pastore, T., 2014, Fatigue crack growth in the welding nugget of FSW joints of a 6060 aluminum alloy. *Journal of Materials Processing Technology*, 214(10), pp.2075–2084.
- Davis, J., 2000, *Corrosion: understanding the basics*, *Corrosion*, p. 574.
- Davoodi, A., Esfahani, Z. and Sarvghad, M., 2016, Microstructure and corrosion characterization of the interfacial region in dissimilar friction stir welded AA5083 to AA7023. *Corrosion Science*, 107, pp.133–144.
- Delany F., Kallee S.W., and Russell M., 2007, Friction stir welding of aluminium ships, Paper presented at International Forum on Welding Technologies in the Shipping Industry (IFWT) Held in conjunction with the Beijing Essen Welding and Cutting Fair in Shanghai.
- Donatus, U., Thompson, G. E., Zhou, X., Wang, J., Cassell, A., and Beamish, K., 2015, Corrosion susceptibility of dissimilar friction stir welds of AA5083 and AA6082 alloys. *Materials Characterization*, 107, pp.85–97.
- Dorman, S. E. G., and Lee, Y., 2011, Effect of chromate primer on corrosion fatigue in aluminum alloy 7075, *Procedia Engineering*, 10, 1220–1225.

- Fahimpour, V., Sadrnezhaad, S.K. and Karimzadeh, F., 2012, Corrosion behavior of aluminum 6061 alloy joined by friction stir welding and gas tungsten arc welding methods. *Materials & Design*, 39, pp.329–333.
- Ferraris, S. and Volpone, L. M., 2005, Aluminium Alloys In Third Millennium Shipbuilding : Materials ,The Fifth International Forum on Aluminum Ships, pp. 1–11
- Fonda, R.W., Pao, P.S., Jones, H.N., Feng, C.R., Connolly, B.J., and Davenport, A.J., 2009, Microstructure, mechanical properties, and corrosion of friction stir welded Al 5456. *Materials Science and Engineering A* 519:1–8.
- Gan, W., Okamoto, K., Hirano, S., Chung, K., Kim, C., & Wagoner, R. H., 2008, Properties of Friction-Stir Welded Aluminum Alloys 6111 and 5083. *Journal of Engineering Materials and Technology*, 130(3), p.31007.
- Ghaffarpour, M., Kolahgar, S., Dariani, B. M., and Dehghani, K., 2013, Evaluation of Dissimilar Welds of 5083-H12 and 6061-T6 Produced by Friction Stir Welding, *Metallurgical and Materials Transactions A*, 44(8), 3697–3707.
- Grilli, R., Baker, M. a., Castle, J. E., Dunn, B., and Watts, J. F., 2011, Corrosion behaviour of a 2219 aluminium alloy treated with a chromate conversion coating exposed to a 3.5% NaCl solution, *Corrosion Science*, 53(4), 1214–1223.
- Guerin, M., Alexis, J., Andrieu, E., Blanc, C., & Odemer, G., 2015, Corrosion-fatigue lifetime of Aluminium-Copper-Lithium alloy 2050 in chloride solution. *Materials and Design*, 87, pp.681–692.
- Gungor, B., Kaluc, E., Taban, E., and Sik, A., 2014, Mechanical, fatigue and microstructural properties of friction stir welded 5083-H111 and 6082-T651 aluminum alloys, *Materials & Design*, 56, 84–90.
- Gupta, R.K., Hinton, B.R.W. and Birbilis, N., 2014, The effect of chromate on the pitting susceptibility of AA7075-T651 studied using otentiostatic transients. *Corrosion Science*, 82, pp.197–207

- Ilman M.N., 2014, Chromate inhibition of environmentally assisted fatigue crack propagation of aluminium alloy AA 2024-T3 in 3.5% NaCl solution., *International Journal of Fatigue*, 62, pp. 228–235
- Infante, V., Braga, D. F. O., Duarte, F., Moreira, P. M. G., de Freitas, M., and de Castro, P. M. S. T., 2014, Study of the fatigue behaviour of dissimilar aluminium joints produced by friction stir welding. *International Journal of Fatigue*, 82, pp.310–316.
- Jariyaboon, M., Davenport, A. J., Ambat, R., Connolly, B. J., Williams, S. W., & Price, D. A., 2007, The effect of welding parameters on the corrosion behaviour of friction stir welded AA2024–T351. *Corrosion Science*, 49(2), pp.877–909.
- Kaeche, H., 2003, *Corrosion of Metals, Physicochemical Principles and Current Problems*, Springer.
- K.V. Jata, S.L.S., 2000. Continous Dynamic Recrystallization During Friction Stir Welding of High Strength Aluminum Alloys. *Scripta. Mater*, 43, pp.743–749
- Kim, Y.G., Fujii, H., Tsumura, T., Komazaki, T., and Nakata, K., 2006, Effect of welding parameters on microstructure in the stir zone of FSW joints of aluminum die casting alloy, *Materials Letters* 60, 3830–3837.
- Kumbhar, N. T. and Bhanumurthy, K. 2008, Friction Stir Welding of Al 6061 Alloy. *Asian J. Exp. Sci.*, Vol. 22, No. 2, 2008; 63-74
- Kwon, Y.-J., Shim, S.-B., and Park, D.-H., 2009, Friction stir welding of 5052 aluminum alloy plates, *Transactions of Nonferrous Metals Society of China*, 19(May), s23–s27.
- Lasia A, 1999, Electrochemical Impedance Spectroscopy and its Applications, *Modern Aspects Of Electrochemistry* 32:143–248.
- Li, X., Deng S., and Fu H., 2011, Sodium molybdate as a corrosion inhibitor for aluminium in H₃PO₄ solution, *Corrosion Science* 53, 2748–2753.
- Liu, X.F., Huang, S.J. and Gu, H.C., 2002, Crack growth behaviour of high strength aluminium alloy in 3 . 5 % NaCl solution with corrosion inhibiting pigments. , 24, pp.803–809.

- Lopez-Garrity, O. and Frankel, G.S., 2013, Corrosion Inhibition of Aluminum Alloy 2024-T3 by Sodium Molybdate. *Journal of the Electrochemical Society*, 161(3), pp.C95–C106.
- Maggiolino, S. and Schmid, C., 2008, Corrosion resistance in FSW and in MIG welding techniques of AA6XXX. *Journal of Materials Processing Technology*, 197(1–3), pp.237–240.
- Magnin, T., 1995, Recent Advances for Corrosion Fatigue Mechanisms. *ISIJ International*, 35(1 995), pp.223–233.
- Mahoney, M. W., Rhodes, C. G., Flintoff, J. G., Spurling, R. A. and Bingel, W. H., 1998, Properties of Friction-Stir-Welded 7075 T651 Aluminum, vol. 29, no. July, p. 7075.
- Mishra, R. S., and Ma Z. Y., 2005, Friction stir welding and processing, *Materials Science and Engineering R*, 50, pp. 1-78.
- Moreira, P. M. G. P., de Jesus, a. M. P., Ribeiro, a. S., and de Castro, P. M. S. T., 2008, Fatigue crack growth in friction stir welds of 6082-T6 and 6061-T6 aluminium alloys: A comparison, *Theoretical and Applied Fracture Mechanics*, 50(2), 81–91.
- Moshier, W.C. and Davis, G.D., 1990, Interaction of molybdate anions with the passive film on aluminum. *Corrosion*, 46(1), pp.43–50.
- Moshwan, R., 2015, Effect of tool rotational speed on force generation, microstructure and mechanical properties of friction stir welded Al-Mg-Cr-Mn (AA 5052-O) alloy. *Materials and Design*, 66(PA), pp.118–128
- Mubiayi, M.P., and Akinlabi, E.T., 2013, Friction Stir Welding of Dissimilar Materials : An Overview, *World Academy of Science, Engineering and Technology International Journal of Mechanical, Aerospace, Industrial and Mechatronics Engineering Vol:7 No:4*
- Nik W., Sulaiman O., Fadhli A., and Rosliza R., 2010, Corrosion Behaviour Of Aluminum Alloy In Seawater, *Proceedings of MARTEC The International Conference on Marine Technology*, BUET, Dhaka, Bangladesh.
- Palanivel, R., Koshy Mathews P., Murugan N., and Dinaharan I., 2012, Effect of tool rotational speed and pin profile on microstructure and tensile strength of

- dissimilar friction stir welded AA5083-H111 and AA6351-T6 aluminum alloys. 2012, *Materials and Design* 40, 7–16, Elsevier.
- Pao, P.S., Gill, S.J., Feng, C.R., and Sankaran, K.K., 2001, Corrosion–fatigue crack growth in friction stir welded Al 7050, *Scripta Materialia*, 45, pp. 605-612.
- Proton, V., Alexis, J., Andrieu, E., Delfosse, J., Lafont, M.-C., and Blanc, C., 2013. Characterisation and understanding of the corrosion behaviour of the nugget in a 2050 aluminium alloy Friction Stir Welding joint. *Corrosion Science*, 73, pp.130–142.
- Rai, R., De A., Bhadeshia H. K. D. H. and DebRoy T., 2011, Review: friction stir welding tools, *Science and Technology of Welding and Joining*, 16, pp. 325-342.
- RajaKumar, V., Venkatesh K.M., SadeeshP., ArivazhaganN., and Devendranath Ramkumar K., 2014, Studies on effect of tool design and welding parameters on the friction stir welding of dissimilar aluminium alloys AA 5052 – AA 6061, *Procedia Engineering* 75 (2014) 93 – 97, Elsevier
- Rani, I., Marpu R. N., and Kumar A. C. S., 2011, A Study Of Process Parameters Of Friction Stir Welded AA 6061 Aluminum Alloy In O And T6 Conditions, *ARPN Journal of Engineering and Applied Sciences*, VOL. 6, NO. 2.
- Revie, R. W., and Uhlig H. H., 2008, *Corrosion and Corrosion Control*, 4th ed: Wiley-Interscience, pp. 149-190.
- Sadeesh, P., Venkatesh Kannan, M., Rajkumar, V., Avinash, P., Arivazhagan, N., Devendranath Ramkumar, K., and Narayanan, S., 2014, Studies on Friction Stir Welding of AA 2024 and AA 6061 Dissimilar Metals. *Procedia Engineering*, 75, pp.145–149.
- Sato, Y. S., Kokawa, H., Enomoto, M., and Jogan., 1999, Microstructural evolution of 6063 aluminum during friction-stir welding. *Metallurgical and Materials Transactions A*, 30(9), pp.2429–2437.
- Sato, Y.S., Urata, M. and Kokawa, H., 2002, Parameters Controlling Microstructure and Hardness during Friction-Stir Welding of Precipitation-Hardenable Aluminum Alloy 6063. , 33(March), pp.625–635.

- Shigematsu, I., Kwon Y.J., Suzuki K., Imai T., and Saito N., 2003, Joining of 5083 and 6061 aluminum alloys by friction stir welding, *Journal Of Materials Science Letters* **22**, pp. 353–356.
- Silva, J. W. J., Codaro, E. N., Nakazato, R. Z., and Hein, L. R. O., 2005, Influence of chromate, molybdate and tungstate on pit formation in chloride medium. *Applied Surface Science*, 252(4), pp.1117–1122.
- Somasekharan, A. C. and Murr, L. E., 2004, Microstructures in friction-stir welded dissimilar magnesium alloys and magnesium alloys to 6061-T6 aluminum alloy, *Materials Characterization*, vol. 52, no. 1, pp. 49–64.
- Srinivasan, P. B., Dietzel, W., Zettler, R., dos Santos, J. F., and Sivan, V., 2007, Effects of inhibitors on corrosion behaviour of dissimilar aluminium alloy friction stir weldment, *Corrosion Engineering, Science and Technology*, 42(2), 161–167.
- Su, Y., Zhitomirsky, I., Olivier, M., Poelman, M., and Zhitomirsky, I., 2013, Use of Electrochemical Impedance Spectroscopy (EIS) for the Evaluation of Electrocoatings Performances, *Journal of Colloid and Interface Science*, vol. 399, no. 1, pp. 1–27.
- Tang, W., Guo, X., McClure, M.C., and Murr, L. E., 1998, Heat Input and Temperature Distribution in Friction Stir Welding. *Journal of Materials Processing and Manufacturing Science*, 7(2): p. 163–172.
- Trethewey KR, and Chamberlain J., 1995, *Corrosion for science and engineering*. 2nd ed. Essex: Longman.
- Uhlig, H.H.E., 2008, *Corrosion Handbook*. Corrosion Handbook Online, pp.414–418.
- Vargel, C., 2004, *Corrosion of Aluminium*. Elsevier.
- Vijayan, S., Raju, R. and Rao, S.R.K., 2010, Multiobjective Optimization of Friction Stir Welding Process Parameters on Aluminum Alloy AA 5083 Using Taguchi-Based Grey Relation Analysis. *Materials and Manufacturing Processes*, 25(11), pp.1206–1212.

- Warner, J.S. and Gangloff, R.P., 2012a, Alloy induced inhibition of fatigue crack growth in age-hardenable Al–Cu Alloys. *International Journal of Fatigue*, 42, pp.35–44.
- Warner, J.S. and Gangloff, R.P., 2012b, Molybdate inhibition of corrosion fatigue crack propagation in precipitation hardened Al–Cu–Li. *Corrosion Science*, 62, pp.11–21.
- Warner, J.S., Kim, S. and Gangloff, R.P., 2009, Molybdate inhibition of environmental fatigue crack propagation in Al–Zn–Mg–Cu. *International Journal of Fatigue*, 31(11–12), pp.1952–1965.
- Wessel, J.K., 2004, *Handbook Of Advanced Materials*, John Wiley & Sons, Inc.,
- Widanarko, B., 1999, Efek Implantasi Ion Molibdenum terhadap Ketahanan Korosi Baja AISI 316 L. Laporan Praktek, Teknik Mesin, UGM, Yogyakarta.
- Yong, J. K., Seong, B. SHIM., and Dong, H. P., 2009, Friction stir welding of 5052 aluminum alloy plates, *Transactions of Nonferrous Metals Society of China*, 19, pp. s23-s27.
- Zhang Y. N., Cao X., Larose S. and Wanjara P., 2012, Review of tools for friction stir welding and processing, *Canadian Metallurgical Quarterly*, 51, pp. 250-261.
- Zhang, J., Kalnaus, S., Behrooz, M., and Jiang, Y., 2010, Effect of Loading History on Stress Corrosion Cracking of 7075-T651 Aluminum Alloy in Saline Aqueous Environment, *Metallurgical and Materials Transactions A*, 42(2), 448–460.