

DAFTAR PUSTAKA

- Agarwal V, Bell GW, Nam J, Bartel DP. 2015. Predicting effective microRNA target sites in mammalian mRNAs. *eLife* 4:e05005
- Argyropoulos, C., Wang, K., Bernardo, J., Ellis, D., Orchard, T., Galas, D., Johnson, J.P., 2015. Urinary MicroRNA Profiling Predicts the Development of Microalbuminuria in Patients with Type 1 Diabetes. *J Clin Med* 4:1498-1517
- Blenkiron C, Goldstein LD, Thorne NP et al. MicroRNA expression profiling of human breast cancer identifies new markers of tumor subtype. 2007. *Genome Biol* (8) : R214.
- Block, I., Burton, M., Sørensen, K.P., Andersen, L. Larsen, M.J., Bak, M., et al. 2018. Association of miR-548c-5p, miR-7-5p, miR-210-3p, miR-128-3p with recurrence in systemically untreated breast cancer. *Oncotarget* (9):10, 9030-9042.
- Carden, T., Singh, B., Mooga, V., Bajpai, P., Singh, KK. 2017. Epigenetic modification of miR-663 controls mitochondriatonucleus retrograde signaling and tumor progression. *J Biol Chem* 292 (50) : 20694-20706
- Cava, C., Bertoli, G., Ripamonti, M., Mauri, G., Zoppis, I., Anthony, P., et al. 2014. Integration of mRNA Expression Profile , Copy Number Alterations , and microRNA Expression Levels in Breast Cancer to Improve Grade Definition. *PLOS ONE*. (9) 5 : 1-25.
- Chaneton, B. and Gottlieb, E. 2012. Rocking cell metabolism : revised functions of the key glycolytic regulator PKM2 in cancer. *Trends in Biochem Sci*. 37 (8) : 309-316
- Couch, FJ., Nathanson, KL and Offit, K. 2014. Two decades after BRCA: Setting paradigms in personalized cancer care and prevention. *Science*, 343: 1466-1470
- Courtney, R., Ngo, DC., Malik, N., Ververis, K., Tortorella, SM., Karagiannis, TC. 2015. Cancer metabolism and the Warburg effect : the role of HIF-1 and PI3K. *Mol Biol Rep* (42) : 841-851.
- Cerrato, F. and Labow, BI. 2013. Diagnosis and management of fibroadenomas in the adolescent breast. *Seminars in Plastic Surgery* 27(1) : 23–25.
- Chasanah, A. U. 2013. *Perbedaan kadar interleukin-6 pada berbagai stadium klinis kanker payudara*. Tesis. Universitas Gadjah Mada.
- Diananda, R. 2009. *Kanker Payudara*. Penerbit Katahati. Yogyakarta.
- Eichner, LJ., Perry, MC., Dufour, CR., Bertos, N., Park, M., St.Pierre, J., Giguere, V. 2010. MiR-378 mediates metabolic shift in breast cancer cells via the PGC-1 β /ERR γ transcriptional pathway. *Cell Metab* 12(4) : 352–361.
- Fang, R., Xiao, T., Fang, Z., Sun, Y., Li, F., Gao, Y., et al. 2012. MicroRNA-143 (miR-143) regulates cancer glycolysis via targeting hexokinase 2 gene. *J Biol Chem* 287 (27) : 23227–23235.
- Feron, O. 2009. Pyruvate into lactate and back : From the Warburg effect to symbiotic energy fuel exchange in cancer cells. *Radiotherapy and Oncology* 92 : 329-333
- Földi, M. 2010. Ultrasound characteristics of breast fibroadenomas are related to clinical and histological parameters. *Ultraschall in der Medizin* 31(5) : 475–483.

- Fong, MY., Zhou, W., Liu, L., Alontaga, AY., Chandra, M., Ashby, J., et al. 2015. Breast-cancer-secreted miR-122 reprograms glucose metabolism in premetastatic niche to promote metastasis. *Nat Cell Biol* 17(2) : 183–194.
- Foye, C., Yan, IK., David, W., Shukla, N., Habboush, Y., Chase, L. 2017. Comparison of miRNA quantitation by Nanostring in serum and plasma samples. *PLoS ONE* 12(12) : 1–13.
- Fu, SW., Lee, W., Coffey, C., Lean, A., Wu, X., Tan, X. 2016. miRNAs as potential biomarkers in early breast cancer detection following mammography. *Cell & Biosci BioMed Central* 6(1) : 1-6.
- Gao, P., Sun, L., He, X., Cao, Y. Zhang, H. 2012. MicroRNAs and the Warburg Effect: New Players in an Old Arena. *Current Gene Therapy* 12(8) : 285–291.
- Ge, X., Lyu, P., Cao, Z., Li, J., Guo, G., Xia, W., Gu, Y. 2015. Overexpression of miR-206 suppresses glycolysis, proliferation and migration in breast cancer cells via PFKFB3 targeting. *Biochem Biophys Res Comm* 463(4) : 1115–1121.
- Goh, JN., Loo, SY., Datta, A., Siveen, K., Yap, W., Cai, W., et al. 2016. microRNAs in breast cancer: Regulatory roles governing the hallmarks of cancer. *Biol Rev* 91(2) : 409–428
- Grüning, NM., Rinnerthaler, M., Bluemlein, K., Mülleider, M., Wamelink, M.W., Lehrach, H. et al. 2011. Pyruvate kinase triggers a metabolic feedback loop that controls redox metabolism in respiring cells. *Cell Metab* 14 : 415–427.
- Hatzia Apostolou, M., Polytarchou, C., Iliopoulos, D. 2013. MiRNAs link metabolic reprogramming to oncogenesis. *Trends Endocrinol Metab* 24 (7) : 361–373
- Ha, M., Kim, VN. 2014. Regulation of microRNA biogenesis. *Nat Rev Mol Cell Biol* 15:509-524.
- Huang, Q., Gumireddy, K., Schrier, M., le Sage, C., Nagel, R., Nair, S., et al. 2008. The microRNAs miR-373 and miR-520c promote tumour invasion and metastasis. *Nat Cell Biol* 10(2) : 202–210
- Hug, KA., Anthony, L., Eldeiry, D., Bensoni, J., Wheeler, E., Mousa, S., et al. 2015. Expression and Tissue Distribution of MicroRNA-21 in Malignant and Benign Breast Tissues. *Anticancer Res* 35(6) : 3175–3183.
- Huo, D., Clayton, W.M., Yoshimatsu, T.F., Chen, J., Olopade, O.I. 2016. Identification of a circulating microRNA signature to distinguish recurrence in breast cancer patients. *Oncotarget* (7)34: 55231-55248
- Jiang, B. 2017. Aerobic glycolysis and high level of lactate in cancer metabolism and microenvironment. *Genes and Diseases*. 4 (1) : 25-27.
- Jiang, S. Zhang, LF., Zhang, HW., Hu, S. Lu, MH., Liang, S., et al. 2012. A novel miR-155/miR-143 cascade controls glycolysis by regulating hexokinase 2 in breast cancer cells. *EMBO Journal* 31(8) :1985–1998
- Jin, LH. and Wei, C. 2014. Role of microRNAs in the Warburg effect and mitochondrial metabolism in cancer. *APJCP* 15(17) : 7015–7019.
- Karagkouni, D., Paraskevopoulou, MD., Chatzopoulos, S. Vlachos, IS., Tastsoglou, S., Kanellos, I., et al. 2018. DIANA-TarBase v8: a decade-long collection of experimentally supported miRNA–gene interactions. *Nucleic Acids Res* 46 : 239-245
- Keklikoglou, I., Koerner, C., Schmidt, C., Zhang, JD., Heckmann, D., Shavinskaya, A., et al. 2012. MicroRNA-520/373 family functions as a

- tumor suppressor in estrogen receptor negative breast cancer by targeting NF-kappaB and TGF-beta signaling pathways. *Oncogene* 31(37) : 4150–4163
- Lee, E. and Moon, A. (2016). Identification of Biomarkers for Breast Cancer Using Databases. *J Canc Prev* 21(4) : 235-242
- Lee, S. Lee, H., Bae, H., Choi, EH., Kim, SJ. 2016. Epigenetic silencing of miR-19a-3p by cold atmospheric plasma contributes to proliferation inhibition of the MCF-7 breast cancer cell. *Sci Report* 6 (April) : 1-10
- Li, Q., Zhu, F, and Chen, P. 2012. miR-7 and miR-218 epigenetically control tumor supressor genes RASSF1A and Claudin-6 by targeting Hox3 in breast cancer. *Biochem Biophys Res Comm.* (424): 28-33
- Listyawardhani, Y., Mudigdo, A. and Adriani, R. B. 2018. Risk Factors of Breast Cancer in Women at Dr . Moewardi Hospital, Surakarta, Central Java. *J Epid and Public Health* 3(2): 118-127
- Lu, J., Tan, M. and Cai, Q. 2015. The Warburg effect in tumor progression: Mitochondrial oxidative metabolism as an anti-metastasis mechanism. *Canc Let* 356(2) : 156–164.
- Lu, Y., Qin, T., Li, J., Wang, L., Zhang, Q., Jiang, Z. et al. 2017. MicroRNA-140-5p inhibits invasion and angiogenesis through targeting VEGF-A in breast cancer. *Canc Gene Ther* 24(9) : 386–392.
- Long, J., Jiang, C., Liu, B., Dai, Q., Hua, R., Chen, C., et al. 2018. Maintenance of stemness by miR-589-5p in hepatocellular carcinoma cells promotes chemoresistance via STAT3 signaling. *Canc Let* 423 : 113-126
- Lunt, SY., Vander Heiden, MG. 2011. Aerobic glycolysis meeting the metabolic requirement of cell proliferation. *Annu Rev Cell Dev Biol* 27 : 441-444
- Motawi, TMK., Sadik, NAH. Shaker, OG. El Masry, MR., Mohareb, F. (2016). Study of microRNAs-21/221 as potential breast cancer biomarkers in Egyptian women. *Gene* 590(2) : 210–219.
- Nanostring, N. 2018. *nCounter ® miRNA Expression Assay User Manual Book*. Nanostring Technology.
- Nie, W. Jin, L., Wang, Y., Wang, Z., Guan, X. 2013. The Bioinformatics Analysis of miRNAs Signatures Differentially Expressed in HER2(+) Versus HER2(–) Breast Cancers. *Canc Biother Radiopharm* 28(1) : 71–76
- NSW Breast Cancer Institute. 2005. Fibroadenoma of The Breast. <http://www.bci.org.au>
- Panigoro, S, Hernowo, BS, Purwanto, H., Handojo, D., Haryono, SJ., et al. (2017). Panduan Penatalaksanaan Kanker Payudara. Kementerian Kesehatan Republik Indonesia, Jakarta pp 1-15
- Riffo-Campos, Á. L., Riquelme, I. and Brebi-Mieville, P. 2016. Tools for sequence-based miRNA target prediction: What to choose?. *Int J Mol Sci* 17(12)
- Rohan, T., Ye, K., Wang, Y., Glass, AG., Ginsberg, M., Loudig, O. 2018. MicroRNA expression in benign breast tissue and risk of subsequent invasive breast cancer. *PLOS One* : 1–14
- Scott, DA., Richardson, AD., Filipp, FV. 2011. Comparative metabolic flux profiling of melanoma cell lines : beyond the Warburg effect. *J Biol Chem* 286(49) : 42626-42634

- Semenza, GL. 2011. Hypoxia-inducible factor 1 : Regulator of mitochondril metabolism and mediator of ishcemic preconditioning. *Biochim Biophys Act* 1813(7) : 1263-1268
- Seyfried, T and Shelton, L. 2010. Cancer as a metabolic disease. *Nutr Metab* 7(1) : 7
- Shen, Y., Ye, Y.F., Ruan, L.W., Bao, L., Wu, M.W. and Zhou, Y. 2017. Inhibition of miR-660-5p expression suppresses tumor development and metastasis in human breast cancer. *Gen Mol Res* (16) 1 : 1-11
- Sidauruk, HA., Rasmaliah, Hiswani. 2013. Karakteristik penderita Fibroadenoma Mammae (FAM) rawat inap di RS Santa Elizabeth Medan tahun 2007-2011. *Gizi, Kesehatan Reproduksi dan Epidemiologi*, 2 (1) : 1-10.
- Solikhah, S., Promthet, S., Rkkapao, N., Hurst, CP. 2017. Validation of an Indonesian Version of Breast Cancer Awareness Scale (BCAS-1). *Asian Pac J Cancer Prev*, 18 (2) : 515-522
- Stankevicins, L., Barat, A., Dessen, P., Vassetzky, Y., De Moura Gallo, CV. 2017. The microRNA-205-5p is correlated to metastatic potential of 21T series: A breast cancer progression model. *PLoS ONE* 12(3) : 1-13.
- Sugita, B., Gill, M., Mahajan, A., Duttargi, A., Kirolkar, S., Almeida, M., et al. 2016. Differentially expressed miRNAs in triple negative breast cancer between African-American and non-Hispanic white woman. *Oncotarget* 7 (48) : 79274-79291
- Suyitno, S. 2015. Peran Pembedahan Pada Tumor Jinak Payudara. *Majalah Kedokteran Andalas* 38 (17) : 14-19.
- Suzuki, H., Maruyama, R., Yamamoto, E., Kai, M. 2012. DNA methylation and microRNA dysregulation in cancer. *Mol Oncol* 6(6) : 567-578
- Swarbrick, A., Woods, S.L., Shaw, A., et al. 2010. MiR-380-5p represses p53 to control cellular survival and is associated with poor outcome in MYCN-amplified neuroblastoma. *Nat Med* 16: 1134-1140
- Szeto, CYY., Lin, CH., Choi, SC., Yip, TTC., Ngan, RKC., Tsao, GSW., et al. 2014. Integrated mRNA and microRNA transcriptome sequencing characterizes sequence variants and mRNA-microRNA regulatory network in nasopharyngeal carcinoma model systems. *FEBS Open Bio*. 4 : 128-140.
- Tahiri, A., Leivonen, SK., Lüders, T., Steinfeld, I., Aure, MR., Geisler, J., et al. 2014. Deregulation of cancer-related miRNAs is a common event in both benign and malignant human breast tumors. *Carcinogenesis* 35(1) : 76-85.
- Taipaleenmäki, H., Farina, N.H., van Wijnen, A. J., Stein, J. L., Hesse, E., Stein, G.S. and Lian, J. B. 2016. Antagonizing miR-218-5p attenuates Wnt signaling and reduces metastatic bone disease of triple negative breast cancer cells. *Oncotarget* (7) 48.
- Torre, LA., Bray, F., Siegel, RL, Ferlay, J., Lortet-tieulent, J., Jemal, A. et al. 2015. Global Cancer Statistics, 2012. *CA* 65(2) : 87-108.
- Van Schooneveld, E., Wouters, M.C.A., Van der Auwera, I., Peeters, D. J., Wildiers, H., Van Dam, P. A, et al. 2012. Expression profiling of cancerous and normal breast tissues identifies microRNAs that are differentially expressed in serum from patients with (metastatic) breast cancer and healthy volunteers. *Breast Ca Res* (14)1: R34
- Vlachos, IS., Zaggnas, K., Paraskevopoulou, MD., Georgakilas, G., Karagkouni, D., Vergoulis, T., et al. 2015. DIANA-miRPath v3. 0: deciphering

microRNA function with experimental support. *Nucleic acids research* 1 (43) : 460-466

- Volinia, S. and Croce, C.M. 2013. Prognostic microRNA/mRNA signature from the integrated analysis of patients with invasive breast cancer. *Proc Natl Acad Sci USA*. 110 : 7413-7417.
- Volinia S, Calin GA, Liu CG et al. 2006. A microRNA expression signature of human solid tumors defines cancer gene targets. *Proc Natl Acad Sci U S A*. 103: 2257-2261.
- Wang, X., Jiang, D., Xu, C., Zhu, G., Wu, Z., Wu, Q. 2017. Differential expression profile analysis of miRNAs with HER-2 overexpression and intervention in breast cancer cells. *Int J Clin Exp Pathol* (10) 5 : 5039-5062
- Yang, M. and Chen, J. 2011. Microvesicles secreted by macrophages shuttle invasion-potentiating microRNAs into breast cancer cells. *Mol Cancer* 10:117-21.
- Yanwirasti, Harahap, WA. and Arisanty, D. 2017. Evaluation of MiR-21 and MiR-10b expression of human breast cancer in West Sumatera. *Pak J Biol Sci* 20(4) : 189–196.
- Youlden, DR., Cramb, SM., Yip, CH., Baade, PD. 2014. Incidence and mortality of female breast cancer in Asia-Pacific region. *Cancer Biol Med* 11 : 101-115
- Yudiartini, PNP and Hudyono, J. 2014. Diagnosis dan Penatalaksanaan Fibroadenoma Payudara. 20(53) : 37–45.
- Zhang, J., Wei, B., Hu, H., Liu, F., Tu, Y., He, F. 2018. The association between differentially expressed micro RNAs in breast cancer cell lines and the micro RNA-205 gene polymorphism in breast cancer tissue. *Oncol Let* 15(2) : 2139–2146.
- Zheng, Q., Cui, X., Zhang, D., Yang, Y., Yan, X., Liu, M., et al. 2017. miR-200b inhibits proliferation and metastasis of breast cancer by targeting fucosyltransferase IV and α 1,3-fucosylated glycans. *Oncogenesis* 6(7) : 1-13.