

## **DAFTAR PUSTAKA**

- Abdullah, M., Mahmood, S., & Ahmed, Z. (2017). Efficacy Studies of Natural and Synthetic Iron Sources among Anemic Pregnant Women in Community of Faisalabad-Pakistan. *Journal of Food and Nutrition Research, Vol. 5, 2017, Pages 121-128, 5(2)*, 121–128. <https://doi.org/10.12691/JFNR-5-2-8>
- Abubakari, A., & Jahn, A. (2016). Maternal dietary patterns and practices and birth weight in Northern Ghana. *PLoS ONE, 11(9)*, 1–17. <https://doi.org/10.1371/journal.pone.0162285>
- Abu-saad, K., & Fraser, D. (2010). Maternal Nutrition and Birth Outcomes. *Epidemiologi Reviews, 32*, 5–25. <https://doi.org/10.1093/epirev/mxq001>
- Aditianti, Yurista Permanasari, dan E. D. J. (2015). Pendampingan Minum Tablet Tambah Darah (Ttd) Dapat Meningkatkan Kepatuhan Konsumsi Ttd Pada Ibu Hamil Anemia (Family and Cadre Supports Increased Iron Pils Compliance in Anemic Pregnant Women). *Penelitian Gizi Dan Makanan, 38(1)*, 71–78.
- Agustina Shinta. (2010). Identifikasi Angka Kecukupan Gizi dan Strategi Peningkatan Gizi Keluarga di Kota Probolinggo (Studi Kasus Kecamatan Kedopok dan Mayangan). *SEPA, 7(1)*, 1–5.
- Ahmad, M. O., & Kalsoom, U. (2015). Effect of Maternal Anaemia on APGAR Score of Newborn. *Journal of Rawalpindi Medical College (JRMC), 19(3)*, 239–242. Retrieved from <https://pdfs.semanticscholar.org/5151/8259901fce75d76689992c6979f5ed4ceefc.pdf>
- Ahmed, A., Nasir, H., Shafiq, Q., Naeem, B., & Ghelani, Y. (2015). The Effect of Anemia on Pregnancy and Fetal Outcome : GMC Hospital , Ajman , UAE, *4*, 76–82.
- Akbari, Z., Mansourian, M., & Kelishadi, R. (2015). Relationship of the intake of different food groups by pregnant mothers with the birth weight and gestational age: Need for public and individual educational programs. *Journal of Education and Health Promotion, 4(March)*, 23. <https://doi.org/10.4103/2277-9531.154109>
- Alexander, B. T., Henry Dasinger, J., & Intapad, S. (2014). Effect of low birth weight on women's health. *Clinical Therapeutics, 36(12)*, 1913–1923. <https://doi.org/10.1016/j.clinthera.2014.06.026>
- Amugsi, D. A., Mittelmark, M. B., & Oduro, A. (2015). Association between maternal and child dietary diversity: An analysis of the Ghana Demographic and Health Survey. *PLoS ONE, 10(8)*, 1–12. <https://doi.org/10.1371/journal.pone.0136748>
- Anand, T., Rahi, M., Sharma, P., & Ingle, G. K. (2014). Issues in prevention of iron deficiency anemia in India. *Nutrition, 30(7–8)*, 764–770.

<https://doi.org/10.1016/j.nut.2013.11.022>

- Anderson. (2004). Anthropometric : Low Birth Weight and Very Low Birth Weight Clasification. *Nutrition Risk*, 2004.
- Anjas Dwi Purwanto, C. U. W. (2016). Relationship Between the Age Pregnancy, Multiple Pregnancy, Hypertension and Anemia with Incidence of Low Birth Weight (LBW). *Jurnal Berkala Epidemiologi*, 4(3), 408–419. <https://doi.org/10.20473/jbe.v4i3>.
- Arrish, J., Yeatman, H., & Williamson, M. (2016). Australian midwives and provision of nutrition education during pregnancy: A cross sectional survey of nutrition knowledge, attitudes, and confidence. *Women and Birth*, 29(5), 455–464. <https://doi.org/10.1016/j.wombi.2016.03.001>
- Astuti, R., Aminah, S., & Syamsianah, A. (2014). Komposisi Zat Gizi Tempe yang Difortifikasi Zat Besi dan Vitamin A pada Tempe Mentah dan Matang. *Agritech*, 34(2), 151–159. <https://doi.org/10.22146/AGRITECH.9505>
- Bappenas RI. (2009). *Faktor-Faktor yang Mempengaruhi Kelangsungan Hidup Anak (Kajian Evaluasi Pemangunan Sektor)*. Bappenas. Jakarta, Indonesia.
- Barker, D., Eriksson, J., Forsen, T., & Osmond, C. (2002). Fetal origins of adult disease: strength of effects and biological basis. *Int J Epidemiol*, 31, 1235–1239. <https://doi.org/10.1093/ije/31.6.1235>
- Barros FC. et al. (2010). How many low birthweight babies in low- and middle-income countries are preterm ? Quantos dos recém-nascidos de baixo peso de países emergentes são.
- Bisai, S., Sen, A., Mahalanabis, D., Datta, N., & Bose, K. (2006). The Effect of Maternal Age and Parity on Birth Weight Among Bengalees of Kolkata , India. *Human Ecology Special Issue No. 14: 139-143*, 178(September), 194–197.
- Bisara D, S. dan A. T. (2003). Status Gizi Wanita Usia Subur (WUS) Dan Balita Di Indonesia Menurut Data SKRT 2001. *Buletin Penelitian Kesehatan*, 31(3), 143–154.
- Blumfield, M. L., Hure, A. J., MacDonald-Wicks, L., Smith, R., & Collins, C. E. (2012). Systematic review and meta-analysis of energy and macronutrient intakes during pregnancy in developed countries. *Nutrition Reviews*, 70(6), 322–336. <https://doi.org/10.1111/j.1753-4887.2012.00481.x>
- Bodeau-Livinec, F., Briand, V., Berger, J., Xiong, X., Massougbodji, A., Day, K. P., & Cot, M. (2011). Maternal anemia in Benin: Prevalence, risk factors, and association with low birth weight. *American Journal of Tropical Medicine and Hygiene*, 85(3), 414–420. <https://doi.org/10.4269/ajtmh.2011.10-0599>
- Borah, M., Baruah, R., & Agarwalla, R. (2014). Maternal and Socio Demographic Determinants of Low Birth Weight ( Lbw ): a Community Based Cross Sectional Study in a Rural Block of Assam. *Indian Journal of Preventive and*

*Social Medicine*, 45(1), 7–11.

- Brown, M., & Ehrenkranz, R. A. (2017). Seminars in Fetal & Neonatal Medicine Neurodevelopmental outcomes and nutritional strategies in very low birth weight infants. *Seminars in Fetal and Neonatal Medicine*, 22(1), 42–48. <https://doi.org/10.1016/j.siny.2016.09.001>
- Chourasia, A., Pandey, C. M., & Awasthi, A. (2017). Factors influencing the consumption of iron and folic acid supplementations in high focus states of India. *Clinical Epidemiology and Global Health*, 8–12. <https://doi.org/10.1016/j.cegh.2017.04.004>
- Clark, C., Huisingh, C., Ommerborn, M., Grooms, K., Allen, D., Conley, L., Brown, M. (2008). Low Birth Weight. *Boston Public Health Commission*, 1–16. <https://doi.org/10.1001/jama.287.2.270>
- Coley, S. L., Nichols, T. R., Rulison, K. L., Aronson, R. E., Brown-Jeffy, S. L., & Morrison, S. D. (2016). Does Neighborhood Risk Explain Racial Disparities in Low Birth Weight among Infants Born to Adolescent Mothers? *Journal of Pediatric and Adolescent Gynecology*, 29(2), 122–129. <https://doi.org/10.1016/j.jpag.2015.08.004>
- Countries, L., & Stoltzfus, R. J. (2011). Iron Interventions for Women and Children in, (15). <https://doi.org/10.3945/jn.110.128793.756S>
- Dalal, E., & Shah, J. (2014). Original Article a Comparative Study on Outcome of Neonates Born To Anemic Mothers Versus Non Anemic. *National Journal of Medical Research*, 4(4), 270–273.
- de Sousa Moreira Reis, L., de Mattos Paranhos Calderon, I., Bolognani, C., Dias, A., & Dias, A. (2015). Food consumption rated by quality index diet (IQD) in pregnant women with gestational diabetes mellitus. *Diabetology & Metabolic Syndrome*, 7(Suppl 1), A67. <https://doi.org/10.1186/1758-5996-7-S1-A67>
- DEPKES. (2012). Pedoman Penanggulangan Anemia Gizi untuk WUS, 1–16.
- Dewantoro, N. K. P., & Muniroh, L. (2017). Studi Deskriptif Program Suplementasi Tablet Besi Pada Ibu Hamil Di Puskesmas Kalijudan Kota Surabaya. *Amerta Nutrition*, 1(4), 308. <https://doi.org/10.20473/amnt.v1i4.2017.308-317>
- FANTA. (2006). Household Dietary Diversity Score (HDDS) for measurement of household food access: Indicator guide. *Food and Nutrition Technical Assistance ...*, 11. <https://doi.org/10.1017/CBO9781107415324.004>
- FAO. (2010). *Guidelines for measuring household and individual dietary diversity*. Fao. <https://doi.org/613.2KEN>
- FAO and FHI. (2016). Minimum Dietary Diversity for Women- A Guide to Measurement. *Food And Nutrition Technical Assistance III* 82.
- Fernández San Juan, P. M. (2006). Dietary habits and nutritional status of school

aged children in Spain. *Nutrición Hospitalaria*, 21(3), 374–8. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/16771121>

Food and Agriculture Organization of the United Nations. (2010). *The State of Food Insecurity in the World Addressing food insecurity in protracted crises 2010 Key messages. Notes*. <https://doi.org/10.1519/JSC.0b013e3181b8666e>

Fowles, E. R. (2006). What's a Pregnant Woman to Eat? A Review of Current USDA Dietary Guidelines and MyPyramid. *The Journal of Perinatal Education*, 15(4), 28–33. <https://doi.org/10.1624/105812406X151394>

Galloway, D. A., Laimins, L. A., Division, B., & Hutchinson, F. (2016). HHS Public Access, 35(30), 87–92. <https://doi.org/10.1016/j.coviro.2015.09.001>. Human

Getahun, W., Belachew, T., & Wolide, A. D. (2017). Burden and associated factors of anemia among pregnant women attending antenatal care in southern Ethiopia: cross sectional study. *BMC Research Notes*, 10(1), 276. <https://doi.org/10.1186/s13104-017-2605-x>

Grieger, J. A., & Clifton, V. L. (2015). A review of the impact of dietary intakes in human pregnancy on infant birthweight. *Nutrients*, 7(1), 153–178. <https://doi.org/10.3390/nu7010153>

Gutierrez, Y. M. (1999). Cultural factors affecting diet and pregnancy outcome of Mexican American adolescents. *The Journal of Adolescent Health : Official Publication of the Society for Adolescent Medicine*, 25(3), 227–37. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/10475499>

Hakimi, M. (1990). Pertumbuhan Janin dalam Kandungan Pengamatan dan Upaya Peningkatannya. *Berita Kedokteran Masyarakat*, 4(1), 8–9.

Haliza, W., Purwani, E. Y., & Thahir, R. (2010). Pemanfaatan Kacang-kacangan Lokal Mendukung Diversifikasi Pangan. *Pengembangan Inovasi Pertanian* 3(3), 2010: 238-245, 3(3), 238–245.

Hardinsyah. (2007). Review on Determinant Factors of Dietary Diversity. *Gizi Dan Pangan*, 2(2), 55–74.

Hoffmann, J. F., Camey, S., Olinto, M. T. A., Schmidt, M. I., Ozcariz, S. G. I., Melere, C., Pinheiro, A. P. (2013). Dietary patterns during pregnancy and the association with sociodemographic characteristics among women attending general practices in southern Brazil: the ECCAGe Study. *Cadernos de Saúde Pública*, 29(5), 970–980. <https://doi.org/10.1590/S0102-311X2013000900014>

Holil M. SKM. M.Kes, et al 2017. (n.d.). Penilaian Status Gizi Pusat Pendidikan Sumber Daya Manusia Kesehatan (Bahan Ajar Gizi) (Edisi Tahu). Jakarta, Indonesia.

Horton, S., & Ross, J. (2003). The economics of iron deficiency. *Food Policy*, 28(1), 51–75. [https://doi.org/10.1016/S0306-9192\(02\)00070-2](https://doi.org/10.1016/S0306-9192(02)00070-2)

- Hung, T.-H., Huang, T.X., & Hsieh, T.-T. (2017). Ex utero intrapartum treatment for extremely low birth-weight neonates requiring resuscitation at birth. *Taiwanese Journal of Obstetrics and Gynecology*, 56(4), 561–563. <https://doi.org/10.1016/j.tjog.2017.07.001>
- Hunter-adams, J., & Rother, H. (2016). Pregnant in a foreign city : A qualitative analysis of diet and nutrition for cross-border migrant women in Cape Town , South Africa. *Appetite*, 103, 403–410. <https://doi.org/10.1016/j.appet.2016.05.004>
- IDAI. (2009). Pelayanan kesehatan anak di rumah sakit. Jakarta, Indonesia.
- Ignacio, C. F., Enderson, M., Handam, B., Fatima, M. De, Alencar, L., & Sotero-, A. (2017). Maternal Risk Factors Associated With Low Birt Weight, 5(3), 1–10. <https://doi.org/10.1016/j.trsl.2015.07.006>
- Indonesia, R., Sitompul, R., Nilla, E., & Exellency, H. (2012). RECFON News, IV(2).
- Irianton Aritonang. (2015a). *Gizi Ibu dan Anak : Essensinya Bagi Pembangunan Manusia*. Yogyakarta, Indonesia: LeutikaPrio dan CEBioS.
- Irianton Aritonang. (2015b). *Gizi Ibu dan Anak Essensinya Bagi Pembangunan Manusia* (1st ed., pp. 8–9). Yogyakarta, Indonesia.
- Islam, M. M., & ElSayed, M. K. (2015). Pattern and determinants of birth weight in Oman. *Public Health*, 129(12), 1618–1626. <https://doi.org/10.1016/j.puhe.2015.07.011>
- Juneja, K. (2016). Nutritional status among pregnant women of Aligarh district and its association with birth weight. *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 5(3), 696–699. Retrieved from <http://www.scopemed.org/?jft=89&ft=89-1451634538>
- Jusoh, N., Tengku Ismail, T. A., & Daud, A. (2015). Anemia Among Teenage Pregnancy In Northwestern Malaysia : What Are The Factors ? *International Journal of Collaborative Research on Internal Medicine & Public Health*, 7(12), 196–205.
- Kalimbira, A. (2009). Maternal Knowledge and Practices Related to Anemia and Iron Supplementation in Rural Malawi: A Cross Sectional Study. *African Journal of Food Agriculture Nutrition and Development*, 9(1), 550–564.
- Kamanzi, O. U., Keisling, K., Lewis, E., & Mwizero, C. (2014). Dietary Diversity and Determinants Survey Guide and User’s Manual. *Usaid*.
- Kassebaum, N. J., Fleming, T. D., Flaxman, A., Phillips, D. E., Steiner, C., Barber, R. M., Levy, T. S. (2016). The Global Burden of Anemia. *Hematology/Oncology Clinics of North America*, 30(2), 247–308. <https://doi.org/10.1016/j.hoc.2015.11.002>
- KEMENKES. (2014a). *Data dan Informasi Kesehatan Situasi Penyakit Kanker. Igarss 2014*. Jakarta, Indonesia. <https://doi.org/10.1007/s13398-014-0173-7.2>

- KEMENKES. (2014b). Pedoman Gizi Seimbang. Jakarta, Indonesia.
- KEMENKES. (2016). *Pusat Data dan Informasi (INFODATIN), Situasi Gizi di Indonesia*. Jakarta, Indonesia.
- KEMENKES,. (2014c). *Informasi Data Kesehatan Ibu (INFODATIN)*. Jakarta, Indonesia.
- KEMENKES, R. (2015). Rencana Strategis Kementerian Kesehatan Republik Indonesia Tahun 2015 - 2019. *Kementerian Kesehatan RI. Sekretariat R Jenderal. Rencana Strategis Kementerian Kesehatan Tahun Rencana Strategis Kementerian Kesehatan Tahun*. Retrieved from <http://www.depkes.go.id/resources/download/info-publik/Renstra-2015.pdf>
- Khoushabi, F., & Saraswathi, G. (2010). Impact of nutritional status on birth weight of neonates in Zahedan City, Iran. *Nutrition Research and Practice*, 4(4), 339. <https://doi.org/10.4162/nrp.2010.4.4.339>
- Ko, T.-J., Tsai, L.-Y., Chu, L.-C., Yeh, S.-J., Leung, C., Chen, C.-Y., ... Hsieh, W.-S. (2014). Parental Smoking During Pregnancy and Its Association with Low Birth Weight, Small for Gestational Age, and Preterm Birth Offspring: A Birth Cohort Study. *Pediatrics & Neonatology*, 55(1), 20–27. <https://doi.org/10.1016/j.pedneo.2013.05.005>
- Koes Irianto. (2014). *Balanced Nutrition in Reproductive Health*. (F. Zuhendri, Ed.) (Cetakan Ke). Bandung Indonesia: ALFABETA, cv.
- Koura, G. K., Ouedraogo, S., Le Port, A., Watier, L., Cottrell, G., Guerra, J., Garcia, A. (2012). Anaemia during pregnancy: Impact on birth outcome and infant haemoglobin level during the first 18months of life. *Tropical Medicine and International Health*, 17(3), 283–291. <https://doi.org/10.1111/j.1365-3156.2011.02932.x>
- Kraemer, K., & Zimmermann, M. B. (2007). Nutritional Anemia (Federal In). Switzerland.
- Kramer, M. S. (1987). Determinants of low birth weight: methodological assessment and meta-analysis. *Bulletin of the World Health Organization*, 65(5), 663–737. <https://doi.org/10.1002/14651858.CD005542.pub2>.
- Kujovich, J. L. (2016). Evaluation of Anemia. *Obstetrics and Gynecology Clinics of North America*, 43(2), 247–264. <https://doi.org/10.1016/j.ogc.2016.01.009>
- Kumar, M., Swarnkar, K., & Vagha, J. (2018). Clinical profile of low birth babies in NICU : a rural tertiary care hospital based study, 5(1), 239–244.
- Kusfriyadi, M. K., Hadi, H., & Fuad, A. (2012). Hubungan pengetahuan , perilaku , dan kepatuhan ibu hamil minum tablet besi, 9(2), 87–96.
- Li, C. Y., & Sung, F. C. (2008). Socio-economic inequalities in low-birth weight , full-term babies from singleton pregnancies in Taiwan, 243–250. <https://doi.org/10.1016/j.puhe.2007.05.011>
- Libri, O., Pramono, & Asyanti, N. (2016). Risk Factors of Child Low Birth

- Weight (LBW) Incidence In Work Area of Pelaihari Public Health Centre In 2015. *Jurnal Jurkessia*, 4(3), 23–30.
- lily Irsa. (2002). Gangguan Kognitif pada Anemia Defisiensi Besi. *Sari Pediatri*, 4, 114–118.
- Lindsay, K. L., Gibney, E. R., Mcnulty, B. A., & Mcauliffe, F. M. (2014). Pregnant immigrant Nigerian women: an exploration of dietary intakes. *Public Health*, 128(7), 647–653. <https://doi.org/10.1016/j.puhe.2014.05.001>
- Lisa Indrian Dini, Pandu Riono, N. S. (2016). Kementerian kesehatan republik indonesia. *Jurnal Kesehatan Reproduksi*, 7(April), 119–133. <https://doi.org/351.077> Ind r
- Litbangkes. (2004). *SURKESNAS-SKRT 2004 Daftar Variabel Survei Kesehatan Rumah Tangga 2004*. Jakarta, Indonesia.
- Litbangkes Kemenkes RI. (2014). *Survei Konsumsi Makanan Individu (SKMI) di Indonesia Tahun 2014 STUDI DIET TOTAL (SDT)*. Jakarta, Indonesia.
- Manerkar, K., & Gokhale, D. (2017). Effect of Maternal Diet Diversity and Physical Activity on Neonatal Birth Weight: A Study from Urban Slums of Mumbai. *Journal of Clinical and Diagnostic Research*, 11(10), YC7-YC11. <https://doi.org/10.7860/JCDR/2017/29261.10737>
- Masrizal. (2007). Anemia defisiensi besi, 140–145.
- Mayulu, N., & Kawengian, S. (2016). Gambaran pola konsumsi makanan pada ibu hamil di kota Manado. *E-Biomedik (eBm)*, 4.
- McLean, E., Cogswell, M., Egli, I., Wojdyla, D., & de Benoist, B. (2009). Worldwide prevalence of anaemia, WHO Vitamin and Mineral Nutrition Information System, 1993-2005. *Public Health Nutr.*, 12(4), 444–454. <https://doi.org/10.1017/S1368980008002401>
- McLean, E., Cogswell, M., Egli, I., Wojdyla, D., & de Benoist, B. (2009). Worldwide prevalence of anaemia, WHO Vitamin and Mineral Nutrition Information System, 1993–2005. *Public Health Nutrition*, 12(4), 444. <https://doi.org/10.1017/S1368980008002401>
- Mei, Z., Cogswell, M. E., Looker, A. C., Pfeiffer, C. M., Cusick, S. E., Lacher, D. A., & Grummer-strawn, L. M. (2011). Assessment of iron status in US pregnant women from the National Health and Nutrition Examination Survey ( NHANES ), 1999 – 2006 1 – 4. *The American Journal of Clinical Nutrition*, 6(93), 1999–2006. <https://doi.org/10.3945/ajcn.110.007195.1312>
- Merkx, A., Ausems, M., Budé, L., de Vries, R., & Nieuwenhuijze, M. J. (2015). Weight gain in healthy pregnant women in relation to pre-pregnancy BMI, diet and physical activity. *Midwifery*, 31(7), 693–701. <https://doi.org/10.1016/j.midw.2015.04.008>
- Metgud, C. S., Naik, V. A., & Mallapur, M. D. (2012). Factors affecting birth

- weight of a newborn - a community based study in rural Karnataka, India. *PLoS ONE*, 7(7). <https://doi.org/10.1371/journal.pone.0040040>
- Michigan Departement of Community Health. (2005). Medical and Nutritional Risk Criteria for WIC Eligibility (pp. 1–9).
- Mitao, M., Philemon, R., Obure, J., Mmbaga, B. T., Msuya, S., & Mahande, M. J. (2016). Risk factors and adverse perinatal outcome associated with low birth weight in Northern Tanzania : a registry-based retrospective cohort study. *Asian Pacific Journal of Reproduction*, 5(1), 75–79. <https://doi.org/10.1016/j.apjr.2015.12.014>
- Mitayani. (2009). *Asuhan Keperawatan Maternitas*. Jakarta, Indonesia: Salemba Medika.
- Mohanty, B. P., Ganguly, S., Karunakaran, D., Chakraborty, K., Sharma, A. P., Mohapatra, P. K. R., & Nayak, N. R. (2012). Maternal fish consumption and prevention of low birth weight in the developing world. *National Academy Science Letters*, 35(5), 433–438. <https://doi.org/10.1007/s40009-012-0073-3>
- Mombo-Ngoma, G., Honkpehedji, J., Basra, A., Mackanga, J. R., Zoleko, R. M., Zinsou, J., Ramharter, M. (2017). Urogenital schistosomiasis during pregnancy is associated with low birth weight delivery: analysis of a prospective cohort of pregnant women and their offspring in Gabon. *International Journal for Parasitology*, 47(1), 69–74. <https://doi.org/10.1016/j.ijpara.2016.11.001>
- Mudor, H., & Bunyarit, F. (2013). A prospective of nutrition intake for pregnant women in Pattani , Thailand. *Procedia - Social and Behavioral Sciences*, 91, 179–184. <https://doi.org/10.1016/j.sbspro.2013.08.415>
- Mulyanti. (2010). Hubungan Antara Komplikasi Kehamilan dengan Kejadian BBLR di Rumah Sakit Umum Daerah Kelas B Kabupaten Subang, 145–150.
- Murphy, M., Stettler, N., Reiss, R., & Smith, K. (2014). Associations of consumption of fruits and vegetables during pregnancy with infant birth weight or small for gestational age births: a systematic review of the literature. *International Journal of Women's Health*, 899. <https://doi.org/10.2147/IJWH.S67130>
- Muzakkiroh, U. (2011). POLA KEJADIAN BAYI BERAT LAHIR RENDAH DAN FAKTOR YANG MEMENGARUHINYA DI INDONESIA TAHUN 2010, 209–217.
- Na, M., Mehra, S., Christian, P., Ali, H., Shaikh, S., Shamim, A. A., West, K. P. (2016). Maternal Dietary Diversity Decreases with Household Food Insecurity in Rural Bangladesh: A Longitudinal Analysis. *Journal of Nutrition*, 146(10), 2109–2116. <https://doi.org/10.3945/jn.116.234229>
- Nazar Azahar et al. (2016). Risk factors for low birth weight in Nigeria: evidence from the 2013 Nigeria Demographic and Health Survey. *TT -. Global Health Action*, 9, 28822. <https://doi.org/10.3402/gha.v9.28822>

- Nazari, M., Zainiyah, S. Y. S., Lye, M. S., Zalilah, M. S., & Heidarzadeh, M. (2013). Comparison of maternal characteristics in low birth weight and normal birth weight infants. *Eastern Mediterranean Health Journal = La Revue de Santé de La Méditerranée Orientale = Al-Majallah Al-Šiḥḥīyah Li-Sharq Al-Mutawassit*, 19(9), 775–81. <https://doi.org/10.26719/2013.19.9.775>
- Nnam, N. M. (2017). Conference on “ Food and nutrition security in Africa : new challenges and opportunities for sustainability ” Improving maternal nutrition for better pregnancy outcomes Proceedings of the Nutrition Society. *Africa Nutritional Epidemiology Confrence*, (August 2015), 454–459. <https://doi.org/10.1017/S0029665115002396>
- Novita Lusiana. (2017). Giving Effectiveness Against Stew Ginger Nausea Vomiting In Pregnancy Trimester I, BPM Deliana. S 2016. *Jurnal Doopler*, 1(2), 62–67. <https://doi.org/ISSN 2580-3123>
- Okube, O. T., Mirie, W., Odhiambo, E., Sabina, W., & Habtu, M. (2016). Prevalence and Factors Associated with Anaemia among Pregnant Women Attending Antenatal Clinic in the Second and Third Trimesters at Pumwani Maternity Hospital, Kenya. *Open Journal of Obstetrics and Gynecology*, 6(1), 16–27. <https://doi.org/10.4236/ojog.2016.61003>
- Olsen, S. J., Vetsaphong, P., Vongloklam, P., Mirza, S., Khanthamaly, V., Chanthalangsy, T., ... Xeuatvongsa, A. (2016). A retrospective review of birth outcomes at the Mother and Child Health Hospital in Lao People ' s Democratic Republic , 2004 – 2013. *BMC Pregnancy and Childbirth*, 1–6. <https://doi.org/10.1186/s12884-016-1168-5>
- Osman, S. M., Saaka, M., Siassi, F., Qorbani, M., Yavari, P., Danquah, I., & Sotoudeh, G. (2016). A comparison of pregnancy outcomes in Ghanaian women with varying dietary diversity: A prospective cohort study protocol. *BMJ Open*, 6(9), 1–6. <https://doi.org/10.1136/bmjopen-2016-011498>
- P.Senewe, F., & Sulistyowati, N. (2004). The Factors Related to the Complication of Delivery in the Last Three Years in Indonesia (Further Analysis SKRT-Surkesnas 2001). *Buletin Penelitian Kesehatan*, 32(2), 83–91.
- Pereira, P., Da Mata, F., Figueiredo, A., de Andrade, K., & Pereira, M. (2017). Maternal Active Smoking During Pregnancy and Low Birth Weight in the Americas: A Systematic Review and Meta-analysis. *Nicotine & Tobacco Research*, 19(5), 497–505.
- Problem, W., & Lynch, S. R. (2011). Why Nutritional Iron Deficiency Persists as a, (19), 763–768. <https://doi.org/10.3945/jn.110.130609.billion>
- Pusparini, P., Ernawati, F., Hardinsyah, H., & Briawan, D. (2016). Indeks Massa Tubuh Rendah pada Awal Kehamilan dan Defisiensi Vitamin A pada Trimester Kedua sebagai Faktor Risiko Gangguan Pertumbuhan Linier pada Bayi Lahir. *Jurnal Gizi Dan Pangan*, 11(3), 191–200.
- Qureshi, Z., & Khan, R. (2015). Diet Intake Trends Among Pregnant Women in Rural Area of Rawalpindi, Pakistan. *Journal of Ayub Medical College*,

*Abbottabad : JAMC, 27(3), 684–688.*

- Rakizah S, Djaswadi D, J. I. (2004). Relationship of Antenatal Care Service Quality on Low Birth Weight in Purworejo District. *Sains Kesehatan, 17(2)*.
- Restuastuti, T., & Chandra, F. (2007). Kesehatan Ibu dan Anak Determinant Factor Analysis on Mother and Child Health Service Problem, (1).
- Rezeki, N. S., Rosidi, A., Noor, Y., & Ulvie, S. (2013). Hubungan Kepatuhan Minum Tablet Besi dan Status Gizi Ibu Hamil dengan Berat Badan Bayi Lahir, 1–7.
- RISKESDAS. (2013). *RISSET KESEHATAN DASAR*. Jakarta, Indonesia.
- Rizal Damanik, MrepSC, P. (2012). Kejadian Bayi Berat Lahir Rendah BBLR) dan Faktor-Faktor Yang Mempengaruhinya. *IPB*, (November).
- Rosha, B. C., Putri, I. S., & Amaliah, N. (2012). Determinant Analysis of LOW BIRTH WEIGHT ( LBW ) Children of 0-23 Months in Nusa Tenggara Timur , Kalimantan Tengah and Papua. *Ekologi Kesehatan, 11 No. 2*, 123–135.
- Saaka, M. (2012). Maternal Dietary Diversity and Infant Outcome of Pregnant Women in Northern Ghana. *International Journal of Child Health and Nutrition, 1(May)*, 148–156. <https://doi.org/10.6000/1929-4247.2012.01.02.6>
- Sahana, O. N., & Sumarmi, S. (2014). HUBUNGAN ASUPAN MIKRONUTRIEN DENGAN KADAR HEMOGLOBIN PADA WANITA USIA SUBUR ( WUS ), 184–191.
- Salas-Salvadó, Jordi, bullo M, B. N. (2011). Reduction in the Incidence of Type 2 Diabetes With the Mediterranean Diet. *Diabetes Care, 34(1)*, 14–9. <https://doi.org/10.2337/dc10-1288>.
- Santoyo-sánchez, A. (2016). Iron deficiency anaemia, *79(2)*, 88–97. <https://doi.org/10.1016/j.hgmx.2015.06.008>
- Save the Children. (2007). *State of the World's Mothers, Saving the Lives of Children Under Age 5*. USA: the Austin Hearst Foundation.
- Schoenaker, D. A. J. M., Mishra, G. D., Callaway, L. K., & Soedamah-Muthu, S. S. (2016). The Role of Energy, Nutrients, Foods, and Dietary Patterns in the Development of Gestational Diabetes Mellitus: A Systematic Review of Observational Studies. *Diabetes Care, 39(1)*, 16–23. <https://doi.org/10.2337/dc15-0540>
- SDKI. Survei Demografi dan Kesehatan Indonesia (Badan Kependudukan dan Bencana Nasional) (2013). Jakarta, Indonesia.
- Setiawan, A., Lipoeto, N. I., & Izzah, A. Z. (2013). Hubungan Kadar Hemoglobin Ibu Hamil Trimester III Dengan Berat Bayi Lahir di Kota Pariaman, *2(1)*, 34–37.
- Setyo, M., & Paramita, A. (2015). Pattern of Occurrence and Determinants of Baby with Low Birth Weight in Indonesia 2013. *Badan Litbang Kesehatan*

(Litbangkes), 2013, 1–10.

- Sharma, M., & Mishra, S. (2014). Effects of Maternal Health and Nutrition on Birth Weight of Infant. *International Journal of Science and Research*, 3(6), 855–858.
- Siahaya, M., & Rantetampang, A. L. (2016). Risk Factors of Underweight Baby Newborn at Manokwari Regency General Hospital , 2016, 4531, 370–383.
- Silva, A. L. d., Amaral, A. R. d., Oliveira, D. S. d., Martins, L., Silva, M. R. e., & Silva, J. C. (2017). Desfechos neonatais de acordo com diferentes terapêuticas do diabetes mellitus gestacional. *Jornal de Pediatria*, 93(1), 87–93. <https://doi.org/10.1016/j.jped.2016.04.004>
- Silvestrin, S., Homrich, C., Naomi, V., Goldani, A. A. S., Silveira, P. P., & Goldani, M. Z. (2013). Maternal education level and low birth weight : a meta-analysis &. *Jornal de Pediatria*, 89(4), 339–345. <https://doi.org/10.1016/j.jped.2013.01.003>
- Simarmata, O. S., Sudikno, Kristina, & Bisara, D. (2014). Determinan Kejadian Komplikasi Persalinan di Indonesia: Analisis Data Sekunder Riset Kesehatan Dasar 2010. *Jurnal Ekologi Kesehatan*.
- Simbolon, D. (2015). Birth Weight and Neonatal Survival in Indonesia. *Kesehatan Masyarakat Nasional*, 7(95).
- Siswanto et al. (2014). *Buku Studi Diet Total : Survei Komsumsi Makanan Individu Indonesia 2014*. Jakarta, Indonesia: Badan Penelitian dan Pengembangan Kesehatan.
- Sloan, N. L., Jordan, E., & Winikoff, B. (2002). Effects of Iron Supplementation on Maternal Hematologic Status in Pregnancy, 92(2), 288–293.
- Stark, J. (2004). Breaking the cycle : a community approach to prevention of low birth-weight babies. *International Journal of Health Care Quality Assurance Incorporating Leadership in Health Services*, 17(4), 1–8. <https://doi.org/10.1108/13660750410563229>
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *User ' s Guide for the Indonesia Family Life Survey (IFLS5), Wave 5: Overview and Field Report, Santa Monica: RAND Corporation*.
- Strauss, J. Witoelar, F. Sikoki, B. and Wattie , A, M. (2009). The Fifth Wave of the Indonesian Family Life Survey (IFLS4); Overview and Field Report,, RAND Labour and Population Working Paper (pp. 5–6). Jakarta, Indonesia.
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). User's Guide for the Indonesia Family Life Survey, Wave 3 Volume 2, 2(March).
- Supriasa, C. M. K. I. D. N. (2014). *Survei Komsumsi Gizi* (1st ed.). Yogyakarta, Indonesia: Graha Ilmu.
- Supriasa et al. (2014). *Survei Konsumsi Gizi* (1st ed.). Jakarta, Indonesia.
- Supplements, D., & Pregnancy, D. (2007). *MyPyramid in Action : Dietary*

Supplements During Pregnancy and Breastfeeding What Is a Dietary Supplement? More About Dietary Supplements During Pregnancy and Breastfeeding, (October).

- Switkowski, K. M., Jacques, P. F., Must, A., Kleinman, K. P., Gillman, M. W., & Oken, E. (2016). Maternal protein intake during pregnancy and linear growth in the offspring. *The American Journal of Clinical Nutrition*, *104*(4), 1128–1136. <https://doi.org/10.3945/ajcn.115.128421>
- Syafrudin, SKM, M. K., & Hamidah, S.Pd, M. K. (2005). *Kebidanan Komunitas (EGC)*. Jakarta, Indonesia: Penerbit Buku Kedokteran.
- Syari, M., Serudji, J., & Mariati, U. (2015). Peran Asupan Zat Gizi Makronutrien Ibu Hamil terhadap Berat Badan Lahir Bayi di Kota Padang. *Jurnal Kesehatan Andalas*, *4*(3), 729–736.
- Tanziha, I., Utama, L. J., & Rosmiati, R. (2016). Faktor risiko anemia ibu hamil di indonesia (Data RISKESDAS 2013), *11*(2), 143–152.
- Taywade, M. L., & Pisudde, P. M. (2017). Study of sociodemographic determinants of low birth weight in Wardha district, India. *Clinical Epidemiology and Global Health*, *5*(1), 14–20. <https://doi.org/10.1016/j.cegh.2016.07.001>
- Tebbani, F. (2017). Maternal Nutrition and Birth Weight: Role of Vitamins and Trace Elements. *Journal of Fertilization: In Vitro - IVF-Worldwide, Reproductive Medicine, Genetics & Stem Cell Biology*, *5*(1), 1–5. <https://doi.org/10.4172/2375-4508.1000199>
- UNICEF. (2004). *Low Birth Weight, Country, Regional and Global Estimates*. New York, USA.
- UU RI No. 20. Undang-Undang Republik Indonesia Nomer 20 Tahun 2003 Tentang Sistem Pendidikan Nasional (2003). Jakarta, Indonesia.
- Valls-i-Soler, A., Pijoán, J., Cuttini, M., de la Cruz, J., Pallás, C., Weindling, M., Azpeitia, A. (2008). European Perinatal Health Report “Very low bithweight and gestational age infants in Europe”: better statistics for better health for pregnant women and their babies. In *European perinatal health report* (pp. 183–94). Retrieved from [www.europeristat.com](http://www.europeristat.com)
- Vila Candel, R., Soriano-Vidal, F. J., Hevilla Cucarella, E., Castro-Sánchez, E., & Martin-Moreno, J. M. (2015). Tobacco use in the third trimester of pregnancy and its relationship to birth weight. A prospective study in Spain. *Women and Birth*, *28*(4), e134–e139. <https://doi.org/10.1016/j.wombi.2015.06.003>
- Volgyi, E., Carroll, K. N., Hare, M. E., Ringwald-Smith, K., Piyathilake, C., Yoo, W., & Tylavsky, F. A. (2013). Dietary patterns in pregnancy and effects on nutrient intake in the mid-south: The conditions affecting neurocognitive development and learning in early childhood (CANDLE) study. *Nutrients*, *5*(5), 1511–1530. <https://doi.org/10.3390/nu5051511>

- WHA and WHO. (2012). WHA Global Nutrition Targets 2025 : Low Birth Weight Policy Brief.
- WHO. (2014). Global Nutrition targets 2015 Anaemia Policy Brief. *Global Nutrition Targets 2025*, 2(WHO/NMH/NHD/14.4)
- WHO. (2015). The Global Prevalence of Anaemia in 2011. *WHO Report*, 48. <https://doi.org/10.1017/S1368980008002401>
- WHO. (2016). WHO recommendations on antenatal care for a positive pregnancy experience Executive summary.
- WHOSIS. (2011). Low Birth Weight in Global. *British Medical Journal*, 2(6079), 79–80. <https://doi.org/10.1136/bmj.2.6079.79-a>
- WHS. (2013). *World Health Statistics*. New York. Geneva.
- Wijayasundara. (2011). Factors Influencing Low Birth Weight Among Babies Born In The Teaching Hospital Anuradhapura: A Preliminary Study, (127), 18–21.
- Wuebbolt, D., Thomas, H., & Murphy, K. (2011). Obstetric Iron Deficiency Anemia in Pregnancy and Treatment Options : A Patient-Preference Study [ 1L ] Management of Severe Range Blood Pressures During Obstetrical Care : A Quality Improvement Project [ 3L ] Low Back Pain in Pregnancy – Investigations , (39), 2011.
- Yan, J. (2015). Economics and Human Biology Maternal pre-pregnancy BMI , gestational weight gain , and infant birth weight : A within-family analysis in the United States. *Economics and Human Biology*, 18, 1–12. <https://doi.org/10.1016/j.ehb.2015.03.002>
- Yongky, Hardinsyah, G. dan M. (2009). Status Gizi Awal Kehamilan Dan Pertambahan Berat Badan Ibu Hamil Kaitannya Dengan Bblr. *Jurnal Gizi Dan Pangan*, 4(1), 8–12.
- Young, M. F., Hong, P., Addo, O. Y., Hao, W., Nguyen, H., Pham, H., Ramakrishnan, U. (2015). European Journal of Obstetrics & Gynecology and Reproductive Biology The relative influence of maternal nutritional status before and during pregnancy on birth outcomes in Vietnam §. *European Journal of Obstetrics and Gynecology*, 194, 223–227. <https://doi.org/10.1016/j.ejogrb.2015.09.018>
- Zendrato, D. P. S., Rahayu, & Hiswani. (2016). Hubungan Faktor Sosiodemografis dan Faktor Kehamilan dengan Kejadian Bayi Berat Lahir Rendah (BBLR) di RSIA Sri Ratu Medan Tahun 2014. *Jurnal Gizi, Kesehatan Reproduksi Dan Epidemiologi*, 1 No 1. <https://doi.org/10.1017/CBO9781107415324.004>
- Zerfu, T. A., Umeta, M., & Baye, K. (2016). Dietary diversity during pregnancy is associated with reduced risk of maternal anemia , preterm delivery , and low

birth weight in a prospective cohort study in rural Ethiopia 1, *2011*(1), 1482–1488. <https://doi.org/10.3945/ajcn.115.116798>

Zulyniak, M. A., de Souza, R. J., Shaikh, M., Desai, D., Lefebvre, D. L., Gupta, M., NutriGen Alliance investigators. (2017). Does the impact of a plant-based diet during pregnancy on birth weight differ by ethnicity? A dietary pattern analysis from a prospective Canadian birth cohort alliance. *BMJ Open*, 7(11), e017753. <https://doi.org/10.1136/bmjopen-2017-017753>