



## REFERENCES

- Aharoni, A., Brandizzi, F., 2012. High-resolution measurements in plant biology. *Plant J.* 70, 1–4.
- Akram, M., Uddin, S., Ahmed, A., Usmanghani, K., Hannan, A., Mohiuddin, E., Asif, M., 2010. *Curcuma longa* and curcumin: a review article. *Romanian J. Biol. Plant Biol.* 55, 65–70.
- Ashraf, K., Mujeeb, M., Ahmad, A., Amir, M., Mallick, M.N., Sharma, D., 2012. Validated HPTLC analysis method for quantification of variability in content of curcumin in *Curcuma longa* L (turmeric) collected from different geographical region of India. *Asian Pac. J. Trop. Biomed.* 2, S584–S588.
- Awin, T., Mediani, A., Maulidiani, Shaari, K., Faudzi, S.M.M., Sukari, M.A.H., Lajis, N.H., Abas, F., 2016. Phytochemical profiles and biological activities of *Curcuma* species subjected to different drying methods and solvent systems: NMR-based metabolomics approach. *Ind. Crops Prod.* 94, 342–352.
- Barker, M., Rayens, W., 2003. Partial least squares for discrimination. *J. Chemom.* 17, 166–173.
- Bar-Sela, G., Epelbaum, R., Schaffer, M., 2010. Curcumin as an anti-cancer agent: review of the gap between basic and clinical applications. *Curr. Med. Chem.* 17, 190–197.
- Booker, A., Frommenwiler, D., Johnston, D., Umealajekwu, C., Reich, E., Heinrich, M., 2014. Chemical variability along the value chains of turmeric (*Curcuma longa*): a comparison of nuclear magnetic resonance spectroscopy and high performance thin layer chromatography. *J. Ethnopharmacol.* 152, 292–301.
- Bos, R., Windono, T., Woerdenbag, H.J., Boersma, Y.L., Koulman, A., Kayser, O., 2007. HPLC-photodiode array detection analysis of curcuminoids in *Curcuma* species indigenous to Indonesia. *Phytochem. Anal.* 18, 118–122.
- Braithwaite, A., Smith, F., 1999. Chromatographic Methods 5th Edition. Kluwer Academic Press, Dordrecht, The Netherlands.
- Brereton, R.G., 2003. Chemometrics: Data Analysis for The Laboratory and Chemical Plant. Wiley, Hoboken.
- Chan, C.C., Lam, H., Lee, Y.C., Zhang, X.M., 2004. Analytical Method Validation and Instrument Performance Verification. Wiley Interscience, John Wiley and Sons, Inc., Hoboken.



- Charlton, C., Giovannini, M., Faist, J., Mizaikoff, B., 2006. Fabrication and characterization of molecular beam epitaxy grown thin-film GaAs waveguides for mid-infrared evanescent field chemical sensing. *Anal. Chem.* 78, 4224–4227.
- Consonni, R., Cagliani, L.R., 2010. Nuclear magnetic resonance and chemometrics to assess geographical origin and quality of traditional food products. *Adv. Food Nutr. Res.* 59, 87–165.
- Cousins, M., Adelberg, J., Chen, F., Rieck, J., 2007. Antioxidant capacity of fresh and dried rhizomes from four clones of turmeric *Curcuma longa* L. grown in vitro. *Ind. Crops Prod.* 25, 129–135.
- Cubero-Leon, E., Penalver, R., Maquet, A., 2014. Review on metabolomics for food authentication. *Food Res. Int.* 60, 95–107.
- da Silva Taveira, J.H., Borem, F.P., Figueiredo, L.P., Reis, N., Franca, A.S., 2014. Potential markers of coffee genotypes grown in different Brazilian regions: Metabolomics approach. *Food Res. Int.* 61, 75–82.
- Dai, H., Xiao, C., Liu, H., Tang, H., 2010. Combined NMR and LC-MS analysis reveals the metabonomic changes in *Salvia miltiorrhiza* Bunge induced by water depletion. *J. Proteome Res.* 9, 1460–1475.
- Dall'Acqua, S., Stocchero, M., Boschiero, I., Schiavon, M., Golob, S., Uddin, J., Voinovich, D., Mammi, S., Schievano, E., 2016. New findings on the in vivo antioxidant activity of *Curcuma longa* extract by an integrated  $^1\text{H}$ -NMR and HPLC-MS metabolomic approach. *Fitoterapia* 109, 125–131.
- de Combarieu, E., Martinelli, E.M., Pace, R., Sardone, N., 2015. Metabolomics study of *Saw palmetto* extracts based on  $^1\text{H}$ -NMR spectroscopy. *Fitoterapia* 102, 56–60.
- Deborde, C., Moing, A., Roch, L., Jacob, D., Rolin, D., Giraudeau, P., 2017. Plant metabolism as studied by NMR spectroscopy. *Prog. Nucl. Magn. Reson. Spectrosc.* 102–103, 61–97.
- Fiehn, O., 2002. Metabolomics--the link between genotypes and phenotypes. *Plant Mol. Biol.* 48, 155–171.
- Forgacs, E., Cserhati, T., 2002. Thin-layer chromatography of natural pigments: new advances. *J. Liq. Chromatogr. Relat. Technol.* 25, 1521–1541.
- Frederich, M., Jansen, C., de Tullio, P., Tits, M., Demoulin, V., Angenot, L., 2010. Metabolomic analysis of *Echinacea* spp. by  $^1\text{H}$  nuclear magnetic resonance spectrometry and multivariate data analysis technique. *Phytochem. Anal. PCA* 21, 61–65.



- Gantait, A., Barman, T., Mukherhee, P.K., 2011. Validated method for estimation of curcumin in turmeric powder. Indian J. Tradit. Knowl. 10, 247–250.
- Gholap, A.S., Bandyopadhyay, C., 1984. Characterization of mango-like aroma in *Curcuma amada* Roxb. J. Agric. Food Chem. 32, 57–59.
- Gogna, N., Hamid, N., Dorai, K., 2015. Metabolomic profiling of the phytomedicinal constituents of *Carica papaya* L. leaves and seeds by  $^1\text{H}$ -NMR spectroscopy and multivariate statistical analysis. J. Pharm. Biomed. Anal. 115, 74–85.
- Gonzalez, A.G., Herrador, M.A., 2007. A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. Trends Anal. Chem. 26, 227–238.
- Gritter, R.J., Bobbit, J.M., Schwatring, 1991. Introduction to Chromatography, translated by Padmawinata, II. ed. Penerbit ITB, Bandung.
- Hajnos, M.W., Sherma, J., Kowalska, T., 2008. Thin Layer Chromatography in Phytochemistry. CRC Press, Boca Raton.
- Honda, S., Aoki, F., Tanaka, H., Kishida, H., Nishiyama, T., Okada, S., Matsumoto, I., Abe, K., Mae, T., 2006. Effects of ingested turmeric oleoresin on glucose and lipid metabolisms in obese diabetic mice: a DNA microarray study. J. Agric. Food Chem. 54, 9055–9062.
- ICH, 2005. Validation of analytical procedures: text and methodology Q2(R1). Int. Conf. Harmon. Tech. Requir. Regist. Pharm. ForHuman Use.
- Joe, B., Vijaykumar, M., Lokesh, B.R., 2004. Biological properties of curcumin-cellular and molecular mechanisms of action. Crit. Rev. Food Sci. Nutr. 44, 97–111.
- Jung, Y., Ahn, Y.G., Kim, H.K., Moon, B.C., Lee, A.Y., Ryu, D.H., Hwang, G.-S., 2011. Characterization of dandelion species using  $^1\text{H}$ -NMR and GC-MS based metabolite profiling. The Analyst 136, 4222–4231.
- Jung, Y., Lee, J., Kim, H.K., Moon, B.C., Ji, Y., Ryu, D.H., Hwang, G.-S., 2012. Metabolite profiling of *Curcuma* species grown in different regions using  $^1\text{H}$ -NMR spectroscopy and multivariate analysis. The Analyst 137, 5597–5606.
- Jurenka, J.S., 2009. Anti-inflammatory properties of curcumin, a major constituent of *Curcuma longa*: a review of preclinical and clinical research. Altern. Med. Rev. J. Clin. Ther. 14, 141–153.
- Kamm, W., Dionisi, F., Hischenhuber, C., Engel, K.-H., 2001. Authenticity assessment of fats and oils. Food Rev. Int. 17, 249–290.



- Kapoor, 1990. Handbook of Ayurvedic Medicinal Plants. CRC Press, Boca Raton.
- Kealey, D., Haines, P.J., 2002. Analytical Chemistry, The instant notes chemistry series. BIOS, Oxford.
- Kim, H.K., Choi, Y.H., Verpoorte, R., 2010a. NMR-based metabolomic analysis of plants. Nat. Protoc. 5, 536–549.
- Kim, H.K., Saifullah, null, Khan, S., Wilson, E.G., Kricun, S.D.P., Meissner, A., Goraler, S., Deelder, A.M., Choi, Y.H., Verpoorte, R., 2010b. Metabolic classification of South American Ilex species by NMR-based metabolomics. Phytochemistry 71, 773–784.
- Kim, H.-S., Park, S.J., Hyun, S.-H., Yang, S.-O., Lee, J., Auh, J.-H., Kim, J.-H., Cho, S.-M., Marriott, P.J., Choi, H.-K., 2011. Biochemical monitoring of black raspberry *Rubus coreanus* Miquel fruits according to maturation stage by <sup>1</sup>H-NMR using multiple solvent systems. Food Res. Int., Exotic Fruits: their Composition, Nutraceutical and Agroindustrial Potential 44, 1977–1987.
- Koek, M.M., Jellema, R.H., van der Greef, J., Tas, A.C., Hankemeier, T., 2011. Quantitative metabolomics based on gas chromatography mass spectrometry: status and perspectives. Metabolomics Off. J. Metabolomic Soc. 7, 307–328.
- Kohl, S.M., Klein, M.S., Hochrein, J., Oefner, P.J., Spang, R., Gronwald, W., 2012. State of the art data normalization methods improve NMR-based metabolomic analysis. Metabolomics Off. J. Metabolomic Soc. 8, 146–160.
- Lakshminarayana, S., Siddappa, G.S., Subba Rao, M.S., Johar, D.S., 1963. Preservation of mango ginger. Food Sci. 12, 11–14.
- Lestari, H.P., 2016. Analisis kurkuminoid individual dan total dalam ekstrak temulawak secara FTIR dan KCKT. Tesis, UGM.
- Li, S., Yuan, W., Deng, G., Wang, P., Yang, P., Aggarwal, B., 2011. Chemical composition and product quality control of turmeric *Curcuma longa* L. Pharm. Crops 2, 28–54.
- Longobardi, F., Ventrella, A., Bianco, A., Catucci, L., Cafagna, I., Gallo, V., Mastrorilli, P., Agostiano, A., 2013. Non-targeted <sup>1</sup>H-NMR fingerprinting and multivariate statistical analyses for the characterisation of the geographical origin of Italian sweet cherries. Food Chem. 141, 3028–3033.
- Marikkar, J.M.N., Lai, O.M., Ghazali, H.M., Man, Y.B.C., 2001. Detection of lard and randomized lard as adulterants in refined-bleached-deodorized palm oil by differential scanning calorimetry. J. Am. Oil Chem. Soc. 78, 1113–1119.



- Markley, J.L., Brüschweiler, R., Edison, A.S., Eghbalnia, H.R., Powers, R., Raftery, D., Wishart, D.S., 2017. The future of NMR-based metabolomics. *Curr. Opin. Biotechnol.* 43, 34–40.
- Miller, J.N., Miller, J.C., 2010. Statistics and Chemometrics for Analytical Chemistry, 6th ed. Prentice Hall, Harlow.
- Mohanty, I., Singh Arya, D., Dinda, A., Joshi, S., Talwar, K.K., Gupta, S.K., 2004. Protective effects of *Curcuma longa* on ischemia-reperfusion induced myocardial injuries and their mechanisms. *Life Sci.* 75, 1701–1711.
- Mustafa, A., Ali, M., Khan, N.Z., 2005. Volatile oil constituents of the fresh rhizomes of (*Curcuma amada*) Roxb. *J. Essent. Oil Res.* 17, 490–491.
- Paramasivam, M., Poi, R., Banerjee, H., Bandyopadhyay, A., 2009. High performance thin layer chromatographic method for quantitative determination of curcuminoids in *Curcuma longa* germplasm. *Food Chem.* 113, 640–644.
- Pauli, G.F., Jaki, B.U., Lankin, D.C., 2005. Quantitative H-NMR: development and potential of a method for natural product analysis. *J. Nat. Prod.* 68, 133–149.
- Pavia, D.L., Lampman, G.M., Kriz, G.S., Vyvyan, J.R. (Eds.), 2009. Introduction to Spectroscopy, 4th ed. ed. Brooks/Cole, Cengage Learning, Belmont, CA.
- Petrakis, E.A., Cagliani, L.R., Polissiou, M.G., Consonni, R., 2015. Evaluation of saffron *Crocus sativus* L. adulteration with plant adulterants by  $^1\text{H}$ -NMR metabolite fingerprinting. *Food Chem.* 173, 890–896.
- Phattanawasin, P., Sotanaphun, U., Sriphong, L., 2009. Validated TLC image analysis method for simultaneous quantification of curcuminoids in *Curcuma longa*. *Chromatographia* 69, 397–400.
- Policegoudra, R.S., Aradhya, S.M., Singh, L., 2011. Mango ginger *Curcuma amada* Roxb.--a promising spice for phytochemicals and biological activities. *J. Biosci.* 36, 739–748.
- Pothitirat, W., Gritsanapan, W., 2005. Quantitative analysis of curcumin, demethoxycurcumin and bisdemethoxycurcumin in the crude curcuminoid extract from *Curcuma longa* in Thailand by TLC-Densitometry. *Mahidol Univ. J. Pharm. Sci.* 32, 23–30.
- Prabaningdyah, N.K., 2017. Analisis kuantitatif kurkuminoid dalam sirup menggunakan kromatografi cair kinerja tinggi dan spektroskopi inframerah dikombinasikan dengan kalibrasi multivariat. Tesis, UGM.



- Rao, A.S., Rajanikanth, B., Seshadri, R., 1989. Volatile aroma components of *Curcuma amada* Roxb. *J. Agric. Food Chem.* 37, 740–743.
- Ratcliffe, R.G., Shachar-Hill, Y., 2005. Revealing metabolic phenotypes in plants: inputs from NMR analysis. *Biol. Rev. Camb. Philos. Soc.* 80, 27–43.
- Ravindran, P.N., Nirmal Babu, K., Sivaraman, K. (Eds.), 2007. Turmeric: the genus *Curcuma*, Medicinal and aromatic plants--industrial profiles. CRC Press, Boca Raton, FL.
- Remya, R., Syamkumar, S., Sasikumar, B., 2004. Isolation and amplification of DNA from turmeric powder. *Br. Food J.* 106, 673–678.
- Rolin, D., Deborde, C., Maucourt, M., Cabasson, C., Fauville, F., Jacob, D., Canlet, C., Moing, A., 2013. High resolution  $^1\text{H-NMR}$  spectroscopy and beyond to explore plant metabolome. *Adv. Bot. Res.* 67, 1–66.
- Sasikumar, B., 2005. Genetic resources of *Curcuma*: diversity, characterization and utilization. *Plant Genet. Resour. Charact. Util.* 3, 230–251.
- Scalbert, A., Brennan, L., Fiehn, O., Hankemeier, T., Kristal, B.S., van Ommen, B., Pujos-Guillot, E., Verheij, E., Wishart, D., Wopereis, S., 2009. Mass spectrometry based metabolomics: limitations and recommendations for future progress with particular focus on nutrition research. *Metabolomics Off. J. Metabolomic Soc.* 5, 435–458.
- Setyawan, C., Moeis, X., Ishwara, H., 1999. Tanaman Obat Keluarga 2. PT. Intisari Mediatama, Jakarta.
- Sheeja, A., D.B., Nair, M.S., 2012. Phytochemical constituents of *Curcuma amada*. *Biochem. Syst. Ecol.* 44, 264–266.
- Srivastava, A.K., Srivastava, S.K., Shah, N.C., 2001. Constituents of the rhizome essential oil of *Curcuma amada* Roxb. from India. *J. Essent. Oil Res.* 13, 63–64.
- Tomassini, A., Sciubba, F., Di Cocco, M.E., Capuani, G., Delfini, M., Aureli, W., Miccheli, A., 2016.  $^1\text{H-NMR}$ -based metabolomics reveals a pedoclimatic metabolic imprinting in ready-to-drink carrot juices. *J. Agric. Food Chem.* 64, 5284–5291.
- van der Kooy, F., Maltese, F., Choi, Y.H., Kim, H.K., Verpoorte, R., 2009. Quality control of herbal material and phytopharmaceuticals with MS and NMR based metabolic fingerprinting. *Planta Med.* 75, 763–775.
- Varmuza, K., Filzmoser, P., 2009. Introduction to multivariate statistical analysis in chemometrics. CRC Press, Boca Raton.



- Verpoorte, R., Choi, Y.H., Kim, H.K., 2007. NMR-based metabolomics at work in phytochemistry. *Phytochem. Rev.* 6, 3–14.
- Vogeser, M., Seger, C., 2008. A decade of HPLC-MS/MS in the routine clinical laboratory--goals for further developments. *Clin. Biochem.* 41, 649–662.
- Ward, J.L., Baker, J.M., Miller, S.J., Deborde, C., Maucourt, M., Biais, B., Rolin, D., Moing, A., Moco, S., Vervoort, J., Lommen, A., Schäfer, H., Humpfer, E., Beale, M.H., 2010. An inter-laboratory comparison demonstrates that  $^1\text{H-NMR}$  metabolite fingerprinting is a robust technique for collaborative plant metabolomic data collection. *Metabolomics* 6, 263–273.
- Widyaningsih, W., 2013. Efek ekstrak etanol rimpang temugiring *Curcuma heyneana* val terhadap kadar trigliserida. *Pharmaciana* 1.
- Wikara, T., Sulistiowaty, A., Murhandini, S., Usia, T., 2016. Fingerprint study of *Curcuma xanthorrhiza* rhizome by high performance thin layer chromatography (HPTLC). *J. Jamu Indones.* 1, 9–14.
- Wise, B.M., Gallagher, N.B., Bro, R., Shaver, J.M., Windig, W., Koch, R.S., 2006. Chemometrics Tutorial for PLS\_Toolbox and Solo. Eigenvector Research, Inc, USA.
- Woelansari, E.D., Puspitasari, A., Rachmaniyah, 2013. Effect of rimpang temu giring *Curcuma heyneana* Val. & V. Zijp and rimpang temu hitam *Curcuma aeruginosa* Roxb boiled water on the mortality of *Fasciola hepatica* worm in vitro. *Folia Medica Indonesiana* 49, 62–65.
- Wold, S., 1976. Pattern recognition by means of disjoint principal components models. *Pattern Recognit.* 8, 127–139.
- Powers, R., 2013. Utilities for quantifying separation in PCA/PLS-DA scores plots. *Anal. Biochem.* 433, 102–104.
- Worley, B., Powers, R., 2013. Multivariate Analysis in Metabolomics. *Curr. Metabolomics* 1, 92–107.
- Worley, B., Powers, R., Halouska, S., 2012. Multivariate analysis in metabolomics. *Curr. Metabolomics* 1, 92–107.
- Yan, K.-J., Chu, Y., Huang, J.-H., Jiang, M.-M., Li, W., Wang, Y.-F., Huang, H.-Y., Qin, Y.-H., Ma, X.-H., Zhou, S.-P., Sun, H., Wang, W., 2016. Qualitative and quantitative analyses of Compound *Danshen* extract based on  $^1\text{H-NMR}$  method and its application for quality control. *J. Pharm. Biomed. Anal.* 131, 183–187.